

## The Infrared HR Diagram - The IRAS Two-Colour Diagram of AGB Stars and Its Evolutionary Explanation

Jiang Shi-yang

Beijing Astronomical Observatory, Chinese Academy of Sciences  
Beijing, China

In recent years several people have used the IRAS data to produce  $([25] - [60]) / ([12] - [25])$  two-colour diagrams of late type stars (Van der Veen and Habing 1988; Qing-Quan 1988). The distribution of all these AGB stars are concentrated in a limited area, and any special series of stars are limited on a definite curve which can be represented by an exponential equation like

$$[25] - [60] = A + B \exp ([12] - [25]).$$

Here  $[X] = -2.5 \log \text{flux}$  and A, B, C are constant coefficients. On the other hand, we can make a model calculation to fit all these distributions. There are two kinds of models. One is a temporal model for different kinds of objects; another is an evolutionary model for stars with different initial mass. All these models are determined by the initial depth of the dust-gas envelope, the emission and absorption coefficients of the particles within the envelope, etc. So by comparing the real two-colour diagrams with these theoretical models we can determine many basic properties of late-type stars, especially those of AGB stars. Our results follow. (1) The initial masses of AGB stars are between 1 to 8 solar mass. (2) The mass loss rate of AGB stars varies from  $10^{-7}$  to  $10^{-5}$  solar mass per year. (3) The temperature of the photosphere of AGB stars are between 2000 to 3000 K. (4) The optical depths at the 12 micron band are between  $10^{-3}$  and  $10^{-2}$ .

Finally, the evolutionary scenario for AGB stars are as follows. At first the mass loss rates are still very low so the IR excess are small; at a certain moment in the AGB life the mass-loss rate increases steeply so that the IR excess increases and the position on the two-colour diagram moves from lower left to the upper right. At the same time the 9.7 and/or 11.3 micron feature changes from strong emission to strong absorption gradually, and the star changes from a mira variable to an OH/IR source.

### References

- Van der Veen, W.E.C.J., Habing, H.J., 1988, *Astron. Ap.* 194, 125.  
Tang Qing-Quan, Thesis, 1988, Beijing Astronomical Observatory.