INSTRUCTIONS TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by *all* the authors and should be addressed to:

The Editors, Journal of Helminthology, 395A Hatfield Road, St Albans, Herts AL4 0XU, England.

Three copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is $12 \cdot 0 \times 20 \cdot 0$ cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size $12 \cdot 0 \times 20 \cdot 0$ cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

ASHFORD, R. W. & BARNISH, G. (1989) Strongyloides fuelleborni and similar parasites in animals and man. In: Strongyloidiasis: a major roundworm infection of man (editor, D. I. Grove) pp. 271–286. Taylor & Francis: London.

GARSIDE, P. & BEHNKE, J. M. (1989) Primary infection of hamsters with *Ancylostoma ceylanicum*. *Parasitology*, **98**, 283–289.

Contents

B. J. VENNERVALD Echinostoma caproni and E. trivolvis alter the binding of glycoconjugates in the intestinal mucosa of C3H mice as determined by lectin histochemistry. T. FUJINO and B. FRIED Cytochemical observations on the nervous system of adult Corrigia vitta. C. A. MAGEE, M. CAHIR, D. W. HALTON, C. F. JOHNSTON and C. SHAW Comparative spectral, electrophoretic and isoelectric properties of trematode haemoglobins. K. A. RASHID, M. HAQUE and A. H. SIDDIQI Embryogenesis in Litomosoides carinii from pyridoxine deficient cotton rats.	ages
intestinal mucosa of C3H mice as determined by lectin histochemistry. T. FUJINO and B. FRIED Cytochemical observations on the nervous system of adult Corrigia vitta. C. A. MAGEE, M. CAHIR, D. W. HALTON, C. F. JOHNSTON and C. SHAW Comparative spectral, electrophoretic and isoelectric properties of trematode haemoglobins. K. A. RASHID, M. HAQUE and A. H. SIDDIQI Embryogenesis in Litomosoides carinii from pyridoxine deficient cotton rats.	-178
C. A. MAGEE, M. CAHIR, D. W. HALTON, C. F. JOHNSTON and C. SHAW Comparative spectral, electrophoretic and isoelectric properties of trematode haemoglobins. K. A. RASHID, M. HAQUE and A. H. SIDDIQI Embryogenesis in <i>Litomosoides carinii</i> from pyridoxine deficient cotton rats.	-188
haemoglobins. K. A. RASHID, M. HAQUE and A. H. SIDDIQI 200 Embryogenesis in <i>Litomosoides carinii</i> from pyridoxine deficient cotton rats.	-199
	-204
	-212
Water sources and other determinants of dracunculiasis in the Northern Region of Ghana. A. TAYEH, S. CAIRNCROSS and G. H. MAUDE 213	-225
Isoenzymatic pattern of glucose 6-phosphate dehydrogenase from <i>Ascaris suum</i> . C. CUTILLAS, B. RODRIGUEZ, P. GERMAN and D. GUEVARA 226	-232
Cryopreservation of Angiostrongylus cantonensis third-stage larvae. R. K. MAHAJAN and D. M. RENAPURKAR 233	-237
Effect of irradiation on the viability of <i>Angiostrongylus cantonensis</i> and <i>A. costaricensis</i> infective larvae. H. K. OOI, K. ISHII, J. INOHARA and M. KAMIYA 238	-242
The effect of levamisole on acetylcholinesterase secretion by male and female Heligmosomoides polygyrus during ageing. S. MALLET and D. KERBOEUF 243	-247
Some observations on hydatidosis in Jordan. M. N. ABO-SHEHADA (Research Note) 248	-252