

The AERONAUTICAL Journal



Contents

P. Miller and M. W. R Seel

The application of high pressure ejectors to reaction control systems.

M. W. Collins

Holographic techniques for whole-field thermal and fluid measurements.

P. A. Jacobs and R. J. Stalker

Mach 4 and Mach 8 axisymmetric nozzle for a high-enthalpy shock tunnel.

Library reviews, additions and reports.

Incorporating

The Aeronautical Quarterly

Volume 95 Number 949 November 1991

THE AERONAUTICAL JOURNAL

Aims and scope

The aims and scope of *The Aeronautical Journal* are intended to reflect the objectives of the Society as expressed in the Charter of Incorporation. Briefly these are to encourage and foster the advancement of all aspects of aeronautical and space science. Thus the topics of the Journal include all those which are covered by the various Sections and Groups of the Society such as fluid mechanics and aerodynamics, propulsion, structures and materials, rotorcraft, astronautics and guided flight, dynamics and control, aeromarine technology, aviation medicine, air transport, test flying, flight simulation, air law, management studies, history of aviation and manpowered aircraft. Thus papers are solicited on all aspects of research, design and development, construction and operation of aircraft and space vehicles. Papers are also welcomed which review, comprehensively, the results of recent research developments in any of the above topics.

Notes on the preparation of papers

Acceptance of a submitted paper will depend on the results of rigorous technical review by at least two referees and on the judgement of the Editors as to the importance of the paper to readers of the Journal.

Three clear copies of the manuscript, each complete with illustrations, should be submitted. Papers should be typed in double spacing and should preferably not exceed 10 000 words. Handwritten manuscripts cannot be accepted.

A list of symbols used, both in the illustrations and in the text, should be given in alphabetical order at the beginning of the paper whether or not they are standard. All unfamiliar terms must be explained.

Symbols and formulae should be typewritten if possible. The use of dots, bars, and similar characters over symbols, or the use of dots as multiplication signs and bars for brackets should be avoided. Suffixes (subscripts) and indices (superscripts) must be clearly indicated. Complicated suffixes and indices also should be avoided where possible.

References should be numbered in the text where they occur, and a complete list of references given at the end of the paper. *The Aeronautical Journal* uses the BSI Numeric System for references — e.g. author(s), title of contribution, title of periodical, year of publication, volume number, issue number, page numbers.

Illustrations should be kept to a minimum. When the paper is first submitted they can be clear prints or graphs, sketches or photographs. If the paper is accepted, authors are asked to provide the original drawings if possible, and clear, glossy, black-and-white photographs. All diagrams should be produced to the same scale.

Manuscripts should be read critically, for example by a colleague, before submission, in order to avoid small errors which might otherwise prolong the refereeing process.

Conditions of publication

An author must obtain consent, where necessary, to use any material in a paper which is copyright or the property of any other persons and of his/her or their employers.

Security clearance, if appropriate, must be obtained by the author before the paper is submitted.

The copyright of papers printed in *The Aeronautical Journal* is the property of The Royal Aeronautical Society. Permission to reprint or to use any paper will not be refused unreasonably.

Following the acceptance of a submitted paper, publication of the paper will not be unreasonably delayed.

Authors are entitled to 50 complimentary reprints of their papers. Authors may order any number of additional reprints at the time of printing and quotations can be provided.

The AERONAUTICAL Journal

Volume 95 Number 949 November 1991

Incorporating the Aeronautical Quarterly



Editor:
J. M. Ramsden

Production Editor:
David Moore

Published by
The Royal Aeronautical Society,
4 Hamilton Place, London W1V 0BQ.
Tel: 071-499 3515
Cables: Didaskalos, London W1
Telex: 262826 RAESOC
Fax: 071-499 6230

Advertisements:
Brian R. Harriss — Jackson-Rudd
& Associates (London) Limited
2 Luke Street, London EC2A 4NT
Tel: 071-613 0717
Fax: 071-613 1108

Reproduction of any of the papers
published in this journal is not
permitted without the written con-
sent of the Editor.

None of the papers or paragraphs
must be taken as expressing the
opinion of the Council unless
otherwise stated.

Printed by
Manor Park Press Ltd.
Unit 7, Highfield Industrial Estate,
Edison Road, Hampden Park,
Eastbourne.

Subscriptions: £160 per annum,
post free.

RAeS members: £18.00 per
annum.

Single copies, including back
numbers: £18.

Non-member subscriptions from
The Royal Aeronautical Society
Publications Subscriptions Depart-
ment, PO Box 139, Tonbridge,
Kent TN9 1EW, UK.
Tel: 0732 770823.
Fax: 0732 361708

ISSN: 0001-9240

**PUBLISHED MONTHLY
EXCEPT JUNE AND
AUGUST**

Contents

297

P. Miller and M. W. R Seel
The application of high pressure
ejectors to reaction control systems.

313

M. W. Collins
Holographic techniques for whole-
field thermal and fluid
measurements.

324

P. A. Jacobs and R. J. Stalker
Mach 4 and Mach 8 axisymmetric
nozzle for a high-enthalpy shock
tunnel.

335

**Library reviews, additions and
reports.**

Incorporating the Journals of The
Institution of Aeronautical Engineers and
The Helicopter Association of Great
Britain

