ANIMAL PRODUCTION

JOURNAL OF
THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Edited by

J. A. F. ROOK
W. G. HILL
J. HODGSON
A. M. RAVEN
J. C. TAYLER
A. J. F. WEBSTER
M. B. WILLIS

VOLUME 24 1977

LONGMAN

PRINTED IN GREAT BRITAIN BY
T. & A. CONSTABLE LIMITED, EDINBURGH

CONTENTS OF VOLUME 24

(LISTED ALPHABETICALLY BY AUTHOR)

	PAGE
ARNOLD, G. W. and BIRRELL, H. A. Food intake and grazing behaviour of sheep varying in body function	343
BEILHARZ, R. G., see HEMSWORTH, P. H.	
ВІСНАЯ, M. and ÖZKÜTÜK, K. Studies of pedigree Hereford cattle breeding. 2. Reproductive statistics in bull-breeding herds	15
BICHARD, M., see also ÖZKÜTÜK, K.	
Birrell, H. A., see Arnold, G. W.	
BOYD, J. S., see DUCKER, M. J.	
Braude, R. and Newport, M. J. A note on a comparison of two systems for rearing pigs weaned at 2 days of age, involving either a liquid or a pelleted diet	271
BROADBENT, P. J. A note on the effect of omitting the cereal supplement from a finishing diet offered to weaned single-suckled calves	275
BUCK, N. G., see CAPPER, B. S., see also TRAIL, J. C. M.	
CAMPBELL, R. G. The response of early-weaned pigs to various protein levels in a high energy diet	69
Capper, B. S., Pratchett, D., Rennie, T. W., Light, D., Rutherford, A., Miller, M., Buck, N. G. and Trail, J. C. M. Effects of rumen stimulatory licks on reproductive performance and live-weight gain of beef cattle in Botswana	49
CAPPER, B. S., see also TRAIL, J. C. M.	
CLAPPERTON, J. L. The effect of a methane-suppressing compound, tri- chloroethyl adipate, on rumen fermentation and the growth of sheep .	169
CONNIFFE, D. A more precise statistical analysis for certain grazing trials and other large scale animal experiments	103
DAVEY, A. W. F. and HOLMES, C. W. The effects of shearing on the heat production and activity of sheep receiving dried grass or ground hay .	355
DUCKER, M. J. and BOYD, J. S. The effect of body size and body condition on the ovulation rate of ewes	377
ECONOMIDES, S., see LOUCA, A.	
ELSLEY, F. W. H., see Greenhalgh, J. F. D.	
Fahmy, M. H. and Holtmann, W. B. Evaluation of three- and four-breed cross litters and pigs sired by purebred and crossbred boars	261
FITZSIMONS, J., see Speedy, A. W.	
FOLMAN, Y. A note on the relationship between live-weight gain during calf-hood and subsequent performance of intact male calves of the Israeli-Friesian breed	283
Forbes, J. M. Interrelationships between physical and metabolic control of voluntary food intake in fattening, pregnant and lactating mature sheep: a model	91
FORBES, J. M. Development of a model of voluntary food intake and energy balance in lactating cows	203

iv CONTENTS

GALINDEZ, F. J., PRUD'HON, M. and REBOUL, G. Reproductive performance of group-synchronized Merino d'Arles and Romanov crossbred ewes.	PAGE
1. A note on the effects of lactation on fecundity	113
GALLOWAY, D. B., see HEMSWORTH, P. H.	
Greenhalgh, J. F. D., Elsley, F. W. H., Grubb, D. A., Lightfoot, A. L., Saul, D. W., Smith, P., Walker, N., Williams, D. and Yeo, M. L. Coordinated trials on the protein requirements of sows. 1. A comparison of four levels of dietary protein in gestation and two in lactation .	307
GRUBB, D. A., see Greenhalgh, J. F. D.	
GYLLANG, H., see ÖSTER, A.	
HANCOCK, J., see LOUCA, A.	
HEL, W. VAN DER, see VERSTEGEN, M. W. A.	
Hemsworth, P. H., Beilharz, R. G. and Galloway, D. B. Influence of social conditions during rearing on the sexual behaviour of the domestic boar	245
HILL, W. G. and THOMPSON, R. Design of experiments to estimate offspring-parent regression using selected parents	163
HOLMES, C. W., see DAVEY, A. W. F.	
Holmes, W., see Horton, G. M. J.	
HOLTMANN, W. B., see FAHMY, M. H.	
HOOPER, A. C. B. Effects of divergent selection for body weight on bone length and diameter in mice	77
Horton, G. M. J. and Holmes, W. The feeding value for beef cattle of lucerne cobs differing in maturity and date of harvest	221
HOVELL, F. D. DeB., see MACPHERSON, R. M.	
HUNTER, E. A., see LAIRD, R.	
James, J. W. A note on selection differential and generation length when generations overlap	109
James, J. W. Open nucleus breeding systems	287
JONES, A. S., see MacPherson, R. M.	
KILGOUR, R., see WINFIELD, C. G.	
KILKENNY, J. B., see Pabst, W.	
LAIRD, R. and HUNTER, E. A. The length of gestation period of Ayrshire cows when mated with bulls of other breeds	63
Land, R. B. and Sales, D. I. Mating behaviour and testis growth of Finnish Landrace, Tasmanian Merino and crossbred rams	83
Land, R. B. and Wilmut, I. The survival of embryos transferred in large groups to sheep of breeds with different ovulation rates	183
LAND, R. B., see also WHEELER, A. G.	
LANGHOLZ, H. J., see PABST, W.	
LEIGH, A. O. Litter performance characteristics of pigs in tropical southwestern Nigeria. 1. Breed differences and effects of some non-genetic sources of variation	323
LIGHT, D., see CAPPER, B. S., see also TRAIL, J. C. M.	

CONTENTS

LIGHTFOOT, A. L., see Greenhalgh, J, F. D.	FAGE
Louca, A., Economides, S. and Hancock, J. Effects of castration on growth rate, feed conversion efficiency and carcass quality in Damascus goats .	387
McIlmoyle, W. A. and Murdoch, J. C. The effect of dried grass and cereal-based concentrate on the voluntary intake of unwilted grass silage .	227
McIlmoyle, W. A. and Murdoch, J. C. The effect of concentrate, barley and dried grass on the voluntary intake of different silages	393
MACPHERSON, R. M., HOVELL, F. D. DeB. and JONES, A. S. Performance of sows first mated at puberty or second or third oestrus, and carcass assessment of once-bred gilts	333
MILLER, M., see CAPPER, B. S., see also Trail, J. C. M.	
MOLLISON, G. S., see Webster, A. J. F.	
MURDOCH, J. C., see McIlmoyle, W. A.	
NEGI, S. S., see PAL, R. N.	
Newport, M. J., see Braude, R.	
ÖSTER, A., THOMKE, S. and GYLLANG, H. A note on the use of brewers' dried grains as a protein feedstuff for cattle	279
Özkütük, K. and Bichard, M. Studies of pedigree Hereford cattle breeding. 1. Herdbook analyses	1
ÖZKÜTÜK, K., see also BICHARD, M.	
PABST, W., KILKENNY, J. B. and LANGHOLZ, H. J. Genetic and environmental factors influencing calf performance in pedigree beef cattle in Britain. 1. The influence of environmental effects on birth, 200-day and 400-day weights	29
Pabst, W., Kilkenny, J. B. and Langholz, H. J. Genetic and environmental factors influencing calf performance in pedigree beef cattle in Britain. 2. The relationship between birth, 200-day and 400-day weights and the heritability of weight for age	41
PAL, R. N. and Negi, S. S. A note on rumen ammonia and blood urea levels in steers administered urea or sparingly soluble urea derivatives as nitrogen supplements	117
PRATCHETT, D., see CAPPER, B. S., see also TRAIL, J. C. M.	
Prud'HON, M., see Galindez, F. J.	
RATHORE, A. K. Teat diameter gradient associated with milk yield and mastitis in British Friesian cows	401
RATHORE, A. K. and Sheldrake, R. F. Teat orifice stretchability associated with teat diameter gradient and milk yield in lactating cows	215
REBOUL, G., see GALINDEZ, F. J.	
RENNIE, T. W., see CAPPER, B. S., see also TRAIL, J. C. M.	
RUTHERFORD, A., see CAPPER, B. S., see also TRAIL, J. C. M.	
SALES, D. I., see LAND, R. B.	
Saul, D. W., see Greenhalgh, J. F. D.	
SHELDRAKE, R. F., see RATHORE, A. K.	
SMITH, J. S., see WEBSTER, A. J. F.	

vi CONTENTS

	PAGE
SMITH, P., see Greenhalgh, J. F. D.	
Speedy, A. W. and FitzSimons, J. The reproductive performance of Finnish Landrace × Dorset Horn and Border Leicester × Scottish Blackface ewes mated three times in 2 years	189
THOMKE, S., see ÖSTER, A.	
THOMPSON, R., see HILL, W. G.	
Trail, J. C. M., Buck, N. G., Light, D., Rennie, T. W., Rutherford, A., Miller, M., Pratchett, D. and Capper, B. S. Productivity of Africander, Tswana, Tuli and crossbred beef cattle in Botswana	57
TRAIL, J. C. M., see also CAPPER, B. S.	
VERSTEGEN, M. W. A., HEL, W. VAN DER and WILLEMS, G. E. J. M. Growth depression and food requirements of fattening pigs at low environmental temperatures when housed either on concrete slats or straw	253
Walker, N., see Greenhalgh, J. F. D.	
Webster, A. J. F., Smith, J. S. and Mollison, G. S. Prediction of the energy requirements for growth in beef cattle. 3. Body weight and heat production in Hereford × British Friesian bulls and steers	237
WHEELER, A. G. and LAND, R. B. Seasonal variation in oestrus and ovarian activity of Finnish Landrace, Tasmanian Merino and Scottish Blackface ewes	363
WILLEMS, G. E. J. M., see VERSTEGEN, M. W. A.	
WILLIAMS, D., see Greenhalgh, J. F. D.	
WILMUT, I., see LAND, R. B.	
WINFIELD, C. G. and KILGOUR, R. The mating behaviour of rams in a pedigree pen-mating system in relation to breed and fertility	197
YEO, M. L., see Greenhalgh, J. F. D.	
BLOOD PROFILES IN ANIMAL PRODUCTION, Harrogate, 17 to 19 March 1976.	122
Summer Meeting of the British Society of Animal Production, Aberdeen, 8 to 11 September 1975	121
Summer Meeting of the British Society of Animal Production, Bristol, 6 to 9 September 1976	123
TITLES AND ABSTRACTS OF PAPERS FOR PRESENTATION AT THE 66TH MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, Harrogate, 21 to 24 March 1977	125

Tables should be as simple and as few as possible. When constructing tables, it would be helpful if authors would take into account the size and shape of the pages of *Animal Production*.

Summary: Every article should have a short summary (not more than 250 words) complete in itself and understandable without reference to the paper. The summary will be printed at the beginning of the paper.

References: Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. Bibliographical details should be in the following order: author's name, initials, year, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume of journal, first and last page of paper. References should be listed in alphabetical order. When abstracts are referred to, the page reference should be followed by (Abstr.).

Examples:

BLAXTER, K. L. and WILSON, R. S. 1962. The voluntary intake of roughages by steers. *Anim. Prod.* 4: 351-358.

HAMMOND, J. 1932. Growth and the Development of Mutton Qualities in the Sheep. Oliver and Boyd, Edinburgh.

In the text, references should be made by giving author and year; at the first mention all authors should be named, thereafter the first author followed by et al. should be used for papers with more than two authors.

Proofs are supplied once and must be returned corrected to the Editors within seven days. Only essential corrections should be made.

Reprints: Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof stage.

Animal Production is published six times a year in two volumes. Annual subscription is £23.00 (or \$55.00 in the U.S.A. and Canada) and the price for a single part is £4.00 (or \$10.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section of the February issue of Animal Production.

Business matters, including regular subscriptions and sales (current and back numbers of the Journal and the Proceedings) should be addressed to Longman Group, Journals Division, 43/45 Annandale Street, Edinburgh EH7 4AT.

Senior Editor

J. A. F. ROOK, Hannah Research Institute.

Editors

W. G. HILL, Institute of Animal Genetics.

J. HODGSON, Hill Farming Research Organisation.

A. M. RAVEN, West of Scotland Agricultural College.

J. C. TAYLER, Grassland Research Institute.

A. J. F. Webster, Rowett Research Institute.

M. B. WILLIS, University of Newcastle-upon-Tyne.

CONTENTS

	PAGE
JAMES, J. W. Open nucleus breeding systems	287
GREENHALGH, J. F. D., ELSLEY, F. W. H., GRUBB, D. A., LIGHTFOOT, A. L., SAUL, D. W., SMITH, P., WALKER, N., WILLIAMS, D. and YEO, M. L. Coordinated trials on the protein requirements of sows. 1. A comparison of four levels of dietary protein in gestation and two in lactation	307
LEIGH, A. O. Litter performance characteristics of pigs in tropical south-western Nigeria. 1. Breed differences and effects of some non-genetic sources of variation	323
MACPHERSON, R. M., HOVELL, F. D. DEB. and JONES, A. S. Performance of sows first mated at puberty or second or third oestrus, and carcass assessment of once-bred gilts	333
Arnold, G. W. and Birrell, H. A. Food intake and grazing behaviour of sheep varying in body function	343
DAVEY, A. W. F. and HOLMES, C. W. The effects of shearing on the heat production and activity of sheep receiving dried grass or ground hay	355
WHEELER, A. G. and LAND, R. B. Seasonal variation in oestrus and ovarian activity of Finnish Landrace, Tasmanian Merino and Scottish Blackface ewes.	363
DUCKER, M. J. and BOYD, J. S. The effect of body size and body condition on the ovulation rate of ewes	377
LOUCA, A., ECONOMIDES, S. and HANCOCK, J. Effects of castration on growth rate, feed conversion efficiency and carcass quality in Damascus goats	387
McIlmoyle, W. A. and Murdoch, J. C. The effect of concentrate, barley and dried grass on the voluntary intake of different silages	393
RATHORE, A. K. Teat diameter gradient associated with milk yield and mastitis in British Friesian cows	401