



# INDEX TO VOL. XVIII, 1903.

|   | PAGE |
|---|------|
| Abdomen (tumour of), case of tumour of meatus associated with (A. H. Cheatle)   | 81   |
| ABERCROMBIE (P. H.), a case of navus involving the uvula, palate, fauces, tongue, and larynx  | 25   |
| ——— two cases of adhesion between the soft palate and the posterior pharyngeal wall, the result of tertiary syphilis, operated on with good results | 203  |
| ——— a case of hypertrophy of the lingual tonsil in a woman aged twenty-eight  | 417  |
| Abscess, ethmoidal (W. Lamb)  | 621  |
| ——— (intra-cranial), two cases (Vallette and Reverdin)  | 54   |
| ——— (of cerebellum) after infection through labyrinth: death from meningitis; autopsy (A. Knapp)  | 110  |
| ——— case following middle-ear disease (J. G. Andrew)  | 501  |
| ——— case of acute meningitis and (R. M. Simon)  | 447  |
| ——— of otic origin (V. Gillot)  | 442  |
| ——— operation; recovery (C. Douglas)  | 109  |
| ——— otitic origin (Gaudier)   | 441  |
| ——— (superficial): demonstration of case after operation (H. E. Jones)  | 363  |
| ——— of epiglottitis: case with secondary involvement of cervical glands (W. L. Culbert)   | 544  |
| ——— of frontal sinus, exhibition of patient operated upon three times for (M. Collier)  | 635  |
| ——— of hard palate and of septum nasi following left antral empyema (Hunter Tod)  | 35   |
| ——— of septum, bilateral, with well-marked symptoms of septicæmia (W. L. Culbert)   | 544  |
| ——— (retro-pharyngeal) in children (J. L. Morse)  | 500  |
| ——— three cases (L. C. Cline)   | 495  |
| ——— (temporo-sphenoidal): demonstration of case after operation (H. E. Jones)   | 363  |
| Accessory sinuses: see <i>Sinuses</i> (accessory).  |      |
| "Acid-fast" bacilli: see <i>Bacilli</i> ("acid-fast").  |      |
| Acoumetry in micro-millimetres (H. J. L. Struyschen)  | 350  |
| Adankiewicz's cancrone curing some cases of cancer (A. Renault)   | 614  |
| Adductor paralysis, bilateral, following tonsillotomy (V. Wyatt Wingrave)   | 312  |
| Adductors of vocal cords, clonic contraction of (F. J. Steward)   | 320  |
| Adeno-carcinoma: case shown on February 5, 1900, probably in reality an endothelioma (A. H. Cheatle)  | 197  |
| Adenoid deafness, difficulties and insufficiency of stenosal theory of (D. McKeown)   | 662  |
| Adenoid growths in children (J. E. Schadle)   | 103  |
| Adenoids: fatal case of secondary hæmorrhage four days after removal of adenoids (P. G. Goldsmith)  | 161  |
| ——— removal of, in cure of case of persistent superficial nasal hyperæmia (V. Wyatt Wingrave)   | 633  |

|   | PAGE               |
|---|--------------------|
| Adenoma of palate (G. King)   | 274                |
| ADERMAN: the masto-squamosal suture (abstract)  | 386                |
| Adhesion between the soft palate and the posterior pharyngeal wall, the result of tertiary syphilis (P. H. Abercrombie)   | 203                |
| —— (complete) of soft palate to posterior wall of pharynx (H. Lambert Lack)   | 48                 |
| Adrenalin, use of, in oto-rhino-laryngology (V. Delsaux)  | 223                |
| Air-passages, lodgment of a foreign body in (R. A. Wilson)  | 440                |
| —— (upper), endotheliomata in (W. Jobson Horne)   | 416                |
| —— relation to diseases of gastro-intestinal tract (L. A. Coffin)   | 545                |
| Air-pressure, normal fluctuations of, in upper respiratory tract; lantern demonstration (Scanes Spicer)   | 92                 |
| Air (superheated compressed) in the therapeutics of chronic otitis media (G. W. Hopkins)  | 53                 |
| ALLEN (S. W.), a probable myxofibroma of the nose (abstract)  | 102                |
| ALTER (Francis), paraffin injection in a case of so-called saddle-nose (abstract)   | 275                |
| American Laryngological, Rhinological, and Otological Society: Ninth Annual Meeting (1903)  | 492, 540, 590, 628 |
| Amyloid degeneration in the larynx, causing stenosis (W. Courvoisier)   | 104                |
| —— disease: case of chronic œdema of larynx (? amyloid) (J. Dundas Grant)   | 266                |
| Anæsthetic, choice of, in short operations upon the throat and nose (J. H. Chaldecott)  | 111                |
| Anatomical specimens, demonstration of (H. E. Jones)  | 364                |
| ANDREW (J. G.), case of cerebellar abscess following middle-ear disease (abstract)  | 501                |
| Aneurysm (of aorta): large aneurysm of arch of aorta shown by radio-scopic examination in case of paralysis of left recurrent nerve (V. Cheval)   | 557                |
| —— of occipital artery, causing entotic murmur (Muck)   | 446                |
| Ankylosis of left crico-arytænoid articulation (J. Donelan)   | 261                |
| —— of the stapes (Professor Denker)   | 451                |
| Anosmia, case of (P. McBride)   | 325                |
| Antrectomy, morphological value of supra-meatal spine and tache spongieuse (O. Lenoir)  | 166                |
| Antrum (disease) and otitis media (C. G. Lee)   | 357                |
| —— double antral and frontal sinus disease: left side cured by radical operation; question of operating on right side (Hunter Tod)  | 36                 |
| —— (left): empyema followed by abscess of hard palate and of septum nasi (Hunter Tod)   | 35                 |
| —— (mastoid) not involved in case of primary acute purulent inflammation of mastoid cells (J. Dunn)   | 223                |
| —— maxillary, empyema of, unusual case (P. G. Goldsmith)  | 625, 645           |
| —— empyema (chronic) of both frontal sinuses and maxillary antra (H. Tilley)  | 367                |
| —— radical operations illustrating almost complete obliteration of maxillary sinuses following radical operation in case of chronic empyema of both frontal sinuses and maxillary antra (H. Tilley) | 367                |
| —— screw perforator for (W. D. Haslam)  | 645                |
| —— technique of operations on (H. H. Curtis)  | 595                |
| —— transillumination of (C. Ziem)   | 284                |
| —— (right maxillary), empyema of, with necrosis of the orbital wall (Moure)   | 161                |
| —— successful operative opening for cholesteatoma (Dundas Grant)  | 84                 |
| Aphonia (functional) (H. Lambert Lack)  | 329                |
| —— in a man with unusual symptoms (H. Lambert Lack)   | 216                |
| Appendicitis in relation to tonsillitis (Hans Weber)  | 162                |

|  | PAGE     |
|--|----------|
| Artery (central) of retina: embolism of central artery of retina causing blindness immediately after paraffin injection into nose (L. M. Hurd) | 610      |
| --- (occipital), entotic murmur due to aneurysm of (Muck)  | 446      |
| Arthritis (rheumatoid) and pseudo-rheumatism of larynx (Mourrut)   | 222      |
| Arytenoid cartilage (right): infiltration of, obscure lardaceous-looking variable (Sir F. Semon)   | 37       |
| Arytenoids: swelling, in case of double abductor paralysis (C. A. Parker)  | 33       |
| Asthma, nasal treatment of (A. Francis)  | 162      |
| Atresia (congenital) of external auditory meatus with microtia, three cases (E. Jürgens)   | 557      |
| Attic, cannula for washing out (Lévy)  | 558      |
| --- — successful operative opening for cholesteatoma (Dundas Grant)  | 84       |
| Auditory apparatus, theory of cross-education as applied to (L. S. Somers)   | 558      |
| Auditory area, cortical localisation of (A. Campbell)  | 339, 354 |
| Auditory nerve: see <i>Nerve</i> (auditory).   |          |
| Auricle, epithelioma, two cases shown after operation (C. G. Lee)  | 357      |
|  |          |
| BABER (E. Cresswell), extensive fenestration of the anterior pillars of the fauces   | 31       |
| --- a case of objective clicking tinnitus  | 87       |
| --- tongue depressor for exposing tonsil   | 322      |
| --- a tumour of the vestibule of the nose, microscopic section   | 322      |
| Bacilli ("acid-fast"), microscopical examination for, in discharge in one hundred cases of middle-ear suppuration (Wyatt Wingrave)             | 123      |
| Bacteriological examination of four cases of acute septic inflammation of throat (P. R. W. de Santi)   | 178      |
| Bacteriology, abstract of literature on  | 167      |
| BALLANCE (C. A.), discussion on tuberculosis of ear, nose, and naso-pharynx  | 156      |
| BALLANCE (H. A.) and STEWART (Purves), remarks on the operative treatment of chronic facial palsy of peripheral origin (abstract)              | 501      |
| BALLENGER (W. L.), a foreign body removed from the nose  | 494      |
| BARK (John), a case of cancer of the œsophagus   | 308      |
| --- caseous rhinitis   | 619, 646 |
| BARON (Barclay J.), case of naso-pharyngeal malignant disease  | 248      |
| BELLEVUE: a case of tuberculous tumour on the posterior part of septum nasi (abstract)   | 218      |
| BEZOLD'S mastoiditis: see <i>Mastoiditis</i> (Bezold's).   |          |
| Birds (diphtheria in): non-identity of human and avian diphtheria (C. Guérin)  | 51       |
| BLAKE (C. J.), on tension anomalies of the sound-transmitting apparatus of the middle ear (abstract)   | 108      |
| Blindness from embolism of central artery of retina immediately following paraffin injection into nose (L. M. Hurd)                            | 610      |
| Bolt cannulae in cases of difficulty in "décanement" (Cuno)  | 333      |
| Bone: extensive destruction in hereditary syphilis and scarlatina: demonstration of case after operation (H. E. Jones)                         | 364      |
| --- (temporal): see <i>Temporal bone</i> .   |          |
| Bone-stopping: iodoform bone-stopping (Mosetig-Moorhof)  | 392      |
| Bones of nose: see <i>Nose</i> (bones of).   |          |
| BONNIER (Pierre), on a new bulbar symptom-complex (abstract)   | 386      |
| Bougie, electrolytic, in treatment of chronic hypertrophic catarrhal deafness (A. B. Duel)   | 602      |
| --- Eustachian, use and abuse of (M. A. Goldstein)   | 600      |
| Brain (diseases, pyogenic): cases associated with or caused by acute or chronic nasal suppuration (T. Hubbard)                                 | 628      |
| BRAISLIN (William C.), a case of teratoma of the ear   | 632      |

|   | PAGE                    |
|---|-------------------------|
| BREYRE (C.), a case of otitic pyæmia; recovery (abstract)   | 334                     |
| Bright's disease and pharyngitis sicca (Joal)   | 101                     |
| BRINDEL and MOURE (E. J.), ultimate results of paraffin injections into the nasal mucosa in seventy cases of typical ozænatous atrophic rhinitis                                | 306                     |
| British Laryngological, Rhinological, and Otological Association, Annual Dinner   | 245                     |
| — Annual General Meeting  | 633                     |
| — proceedings   | 21, 198, 307, 413       |
| British Medical Association: Annual Meeting, Section of Laryngology and Otology   | 408, 461, 513, 565, 648 |
| BROECKAERT (J.), contribution to the study of acquired and congenital perforation of the soft palate (abstract)   | 556                     |
| Bronchocele, immobility of left vocal cord attributable to (J. Dundas Grant)  | 379                     |
| BRONNER (Adolph), drawings of two cases of large retro-auricular opening (after operation for cholesteatoma) treated by paraffin injections                                     | 83                      |
| — a drawing, with notes, of a case of suppurative ethmoiditis and frontal sinusitis after radical operation for nasal polypi  | 214                     |
| — a specimen of columnar-celled carcinoma of the naso-pharynx from a man aged sixty-three   | 269                     |
| — discussion on the technique of operations on the temporal bone in suppurative middle-ear disease  | 539                     |
| — on the local use of formalin in the treatment of nasal polypi before and after operation on the same by the usual methods   | 660                     |
| — (reply)   | 662                     |
| BROWN: see <i>Price-Brown</i> .   |                         |
| BRÜHL (G.), an anatomical method of demonstrating the accessory cavities of the nose (abstract)   | 333                     |
| — on the duplicity of the accessory sinuses of the nose (abstract)  | 333                     |
| — "Atlas and epitome of otology," by Gustav Brühl, with the collaboration of Professor A. Politzer. Authorised translation from the German. Edited by S. MacCuen Smith (review) | 560                     |
| Bulb of internal jugular vein, operative exposure of (Piffi)  | 446                     |
| Bullar symptom-complex (new) (P. Bonnier)   | 386                     |
| BURT (A. Hamilton), a case of epithelioma of tongue in a single woman aged twenty-four  | 42                      |
| — a case of exophthalmic goitre   | 383                     |
| BUTLIN (H. T.), a clinical lecture on my unsuccessful operations for cancer of the tongue, and on the early diagnosis of the disease (abstract)                                 | 274                     |
| — an account of eight cases of "pressure-pouch" of the œsophagus removed by operation (abstract)  | 502                     |
| BUTTO (H. Hayle), hypertrophy of lymphoid ring of pharynx and its surgical treatment (abstract)   | 218                     |
| CAIRNS (D. Louis), on the treatment of diphtheria by intra-venous injection of antidiphtheritic serum (abstract)  | 447                     |
| CAMPBELL (A.), cortical localisation of the auditory area   | 339, 354                |
| Cancer of larynx: case cured by X rays (W. Scheppeggrell)   | 70                      |
| — results of treatment by X rays (D. B. Delavan)  | 51, 276                 |
| — surgical treatment (E. J. Moure)  | 648                     |
| — of œsophagus, case of (J. Bark)   | 308                     |
| — without obstruction (J. G. Emanuel)   | 105                     |
| — of tongue, early diagnosis (H. T. Butlin)   | 274                     |
| — unsuccessful operations (H. T. Butlin)  | 274                     |
| — some cases cured by Adamkiewicz's caneroine (A. Renault)  | 614                     |
| Caneroine (Adamkiewicz's), curing some cases of cancer (A. Renault)   | 614                     |
| Cannula for frontal sinus (W. J. C. Nourse)   | 298, 418                |

|  | PAGE     |
|--|----------|
| Cannula for sphenoidal sinus (W. J. C. Nourse)   | 298, 418 |
| ——— for washing out attic and sinus (Lévy)   | 558      |
| Cannulae: fixed tubes and bolt cannulae for cases of difficulty in "dé-cannulement" (Cuno)   | 333      |
| Carcinoma of epipharynx (H. W. Loeb)   | 274      |
| ——— of naso-pharynx, columnar-celled: specimen (A. Bronner)  | 269      |
| ——— of œsophagus: etiology (Wolf)  | 385      |
| CARNEGIE DICKSON (W. E.), expectoration of a tooth thirteen months after inhalation into the lung (abstract)                                       | 439      |
| CASTEX (A.), causes of deaf-mutism   | 348      |
| Cataract of middle ear, chronic, casts of upper and lower jaw from case of (P. Nelson)   | 363      |
| Cerebellum, abscess of, after infection through labyrinth; death from meningitis; autopsy (A. Knapp)   | 110      |
| ——— case following middle-ear disease (J. G. Andrew)   | 501      |
| ——— case of acute meningitis and (R. M. Simon)   | 447      |
| ——— case of otic origin (V. Gillot)  | 442      |
| ——— operation; recovery (C. Douglas)   | 109      |
| ——— otitic origin of two cases (Gaudier)   | 441      |
| ——— superficial; demonstration of case after operation (H. E. Jones)   | 363      |
| Cerebral nerves: see <i>Nerves</i> (cerebral).   |          |
| Cervical glands: see <i>Glands</i> (cervical).   |          |
| CHALDECOTT (J. H.), the choice of an anæsthetic for short operations upon the throat and nose (abstract)   | 111      |
| CHEATLE (A. H.), a case of epithelioma of the middle ear   | 80       |
| ——— a case of tumour of the meatus associated with an abdominal tumour   | 81       |
| ——— discussion on tuberculosis of ear, nose, and naso-pharynx  | 158      |
| ——— a case of tuberculosis of the middle ear (secondary)   | 195      |
| ——— specimens of tuberculosis of the temporal bone   | 195      |
| ——— temporal bones removed from patients who died of tuberculous meningitis  | 196      |
| ——— a case which was shown on February 5, 1900, as an adenocarcinoma, probably in reality an endothelioma, with section                            | 197      |
| ——— quinine-deafness and its prevention  | 354      |
| CHEVAL (V.), paralysis of the left recurrent nerve; large aneurysm of the arch of the aorta; radiography (abstract)                                | 557      |
| CHEVALIER and GAUDIER: two cases of thyroid tumours at the base of the tongue (abstract)   | 107      |
| CHILDE (C. P.), discussion on operative treatment of malignant disease of larynx   | 491      |
| ——— discussion on local use of formalin in treatment of nasal polypi   | 662      |
| Children, adenoid growths in (J. E. Schadle)   | 103      |
| ——— retro-pharyngeal abscess in (J. L. Morse)  | 500      |
| Choanae in adult human skulls, dimensions, form, direction, and symmetry of (S. Citelli)   | 219      |
| Cholesteatoma, cystic, from the left supra-tonsillar fossa (V. Wyatt Wingrave)   | 208      |
| ——— of attic and antrum, successful treatment by operative opening (J. Dundas Grant)   | 84       |
| ——— opening after operation for cholesteatoma treated with paraffin injections (A. Bronner)  | 83       |
| ——— removed by operation, facial paralysis rapidly subsiding (J. Dundas Grant)   | 209      |
| CHRISTIANI: on thyroid grafts  | 55       |
| CHRISTIANSEN (Hans B.), lupus vulgaris of the respiratory mucous membranes as it occurs and is treated in the Finsen Light Institute of Copenhagen | 507      |
| CITELLI (S.), the dimensions, form, direction, and symmetry of the choanae in adult human skulls (abstract)  | 219      |
| CLINE (L. C.), three cases of retro-pharyngeal abscess   | 495      |

|   | PAGE     |
|---|----------|
| Clonic spasm of muscles of palate and pharynx causing entotic tinnitus (L. H. Pegler)   | 371      |
| ——— spasm of soft palate causing objective noises in pharynx (L. H. Pegler)   | 372      |
| COAKLEY (Cornelius G.), an unusual case of frontal sinusitis in which there was absence of the septum   | 596      |
| COEN (Rafael), the progress in the cure of defects of speech  | 301      |
| COFFIN (L. A.), the relations of the upper air-passages to diseases of the gastro-intestinal tract  | 545      |
| COLLIER (Mayo), a case of malignant growth of the larynx  | 22       |
| ——— a case of myxo-sarcoma in the nasal cavity  | 22       |
| ——— case of extreme displacement of the nose  | 24       |
| ——— case of wandering rash on the tongue  | 24       |
| ——— on nasal obstruction, and deformities of the upper jaw, teeth, and palate (abstract)  | 101      |
| ——— a case of empyema of frontal sinus  | 397      |
| ——— a man aged fifty who had been operated on three times for frontal sinus abscess   | 635      |
| COMPAIRED (Célestin), neurasthenia of intra-nasal origin (abstract)   | 500      |
| Congress, Fourteenth International Medical, at Madrid: Section of Laryngology and Rhinology   | 300      |
| ——— exhibition of instruments at  | 306      |
| ——— Section of Otology  | 347      |
| Conservatism in treatment of acute mastoiditis (S. S. Snow)   | 613      |
| Contagion in acute middle-ear disease (Klug)  | 558      |
| Contagiousness of otitis media (acute) (L. Wolff)   | 559      |
| Copenhagen: lupus vulgaris of respiratory mucous membranes as it occurs and is treated in Finsen Light Institute of Copenhagen (H. B. Christiansen) | 597      |
| Cord (vocal): see <i>Vocal cord</i> .   |          |
| Corrigendum   | 112      |
| Cortical localisation of auditory area (A. Campbell)  | 339, 354 |
| Coryza, atrophic: is it an autonomous affection? (E. J. Moure)  | 303      |
| COURVOISIER (W.), on stenosis due to amyloid degeneration in the larynx (abstract)  | 104      |
| Crico-arytanoid articulation (left), ankylosis of (J. Donelan)  | 261      |
| Cricoid cartilage, papilloma (large) from posterior aspect of; microscopic specimen (R. Lake)   | 424, 425 |
| CROCKET (A. P.), chronic suppuration of accessory cavities of the nose (abstract)   | 672      |
| Cross-education: theory of cross-education as applied to auditory apparatus (L. S. Somers)  | 558      |
| Croup, clinical lecture upon the treatment of (Lorthioir)   | 221      |
| CULBERT (W. L.), a case of bilateral abscess of the septum with well-marked symptoms of septicaemia   | 544      |
| ——— a case of epiglottic abscess with secondary involvement of the cervical glands  | 544      |
| CUMBERBATCH (A. E.), discussion on tuberculosis of ear, nose, and naso-pharynx  | 157      |
| CUNO: fixed tubes and bolt cannulae for cases of difficulty in "décanulement" (abstract)  | 333      |
| CURTIS (H. Holbrook), the technique of maxillary antrum operations  | 595      |
| CUSHING (Harvey), the taste-fibres and their independence of nervus trigeminus (abstract)   | 331      |
| Cyst (mucoid) of left middle turbinal (G. T. Ross)  | 672      |
| ——— of epiglottis (H. FitzGerald Powell)  | 42       |
| ——— of ventricle of larynx, opened when operating on a case of malignant disease (H. Lambert Lack)  | 217      |
| ——— (supra-nasal) in an infant (V. Wyatt Wingrave)  | 431      |
| Cyto-diagnosis, case of otitic meningitis with (Ledoux)   | 390      |
| DAVIS (H. J.), a case of swelling of the right side of the larynx (for diagnosis)   | 365      |

# Index.

xi

|   | PAGE |
|---|------|
| Deaf: method of dealing with and developing the residual hearing power and speech of the deaf (J. K. Love)  | 393  |
| Deaf-mutes: respiration during speech (H. Gutzmann)   | 347  |
| Deaf-mutism   | 337  |
| ——— (causes of) (A. Castex)   | 348  |
| ——— (E. Schmiegelow)  | 347  |
| Deafness (adenoid), difficulties and insufficiency of stenosal theory of (D. McKeown)   | 662  |
| ——— amelioration of hearing troubles following suppurative otitis (B. Gomperz)  | 109  |
| ——— case due to myxœdema (J. Dundas Grant)  | 641  |
| ——— catarrhal, chronic hypertrophic, possibilities and limitations of electrolytic bougie in treatment (A. B. Ducl)   | 602  |
| ——— (chronic) of middle ear, use of ozone in (G. Stoker)  | 111  |
| ——— due to myxœdema (J. Dundas Grant)   | 310  |
| ——— quinine-deafness and its prevention (A. Cheatele)   | 354  |
| ——— scientific treatment (Marage)   | 54   |
| ——— see also <i>Nerve-deafness</i> .  |      |
| DEANESLY (E.), portions of temporal and adjoining bones (right side), with malignant growth the size of a walnut springing from the tympanum and invading the under side of the temporo-sphenoidal lobe, from a man aged forty-four | 77   |
| Décannulation, fixed tubes and bolt cannulæ in cases of difficulty in (Cuno)  | 333  |
| Defects of speech, progress in cure of (R. Coen)  | 301  |
| Deflection: septotome for use in Moure's and other operations for deflection (L. H. Pegler)   | 256  |
| Deformities of the upper jaw, teeth, and palate in connection with nasal obstruction (Mayo Collier)   | 101  |
| ——— (nasal): case of nasal deformity (W. R. H. Stewart)   | 89   |
| DELAVAN (D. B.), on results of treatment of laryngeal cancer by X rays (abstract)   | 51   |
| ——— results of treatment of laryngeal cancer by means of the X rays (abstract)  | 276  |
| DELSAUX (V.), on the employment of adrenalin in oto-rhino-laryngology (abstract)  | 223  |
| ——— discussion on the technique of operations on the temporal bone in suppurative middle-ear disease  | 540  |
| ——— preliminary note on the treatment of lupus of the upper respiratory tract by radium (abstract)  | 557  |
| DENCH (Edward B.), the technique of the radical operation for otitis media suppurativa chronica   | 590  |
| ——— ossiculectomy (abstract)  | 611  |
| DENKER (Professor), ankylosis of the stapes (translated and abridged by Dr. Dundas Grant and Dr. Stolte)  | 451  |
| DENOYÈS and MOURET, on the employment of high-frequency currents in oto-laryngology (abstract)  | 164  |
| Diagnosis, cases for: anosmia, case of (P. McBride)   | 225  |
| ——— aural case for diagnosis (L. H. Pegler)   | 314  |
| ——— dysphagia of six months' duration, probably pharyngeal epithelioma (J. Dundas Grant)  | 100  |
| ——— growth on left vocal cord (P. de Santi)   | 31   |
| ——— swelling of right side of larynx (H. G. Davis)  | 365  |
| ——— see also <i>Cyto-diagnosis</i> .  |      |
| DIEU, tertiary lesions in the naso-pharynx (abstract)   | 609  |
| Diphtheria, clinical lecture upon the treatment of (Lorthioir)  | 221  |
| ——— non-identity of human and avian diphtheria (C. Guérin)  | 51   |
| ——— treatment of, by intra-venous injection of antidiphtheritic serum (D. L. Cairns)  | 447  |
| Disease, histology of tonsils in relation to (J. L. Goodale)  | 578  |
| Diseases: "High-frequency currents in the treatment of some diseases" (Chisholm Williams: review)   | 502  |



|  | PAGE  |
|--|---|
| Displacement, extreme, of nose (Mayo Collier)  | 24  |
| DONELAN (James), pedunculated laryngeal growth, probably dating from birth, in a boy aged fifteen  | 34  |
| — exhibition of specimen of large naso-pharyngeal fibro-myxoma with prolongations extending to anterior nares  | 248   |
| — case of ankylosis of left crico-arytanoid articulation in a woman aged twenty-three  | 261   |
| — a case of perforation of the nasal septum; ? trauma or syphilis  | 331   |
| — a case of pharyngeal and laryngeal lesions in a woman aged twenty-eight  | 373   |
| — naso-pharyngeal fibroma cured by means of galvano-cautery puncture, by Dr. Urbano Melzi; translated by Dr. James Donelan   | 403   |
| — a case of subglottic thickening of right vocal cord in a man aged fifty-seven  | 425   |
| DOUGLAS (Claude), abscess in the cerebellum; operation; recovery (abstract)  | 109   |
| DOWLING (J. Iveney), the ear complications of <i>la grippe</i> (abstract)  | 276   |
| DUEL (Arthur B.), the possibilities and limitations of the electrolytic bougie in the treatment of chronic hypertrophic catarrhal deafness   | 602   |
| DUNN (J.), the inferior occipital plate of the mastoid, with especial reference to Bezold's mastoiditis (abstract)   | 166   |
| — a case of primary acute purulent inflammation of mastoid cells, involving neither middle ear nor the mastoid antrum (abstract)   | 223   |
| DUPOND: a case of tracheal ozæna, causing dyspnœa (abstract)   | 610   |
| DURAND (A.) and JACQUES (P.), the choice of operation in chronic fronto-ethmoidal sinusitis (abstract)   | 556   |
| Dysphagia (increasing) of six months' duration, probably pharyngeal epithelioma: case for diagnosis (J. Dundas Grant)  | 100   |
| Dyspnœa caused by tracheal ozæna (Dupond)  | 610   |
| Ear, abnormalities of: see <i>Tragus</i> (accessory).  |   |
| — abstracts of literature  | 53, 108, 166, 223, 276, 334, 386, 440, 501, 557, 611, 672 |
| — accessory cavities of, diagnosis and treatment of tuberculous disease in (W. Milligan)   | 136   |
| — development and morphology of (A. M. Paterson)   | 404   |
| — disease of, without perforation of membrane, in case of suppuration behind mastoid and in posterior fossa (W. Permewan)  | 361   |
| — diseases: "A text-book of the diseases of the ear for students and practitioners" (A. Politzer: review)  | 335   |
| — aural case for diagnosis in girl aged eighteen (L. H. Pegler)  | 314   |
| — complicating <i>la grippe</i> (J. I. Dowling)  | 276   |
| — "Diseases of nose, pharynx, and ear" (H. Gradle: review)   | 168   |
| — life insurance and diseases of ear (Wendell C. Phillips)   | 630   |
| — "Practitioner's handbook of diseases of the ear and naso-pharynx" (H. Macnaughton-Jones and others: review)  | 279   |
| — employment of high-frequency currents in oto-laryngology (Mouret and Denoyès)  | 164   |
| — (internal), pathology of (Manasse)   | 391   |
| — (malignant growth in): portions of temporal and adjoining bones (right side) with malignant growth the size of a walnut springing from the tympanum and invading the under side of the temporo-sphenoidal lobe (E. Deanesly) | 77  |
| — middle, catarrh, chronic: casts of upper and lower jaw from case of (P. Nelson)  | 363   |
| — disease, acute: contagion in (Klug)  | 558   |
| — cerebellar abscess following (J. G. Andrew)  | 501   |
| — chronic non-suppurative, varieties of (J. Dundas Grant)  | 234   |
| — chronic suppurative: two cases shown (W. Milligan)   | 358   |
| — technique of operations on temporal bone in  | 505   |
| — discussion at British Medical Association Annual Meeting on  | 513—540   |



|  | PAGE     |
|--|----------|
| Empyema (of left antrum), followed by abscess of hard palate and septum nasi (Hunter Tod)  | 35       |
| — of maxillary antrum, unusual case (P. G. Goldsmith)  | 625, 645 |
| — of right maxillary antrum and both frontal sinuses with necrosis of the orbital wall (Moure)   | 161      |
| — of nasal accessory cavities in case of osteomyelitis of skull (A. Knapp)   | 672      |
| Encephalitis in connection with otitis media: three cases (Voss)   | 672      |
| Endothelioma: probable case of endothelioma shown on February 5, 1900, as an adeno-carcinoma (A. H. Cheatle)   | 197      |
| Endotheliomata in upper air-passages (W. Jobson Horne)   | 416      |
| Entotic murmur due to aneurysm of occipital artery (Muck)  | 446      |
| Epiglottis, abscess: case with secondary involvement of cervical glands (W. L. Culbert)  | 544      |
| — cyst of (H. FitzGerald Powell)   | 42       |
| — destroyed, with new growth occupying glottis (W. Jobson Horne)   | 26       |
| — epithelioma of the epiglottis (advanced and inoperable) with secondary infection of the cervical glands; illustration of the relief obtained by removal by "morcellement" of primary growth through mouth (Herbert Tilley) | 96       |
| — gumma of (P. de Santi)   | 432      |
| — removal of, for tuberculous disease (Richard Lake)   | 33       |
| Epilepsy simulated in nasal vertigo (E. Woakes)  | 104      |
| Epipharynx, carcinoma of (H. W. Loeb)  | 274      |
| Epistaxis (persistent) (C. A. Parker)  | 49       |
| Epithelioma of auricle: two cases shown after operation (C. G. Lee)  | 357      |
| — of epiglottis (advanced and inoperable) with secondary infection of cervical glands: illustration of relief obtained by "morcellement" of primary growth through mouth (Herbert Tilley)                                    | 96       |
| — of external auditory meatus (J. Dundas Grant)  | 642      |
| — specimen (V. Wyatt Wingrave)   | 645      |
| — of larynx (A. Thorne)  | 250, 422 |
| — case of disease of larynx, probably epithelioma (J. Dundas Grant)  | 381      |
| — two cases remaining well two years after operation (thyrotomy) (E. S. Yonge)   | 658      |
| — of middle ear (A. H. Cheatle)  | 80       |
| — of nostril, section of (V. Wyatt Wingrave)   | 209      |
| — of pharynx, probable, in a case of increasing dysphagia of six months' duration (J. Dundas Grant)  | 100      |
| — of pharynx and tonsil; specimen (V. Wyatt Wingrave)  | 644      |
| — of pinna: two specimens and microscopic sections (E. M. Stockdale)   | 363      |
| — of tongue in a single woman aged twenty-four (A. H. Burt)  | 42       |
| Epulides or symmetrical swellings of gum at posterior ends of alveolar border (W. G. Spencer)  | 253      |
| ESCAT: treatment of chronic hypertrophic pharyngitis by scarification (abstract)   | 502      |
| Ethmoid: see <i>Sinusitis</i> (fronto-ethmoidal).  |          |
| Ethmoidal abscess (W. Lamb)  | 621      |
| Ethmoiditis: pathology reconsidered (E. Woakes)  | 499      |
| — (suppurative) and frontal sinusitis after radical operation for nasal polypi (A. Bronner)  | 214      |
| EULENSTEIN (H.), toxæmia from suppuration in the temporal bone (abstract)  | 109      |
| Eustachian bougie, use and abuse of (M. A. Goldstein)  | 600      |
| — tube (right), malignant disease in neighbourhood of (E. B. Waggett)  | 265      |
| Exophthalmos following mastoiditis (H. L. Secord)  | 277      |
| Expectoration of tooth thirteen months after inhalation into the lung (W. E. Carnegie Dickson)   | 439      |
| Exploratory puncture: see <i>Puncture</i> (exploratory).   |          |

# Index.

XV

|  | PAGE              |
|--|-------------------|
| Exposure and irrigation of bulb of internal jugular vein in operation for septic sinus thrombosis (Zoufal)   | 559               |
| Eye: oculo-orbital complications of sinusitis (F. de Lapersonne)   | 220               |
| ——— transillumination of (C. Ziem)   | 284               |
| Face, lupus of (?) (D. Vinrace)  | 323               |
| Facial nerve: see <i>Nerve</i> (facial).   |                   |
| FAGGE (C. H.), discussion on tuberculosis of ear, nose, and naso-pharynx   | 190               |
| ——— two specimens of tuberculous disease of the middle ear   | 195               |
| FARQUHARSON (J. Malcolm), appointed surgeon in charge of Throat Department of Eye, Ear, and Throat Infirmary at Edinburgh  | 56                |
| Fauces: abstracts of literature on   | 51, 500, 556, 609 |
| ——— fenestration (extensive) of anterior pillars of fauces (E. C. Baber)   | 31                |
| ——— involved in case of nævus (P. H. Abercrombie)  | 25                |
| ——— lupus of (W. H. Kelson)  | 422               |
| ——— pillar of (anterior), hereditary specific perforation of (J. Dundas Grant)   | 254               |
| ——— ulcerating growth of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell)   | 378               |
| Fenestration (extensive) of the anterior pillars of the fauces (E. C. Baber)   | 31                |
| Fibro-lipoma of larynx, enormous (P. de Santi)   | 432               |
| Fibroma of naso-pharynx (J. Dundas Grant)  | 643               |
| ——— cured by means of galvano-cautery puncture (U. Melzi)  | 403               |
| ——— specimen (V. Wyatt Wingrave)   | 644               |
| ——— (vascular) finally removed by a combined operation through hard and soft palate, with extensive removal of anterior wall of left supra-maxillary bone (Herbert Tilley) | 45                |
| Fibro-myxoma of naso-pharynx (large), with prolongations extending to anterior nares (J. Donelan)  | 248               |
| Finsen Light Institute, Copenhagen: lupus vulgaris of respiratory mucous membrane, as it occurs and is treated in (Hans B. Christiansen)                                   | 507               |
| Fistula of larynx (W. H. Kelson)   | 415, 436          |
| Fixation of right vocal cord, case of (W. Jobson Horne)  | 27                |
| FONTOYNOT and JOURDRAN: streptococcal glossitis and stomatitis in Madagascar (abstract)  | 609               |
| Forceps: new design for sphenoidal cutting forceps (P. Watson Williams)  | 213               |
| Foreign body in air-passages, lodgment of (R. A. Wilson)   | 440               |
| ——— in naso-pharynx (R. Lake)  | 102               |
| ——— in œsophagus (J. Macintyre)  | 21                |
| ——— removal of foreign bodies by improved method of using Röntgen rays (G. Hamilton)   | 222               |
| ——— removed from nose (W. L. Ballinger)  | 494               |
| ——— see also <i>Tooth</i> (expectoration of).  |                   |
| Formalin: local use in treatment of nasal polypi (A. Bronner)  | 660               |
| FORSHAW (C. F.), case of tumour of the superior maxilla (abstract)   | 160               |
| Fossa, left supra-tonsillar, cystic cholesteatoma from (V. Wyatt Wingrave)   | 208               |
| FRANCIS (Alexander), the nasal treatment of asthma (abstract)  | 162               |
| FREUDENTHAL (W.), etiology of ozæna  | 302               |
| Friedländer's pneumo-bacillus, a cause of sore throat (Nicolle and Hebert)   | 53                |
| GALAND: sublabial rhinotomy (abstract)   | 163               |
| GALLOWAY (D. J.), on otomycosis of the Malay archipelago   | 64                |
| Galvano-cautery puncture, naso-pharyngeal fibroma cured by means of (U. Melzi)   | 403               |
| Gastro-intestinal tract (diseases of), relations of upper air-passages to (L. A. Coffin)   | 545               |
| GAUDIER: two cases of cerebellar abscess of otitic origin (abstract)   | 441               |
| ——— and CHEVALIER: two cases of thyroid tumour at the base of the tongue (abstract)  | 107               |

|  | PAGE   |
|--|--------|
| GILLOT (V.), cerebellar abscess of otic origin (abstract)  | 442    |
| Glands (ceruminous) from the cartilaginous portion of external auditory meatus (V. Wyatt Wingrave)   | 416    |
| — (cervical), secondary infection of, in case of advanced and inoperable epithelioma of the epiglottis (Herbert Tilley)  | 96     |
| — secondary involvement in case of epiglottic abscess (W. L. Culbert)  | 544    |
| — (lymphatic): see <i>Lymphatic glands</i> .   |        |
| — (tuberculous), perforation of œsophagus by (C. Riviere)  | 222    |
| Glossitis (streptococcal) in Madagascar (Fontoynt and Jourdan)   | 609    |
| Glottis occupied by new growth in patient with destruction of epiglottis (W. Jobson Horne)   | 26     |
| GLUCK (Professor T.), discussion on the operative treatment of malignant disease of the larynx (introductory remarks)  | 482    |
| — (reply)  | 492    |
| — discussion on the technique of operations on the temporal bone in suppurative middle-ear disease   | 538    |
| Goitre (exophthalmic), case of (A. Hamilton Burt)  | 383    |
| — hygienic treatment of (Leroy and Veslin)   | 108    |
| — operative treatment of (T. Ohmstead)   | 222    |
| GOLDSMITH (P. G.), fatal case of secondary hæmorrhage four days after removal of adenoids (abstract)   | 161    |
| — an unusual case of empyema of the maxillary antrum   | 625    |
| — notes of an unusual case of empyema of the maxillary antrum  | 645    |
| GOLDSTEIN (M. A.), primary tuberculosis of the ear followed by mastoiditis: report of four cases   | 113    |
| — the Eustachian bougie: its use and abuse   | 600    |
| GOMPERZ (B.), on the amelioration of the troubles of hearing following suppurative otitis (abstract)   | 109    |
| Gonococcus causing mastoiditis (C. Trow)   | 613    |
| GOODALE (J. L.), histology of the tonsils in their relation to disease (discussion on the upper respiratory tract as a source of systemic infection)                             | 578    |
| GORIS (C.), technique of the surgical treatment of chronic sphenoidal sinusitis (abstract)   | 384    |
| GRADLE (H.), " Diseases of the nose, pharynx, and ear " (review)   | 168    |
| Grafting: demonstration of cases of complete post-aural operation with and without grafting (H. E. Jones)  | 364    |
| Grafts (thyroid) (Christiani)  | 55     |
| GRANT (J. Dundas), case of paralysis of the abductors of the vocal cords and of the palatal muscles, and slight paresis of the tongue, in a man aged twenty-five                 | 49, 98 |
| — a case of cholesteatoma of attic and antrum, with good result by operative opening of these parts, with preservation of the ossicles, membrana tensa, and cholesteatoma matrix | 84     |
| — a case of comparative hemianæsthesia in a young female, with subjective nasal obstruction on the affected side   | 99     |
| — a case of increasing dysphagia of six months' duration in a middle-aged man (for diagnosis); probably pharyngeal epithelioma   | 100    |
| — discussion on tuberculosis of ear, nose, and naso-pharynx  | 189    |
| — a case of cholesteatoma removed by operation; facial paralysis rapidly subsiding   | 209    |
| — the varieties of chronic non-suppurative disease of the middle ear   | 234    |
| — case of chronic laryngitis with interarytenoid pseudo-pachydermic swelling, probably due to purulent rhinitis  | 254    |
| — case of hereditary specific perforation of the anterior pillar of the fauces   | 254    |
| — case of chronic œdema of larynx (? amyloid)  | 266    |
| — a case of deafness due to myxœdema   | 310    |
| — a case of immobility of the left vocal cord, attributable to bronchocele, in a young woman; resection; extirpation of the isthmus and left lobe                                | 379    |

|   | PAGE |
|---|------|
| GRANT (J. Dundas), a case of paresis of both recurrent laryngeals and left sympathetic in a middle-aged woman . . . . .   | 380  |
| —— a case of disease of the larynx of twelve months' duration, probably epithelioma, in a man aged fifty . . . . .  | 381  |
| —— a case of chronic laryngitis, with papillated thickening of vocal cord and chronic rhinitis . . . . .  | 428  |
| —— translation and abridgment of Professor Denker's paper on ankylosis of the stapes . . . . .  | 451  |
| —— discussion on operative treatment of malignant disease of larynx . . . . .   | 490  |
| —— on the technique of operations on the temporal bone in suppurative middle-ear disease . . . . .  | 535  |
| —— a case of deafness due to myxœdema; complete recovery of hearing . . . . .   | 641  |
| —— a case of epithelioma of the external auditory meatus . . . . .  | 642  |
| —— a case of fibroma in naso-pharynx . . . . .  | 643  |
| —— and NOURSE (Chichele), retrospect of otology, 1902 . . . . .   | 12   |
| Granuloma (tuberculous) of larynx (V. Wyatt Wingrave) . . . . .   | 311  |
| Grippe (La): see <i>Influenza</i> .   |      |
| Growth (adenoid): see <i>Adenoid growths</i> .  |      |
| —— in post-nasal space appearing below soft palate in infant (H. FitzGerald Powell) . . . . .   | 252  |
| —— (malignant), walnut-sized, shown with portions of temporal and adjoining bones (right side) springing from tympanum and invading under side of temporo-sphenoidal lobe (E. Deanesly) . . . . .                             | 77   |
| —— (malignant) of larynx (Mayo Collier) . . . . .   | 22   |
| —— (new) involving left inferior turbinate and septum (R. Lake) . . . . .   | 246  |
| —— occupying glottis in patient with destruction of epiglottis (W. Jobson Horne) . . . . .  | 26   |
| —— of nose, external, presenting unusual structure (C. Nourse) . . . . .  | 415  |
| —— removed from posterior extremity of right inferior turbinate body (R. Lake) . . . . .  | 245  |
| —— of larynx (V. Wyatt Wingrave) . . . . .  | 97   |
| —— in a woman (W. H. Kelson) . . . . .  | 254  |
| —— (pedunculated) (James Donelan) . . . . .   | 34   |
| —— on left vocal cord; case for diagnosis (shown by P. de Santi) . . . . .  | 31   |
| —— (ulcerating) of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell) . . . . .  | 378  |
| GRÜNWARD (L.), "Atlas and epitome of diseases of the mouth, pharynx, and nose." (Second edition, revised and enlarged; authorised translation from the German; edited, with additions, by James E. Newcomb: review) . . . . . | 560  |
| GUÉRIN (C.), on the non-identity of human and avian diphtheria . . . . .  | 51   |
| Gum: swellings (symmetrical) at posterior ends of alveolar border (epulides) (W. G. Spencer) . . . . .  | 253  |
| Gumma of epiglottis (P. de Santi) . . . . .   | 432  |
| —— of larynx, sequel of case (C. Nourse) . . . . .  | 419  |
| —— of nasal septum (L. H. Pegler) . . . . .   | 435  |
| GUTZMANN (H.), respiration of deaf mutes during speech . . . . .  | 347  |
| Hæmorrhage (secondary): fatal case four days after removal of adenoids (P. G. Goldsmith) . . . . .  | 161  |
| Hæmostatic: pengawar-djambi as hæmostatic agent in nasal operations (Lubet Barbon) . . . . .  | 500  |
| HALL (F. de Havilland), discussion on the upper respiratory tract as a source of systemic infection: introductory remarks . . . . .   | 565  |
| —— (reply) . . . . .  | 589  |
| HAMILTON (George), removal of foreign bodies from the œsophagus by an improved method of using the Röntgen rays (abstract) . . . . .  | 222  |
| HAMILTON (H. D.), occlusion of right posterior nares (abstract) . . . . .   | 163  |
| HARTMANN (Arthur), introductory remarks in the discussion on the technique of operations on the temporal bone in suppurative middle-ear disease . . . . .   | 531  |
| —— (reply) . . . . .  | 540  |

|   | PAGE |
|---|------|
| HASLAM (W. D.), an improved screw maxillary antrum perforator . . . . .   | 645  |
| Hay fever, experiments on nature and specific treatment of (Sir F. Semon)   | 447  |
| —— import of salivary and nasal secretions in (D. B. Kyle) . . . . .  | 540  |
| Hearing: amelioration of hearing troubles following suppurative otitis<br>(B. Gomperz) . . . . .  | 109  |
| —— objective uniform measure of hearing as supplied by amplitude of<br>vibration of Edelmann's C and G tuning-forks (Prof. Ostmann) . . . . .                                       | 561  |
| —— recovery, complete, in case of deafness due to myxœdema (J.<br>Dundas Grant) . . . . .   | 641  |
| Hearing power (residual) of the deaf, method of dealing with and de-<br>veloping (J. K. Love) . . . . .   | 393  |
| HEBERT and NICOLLE: sore throat due to the pneumobacillus of Fried-<br>länder . . . . .   | 53   |
| Hemianæsthesia (comparative) with subjective nasal obstruction on the<br>affected side (J. Dundas Grant) . . . . .  | 99   |
| Herpes, question of, in a case of recurring ulceration of the pharynx and<br>larynx (E. Furniss Potter) . . . . .   | 43   |
| High-frequency currents, employment of, in oto-laryngology (Mouret and<br>Denoyès) . . . . .  | 164  |
| —— in the treatment of some diseases (Chisholm Williams: .<br>review) . . . . .   | 502  |
| HÖDEMOSER (C.), primary sarcoma of the larynx (abstract) . . . . .  | 221  |
| HOPKINS (G. W.), on superheated compressed air in the therapeutics of<br>chronic catarrhal otitis media . . . . .   | 53   |
| HORNE (W. Jobson), patient with a new growth occupying the glottis,<br>and with destruction of the epiglottis . . . . .   | 26   |
| —— the clinical diagnosis and surgical treatment of tuberculosis of<br>the temporal bone, considered with reference to the pathology and<br>morbid anatomy of the disease . . . . . | 131  |
| —— reply to discussion on tuberculosis of ear, nose, and naso-pharynx . . . . .   | 192  |
| —— primary tuberculosis of the ear; the specimen from a case of<br>general miliary tuberculosis with primary focus in the temporal bone . . . . .                                   | 197  |
| —— a case illustrating the earlier changes resulting from injury to<br>nasal septum . . . . .   | 315  |
| —— macroscopic and microscopic preparations illustrating endo-<br>theliomata in the upper air-passages . . . . .  | 416  |
| —— discussion on operative treatment of malignant disease of larynx . . . . .   | 489  |
| —— on the technique of operations on the temporal bone in<br>suppurative middle-ear disease . . . . .   | 538  |
| —— on the upper respiratory tract as a source of systemic in-<br>fection; introductory remarks . . . . .  | 565  |
| —— (reply) . . . . .  | 590  |
| —— the clinical diagnosis and surgical treatment of tuberculosis of<br>the temporal bone (abstract) . . . . .   | 612  |
| —— a case of papilloma of the vestibule of the nose . . . . .   | 643  |
| —— discussion on local use of formalin in treatment of nasal polypi . . . . .   | 662  |
| HINSBERG (V.), suppurations in the labyrinth (abstract) . . . . .   | 443  |
| HUBBARD (Thomas), cases of pyogenic brain diseases associated with or<br>caused by acute or chronic nasal suppuration . . . . .   | 628  |
| HURD (L. M.), a case of paraffin injection into the nose followed im-<br>mediately by blindness from embolism of the central artery of the<br>retina (abstract) . . . . .           | 610  |
| HUTCHISON (Arthur J.), on the treatment of syphilitic disease of the<br>mucous membrane of the mouth and throat. By Anton Lieven;<br>translated by Arthur J. Hutchison . . . . .    | 225  |
| Hygienic treatment of exophthalmic goitre (Leroy and Veslin) . . . . .  | 108  |
| Hyperemia of nose, persistent, superficial, cured by removal of adenoids<br>(V. Wyatt Wingrave) . . . . .   | 633  |
| Hyperostosis, large, of left aural meatus removed (H. Tilley) . . . . .   | 85   |
| Hypertrophy of lingual tonsil (P. H. Abercrombie) . . . . .   | 417  |
| —— of lymphoid ring of the pharynx (H. H. Butto) . . . . .  | 218  |
| Hypoglossal nerve: see <i>Nerve</i> (hypoglossal).  |      |

|   | PAGE     |
|---|----------|
| Implantation of facial to hypoglossal nerve (Körte) . . . . .   | 446      |
| Infant : growth in post-nasal space appearing below soft palate in infant<br>(H. FitzGerald Powell) . . . . .   | 252      |
| Infection : respiratory tract (upper) as source of systemic infection ; dis-<br>cussion at British Medical Association Annual Meeting (1903) . . . . .  | 565—590  |
| ——— introductory remarks (F. de Havilland Hall) . . . . .   | 565      |
| ——— ——— W. Jobson Horne . . . . .   | 572      |
| ——— ——— histology of tonsils in relation to disease (J. L. Goodale) . . . . .   | 578      |
| ——— ——— pathology (F. Poynton) . . . . .  | 581      |
| ——— ——— part played by nose and naso-pharynx as source of<br>general septic infection (H. Tilley) . . . . .   | 584      |
| ——— ——— remarks of other speakers . . . . .   | 588, 589 |
| ——— ——— replies (F. de Havilland Hall) . . . . .  | 589      |
| ——— ——— (W. Jobson Horne) . . . . .   | 590      |
| ——— (septic) : part played by nose and naso-pharynx as source of<br>general septic infection (H. Tilley) . . . . .  | 584      |
| Infiltration of soft palate (? cause) (F. J. Steward) . . . . .   | 434      |
| ——— of pharynx and post-nasal space (H. FitzGerald Powell) . . . . .  | 252      |
| Inflammation of throat, acute septic ; four cases with bacteriological ex-<br>amination of each (P. R. W. de Santi) . . . . .   | 178      |
| ——— (primary, acute, purulent) of mastoid cells, involving neither<br>middle ear nor mastoid antrum (J. Dunn) . . . . .   | 223      |
| Influenza : ear complications of " la grippe " (J. I. Dowling) . . . . .  | 276      |
| Infundibular probe, new form of (W. J. C. Nourse) . . . . .   | 298      |
| Injury : earlier changes in nasal septum resulting from injury (W.<br>Jobson Horne) . . . . .   | 315      |
| Instruments, new . . . . .  | 616      |
| ——— exhibition of (C. Jackson) . . . . .  | 492, 493 |
| Insuction of alae nasi ; treatment (K. M. Menzel) . . . . .   | 384      |
| Insurance (life) : see <i>Life insurance</i> .  |          |
| Interarytenoid pseudo-pachydermic swelling, with chronic laryngitis,<br>probably due to purulent rhinitis (J. Dundas Grant) . . . . .   | 254      |
| Interarytenoid region : swelling (large) of mucous membrane in so-called<br>interarytenoid pachydermia (H. Tilley) . . . . .  | 247      |
| International Medical Congress (Section of Laryngology and Rhinology),<br>300 ; (Section of Otology) . . . . .  | 347      |
| Intra-nasal pressure causing tic douloureux and cranial neuralgia (S. F. Snow) . . . . .  | 630      |
| Intra-venous injection of antidiptheritic serum in diphtheria (D. L. Cairns) . . . . .  | 447      |
| Iodoform bone-stopping (Moesetig-Moorhof) . . . . .   | 392      |
| Irrigation, after exposure, of bulb of internal jugular vein in operation<br>for septic sinus-thrombosis (Zoufal) . . . . .   | 559      |
| JACKSON (Chevalier), notes on the radical mastoid operation (abstract) . . . . .  | 389      |
| ——— exhibition of new instruments . . . . .   | 492, 493 |
| JACQUES (P.) and DURAND (A.), the choice of operation in chronic<br>fronto-ethmoidal sinusitis (abstract) . . . . .   | 556      |
| Jaws, upper and lower, casts of, from case of chronic middle-ear catarrh<br>(P. Nelson) . . . . .   | 363      |
| ——— see also <i>Maxilla</i> .   |          |
| JOAL : pharyngitis sicca and Bright's disease (abstract) . . . . .  | 101      |
| JONES (H. E.), on a sequestrum comprising the internal auditory meatus,<br>the superior and posterior semicircular canals, and the greater part<br>of the vestibule . . . . .   | 77       |
| ——— discussion on tuberculosis of ear, nose, and naso-pharynx . . . . .   | 158      |
| ——— guides to surgical relations of facial nerve, etc., in the temporal<br>bone . . . . .   | 283, 294 |
| ——— demonstration of cases after operation illustrating (a) temporo-<br>sphenoidal abscess ; (b) superficial cerebellar abscess ; (c) basal<br>meningitis ; (d) sinus thrombosis ; (e) extensive destruction of bone<br>in hereditary syphilis and scarlatina ; (f) cases of the complete post-<br>aural operation with and without grafting ; (g) specimens (patho-<br>logical and anatomical) . . . . . | 363, 364 |



|   | PAGE |
|---|------|
| JORDAN (C. H. R.) and KNAPP (Arnold): a brief report of forty radical operations for chronic purulent otitis and complications, with remarks (abstract)   | 445  |
| JOURDRAN and FONTOYNONT: streptococcal glossitis and stomatitis in Madagascar (abstract)  | 609  |
| Jugular bulb: thrombosis, two cases (N. H. Pierce)  | 593  |
| Jugular vein (internal): exposure and irrigation of bulb of internal jugular vein in operation for septic sinus thrombosis (Zoufal)   | 559  |
| ————— ligation in two cases of thrombosis of jugular bulb (N. H. Pierce)  | 593  |
| ————— operative exposure of bulb of (Muck)  | 446  |
| JÜRGENS (E.), three cases of congenital atresia of the external auditory meatus with microtia (abstract)  | 557  |
| KAMM (M.), acute mastoiditis complicated by scleroderma (abstract)  | 390  |
| KELLY (A. Brown), microscopical sections of nasal growths of the type of "bleeding polypus of the septum:" (1) and (2), bleeding polypi of the septum; (3) alar polypus; sarcomatoid tumour of the septum | 257  |
| KELSON (W. H.), case of laryngeal growth in a woman   | 254  |
| ———— case of nasal tumour in a man aged twenty-six  | 254  |
| ———— a case of bleeding polypus of the nose in a girl aged fifteen  | 270  |
| ———— a case of dislocation of bones of the nose, due to polypi, in a man aged sixty   | 270  |
| ———— a case of laryngeal disease  | 364  |
| ———— a case of laryngeal fistula  | 415  |
| ———— a case of lupus of fauces  | 422  |
| ———— a case of laryngeal fistula  | 436  |
| ———— a boy aged ten years who had suffered from nasal obstruction for three years   | 640  |
| Killian's operation in cure of bilateral frontal sinus empyema (W. Petersen)  | 275  |
| KING (Gordon), adenoma of palate (abstract)   | 274  |
| KLUG: contagion in acute middle-ear disease (abstract)  | 558  |
| KNAPP (Arnold), on a case of cerebellar abscess after infection through the labyrinth; death from meningitis; autopsy (abstract)  | 110  |
| ———— osteomyelitis of the skull, with empyema of the nasal accessory cavities; sinus thrombosis; pyæmia; death; autopsy (abstract)  | 672  |
| ———— and JORDAN (C. H. R.), a brief report of forty radical operations for chronic purulent otitis and complications, with remarks (abstract)   | 445  |
| KOERNER (O.), the usual methods of treatment and operation in the ear and throat clinic at Rostock (abstract)   | 391  |
| KÖRTE (W.), case of implantation of the facial to the hypoglossal nerve (abstract)  | 446  |
| KYLE (D. Braden), the import of the salivary and nasal secretions in hay fever  | 540  |
| Labyrinth, infection through, causing cerebellar abscess; death from meningitis; abscess (A. Knapp)   | 110  |
| ———— suppuration and necrosis of (E. J. Moure)  | 351  |
| ———— suppurations in (V. Hinsberg)  | 443  |
| LACK (H. Lambert), case of complete adhesion of soft palate to posterior wall of pharynx  | 48   |
| ———— a case of functional aphonia in a man, with unusual symptoms   | 216  |
| ———— a microscopic section of cyst of ventricle of larynx opened when operating on a case of malignant disease  | 217  |
| ———— sections of ulcer of tonsil containing tubercles, which yielded to antisyphilitic remedies   | 217  |
| ———— a case of functional aphonia   | 329  |
| ———— a case and microscopic sections of œdematous thickening of larynx and palate in a boy  | 330  |
| ———— microscopic sections of mucous patches of tonsils  | 330  |
| ———— a case of thickening and impaired mobility of left vocal cord  | 436  |

# Index.

xxi

|  | PAGE                                       |
|--|--|
| LACK (H. Lambert), a case of multiple sinus suppuration, showing the results of operation upon sphenoidal sinus with demonstration of a new instrument . . . . . | 437  |
| LACOARRET : muco-papillomatous polypi of nasal septum . . . . .  | 220  |
| LAKE (Richard), case of removal of the epiglottis for tuberculous disease in a male aged thirty-five . . . . .   | 33   |
| —— on a case of foreign body in the naso-pharynx (abstract) . . . . .  | 102  |
| —— discussion on tuberculosis of the ear, the nose, and the naso-pharynx . . . . .   | 188  |
| —— exhibition of section of new growth removed from the posterior extremity of the inferior turbinate body (right) of a man aged fifty . . . . .                 | 245  |
| —— exhibition of section of right inferior turbinate . . . . .   | 246  |
| —— exhibition of section of recurrence of new growth involving left inferior turbinate and septum . . . . .  | 246  |
| —— microscopical section of a tuberculous pachydermia from the processus vocalis . . . . .   | 255  |
| —— case of laryngeal tuberculosis . . . . .  | 256  |
| —— a case of ulceration of tonsil . . . . .  | 423  |
| —— exhibition of microscopic specimens: (1) large papilloma from posterior aspect of cricoid cartilage; (2) papilloma from region of inferior turbinal . . . . . | 424, 425                                   |
| —— the restoration of inferior turbinate body by paraffin in the treatment of atrophic rhinitis (abstract) . . . . .   | 439  |
| LAMB (W.), discussion on the upper respiratory tract as a source of systemic infection . . . . .   | 589  |
| —— on ethmoidal abscess . . . . .  | 621  |
| Lantern demonstration showing the normal fluctuations of air-pressure in upper respiratory tract (Scanes Spicer) . . . . .                                       | 92   |
| DE LAPERSONNE : the oculo-orbital complications of sinusitis (abstract) . . . . .  | 220  |
| Laryngitis, chronic, with interarytænoid pseudo-pachydermic swelling, probably due to purulent rhinitis (J. Dundas Grant) . . . . .                              | 254  |
| —— with papillated thickening of vocal cord and chronic rhinitis (J. Dundas Grant) . . . . .   | 428  |
| —— (hypertrophica), following prolonged nasal trouble (Hunter Tod) . . . . .   | 91   |
| Laryngological Society of London : proceedings 89, 212, 245, 320, 364, 422, 430 . . . . .  | 430  |
| —— report of Morbid Growths Committee . . . . .  | 255, 364                                   |
| Laryngology : adrenalin, use in oto-rhino-laryngology (V. Delsaux) . . . . .   | 223  |
| —— position in medical students' curriculum (P. Watson Williams) . . . . .   | 461  |
| —— retrospect of, 1902 (John Macintyre, M.D.) . . . . .  | 2  |
| —— section of Laryngology and Otology at annual meeting of British Medical Association (1903) . . . . .  | 408, 461, 513, 565, 648                    |
| —— section of Laryngology and Rhinology, Fourteenth International Medical Congress, Madrid . . . . .   | 300  |
| —— exhibition of instruments at . . . . .  | 306  |
| Laryngoscopy : "Oto-rhino-laringoscopia ed esofagoscopia" (L. V. Nicolai : review) . . . . .   | 278  |
| Larynx, abstracts of literature on . . . . .   | 51, 104, 164, 221, 276, 333, 501, 557, 610 |
| —— cancer, case cured by X rays (W. Scheppegegrell) . . . . .  | 70   |
| —— results of treatment by means of X rays (D. B. Delavan) . . . . .   | 51, 276                                    |
| —— surgical treatment (E. J. Moure) . . . . .  | 648  |
| —— cyst of ventricle of, opened when operating on a case of malignant disease (H. Lambert Lack) . . . . .  | 217  |
| —— disease of, case of (W. H. Kelson) . . . . .  | 364  |
| —— case probably epithelioma (J. Dundas Grant) . . . . .   | 381  |
| —— combined syphilitic and tuberculous (V. Wyatt Wingrave) . . . . .   | 313  |
| —— employment of high-frequency currents in oto-laryngology (Mouret and Denoyès) . . . . .   | 164  |
| —— epithelioma, case of (A. Thorne) . . . . .  | 250  |
| —— two cases remaining well two years after operation (thyrotomy) (E. S. Yonge) . . . . .  | 658  |

|   | PAGE     |
|---|----------|
| Larynx, fibro-lipoma of (enormous) (P. de Santi)  | 432      |
| — fistula of (C. Nourse)  | 415      |
| — growth of (V. Wyatt Wingrave)   | 97       |
| — — in a woman (W. H. Kelson)   | 254      |
| — gumma of, sequel of case (C. Nourse)  | 419      |
| — involved in case of naevus (P. H. Abercrombie)  | 25       |
| — (lesions) : case of pharyngeal and laryngeal lesions (J. Donelan)   | 373      |
| — lupus of (V. Wyatt Wingrave)  | 312, 414 |
| — malignant disease ; operative treatment   | 449      |
| — — (Professor T. Gluck)  | 482      |
| — — (Sir F. Semon)  | 464      |
| — malignant growth of larynx (Mayo Collier)   | 22       |
| — narrowing (abnormal) of larynx, probably congenital ; specimen (A. Logan Turner)  | 95       |
| — obstruction of (W. R. H. Stewart)   | 263      |
| — œdema, chronic case ; ? amyloid (J. Dundas Grant)   | 266      |
| — — series of anatomical preparations, demonstrating the artificial production of œdema (A. Logan Turner)                                 | 95       |
| — œdematous thickening of (H. Lambert Lack)   | 330      |
| — pachydermia of (V. Wyatt Wingrave)  | 26       |
| — pedunculated laryngeal growth (J. Donelan)  | 34       |
| — rheumatoid arthritis and pseudo-rheumatism of (Mourrut)   | 222      |
| — sarcoma of, primary (C. Hödemoser)  | 221      |
| — stenosis due to amyloid degeneration in (W. Courvoisier)  | 104      |
| — — tubercular : case treated by tracheotomy (J. Price-Brown)   | 498      |
| — swelling of right side : case for diagnosis (H. J. Davis)   | 365      |
| — syphilis (tertiary) affecting (P. de Santi)   | 29       |
| — — (C. Nourse)   | 414      |
| — tuberculosis of (C. Nourse)   | 199      |
| — — (R. Lake)   | 256      |
| — — laryngeal and pulmonary (V. Wyatt Wingrave)   | 198      |
| — tuberculous granuloma of (V. Wyatt Wingrave)  | 311      |
| — ulceration in larynx (recurring), thought to be herpetic (F. Potter)  | 43       |
| LAWRENCE (L. A.), a case of a woman aged thirty-seven, with ulceration of the soft palate   | 374      |
| Lead-poisoning, paralysis of left vocal cord due to (C. J. Symonds)   | 256      |
| LEAVEN (H. N.), otitis media (abstract)   | 612      |
| LEDOUX : a case of otitic meningitis, with cyto-diagnosis (abstract)  | 390      |
| LEE (C. G.), two cases of epithelioma of auricle (after operation)  | 357      |
| — case of acute otitis media and antrum disease (after operation)   | 357      |
| LENOIR (A.), on the morphological value of the supra-meatal spine and tache spongieuse in antrectomy (abstract)                           | 166      |
| LERMOYER (Marcel), after-treatment of operations on the ear   | 352      |
| — and MAHU (Georges), treatment of certain affections of upper respiratory tract, specially of vaso-motor rhinitis, by hot air            | 300      |
| LEROY (Raoul) and VESLIN (Lucien), the hygienic treatment of exophthalmic goitre (abstract)   | 108      |
| LÉVY : cannula for washing out attic and sinus (abstract)   | 558      |
| LIEVEN (Anton), on the treatment of syphilitic disease of the mucous membrane of the mouth and throat (translated by Arthur J. Hutchison) | 225      |
| Life insurance and diseases of ear (Wendell C. Phillips)  | 630      |
| Light treatment of lupus vulgaris of respiratory mucous membranes at Finsen Light Institute, Copenhagen (Hans B. Christiansen)            | 507      |
| Lipoma of tonsil (C. F. Theisen)  | 495      |
| Liverpool, meeting of Otological Society of Great Britain at  | 281      |
| Localisation (cortical) of auditory area (A. Campbell)  | 339, 354 |
| LOEB (H. W.), carcinoma of the epipharynx (abstract)  | 274      |
| LODGE (Samuel), case of thrombosis of the cavernous sinuses   | 341      |
| — discussion on the technique of operations on the temporal bone in suppurative middle-ear disease  | 539      |

|   | PAGE |
|---|------|
| LORTHOIR : a clinical lecture upon the treatment of croup and diphtheria (abstract)   | 221  |
| LOVE (James Kerr), exhibition of stereograms of sections of the temporal bone   | 198  |
| —— the method of dealing with and developing the residual hearing power and speech of the deaf  | 393  |
| LUBET-BARBON : pengawar-djambi as a hæmostatic agent in nasal operations (abstract)   | 500  |
| LUBLINSKI (M.), acute purulent perichondritis of nasal septum (abstract)  | 51   |
| Lung, expectoration of tooth thirteen months after inhalation into (W. E. Carnegie Dickson)   | 439  |
| Lungs, tuberculosis, laryngeal and pulmonary (V. Wyatt Wingrave)  | 198  |
| Lupus of fauces (W. H. Kelson)  | 422  |
| —— of larynx (V. Wyatt Wingrave)  | 312  |
| —— (?) of nose and face (D. Vinrace)  | 323  |
| —— of nose, palate, and larynx (V. Wyatt Wingrave)  | 414  |
| —— of upper respiratory tract ; treatment by radium (V. Delsaux)  | 557  |
| —— (old-standing), necessitating tracheotomy, in an elderly woman (C. Nourse)   | 413  |
| —— rapid destruction of nasal septum, probably lupus (V. Wyatt Wingrave)  | 382  |
| —— vulgaris, of respiratory mucous membranes : occurrence and treatment in Finsen Light Institute of Copenhagen (Hans B. Christiansen)  | 507  |
| Lymphatic glands (cervical) enlargement, acute and considerable, in a case of ulceration of left tonsil ; (?) malignancy (Sir F. Semon) | 39   |
| —— on both sides of neck, enlargement of in case of ulceration of left tonsil (Sir F. Semon)  | 212  |
| McBRIDE (P.), a case of anosmia   | 325  |
| —— introductory remarks in discussion on the technique of operations on the temporal bone in suppurative middle-ear disease             | 513  |
| —— (reply)  | 540  |
| MCDUGALL (J. E.), a new method of treating adherent soft palate   | 315  |
| MACINTYRE (John), retrospect of laryngology, 1902   | 2    |
| —— a case of a foreign body in the œsophagus  | 21   |
| MACKENZIE (George Hunter), obituary notice  | 1    |
| McKEOWN (David), on chronic sphenoidal suppuration (abstract)   | 103  |
| —— difficulties and insufficiency of the stenosal theory of adenoid deafness  | 662  |
| McKERNON (James F.), treatment of the complications of otitis media suppurativa   | 552  |
| MACNAUGHTON-JONES (H.) and others, "Practitioner's handbook of diseases of the ear and naso-pharynx" (review)                           | 279  |
| Madagascar : streptococcal glossitis and stomatitis in Madagascar (Fontoyont and Jourdan)   | 609  |
| MAHU (Georges), on a sign which is pathognomonic of true chronic maxillary sinusitis  | 301  |
| —— and LERMOYER (Marcel), treatment of certain affections of upper respiratory tract, specially of vaso-motor rhinitis, by hot air      | 300  |
| Malay Archipelago, otomycosis of (D. J. Galloway)   | 64   |
| Malformation of œsophagus ; specimen (F. J. Steward)  | 90   |
| Malignant disease of larynx : operative treatment   | 449  |
| —— ——— (Prof. T. Gluck)   | 482  |
| —— ——— (Sir F. Semon)   | 464  |
| —— in neighbourhood of right Eustachian tube (E. B. Waggett)  | 265  |
| —— of naso-pharynx (Barclay J. Baron)   | 248  |
| —— of right vocal cord : cyst of ventricle of larynx opened when operating on (H. Lambert Lack)   | 217  |
| —— question of, in case of ulceration of tonsil and acute and considerable enlargement of cervical lymphatic glands (Sir F. Semon)      | 39   |

|  | PAGE |
|--|------|
| Malignant growth of middle ear (W. Permewan)   | 363  |
| of larynx (Mayo Collier)   | 22   |
| Malignant ulcer of oro-pharynx (V. Wyatt Wingrave)   | 644  |
| MANASSE (Paul), a study of the pathology of the internal ear and the auditory nerve (abstract)   | 391  |
| MARAGE: the scientific treatment of deafness   | 54   |
| MARTINEAU (A. J.), on a case of saddle nose treated by subcutaneous injection of paraffin (abstract)   | 103  |
| Mastoid antrum, purulent: inflammation, primary acute, of mastoid cells involving neither middle ear nor mastoid antrum (J. Dunn)                              | 223  |
| disease: unusual cases (H. Bert Ellis)   | 592  |
| inferior occipital plate of the mastoid, with especial reference to Bezold's mastoiditis (J. Dunn)   | 166  |
| operation, radical (C. Jackson)  | 389  |
| significance of variations in course of facial nerve in (H. Schwartze)   | 277  |
| variations in course of facial nerve bearing upon (M. Alex. Randall)   | 335  |
| operations (radical): after-treatment without packing (A. Zur Muehlen)   | 613  |
| suppuration behind mastoid and in posterior fossa associated with ear disease, but without perforation of membrane (W. Permewan)                               | 361  |
| Mastoiditis, acute, accompanied by scleroderma (M. Kamm)   | 390  |
| treatment, conservative (S. F. Snow)   | 613  |
| (Bezold's) and inferior occipital plate of mastoid (J. Dunn)   | 166  |
| due to gonococcus (C. Trow)  | 613  |
| exophthalmos following (H. L. Secord)  | 277  |
| following primary tuberculosis of the ear; report of four cases (M. A. Goldstein)  | 113  |
| Masto-squamosal suture (Aderman)   | 386  |
| Maxilla (superior), tumour of (C. F. Forsham)  | 160  |
| see also <i>Jaws</i> .   |      |
| Maxillary node in an infant (V. Wyatt Wingrave)  | 311  |
| Meatus (external auditory), atresia (congenital) with microtia; three cases (E. Jürgens)   | 557  |
| ceruminous glands from the cartilaginous portion of (V. Wyatt Wingrave)  | 416  |
| epithelioma of (J. Dundas Grant)   | 642  |
| specimen (V. Wyatt Wingrave)   | 645  |
| (inferior), trepanation of maxillary sinus by way of (Vaquier)   | 556  |
| (internal auditory): sequestrum comprising internal auditory meatus, superior and posterior semicircular canals, and greater part of vestibule (Hugh E. Jones) | 77   |
| (left aural), removal of large hyperostosis of (H. Tilley)   | 85   |
| tumour of, associated with an abdominal tumour (A. H. Cheatle)   | 81   |
| Medical student: position of laryngology and otology in his curriculum (P. Watson Williams)  | 461  |
| MEIERHOF (E. L.), does early treatment of acute inflammation of the middle ear prevent the more serious complications? (abstract)                              | 111  |
| MELZI (Urbano), naso-pharyngeal fibroma cured by means of galvanocautery puncture (translated by James Donelan)  | 403  |
| Membrana tympani: perforation absent in case of suppuration behind mastoid and in posterior fossa, associated with ear disease (W. Permewan)                   | 361  |
| value of exploratory puncture of (D. Roy)  | 607  |
| Meningitis (acute) and cerebellar abscess (R. M. Simon)  | 447  |
| (basal): demonstration of case after infection (H. E. Jones)   | 364  |
| cause of death in case of cerebellar abscess after infection through labyrinth; autopsy (A. Knapp)   | 110  |
| (otitic) case, with cyto-diagnosis (Ledoux)  | 390  |
| (tuberculous), temporal bones removed from patients who died of (A. H. Cheatle)  | 196  |

|   | PAGE                                  |
|---|---------------------------------------|
| MENZEL (K. M.), treatment of insuaction of the <i>alæ nasi</i> (abstract)   | 384                                   |
| Micro-millimetres, acoumetry in (H. J. L. Struyschen)   | 350                                   |
| Microtia in three cases of congenital atresia of external auditory meatus (E. Jürgens)  | 557                                   |
| Middle ear: see <i>Ear</i> (middle).  |                                       |
| MILLIGAN (W.), retrospect of rhinology  | 7                                     |
| —— the diagnosis and treatment of tuberculous disease of the middle ear and its accessory cavities  | 136                                   |
| —— reply to discussion on tuberculosis of ear, nose, and naso-pharynx   | 193                                   |
| —— specimens and micro-photographs illustrating tuberculous disease of the ear and naso-pharynx   | 196                                   |
| —— two cases of chronic suppurative middle-ear disease  | 358                                   |
| Model (working), readily improvised, to demonstrate the air-channels and currents in the nasal cavities in normal and impeded nasal respiration (Scanes Spicer)                       | 34                                    |
| MONTFORT: acute pemphigus of the upper mucous membranes (abstract)  | 161                                   |
| Morbid Growths Committee of Laryngological Society of London, reports   | 255, 364                              |
| “Morcellement” used to remove through mouth primary growth in case of advanced and inoperable epithelioma of epiglottis, with secondary infection of cervical glands (Herbert Tilley) | 96                                    |
| MORSE (J. L.), retro-pharyngeal abscess in children (abstract)  | 500                                   |
| MOSETIG-MOORHOF: iodoform bone-stopping (abstract)  | 391                                   |
| MOURE (E. J.), a case of empyema of the right maxillary antrum and both frontal sinuses, with necrosis of the orbital wall (abstract)   | 161                                   |
| —— is atrophic coryza an autonomous affection? diagnosis and treatment  | 303                                   |
| —— study of labyrinthine suppuration and necrosis   | 351                                   |
| —— the surgical treatment of cancer of the larynx (translated by Chichele Nourse)   | 648                                   |
| —— and BRINDEL, ultimate results of paraffin injections into nasal mucosa in seventy cases of typical ozanotous atrophic rhinitis   | 306                                   |
| Moire's operation, cases of deflected septum treated by (L. H. Pegler)  | 205                                   |
| —— septotome for use in Moire's and other operations in deflection (L. H. Pegler)   | 256                                   |
| —— slight modification of (V. Wyatt Wingrave)   | 420                                   |
| MOURET and DENOYIS: on the employment of high-frequency currents in oto-laryngology (abstract)  | 164                                   |
| MOURRUT: rheumatoid arthritis and pseudo-rheumatism of larynx (abstract)  | 222                                   |
| Mouth: abstracts of literature on   | 51, 101, 160, 218, 274, 500, 556, 609 |
| —— (diseases): “Atlas and epitome of diseases of the mouth, pharynx, and nose” (L. Grünwald: review)  | 560                                   |
| —— (inflammation of): see <i>Stomatitis</i> .   |                                       |
| —— nasal obstruction and deformities of the upper jaw, teeth, and palate (Mayo Collier)   | 101                                   |
| —— syphilis of mucous membrane of; treatment (A. Lieven)  | 225                                   |
| —— ulcers, strumous, of (W. R. H. Stewart)  | 89                                    |
| Mucin, beneficial effect of, in atrophic rhinitis (Mr. Stuart-Low)  | 199                                   |
| MUCK: the occurrence of rhodan in the nasal secretion, and its absence in ozana (abstract)  | 333                                   |
| —— entotic murmur due to aneurysm of occipital artery (abstract)  | 446                                   |
| Mucoid cyst: see <i>Cyst</i> (mucoid).  |                                       |
| Mucous membrane in interarytænoid region, large swelling of (so-called interarytænoid “pachydermia”) (H. Tilley)  | 247                                   |
| —— of mouth and throat, syphilis of, treatment (A. Lieven)  | 225                                   |
| —— (of nose), paraffin injections into, in cases of ozanotous atrophic rhinitis (Moire and Brindel)   | 306                                   |
| —— of septum nasi, localised psorospermiosis of; microscopic section (Captain O'Kinealy) 375; microscopical report (Major J. C. Vaughan)  | 376                                   |

|   | PAGE     |
|---|----------|
| Mucous membranes (respiratory): lupus vulgaris of respiratory mucous membranes; occurrence and treatment in Finsen Light Institute, Copenhagen (Hans B. Christiansen) . . . . .       | 507      |
| —— (upper), pemphigus of (acute) (Montfort) . . . . .   | 161      |
| Mucous patches of tonsils (H. Lambert Lack) . . . . .   | 330      |
| Murmur (entotic) due to aneurysm of occipital artery (Muck) . . . . .   | 446      |
| Muscles of palate and pharynx, clonic spasm of, causing entotic tinnitus (L. H. Pegler) . . . . .   | 371      |
| Myxœdema, deafness due to (J. Dundas Grant) . . . . .   | 310, 641 |
| Myxo-fibroma, probable, of nose (S. W. Allen) . . . . .   | 102      |
| Myxo-sarcoma in nasal cavity (Mayo Collier) . . . . .   | 22       |
|   |          |
| Nævus: case involving uvula, palate, fauces, tongue, and larynx (P. H. Abercrombie) . . . . .   | 25       |
| Narrowing (abnormal) of larynx and trachea, probably congenital; specimen (A. Logan Turner) . . . . .   | 95       |
| Nasal cavity: see <i>Nose</i> .   |          |
| Naso-pharynx: abstracts of literature on 101, 160, 218, 274, 331, 556, 609, 672   | 672      |
| —— carcinoma, columnar-celled; specimen (A. Bronner) . . . . .  | 269      |
| —— (diseases of): "Practitioner's handbook of diseases of the ear and naso-pharynx" (H. Macnaughton Jones and others: review) . . . . .   | 279      |
| —— fibroma of (J. Dundas Grant) . . . . .   | 643      |
| —— cured by means of galvano-cautery puncture (U. Melzi) . . . . .  | 403      |
| —— specimen (V. Wyatt Wingrave) . . . . .   | 644      |
| —— (vascular), of extensive origin, finally removed through the soft and hard palate, with extensive removal of anterior wall of left supra-maxillary bone (Herbert Tilley) . . . . . | 45       |
| —— fibro-myxoma (large), with prolongations extending to anterior nares (J. Donelan) . . . . .  | 248      |
| —— foreign body in (R. Lake) . . . . .  | 102      |
| —— malignant disease of (Barclay J. Baron) . . . . .  | 248      |
| —— part played by naso-pharynx as source of general septic infection (H. Tilley) . . . . .  | 584      |
| —— (syphilis, tertiary, of): tertiary lesions in naso-pharynx (Dieu) . . . . .  | 609      |
| —— tuberculosis of, discussion on . . . . .   | 188      |
| —— (Urban Pritchard, C. A. Ballance, A. E. Cumberbatch, A. L. Whitehead, Hugh Jones, A. Cheatle) . . . . .  | 154—160  |
| —— tuberculous disease of (W. Milligan) . . . . .   | 196      |
| Neck: ulceration of left tonsil with acute and considerable enlargement of numerous cervical lymphatic glands on both sides of the neck; ? malignancy (Sir F. Semon) . . . . .        | 39       |
| Necrosis of labyrinth (E. J. Moure) . . . . .   | 351      |
| —— of orbital wall in case of empyema of right maxillary antrum and both frontal sinuses (Moure) . . . . .  | 161      |
| NELSON (Philip), casts of upper and lower jaw from a case of chronic middle-ear catarrh . . . . .   | 363      |
| Nerve (auditory), pathology of (P. Manasse) . . . . .   | 391      |
| —— (facial), implantation of, to hypoglossal (Körte) . . . . .  | 446      |
| —— surgical relations of, in temporal bone (H. E. Jones) . . . . .  | 283, 294 |
| —— variations in course, and their significance in mastoid operation (H. Schwartz) . . . . .  | 277      |
| —— variations in course bearing upon mastoid operation (M. Alex. Randall) . . . . .   | 335      |
| —— (hypoglossal): implantation of facial nerve to hypoglossal (Körte) . . . . .   | 446      |
| —— (laryngeal): paresis of both recurrent laryngeals and left sympathetic (J. Dundas Grant) . . . . .   | 380      |
| —— (left recurrent), large aneurysm of arch of aorta shown by radio-scopical examination in case of (V. Cheval) . . . . .   | 557      |
| —— (sympathetic): paresis of both recurrent laryngeals and left sympathetic (J. Dundas Grant) . . . . .   | 380      |

|  | PAGE  |
|--|---|
| Nerve (trigeminal): taste fibres and their independence of the nervus trigeminus (H. Cushing)  | 331   |
| Nerve-deafness due to tobacco (V. Wyatt Wingrave)  | 172   |
| Nerves (cerebral): early and unusual implication in cases of tabes (Sir F. Semon)  | 259   |
| Neuralgia (cranial) from intra-nasal and sinus pressure (S. F. Snow)   | 630   |
| Neurasthenia of intra-nasal origin (C. Compaired)  | 500   |
| NEWCOMB (James E.): see <i>Grünwald</i> (L.), "Atlas and epitome of diseases of the mouth, pharynx, and nose."   |   |
| NICOLAI (L. V.), "Oto-rino-laringoscopia, ed esofagoscopia: anatomia topografica e metodi di esame del naso-faringe, larynge, orecchio, ed esophago" (review)  | 278   |
| NICOLLE and HEBERT: sore throat due to the pneumobacillus of Friedländer   | 53  |
| Node (maxillary) in an infant (V. Wyatt Wingrave)  | 311   |
| Noises (objective) in pharynx caused by clonic spasm of soft palate (L. H. Pegler)   | 372   |
| Nose, abstracts of literature on   | 51, 102, 162, 218, 275, 333, 384, 439, 500, 556, 609, 672 |
| —— (accessory sinuses), anatomical method of demonstrating the accessory cavities of (G. Bruehl)   | 333   |
| —— ——— duplicity of (G. Bruehl)  | 333   |
| —— ——— empyema of, in case of osteomyelitis of skull (A. Knapp)  | 672   |
| —— ——— suppuration, chronic (A. P. Crocket)  | 672   |
| —— ——— tuberculous disease of nasal cavities, case illustrating (H. Tilley)  | 197   |
| —— (ala), polypus of (A. Brown Kelly)  | 257   |
| —— (alæ): treatment of insuction of alæ nasi (K. M. Menzel)  | 384   |
| —— (bleeding from): see <i>Epistaxis</i> .   |   |
| —— (bones of): dislocation of bones of nose caused by polypi (W. H. Kelson)  | 270   |
| —— deformity, case of (W. R. H. Stewart)   | 89  |
| —— (diseases): "Atlas and epitome of diseases of the mouth, pharynx, and nose" (L. Grünwald: review)   | 560   |
| —— "Diseases of nose, pharynx, and ear" (H. Gradle: review)  | 168   |
| —— displacement, extreme (Mayo Collier)  | 24  |
| —— foreign body removed from (W. L. Ballenger)   | 494   |
| —— hyperæmia, persistent, superficial, cured by removal of adenoids (V. Wyatt Wingrave)  | 633   |
| —— injection of paraffin into nose followed by immediate blindness (L. M. Hurd)  | 610   |
| —— laryngitis hypertrophica following prolonged nasal trouble (Hunter Tod)   | 91  |
| —— lupus of (V. Wyatt Wingrave)  | 414   |
| —— ——— (?) (D. Vinrace)  | 323   |
| —— myxofibroma, probable case of (S. W. Allen)   | 102   |
| —— myxosarcoma in nasal cavity (Mayo Collier)  | 22  |
| —— nasal treatment of asthma (A. Francis)  | 162   |
| —— neurasthenia of intra-nasal origin (C. Compaired)   | 500   |
| —— obstruction of, and deformities of the upper jaw, teeth, and palate (Mayo Collier)  | 101   |
| —— ——— case of three years' duration (W. H. Kelson)  | 640   |
| —— (operations on): pengawar-djambi as hamostatic agent in nasal operations (Lubet-Barbon)   | 500   |
| —— part played by nose as source of general septic infection (H. Tilley)   | 584   |
| —— (polypus): case of bleeding polypus (W. H. Kelson)  | 270   |
| —— ——— local use of formalin in treatment of nasal polypi (A. Brønner)   | 660   |
| —— ——— polypi causing dislocation of nasal bones (W. H. Kelson)  | 270   |
| —— readily improvised working model to demonstrate the air-channels and currents in the nasal cavities in normal and impeded nasal respiration (Scanes Spicer) | 34  |



|  | PAGE         |
|--|--------------|
| Nose, sarcoma of (J. Price-Brown)  | 398          |
| — (secretion from), occurrence of rhodan in (Muck)   | 333          |
| — import of nasal secretions in hay-fever (D. B. Kyle)   | 540          |
| — (septum): abscess, bilateral, with well-marked symptoms of septicæmia (W. L. Culbert)  | 544          |
| — abscess of septum nasi following left antral empyema (Hunter Tod)  | 35           |
| — absence, in unusual case of frontal sinusitis (C. G. Coakley)  | 596          |
| — deflected, treated by Moure's operation (L. H. Pegler)   | 205          |
| — earlier changes in, resulting from injury (W. Jobson Horne)  | 315          |
| — gumma of (L. H. Pegler)  | 435          |
| — muco-papillomatous polypi of (Lacoarret)   | 220          |
| — new growth involving left inferior turbinate and septum (R. Lake)  | 246          |
| — perforation of; ? trauma or syphilis (J. Donelan)  | 331          |
| — perichondritis of, acute purulent (M. Lublinski)   | 51           |
| — (polypus): "bleeding polypus of septum" (A. Brown Kelly)   | 257          |
| — polypoid tumour ("bleeding polypus") (H. Tod)  | 262          |
| — psorospermiosis (localised) of mucous membrane of septum nasi; microscopical section (Captain O'Kinealy)                       | 375          |
| — microscopical examination (Major J. C. Vaughan)  | 376          |
| — rapid destruction, probably lupus (V. Wyatt Wingrave)  | 382          |
| — sarcomatoid tumour of (A. Brown Kelly)   | 257          |
| — tubercular ulceration of (primary) (E. B. Waggett)   | 426          |
| — tuberculous tumour on posterior part of (Bellevue)   | 218          |
| — short operations, choice of anæsthetic in (J. H. Chaldecott)   | 111          |
| — (sunken), paraffin injection for (S. Paget)  | 61, 103, 275 |
| — see also <i>Saddle-nose</i> .  |              |
| — (suppuration in): cases of pyogenic brain disease associated with or caused by acute or chronic nasal suppuration (T. Hubbard) | 628          |
| — tuberculosis of, discussion on   | 188          |
| — (Urban Pritchard, C. A. Ballance, A. E. Cumberbatch, A. L. Whitehead, Hugh Jones, A. Cheatle)                                  | 154—160      |
| — tumour of (W. H. Kelson)   | 254          |
| — (C. Nourse, V. Wyatt Wingrave)   | 415          |
| — vestibule, papilloma of (W. Jobson Horne)  | 643          |
| — tumour of (E. Cresswell Baber)   | 322          |
| — see also <i>Rhinotomy</i> .  |              |
| — see also <i>Vertigo</i> (nasal).   |              |
| Nostril, epithelioma of (V. Wyatt Wingrave)  | 209          |
| Nostrils (anterior): prolongations of large naso-pharyngeal fibromyxoma extending to anterior nares (J. Donelan)                 | 248          |
| — (posterior) occlusion of right posterior nares (H. D. Hamilton)  | 163          |
| Nourse (W. J. Chichele), a case of laryngeal tuberculosis in a woman aged thirty-five  | 199          |
| — note on new form of infundibular probe and cannula for frontal sinus, and a probe and cannula for sphenoidal sinus             | 298, 418     |
| — a case of old-standing lupus necessitating tracheotomy in an elderly woman   | 413          |
| — a case of tertiary syphilis affecting the larynx in a man aged fifty-one   | 413          |
| — a case of new growth on the nose externally, presenting an unusual structure   | 415          |
| — the sequel of a case of gumma of the larynx, shown a year ago  | 419          |
| — concerning radium and exhibition of specimens  | 645          |

|  | PAGE               |
|--|--------------------|
| NOURSE (W. J. Chichele), the surgical treatment of cancer of the larynx<br>(by E. J. Moure: translated by Chichele Nourse)   | 648                |
| ——— and GRANT (J. Dundas), retrospect of otology, 1902   | 12                 |
| Obituary notice: Mackenzie, George Hunter, M.D.  | 1                  |
| ——— Walsham, William Johnson   | 617                |
| Obstruction, absent in cancer of œsophagus (J. G. Emanuel)   | 105                |
| ——— (nasal) and deformities of the upper jaw, teeth, and palate (Mayo<br>Collier)  | 101                |
| ——— —— case of three years' duration (W. H. Kelson)  | 640                |
| ——— (subjective nasal), in a case of comparative hemianæsthesia (J.<br>Dundas Grant)   | 99                 |
| Occlusion of right posterior nares (H. D. Hamilton)  | 163                |
| Oculo-orbitary complications of sinusitis (F. de Lapersonne)   | 220                |
| œdema of larynx, chronic case (? amyloid) (J. Dundas Grant)  | 266                |
| ——— series of anatomical preparations demonstrating the artificial<br>production of (A. Logan Turner)  | 95                 |
| œdematous thickening of larynx and palate (H. Lambert Lack)  | 330                |
| œsophagoscopy: "Oto-rino-laryngoscopia ed esofagoscopia" (L. V.<br>Nicolai: review)  | 278                |
| œsophagus: abstracts of literature on  | 105, 222, 385, 502 |
| ——— cancer of (J. Bark)  | 308                |
| ——— —— without obstruction (J. G. Emanuel)   | 105                |
| ——— carcinoma, etiology (Wolf)   | 385                |
| ——— dilatation, diffuse; etiology from clinical point of view (Starck)   | 385                |
| ——— (foreign bodies in): removal of foreign bodies from œsophagus by<br>an improved method of using the Röntgen rays (G. Hamilton)   | 222                |
| ——— foreign body in œsophagus (J. Macintyre, M.D.)   | 21                 |
| ——— malformation of, specimen (F. J. Steward)  | 90                 |
| ——— malignant stricture of upper end of: specimen (A. Logan Turner)  | 96                 |
| ——— perforation of, by tuberculous glands (C. Riviere)   | 222                |
| ——— "pressure pouch" removed by operation in eight cases (H. T.<br>Butlin)   | 502                |
| O'KINEALY (Captain), a microscopic section of localised psorospermiosis<br>of the mucous membrane of the septum nasi   | 375                |
| OLMSTEAD (Ingersoll), the operative treatment of goitre (abstract)   | 222                |
| Oro-pharynx, malignant ulcer of; specimen (V. Wyatt Wingrave)  | 644                |
| Ossiculectomy (E. B. Dench)  | 611                |
| Osteomyelitis of skull, with empyema of nasal accessory cavities: sinus<br>thrombosis; pyæmia; death (A. Knapp)  | 672                |
| OSTMANN (Professor), an objective uniform measure of hearing as<br>supplied by the amplitude of vibration of Edelmann's C and G<br>tuning-forks (author's abstract: translated by Dr. Westerman) | 561                |
| Otic origin, cerebellar abscess of (V. Gillot)   | 442                |
| Otitic origin of two cases of cerebellar abscess (Gaudier)   | 441                |
| Otitis (chronic purulent) and complications, brief report of forty radical<br>operations for (A. Knapp and C. H. R. Jordan)  | 445                |
| Otitis media (H. N. Leaven)  | 612                |
| ——— —— acute, contagiousness of (L. Wolff)   | 559                |
| ——— —— and antrum disease (C. G. Lee)  | 357                |
| ——— —— (chronic catarrhal), superheated compressed air in the<br>therapeutics of (G. W. Hopkins)   | 53                 |
| ——— —— encephalitis in connection with; three cases (Voss)   | 672                |
| ——— —— purulent: two severe acute cases caused by "Schnee-<br>berger" snuff powder (Schroeder)   | 552                |
| ——— —— suppurative; complications, treatment (J. F. McKernon)  | 552                |
| ——— —— (chronic), etiology, symptomatology, and patho-<br>logy of (C. W. Richardson)   | 550                |
| ——— —— —— technique of radical operation for (E. B.<br>Dench)  | 590                |
| ——— —— —— etiology and pathology (N. H. Pierce)  | 550                |
| ——— —— —— inefficiency of Wilde's incision in (J. M. Ray)  | 551                |

|  | PAGE                    |
|--|-------------------------|
| Otitis: recovery from otitic pyæmia (C. Breyre)  | 334                     |
| —— (suppurative), amelioration of hearing troubles caused by (B. Gomperz)  | 109                     |
| Otological Congress, Seventh International, notice respecting  | 187                     |
| Otological Society of the United Kingdom; meetings   | 71, 154, 188            |
| —— meeting at Liverpool  | 281                     |
| —— notice respecting extra metropolitan meeting  | 188                     |
| Otology: "Atlas and epitome of otology" (G. Brühl and A. Politzer: review)   | 560                     |
| —— position in medical students' curriculum (P. Watson Williams)   | 461                     |
| —— retrospect of, 1902 (J. Dundas Grant and Chichele Nourse)   | 12                      |
| —— corrigendum   | 112                     |
| —— (section of) at International Medical Congress  | 347                     |
| —— section of Laryngology and Otology at British Medical Association Annual Meeting (1903)                                       | 408, 461, 513, 565, 648 |
| —— use of adrenalin in (V. Delsaux)  | 223                     |
| Otomycosis of the Malay Archipelago (D. J. Galloway)   | 64                      |
| Otoscopy: "Oto-rino-laringoscopia, ed esofagoscopia" (L. V. Nicolai: review)   | 278                     |
| Ozæna, absence of rhodan in (Muck)   | 333                     |
| —— etiology of (W. Freudenthal)  | 302                     |
| —— of trachea, causing dyspnœa (Dupond)  | 610                     |
| Ozone in chronic middle-ear deafness (G. Stoker)   | 111                     |
| "Pachydermia," interaryta-noid, so-called (H. Tilley)  | 247                     |
| —— laryngis (V. Wyatt Wingrave)  | 26                      |
| —— tuberculous, from processus vocalis; microscopic section (R. Lake)  | 255                     |
| Packing: after-treatment of radical (mastoid) operations without packing (A. Zur Muehlen)  | 613                     |
| PAGET (Stephen), on paraffin injections in cases of sunken nose  | 61                      |
| —— (abstract)  | 103                     |
| —— a lecture on the use of paraffin for sunken noses (abstract)  | 275                     |
| Palate, adenoma of (G. King)   | 274                     |
| —— clonic contraction of (F. J. Steward)   | 320                     |
| —— clonic spasm of muscles of palate and pharynx causing entotic tinnitus (L. H. Pegler)   | 371                     |
| —— (hard), abscess of, following left antral empyema (Hunter Tod)  | 35                      |
| —— involved in case of nævus (P. H. Abercrombie)   | 25                      |
| —— lupus of (V. Wyatt Wingrave)  | 414                     |
| —— oedematous thickening of (H. Lambert Lack)  | 330                     |
| —— paralysis of the palatal muscles and of the abductors of the vocal cords, with slight paresis of the tongue (J. Dundas Grant) | 49, 98                  |
| —— (soft), adherent, new method of treating (J. E. McDougall)  | 315                     |
| —— adhesion, almost complete, to posterior pharyngeal wall, relieved by operative procedure (H. Tilley)                          | 271                     |
| —— adhesion (complete) to posterior wall of pharynx (H. Lambert Lack)  | 48                      |
| —— clonic spasm in, causing objective noises in pharynx (L. H. Pegler)   | 372                     |
| —— (disease of), combined syphilitic and tuberculous (V. Wyatt Wingrave)   | 313                     |
| —— growth in post-nasal space appearing below soft palate in infant (H. FitzGerald Powell)                                       | 252                     |
| —— infiltration of (? cause) (F. J. Steward)   | 434                     |
| —— obscure lardaceous-looking variable (Sir. F. Semon)   | 37                      |
| —— perforations, acquired and congenital (J. Brockaert)  | 556                     |
| —— ulceration of (L. A. Lawrence)  | 374                     |
| —— (soft and hard), divided for removal of naso-pharyngeal fibroma of extensive origin (H. Tilley)                               | 45                      |
| Palsy: see <i>Paralysis</i> .  |                         |

|   | PAGE         |
|---|--------------|
| Papilloma from region of inferior turbinal; microscopic specimen (R. Lake)  | 425          |
| — from posterior aspect of cricoid cartilage (large); microscopic specimen (R. Lake)  | 424, 425     |
| — of right ventricular band (large) removed by thyrotomy (E. B. Waggett)  | 379          |
| — of vestibule of nose (W. Jobson Horne)  | 643          |
| Paraffin: injection into nose followed by immediate blindness (L. M. Hurd)  | 610          |
| — injection of, for sunken noses (S. Paget)   | 61, 103, 275 |
| — in case of so-called saddle-nose (F. Alter)   | 275          |
| — injections in the treatment of atrophic rhinitis; restoration of inferior turbinate body (R. Lake)                              | 439          |
| — in two cases of large retro-auricular opening (after operation for cholesteatoma) (A. Bronner)                                  | 83           |
| — into nasal mucosa in cases of ozænatous atrophic rhinitis (Moure and Brindel)   | 306          |
| — (subcutaneous) in treatment of saddle-nose (A. J. Martineau)  | 103          |
| Paralysis (bilateral abductor) in girl aged fourteen, following tonsillotomy (V. Wyatt Wingrave)                                  | 312          |
| — (double abductor) with swelling of the arytenoids (C. A. Parker)  | 33           |
| — (facial): operative treatment of chronic facial palsy of peripheral origin (C. A. Ballance, H. A. Ballance, and Purves Stewart) | 501          |
| — subsiding rapidly after removal of cholesteatoma by operation (J. Dundas Grant)   | 209          |
| — of abductors of the vocal cords and of the palatal muscles, with slight paresis of the tongue (J. Dundas Grant)                 | 49, 98       |
| — of left recurrent nerve: large aneurysm of arch of aorta shown by radiosopic examination (V. Cheval)                            | 557          |
| — of left vocal cord due to lead-poisoning (C. J. Symonds)  | 256          |
| Paresis of both recurrent laryngeals and left sympathetic (J. Dundas Grant)   | 380          |
| — of tongue (slight) in case of paralysis of the abductors of the vocal cords and palatal muscles (J. Dundas Grant)               | 49, 98       |
| PARKER (C. A.), case of double abductor paralysis with swelling of the arytenoids in a man aged thirty-eight                      | 33           |
| — case of persistent epistaxis in a man aged forty-two  | 49           |
| PATERSON (Andrew), the morphology and development of the temporal bone  | 354          |
| — the development and morphology of the ear   | 404          |
| PATERSON (D. R.), discussion on the upper respiratory tract as a source of systemic infection                                     | 588, 589     |
| Pathological specimens, demonstration of (H. E. Jones)  | 364          |
| PEGLER (L. H.), cases of deflected septum treated by Moure's operation  | 205          |
| — septotome for use in Moure's and other operations for deflection  | 256          |
| — an aural case for diagnosis in girl aged eighteen   | 314          |
| — case of entotic tinnitus in a lady aged thirty  | 314          |
| — unusual experience after partial turbinotomy  | 316          |
| — a case of clonic spasm of the muscles of the palate and pharynx causing entotic tinnitus in a lady aged thirty                  | 371          |
| — a case of clonic spasm of the soft palate causing objective noises in the pharynx in a woman aged twenty                        | 372          |
| — a microscopical section of gumma of nasal septum  | 435          |
| Pemphigus (acute) of upper mucous membranes (Montfort)  | 161          |
| Pengawar-djambi as hæmostatic agent in nasal operations (Lubet-Barbon)  | 500          |
| Perforation (hereditary specific) of anterior pillar of fauces (J. Dundas Grant)  | 254          |
| — of nasal septum; ? trauma or syphilis (J. Donelan)  | 331          |
| — of œsophagus by tuberculous glands (C. Riviere)   | 222          |
| Perforations of soft palate, acquired and congenital (J. Brockaert)   | 556          |

|  | PAGE                         |
|--|------------------------------|
| Perforator: see <i>Screw perforator</i> .  |                              |
| Perichondritis of nasal septum, acute, purulent (M. Lublinski)   | 51                           |
| PERMEWAN (W.), a case of suppuration behind the mastoid and in the posterior fossa, associated with ear disease, but without perforation of the membrane                         | 361                          |
| —— sections of malignant growth of middle ear  | 363                          |
| PETERSEN (W.), bilateral frontal sinus empyema cured by Killian's operation (abstract)   | 275                          |
| Pharyngitis (chronic hypertrophic): treatment by scarification (Escat)   | 502                          |
| —— sicca and Bright's disease (Joal)   | 101                          |
| Pharynx, abstracts of literature on  | 101, 160, 218, 274, 331, 502 |
| —— adhesion (complete) of soft palate to posterior wall of pharynx (Lambert Lack)  | 48                           |
| —— clonic spasm of muscles of palate and pharynx causing entotic tinnitus (L. H. Pegler)   | 371                          |
| —— of soft palate, causing objective noises in (L. H. Pegler)  | 372                          |
| —— (disease of), combined syphilitic and tuberculous (V. Wyatt Wingrave)   | 313                          |
| —— (diseases): "Atlas and epitome of diseases of the mouth, pharynx, and nose" (L. Grünwald: review)   | 560                          |
| —— "Diseases of nose, pharynx, and ear" (H. Gradle: review)  | 168                          |
| —— epithelioma of pharynx and tonsil; specimen (V. Wyatt Wingrave)   | 644                          |
| —— probable in a case of increasing dysphagia (J. Dundas Grant)  | 100                          |
| —— hypertrophy of the lymphoid ring of (H. H. Butto)   | 218                          |
| —— infiltration of (H. FitzGerald Powell)  | 252                          |
| —— (lesions): case of pharyngeal and laryngeal lesions (J. Donelan)  | 373                          |
| —— ulceration (recurring) in pharynx, thought to be herpetic (E. Furniss Potter)   | 43                           |
| —— (wall of, posterior), almost complete adhesion of soft palate to, relieved by operative procedure (H. Tilley)   | 271                          |
| PHILLIPS (W. P.), treatment of acute suppuration of middle ear (abstract)  | 223                          |
| —— life insurance and diseases of the ear  | 630                          |
| PIERCE (Norval H.), the etiology and pathology of otitis media suppurativa   | 550                          |
| —— two cases of thrombosis of the jugular bulb; ligation of the internal jugular   | 593                          |
| PIFFI: the operative exposure of the bulb of internal jugular vein (abstract)  | 446                          |
| Pillar of fauces (anterior), ulcerating growth of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell)  | 378                          |
| —— hereditary specific perforation of (J. Dundas Grant)  | 254                          |
| Pinna: epithelioma; two specimens and microscopic sections (E. M. Stockdale)   | 363                          |
| POLITZER (Adam), "A text-book of the diseases of the ear for students and practitioners" (translated: review)  | 335                          |
| —— "Atlas and epitome of otology," by Gustav Brühl, with the collaboration of Professor A. Politzer. Authorised translation from the German. Edited by S. MacCuen Smith (review) | 560                          |
| Polypi (muco-papillomatous) of nasal septum (Lacoarret)  | 220                          |
| —— (nasal): suppurative ethmoiditis and frontal sinusitis after radical operation for (A. Bronner)   | 214                          |
| Polypus of ala (A. Brown Kelly)  | 257                          |
| —— of nose: case of bleeding polypus (W. H. Kelson)  | 270                          |
| —— dislocation of nasal bones caused by polypi (W. H. Kelson)  | 270                          |
| —— local use of formalin in treatment of (A. Bronner)  | 660                          |
| —— (of septum): "Bleeding polypus of septum" (A. Brown Kelly)  | 257                          |
| —— polypoid tumour ("bleeding polypus") (H. Tod)   | 262                          |
| Post-aural operation: demonstration of cases of complete post-aural operation, with and without grafting (H. E. Jones)   | 364                          |

|   | PAGE     |
|---|----------|
| Post-nasal space, growth in, appearing below soft palate in infant (H. FitzGerald Powell)   | 252      |
| —— infiltration of (H. FitzGerald Powell)   | 252      |
| —— swelling in (E. Furniss Potter)  | 427, 431 |
| Post-pharyngeal swelling (E. B. Waggett)  | 430      |
| POTTER (E. Furniss), case of recurring ulceration in pharynx and larynx, thought to be herpetic, in a woman aged fifty-six                          | 43       |
| —— case of disease of both frontal sinuses in a man aged twenty-nine  | 265      |
| —— a case of singer's nodule (left vocal cord)  | 367      |
| —— a case of swelling in post-nasal space   | 427, 431 |
| POWELL (H. FitzGerald), case of cyst of the epiglottis in a male aged forty   | 42       |
| —— case of growth in the post-nasal space appearing below the soft palate in an infant aged eighteen months   | 252      |
| —— case of infiltration of pharynx and post-nasal space in a man aged forty-five  | 252      |
| —— a case of ulcerating growth of the left tonsil, side of tongue, and anterior faucial pillar in a man aged fifty-two                              | 378      |
| POYNTON (Frederick J.), discussion on the upper respiratory tract as a source of systemic infection (pathology)                                     | 581      |
| "Pressure-pouch" of œsophagus removed by operation in eight cases (H. T. Butlin)  | 502      |
| PRICE-BROWN (J.), notes on cases of sarcoma of the nose   | 398      |
| —— a case of tubercular laryngeal stenosis treated by tracheotomy   | 498      |
| PRITCHARD (Urban), discussion on tuberculosis of ear, nose, and naso-pharynx  | 155      |
| Probe for sphenoidal sinus (W. J. C. Nourse)  | 298      |
| —— (infundibular) for sphenoidal sinus (C. Nourse)  | 418      |
| —— new form of (C. Nourse)  | 298, 418 |
| Processus vocalis, tuberculous pachydermia from; microscopical section (R. Lake)  | 255      |
| Pseudo-rheumatism of larynx (Mourrut)   | 222      |
| Psorospermiosis (localised) of mucous membrane of septum nasi; microscopical section (Captain O'Kinealy)  | 375      |
| —— microscopical report (Major J. C. Vaughan)   | 376      |
| Puncture, exploratory, of membrana tympani, value of (D. Roy)   | 607      |
| Pyæmia, fatal, with sinus thrombosis, in case of osteomyelitis of skull (A. Knapp)  | 672      |
| —— (otitic), recovery from (C. Breyre)  | 334      |
| Pyogenic brain diseases, associated with or caused by acute or chronic nasal suppuration (T. Hubbard)   | 628      |
| Quinine deafness and its prevention (A. Cheatle)  | 354      |
| Radium, communication concerning, with exhibition of specimens (C. Nourse)  | 645      |
| —— in treatment of lupus of upper respiratory tract (V. Delsaux)  | 557      |
| RANDALL (M. Alexander), are there "variations in the course of the facial nerve, having bearing upon the mastoid operation?" (abstract)             | 335      |
| Rash, wandering, on tongue (Mayo Collier)   | 24       |
| RAW (Nathan), on human and bovine tuberculosis (abstract)   | 167      |
| RAY (J. M.), the inefficiency of the Wilde's incision (in operating for otitis media suppurativa)   | 551      |
| RENAULT (A.), some cases of cancer cured by Adamkiewicz's cancraine (abstract)  | 614      |
| Resection of trachea (Tétrop)   | 611      |
| Respiration: lantern demonstration showing normal fluctuations of air-pressure in upper respiratory tract (Scanes Spicer)                           | 92       |
| —— (nasal, normal and impeded): readily improvised working model to demonstrate the air-channels and currents in the nasal cavities (Scanes Spicer) | 34       |
| —— of deaf mutes during speech (H. Gutzmann)  | 347      |

|  | PAGE     |
|--|----------|
| Respiratory tract (diseases), treatment of certain affections, specially vaso-motor rhinitis, by hot air (M. Lermoyez and G. Mahu)         | 300      |
| —— (upper) as source of systemic infection: discussion at British Medical Association annual meeting (1903)                                | 565—590  |
| —— ——— introductory remarks (F. de Havilland Hall)   | 565      |
| —— ——— (W. Jobson Horne)   | 572      |
| —— ——— histology of tonsils in relation to disease (J. L. Goodale)   | 578      |
| —— ——— pathology (F. Poynton)  | 581      |
| —— ——— part played by nose and naso-pharynx as source of general septic infection (H. Tilley)  | 584      |
| —— ——— remarks of other speakers   | 588—589  |
| —— ——— replies (F. de Havilland Hall)  | 589      |
| —— ——— (W. Jobson Horne)   | 590      |
| —— (upper), lupus of; treatment by radium (V. Delsaux)   | 557      |
| —— lupus vulgaris of respiratory mucous membranes: occurrence and treatment in Finsen Light Institute of Copenhagen (Hans B. Christiansen) | 507      |
| Retina: embolism of central artery of retina causing blindness immediately after paraffin injection into nose (L. M. Hurd)                 | 610      |
| Retro-pharyngeal abscess: see <i>Abscess</i> (retro-pharyngeal).   |          |
| REVERDIN and VALLETTE: two cases of intra-cranial abscess  | 54       |
| Reviews  | 168      |
| Rheumatism: see <i>Pseudo-rheumatism</i> .   |          |
| Rhinitis (atrophic), cases illustrating beneficial effect of mucin in (Mr. Stuart-Low)   | 199      |
| —— (atrophic), restoration of inferior turbinate body by paraffin injections in the treatment of (R. Lake)                                 | 439      |
| —— (caseous) (J. Bark)   | 619, 646 |
| —— (chronic) with chronic laryngitis and papillated thickening of vocal cord (J. Dundas Grant)   | 428      |
| —— (ozænatous, atrophic) paraffin injections into nasal mucosa in cases of (Moure and Brindel)   | 306      |
| —— (purulent), probable cause of chronic laryngitis, with inter-arytanoid pseudo-pachydermic swelling (J. Dundas Grant)                    | 254      |
| —— (vaso-motor); treatment by hot air (M. Lermoyez and G. Mahu)  | 300      |
| Rhinology, retrospect of, 1902 (W. Milligan)   | 7        |
| —— Section of Laryngology and Rhinology, Fourteenth International Medical Congress, Madrid   | 300      |
| —— ——— exhibition of instruments at  | 306      |
| —— ——— use of adrenalin in (V. Delsaux)  | 223      |
| Rhinoscöpy: "Oto-rhino-laringoscöpia ed esofagoscöpia" (L. V. Nicolai: review)   | 278      |
| Rhinotomy (sublabial) (Galand)   | 163      |
| Rhodan: occurrence in nasal secretion and its absence in ozæna (Muck)  | 333      |
| RICHARDSON (Charles W.), the etiology, symptomatology, and pathology of otitis media suppurativa chronica                                  | 550      |
| RIVIERE (Clive), perforation of the œsophagus by tuberculous glands (abstract)   | 222      |
| Röntgen rays: aneurysm (large) of arch of aorta shown by radiosöpic examination in case of paralysis of left recurrent nerve (V. Cheval)   | 557      |
| —— cancer of larynx; case cured by X rays (W. Scheppegegrell)  | 70       |
| —— in treatment of laryngeal cancer; results (D. B. Delavan)   | 51       |
| —— removal of foreign bodies from œsophagus by means of improved method of using (G. Hamilton)   | 222      |
| —— results of treatment of cancer of larynx by X rays (B. Delavan)   | 276      |
| Ross (G. T.), mucoid cyst of left middle turbinal (abstract)   | 672      |
| Rostock: usual methods of treatment and operation in Ear and Throat Clinic at Rostock (O. Koerner)   | 391      |
| ROY (Dunbar), the value of exploratory puncture of the membrana tympani  | 607      |
| ROYSTER (L. T.), report of a case of tonsillar ulcer of Vincent (abstract)   | 500      |

|  | PAGE    |
|--|---------|
| Saddle-nose: paraffin injection in case of so-called saddle-nose (F. Alter)  | 275     |
| ———— subcutaneous (A. J. Martineau)  | 103     |
| Saliva: import of salivary secretions in hay fever (D. B. Kyle)  | 540     |
| DE SANTI (P. R. W.), case of tertiary syphilis of the larynx in a man aged twenty-six  | 29      |
| ———— man with growth on left vocal cord; case for diagnosis  | 31      |
| ———— a report on four cases of acute septic inflammation of the throat, with bacteriological examination of each   | 178     |
| ———— case of unilateral right swelling of the thyroid gland in a woman aged fifty  | 257     |
| ———— a case of gumma of epiglottis   | 432     |
| ———— an enormous fibro-lipoma of larynx  | 432     |
| Sarcoma of larynx (primary) (C. Hödemoser)   | 221     |
| ———— of nose (J. Price-Brown)  | 398     |
| Sarcomatoid tumour of septum (A. Brown Kelly)  | 257     |
| Scarification, treatment of chronic hypertrophic pharyngitis by (Escat)  | 502     |
| Scarlatina: extensive destruction of bone in hereditary syphilis and scarlatina; demonstration of case after operation (H. E. Jones)                                 | 364     |
| SCHADLE (J. E.), on adenoid growths in children (abstract)   | 103     |
| SCHEPPEGRELL (W.), on a case of cancer of the larynx cured by the X rays   | 70      |
| SCHIFFERS (F.), chronic suppuration of the middle ear: thrombosis of the cavernous sinus (abstract)  | 446     |
| SCHMIEGELOW (E.), causes of deaf-mutism  | 347     |
| “Schneeberger” snuff-powder: see <i>Snuff-powder</i> .   |         |
| SCHROEDER: two cases of severe acute purulent median otitis caused by “Schneeberger” snuff-powder (abstract)   | 276     |
| SCHWARTZE (H.), variations in the course of the facial nerve and their significance in the mastoid operation (abstract)  | 277     |
| Scientific treatment of deafness (Marage)  | 54      |
| Scleroderma accompanying acute mastoiditis (M. Kamm)   | 390     |
| Scleroma of trachea (H. von Shroetter)   | 164     |
| Screw perforator for maxillary antrum (W. D. Haslam)   | 645     |
| SECORD (H. Large), a case of exophthalmos following mastoiditis (abstract)   | 277     |
| Secretions (nasal): import in hay fever (D. B. Kyle)   | 540     |
| ———— (salivary): import in hay fever (D. B. Kyle)  | 540     |
| Semicircular canals: sequestrum comprising internal auditory meatus, superior and posterior semicircular canals, and greater part of vestibule (Hugh E. Jones)       | 77      |
| SEMON (Sir Felix), a case of obscure lardaceous-looking variable infiltration of the uvula, soft palate, and right arytaenoid cartilage in a lady aged thirty        | 37      |
| ———— a case of ulceration of the left tonsil, with acute and considerable enlargement of numerous cervical lymphatic glands on both sides of the neck (? malignancy) | 39, 212 |
| ———— case of tabes with early and unusual implication of various cerebral nerves   | 259     |
| ———— a demonstration of some experiments on the nature and specific treatment of hay fever (abstract)  | 447     |
| ———— discussion on the operative treatment of malignant disease of the larynx (introductory remarks)   | 464     |
| ———— (reply)   | 492     |
| Septicæmia: well-marked symptoms in case of bilateral abscess of septum (W. L. Culbert)  | 544     |
| Septotome for use in Moure's and other operations for deflection (L. H. Pegler)  | 256     |
| Sequestrum comprising internal auditory meatus, superior and posterior semicircular canals, and greater part of vestibule (shown by H. E. Jones)                     | 77      |
| Serum (antidiphtheritic), treatment of diphtheria by intra-venous injection of (D. L. Cairns)  | 447     |
| VON SHROETTER (H.), on tracheal scleroma (abstract)  | 164     |



|  | PAGE   |
|--|--|
| SIMON (R. M.), a case of acute meningitis and cerebellar abscess (abstract) . . . . .  | 447  |
| Singer's nodule on left vocal cord (E. Furniss Potter) . . . . .   | 367  |
| Sinus, cannula for washing out (Lévy) . . . . .  | 558  |
| —— (cavernous), thrombosis of; chronic suppuration of middle ear (F. Schiffers) . . . . .  | 446  |
| —— (frontal), abscess of, exhibition of patient operated upon three times for (M. Collier) . . . . .   | 635  |
| —— bilateral empyema cured by Killian's operation (W. Petersen) . . . . .  | 275  |
| —— disease: case of disease of both frontal sinuses (E. Furniss Potter) . . . . .  | 265  |
| —— case showing marked expansion (F. J. Steward) . . . . .   | 264  |
| —— double antral and frontal sinus disease; left side cured by radical operation; question of operating on right side (Hunter Tod) . . . . . | 36   |
| —— empyema of (M. Collier) . . . . .   | 307  |
| —— (chronic) of both frontal sinuses and maxillary antra (H. Tilley) . . . . .   | 367  |
| —— empyema of frontal sinuses and of right maxillary antrum, with necrosis of the orbital wall (Moure) . . . . .                             | 161  |
| —— infundibular probe and cannula for (W. J. C. Nourse) . . . . .  | 298, 418   |
| —— (lateral) thrombosis; demonstration of case after operation (H. E. Jones) . . . . .   | 364  |
| —— thrombosis septic, exposure and irrigation of bulb of internal jugular vein in operation for (Zaufal) . . . . .                           | 559  |
| —— (maxillary) trepanation by way of inferior meatus (Vaquier) . . . . .   | 556  |
| —— (sigmoid), thrombosis of, with fatal pyæmia in case of osteomyelitis of skull (A. Knapp) . . . . .  | 672  |
| —— (sphenoidal), cutting forceps, new design for (P. Watson Williams) . . . . .  | 213  |
| —— empyema (chronic); opened (E. B. Waggett) . . . . .   | 379  |
| —— probe and cannula for (W. J. C. Nourse) . . . . .   | 298, 418   |
| —— results of operation on, shown in case of multiple sinus suppuration (H. Lambert Lack) . . . . .  | 437  |
| Sinus pressure causing tic douloureux and cranial neuralgia (S. F. Snow) . . . . .   | 630  |
| Sinuses (accessory), abstracts of literature on . . . . .  | 102, 162, 218, 275, 333, 384, 439, 556, 609, 672 |
| —— anatomical method of demonstrating accessory cavities of nose (G. Bruehl) . . . . .   | 333  |
| —— duplicity of (G. Bruehl) . . . . .  | 333  |
| —— empyema of, in case of osteomyelitis of skull (A. Knapp) . . . . .  | 672  |
| —— histology of (V. Wyatt Wingrave) . . . . .  | 416  |
| —— suppuration, chronic (A. P. Crockett) . . . . .   | 672  |
| —— (multiple) showing results of operation upon sphenoidal sinus (H. Lambert Lack) . . . . .   | 437  |
| —— (cavernous), thrombosis of (S. Lodge) . . . . .   | 341  |
| Sinusitis (frontal) after radical operation for nasal polypi (A. Bronner) . . . . .  | 214  |
| —— unusual case, with absence of septum (C. G. Coakley) . . . . .  | 596  |
| —— fronto-ethmoidal: choice of operation in (P. Jacques and A. Durand) . . . . .   | 556  |
| —— (maxillary, true chronic), on a sign which is pathognomonic of, (G. Mahu) . . . . .   | 301  |
| —— (oculo-orbital), complications of (Lapersonne) . . . . .  | 220  |
| —— (sphenoidal, chronic), technique of surgical treatment of (C. Goris) . . . . .  | 384  |
| Skull: osteomyelitis, with empyema of nasal accessory cavities; sinus thrombosis; pyæmia; death (A. Knapp) . . . . .                         | 672  |
| Skulls: choanæ in human skulls (S. Citelli) . . . . .  | 219  |
| SMITH (S. MacCuen), exhibition of folding head-band . . . . .  | 492  |
| —— see also <i>Brühl</i> (G.), "Atlas and epitome of otology."   |  |
| SNOW (Sargent F.), conservatism in the treatment of acute mastoiditis (abstract) . . . . .   | 613  |

|  | PAGE |
|--|------|
| SNOW (Sargent F.), further observations of tic douloureux and cranial neuralgia from intra-nasal and sinus pressure.   | 630  |
| Snuff-powder: two cases of severe acute purulent median otitis caused by "Schneeberger" snuff-powder (Schroeder)   | 276  |
| SOMERS (Lewis S.), the theory of cross-education as applied to the auditory apparatus (abstract)   | 558  |
| Sore throat due to the pneumo-bacillus of Friedländer (Nicolle and Hebert)   | 53   |
| Sound-transmitting apparatus of middle ear, tension anomalies of (C. J. Blake)   | 108  |
| Spasm (clonic) of muscles of palate and pharynx, causing entotic tinnitus (L. H. Pegler)   | 371  |
| ——— of soft palate, causing objective noises in pharynx (L. H. Pegler)   | 372  |
| Speech of the deaf, method of dealing with and developing (J. K. Love)   | 393  |
| ——— progress in cure of (R. Coen)  | 301  |
| ——— respiration of deaf mutes during (H. Gutzmann)   | 347  |
| SPENCER (Walter G.), case of epulides or symmetrical swellings of the gum at the posterior ends of the alveolar border in a female aged thirty-seven                 | 253  |
| SPICER (Frederick), a case of accessory tragus (bilateral)   | 641  |
| SPICER (R. H. Scanes), a readily improvised working model to demonstrate the air-channels and currents in the nasal cavities in normal and impeded nasal respiration | 34   |
| ——— on paraffin injections in cases of sunken nose   | 63   |
| ——— a lantern demonstration showing the normal fluctuations of air-pressure in the upper respiratory tract   | 92   |
| Spine (supra-meatal): morphological value in antrectomy (O. Lenoir)  | 166  |
| Stapes, ankylosis of the (Professor Denker)  | 451  |
| STARCK: the etiology of diffuse dilatation of the œsophagus (from the clinical point of view) (abstract)   | 385  |
| Stenosal theory of adenoid deafness, difficulties and insufficiency of (D. McKeown)  | 662  |
| Stenosis due to amyloid degeneration in larynx (W. Courvoisier)  | 104  |
| ——— of larynx, tubercular, case treated by tracheotomy (J. Price-Brown)  | 498  |
| STEWART (F. J.), a specimen of malformation of the œsophagus   | 90   |
| ——— case of frontal sinus disease showing marked expansion   | 264  |
| ——— a case with clonic contractions of the palate, adductors of vocal cords, and certain other muscles   | 320  |
| ——— a case of infiltration of soft palate (? cause)  | 434  |
| STEWART (Purves), BALLANCE (C. A.), and BALLANCE (H. A.), remarks on the operative treatment of chronic facial palsy of peripheral origin (abstract)                 | 501  |
| STEWART (W. R. H.), a case of nasal deformity in a woman   | 89   |
| ——— a case of strumous ulcers of the mouth and tongue  | 89   |
| ——— case of laryngeal obstruction  | 263  |
| STOCKDALE (E. Malcolm), two specimens and microscopic sections of epithelioma of the pinna   | 363  |
| STOKER (G.), ozone in chronic middle-ear deafness (abstract)   | 111  |
| STOLTE (Dr.), translation and abridgment of Professor Denker's paper on ankylosis of the stapes  | 451  |
| Stomatitis (streptococcal) in Madagascar (Fontoynt and Jourdran)   | 609  |
| Streptococcus: streptococcal glossitis and stomatitis in Madagascar (Fontoynt and Jourdran)  | 609  |
| Stricture (malignant) of the upper end of the œsophagus, specimen (A. Logan Turner)  | 96   |
| STRUYSCHEN (H. J. L.), acoumetry in micro-millimetres  | 348  |
| STUART-LOW (Mr.): exhibition of an anatomical tonsillotome   | 28   |
| ——— cases illustrating the beneficial effect of mucin in atrophic rhinitis   | 199  |

|   | PAGE.    |
|---|----------|
| STUCKY (J. A.), presidential address at ninth annual meeting of the American Laryngological, Rhinological, and Otological Society               | 492      |
| Student: see <i>Medical student</i> .   |          |
| SUAREZ DE MENDOZA: loss of voice following thyrotomy (abstract)   | 501      |
| Subglottic thickening of right vocal cord (J. Donelan)  | 425      |
| Suppuration behind mastoid and in posterior fossa associated with ear disease, but without perforation of membrane (W. Permewan)                | 361      |
| ——— in temporal bone, toxæmia from (H. Eulenstein)  | 109      |
| ——— (multiple sinus), showing the results of operation upon the sphenoidal sinus (H. Lambert Lack)  | 437      |
| ——— (nasal, acute, or chronic), cases of pyogenic brain disease associated with or caused by (T. Hubbard)                                       | 628      |
| ——— of accessory cavities of nose (chronic) (A. P. Crocket)   | 672      |
| ——— of labyrinth (E. J. Moure)  | 351      |
| ——— of middle ear (acute), treatment of (W. P. Phillips)  | 223      |
| ——— (chronic): thrombosis of cavernous sinus (F. Schiffers)   | 446      |
| ——— sphenoidal, chronic (D. McKeown)  | 103      |
| Suppurations in labyrinth (V. Hinsberg)   | 443      |
| Supra-nasal cyst in an infant (V. Wyatt Wingrave)   | 431      |
| Surgical practice in our special departments  | 57       |
| Suture, masto-squamosal (Aderman)   | 386      |
| Swelling, interarytanoid pseudo-pachydermic, with chronic laryngitis, probably due to purulent rhinitis (J. Dundas Grant)                       | 254      |
| ——— in post-nasal space (E. Furniss Potter)   | 427, 431 |
| ——— of arytenoids, accompanying double abductor paralysis (C. A. Parker)  | 33       |
| ——— of larynx (right side), case for diagnosis (H. J. Davis)  | 365      |
| ——— of mucous membrane (large) in interarytanoid region (so-called interarytanoid pachydermia) (H. Tilley)                                      | 247      |
| ——— of thyroid gland (unilateral right) (P. R. W. de Santi)   | 257      |
| ——— post-pharyngeal (E. B. Waggett)   | 430      |
| Swellings, symmetrical, of gum at posterior ends of alveolar border (epulides) (W. G. Spencer)  | 253      |
| SYMONDS (Charters J.), case of paralysis of left vocal cord due to lead-poisoning   | 256      |
| Symptom-complex: new bulbar symptom-complex (P. Bonnier)  | 386      |
| Syphilis (hereditary): extensive destruction of bone in hereditary syphilis and scarlatina; demonstration of case after operation (H. E. Jones) | 364      |
| ——— hereditary: specific perforation of anterior pillar of fauces (J. Dundas Grant)   | 254      |
| ——— (?) in case of perforation of nasal septum (J. Donelan)   | 331      |
| ——— of larynx, pharynx, and soft palate, combined with tuberculosis (V. Wyatt Wingrave)   | 313      |
| ——— of mucous membrane of mouth and throat: treatment (A. Lieven)   | 225      |
| ——— (tertiary), adhesion between soft palate and posterior pharyngeal wall, the result of tertiary syphilis (P. H. Abercrombie)                 | 203      |
| ——— affecting larynx (C. Nourse)  | 414      |
| ——— causing almost complete adhesion of soft palate to posterior pharyngeal wall (H. Tilley)  | 271      |
| ——— of larynx in a man aged twenty-six (P. de Santi)  | 29       |
| ——— of naso-pharynx: tertiary lesions in naso-pharynx (Dieu)  | 609      |
| Tabes: case with early and unusual implication of cerebral nerves (Sir F. Semon)  | 259      |
| Tâche spongieuse: morphological value in antrectomy (D. Lenoir)   | 166      |
| Taste fibres and their independence of the nervus trigeminus (H. Cushing)   | 331      |
| Temporal bone: morphology and development (A. Paterson)   | 354      |
| ——— stereograms of sections of (J. K. Love)   | 198      |
| ——— surgical relations of facial nerve in (H. E. Jones)   | 283, 294 |

|  | PAGE                    |
|--|-------------------------|
| Temporal bone: technique of operations on temporal bone in suppurative middle-ear disease . . . . .  | 505                     |
| — discussion at British Medical Association  |                         |
| Annual Meeting on . . . . .  | 513—540                 |
| — toxæmia from suppuration in temporal bone (H. Eulenstein) . . . . .  | 109                     |
| — tuberculosis of . . . . .  | 169                     |
| — clinical diagnosis and surgical treatment, considered with reference to the pathology and morbid anatomy of the disease (W. Jobson Horne) . . . . .  | 131, 612                |
| — tuberculosis: specimens of (A. H. Cheate) . . . . .  | 195                     |
| Temporal bones removed from patients who died of tuberculous meningitis (A. H. Cheate) . . . . .   | 196                     |
| Temporo-sphenoidal abscess: see <i>Abscess</i> (temporo-sphenoidal).   |                         |
| Tension anomalies of the sound-transmitting apparatus of the middle ear (C. J. Blake) . . . . .  | 108                     |
| Teratoma of ear (W. C. Braislin) . . . . .   | 632                     |
| TÉTROP: on resection of the trachea (abstract) . . . . .   | 611                     |
| THEISEN (Clement F.), a case of lipoma of the tonsil . . . . .   | 495                     |
| Therapeutics, abstracts of literature on . . . . .   | 111, 223, 391, 447, 614 |
| Thickening (œdematous) of larynx and palate (H. Lambert Lack) . . . . .  | 330                     |
| — of left vocal cord with impaired mobility (H. Lambert Lack) . . . . .  | 436                     |
| — (subglottic) of right vocal cord (J. Donelan) . . . . .  | 425                     |
| THORNE (Attwood), case of epithelioma of the larynx in a man aged sixty . . . . .  | 250                     |
| — a case of epithelioma of larynx . . . . .  | 422                     |
| Throat, inflammation, acute septic; four cases with bacteriological examination of each (P. R. W. de Santi) . . . . .  | 178                     |
| — short operations; choice of anæsthetic in (J. H. Chaldecott) . . . . .   | 111                     |
| — syphilis of mucous membrane of; treatment (A. Lieven) . . . . .  | 225                     |
| — see also <i>Sore throat</i> .  |                         |
| Thrombosis of cavernous sinus in case of chronic suppuration of middle ear (F. Schiffers) . . . . .  | 446                     |
| — of cavernous sinuses (S. Lodge) . . . . .  | 341                     |
| — of lateral sinus: demonstration of case after operation (H. E. Jones) . . . . .  | 364                     |
| — of sigmoid sinus, with fatal pyæmia, in case of osteo-myelitis of skull (A. Knapp) . . . . .   | 672                     |
| — (septic) of lateral sinus, exposure and irrigation of bulb of internal jugular vein in operation for (Zaufal) . . . . .  | 559                     |
| Thyroid gland, abstracts of literature on . . . . .  | 55, 106, 164, 222, 439  |
| — extirpation of isthmus and portion of left lobe of thyroid gland in case of immobility of left vocal cord attributable to bronchocele (J. Dundas Grant) . . . . .  | 379                     |
| — swelling of (unilateral, right) (P. R. W. de Santi) . . . . .  | 257                     |
| Thyroid grafts (Christiani) (abstract) . . . . .   | 55                      |
| Thyroid tumour at base of the tongue, two cases (Gaudier and Chevalier) . . . . .  | 106                     |
| Thyrotomy for epithelioma of larynx: two cases remaining well two years after operation (E. S. Yonge) . . . . .  | 658                     |
| — in removal of large papilloma of right ventricular band (E. B. Waggett) . . . . .  | 379                     |
| — loss of voice following (Suarez de Mendoza) . . . . .  | 501                     |
| Tic douloureux from intra-nasal and sinus pressure (S. F. Snow) . . . . .  | 630                     |
| TILLEY (Herbert), case of vascular naso-pharyngeal fibroma of extensive origin finally removed by a combined operation through the soft and hard palate, and extensive removal of anterior wall of left supra-maxillary bone; patient and specimen shown . . . . . | 45                      |
| — a patient from whom a large hyperostosis of the left aural meatus had been removed . . . . .   | 85                      |
| — a case of advanced and inoperable epithelioma of the epiglottis with secondary infection of cervical glands. Exhibited to illustrate relief obtained by removal by "morcellement" of primary growth through the mouth . . . . .                                  | 96                      |

|  | PAGE    |
|--|---------|
| TILLEY (Herbert) a case illustrating tuberculous disease of the nasal cavities   | 197     |
| —— case of large swelling of the mucous membrane in the interary-tænoid region (so-called inter-arytanoid "pachydermia")   | 247     |
| —— a case illustrating an operative procedure for the relief of almost complete adhesion of the soft palate to the posterior pharyngeal wall, the result of tertiary syphilis                        | 271     |
| —— a case of chronic empyema of both frontal sinuses and maxillary antra: radical operations to illustrate the almost complete obliteration of the maxillary sinuses following the radical operation | 367     |
| —— a case of pedunculated tumour growing from region of the right tonsil   | 438     |
| —— discussion on operative treatment of malignant disease of larynx  | 488     |
| —— discussion on the technique of operations on the temporal bone in suppurative middle-ear disease  | 539     |
| —— part played by nose and naso-pharynx as a source of general septic infection in two sets of circumstances (discussion on the upper respiratory tract as a source of systemic infection)           | 584     |
| —— discussion on local use of formalin in treatment of nasal polypi  | 661     |
| Tinnitus (clicking), objective (C. Baber)  | 87      |
| —— (entotic) (L. H. Pegler)  | 314     |
| —— due to clonic spasm of muscles of palate and pharynx (H. Tilley)  | 371     |
| Tobacco, nerve-deafness due to (V. Wyatt Wingrave)   | 172     |
| TOD (Hunter), case of left antral empyema, followed by abscess of hard palate and of septum nasi   | 35      |
| —— case of double antral and frontal sinus disease: left side cured by radical operation: question of operating on the right side  | 36      |
| —— a case of laryngitis hypertrophica in a girl aged twenty-one, following prolonged nasal trouble   | 91      |
| —— a case of polypoid tumour of the nasal septum in a woman aged thirty-three; three months' duration; microscopical section exhibited; diagnosis (?)  | 262     |
| Tongue, cancer of, early diagnosis (H. T. Butlin)  | 274     |
| —— unsuccessful operations (H. T. Butlin)  | 274     |
| —— epithelioma, in a single woman aged twenty-four (A. H. Burt)  | 42      |
| —— (inflammation of): see <i>Glossitis</i> .   |         |
| —— involved in case of naevus (P. H. Abercrombie)  | 25      |
| —— paresis of (slight), in case of paralysis of the abductors of the vocal cords and of palatal muscles (J. Dundas Grant)  | 49, 98  |
| —— thyroid tumour at the base of the tongue, two cases (Gaudier and Chevalier)   | 107     |
| —— ulcerating growth of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell)  | 378     |
| —— ulcers of, strumous (W. R. H. Stewart)  | 89      |
| —— wandering rash on tongue (Mayo Collier)   | 24      |
| Tongue-depressor for exposing tonsil (C. Baber)  | 322     |
| Tonsil, epithelioma of pharynx and tonsil; specimen (V. Wyatt Wingrave)  | 644     |
| —— histology of tonsils in relation to disease (J. L. Goodale)   | 578     |
| —— (left), tuberculosis (acute); specimen and section (F. H. Westmacott)   | 374     |
| —— ulcerating growth of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell)  | 378     |
| —— ulceration, with acute and considerable enlargement of numerous cervical lymphatic glands on both sides of the neck (? malignancy) (Sir F. Semon)   | 39, 212 |
| —— (lingual), hypertrophy of (P. H. Abercrombie)   | 417     |
| —— lipoma of (C. F. Theisen)   | 495     |
| —— mucous patches of tonsils (H. Lambert Lack)   | 330     |
| —— (right), pedunculated tumour growing from region of (H. Tilley)   | 438     |

# Index.

xli

|   | PAGE.                        |
|---|------------------------------|
| Tonsil: tongue depressor for exposing (C. Baber)  | 322                          |
| ——— ulcer of, containing tubercles, which yielded to antisyphilitic remedies (H. Lambert Lack)  | 217                          |
| ——— ulcer (tonsillar), of Vincent (L. T. Royster)   | 500                          |
| ——— ulceration of (R. Lake)   | 423                          |
| Tonsillitis, relation to inflammation of the vermiform appendix (Hans Weber)  | 162                          |
| Tonsillotome, anatomical (shown by Mr. Stuart-Low)  | 28                           |
| Tonsillotomy: case following bilateral adductor paralysis (V. Wyatt Wingrave)   | 312                          |
| Tooth, expectoration of, thirteen months after inhalation into the lung (W. E. Carnegie Dickson)  | 439                          |
| Toxæmia from suppuration in temporal bone (H. Eulenstein)   | 109                          |
| Trachea, abstracts of literature on   | 106, 164, 222, 439, 557, 610 |
| ——— narrowing (abnormal) of trachea, probably congenital; specimen (A. Logan Turner)  | 95                           |
| ——— ———— ozæna of, causing dyspnoea (Dupond)  | 610                          |
| ——— ———— resection of (Tétrop)  | 611                          |
| ——— ———— scleroma of (H. von Shroetter)   | 164                          |
| Tracheotomy in treatment of case of tubercular stenosis of larynx (J. Price-Brown)  | 498                          |
| ——— ———— old-standing lupus necessitating (C. Nourse)   | 413                          |
| Tragus, accessory, bilateral (F. Spicer)  | 641                          |
| Transillumination of maxillary antrum and of eye (C. Ziem)  | 284                          |
| Trauma (?) in a case of perforation of nasal septum (J. Donelan)  | 331                          |
| Trepanation of maxillary sinus by way of inferior meatus (Vaquier)  | 556                          |
| Trow (C.), mastoiditis due to gonococcus (abstract)   | 613                          |
| Tubercular laryngeal stenosis: case treated by tracheotomy (J. Price-Brown)   | 498                          |
| ——— ———— ulceration (primary) of nasal septum (E. B. Waggett)   | 426                          |
| Tuberculosis, human and bovine (Nathan Raw)   | 167                          |
| ——— of ear; bibliography  | 157                          |
| ——— ———— (primary); bibliography  | 122                          |
| ——— ———— followed by mastoiditis; report of four cases (M. A. Goldstein)  | 113                          |
| ——— ———— specimen from a case of general miliary tuberculosis with primary focus in temporal bone (W. Jobson Horne)   | 197                          |
| ——— ———— (not primary); bibliography  | 121                          |
| ——— of ear, nose, and naso-pharynx; discussion (Urban Pritchard, C. A. Ballance, A. E. Cumberbatch, A. L. Whitehead, Hugh Jones, A. Cheatle)  | 154—160                      |
| ——— ———— discussion on  | 188                          |
| ——— of middle ear and temporal bone   | 169                          |
| ——— ———— diagnosis and treatment of tuberculous disease of the middle ear and its accessory cavities (W. Milligan)  | 136                          |
| ——— ———— microscopical examination of discharge in one hundred cases of middle-ear suppuration, with an analysis of the results, having special reference to the presence of tubercle and "acid-fast" bacilli (V. Wyatt Wingrave) | 123                          |
| ——— ———— secondary, case of (A. H. Cheatle)   | 195                          |
| ——— ———— two specimens (C. H. Fagge)  | 195                          |
| ——— of larynx (C. Nourse)   | 199                          |
| ——— ———— (R. Lake)  | 256                          |
| ——— ———— and lungs (V. Wyatt Wingrave)  | 198                          |
| ——— ———— pharynx and soft palate combined with syphilis (V. Wyatt Wingrave)   | 313                          |
| ——— of temporal bone: clinical diagnosis and surgical treatment (W. Jobson Horne)   | 612                          |
| ——— ———— clinical diagnosis and surgical treatment, considered with reference to the pathology and morbid anatomy of the disease (W. Jobson Horne)  | 131                          |
| ——— ———— specimens of (A. H. Cheatle)   | 195                          |

|  | PAGE |
|--|------|
| Tuberculosis of left tonsil (acute); specimen and section (F. H. Westmacott)   | 374  |
| — removal of epiglottis for tuberculous disease (Richard Lake)   | 33   |
| Tuberculous disease of ear and naso-pharynx, specimens and micro-photographs of (W. Milligan)                                    | 196  |
| — of nasal cavities, case illustrating (H. Tilley)   | 197  |
| — glands, perforation of œsophagus by (C. Riviere)   | 222  |
| — granuloma of larynx (V. Wyatt Wingrave)  | 311  |
| — pachydermia from processus vocalis; microscopical section (R. Lake)  | 255  |
| — tumour on posterior part of septum nasi (Bellevue)   | 218  |
| Tubes (fixed) and bolt cannulæ for cases of difficulty in "décanule-ment" (Cuno)   | 333  |
| Tumour (abdominal) associated with tumour of the meatus (A. H. Cheatle)  | 81   |
| — of superior maxilla (C. F. Forshaw)  | 160  |
| — of meatus; case associated with abdominal tumour (A. H. Cheatle)   | 81   |
| — of nose (W. H. Kelson)   | 254  |
| — (C. Nourse); (V. Wyatt Wingrave)   | 415  |
| — of septum, sarcomatoid (A. Brown Kelly)  | 257  |
| — of vestibule of nose (E. Cresswell Baber)  | 322  |
| — (pedunculated) growing from region of right tonsil (H. Tilley)   | 438  |
| — thyroid, at base of tongue: two cases (Gaudier and Chevalier)  | 107  |
| — tuberculous, on posterior part of septum nasi (Bellevue)   | 218  |
| Tuning-forks (Edelmann's C and G), objective uniform measure of hearing as supplied by amplitude of vibration of (Prof. Ostmann) | 561  |
| Turbinal (inferior), papilloma from region of; microscopic specimen (R. Lake)  | 425  |
| — (left middle), mucoid cyst of (G. T. Ross)   | 672  |
| Turbinate body (inferior), restoration by paraffin, in treatment of atrophic rhinitis (R. Lake)                                  | 439  |
| — (left inferior), new growth involving (R. Lake)  | 246  |
| — (right inferior), new growth removed from; section (R. Lake)   | 245  |
| — exhibition of section of (R. Lake)   | 246  |
| Turbinotomy (partial), unusual experience after (L. H. Pegler)   | 316  |
| TURNER (A. Logan), a series of anatomical preparations demonstrating the artificial production of œdema of the larynx            | 95   |
| — a specimen of abnormal narrowing of larynx and trachea, probably congenital  | 95   |
| — a specimen of malignant stricture of the upper end of the œsophagus  | 96   |
| — discussion on the technique of operations on the temporal bone in suppurative middle-ear disease                               | 539  |
| — discussion on the upper respiratory tract as a source of systemic infection  | 589  |
| Tympanum: see <i>Membrana tympani</i> .  |      |
| Ulcer: see also <i>Malignant ulcer</i> .   |      |
| — (of tonsil): tonsillar ulcer of Vincent (L. T. Royster)  | 500  |
| Ulcerating growth of left tonsil, side of tongue, and anterior faucial pillar (H. FitzGerald Powell)                             | 378  |
| Ulceration in pharynx and larynx, recurring, thought to be herpetic (E. Furniss Potter)  | 43   |
| — of soft palate (L. A. Lawrence)  | 374  |
| — of tonsil (R. Lake)  | 423  |
| — (primary tubercular) of nasal septum (E. B. Waggett)   | 426  |
| Ulcers of mouth and tongue, strumous (W. R. H. Stewart)  | 89   |
| Uvula: infiltration, obscure lardaceous-looking variable (Sir F. Semon)  | 37   |
| Uvula involved in case of nævus (P. H. Abercrombie)  | 25   |
| VALETTE and REVERDIN: two cases of intra-cranial abscess   | 54   |

|   | PAGE   |
|---|--------|
| VAQUIER: trepanation of the maxillary sinus by way of the inferior meatus (abstract)  | 556    |
| VAUGHAN (Major J. C., I.M.S.), report of microscopical examination of Captain O'Kinealy's case of localised psorospermiosis of the mucous membrane of the septum nasi   | 376    |
| Vein (internal jugular): see <i>Jugular vein</i>  | 446    |
| Ventricular band (right): papilloma (large) removed by thyrotomy (E. B. Waggett)  | 379    |
| Vermiform appendix, inflammation of: see <i>Appendicitis</i> .  |        |
| Vertigo (nasal) simulating epilepsy (E. Woakes)   | 104    |
| VESLIN (Lucien), and LEROY (Raoul), on the hygienic treatment of exophthalmic goitre (abstract)   | 108    |
| Vestibule: sequestrum comprising internal auditory meatus, superior and posterior semicircular canals, and greater part of vestibule (Hugh E. Jones)  | 77     |
| Vincent: tonsillar ulcer of Vincent (L. T. Royster)   | 500    |
| VINRACE (Dennis), a case of lupus (?) of nose and face  | 323    |
| Vocal cord (left), growth on: case for diagnosis (P. de Santi)  | 31     |
| ——— immobility, attributable to bronchocele (J. Dundas Grant)   | 379    |
| ——— papillated thickening of, in case of chronic laryngitis (J. Dundas Grant)   | 428    |
| ——— paralysis, due to lead-poisoning (C. J. Symonds)  | 256    |
| ——— singer's nodule on (E. Furniss Potter)  | 367    |
| ——— thickening and impaired mobility of (H. Lambert Lack)   | 436    |
| ——— (right), fixation of (W. J. Horne)  | 27     |
| ——— malignant disease of, cyst of ventricle of larynx opened when operating on (H. Lambert Lack)  | 217    |
| ——— subglottic thickening of (J. Donelan)   | 425    |
| Vocal cords, clonic contraction of adductors of (F. J. Steward)   | 320    |
| ——— paralysis of the abductors and of the palatal muscles, with slight paresis of the tongue (J. Dundas Grant)  | 49, 98 |
| Voice: loss of voice following thyrotomy (Suarez de Mendoza)  | 501    |
| Voss: three cases of encephalitis in connection with otitis media (abstract)  | 672    |
|   |        |
| WAGGETT (E. B.), case of malignant disease in the neighbourhood of the right Eustachian tube in a man aged sixty-nine   | 265    |
| ——— a case of chronic empyema of sphenoidal sinus: opened   | 379    |
| ——— a large papilloma of the right ventricular band in a woman aged thirty-three, removed by thyrotomy  | 379    |
| ——— case of primary tubercular ulceration of nasal septum   | 426    |
| ——— a case of large post-pharyngeal swelling in a girl aged nine  | 430    |
| WALSHAM (William Johnson): obituary notice (with list of literary contributions to laryngology and rhinology)   | 617    |
| WEBER (Hans), the relation of tonsillitis to inflammation of vermiform appendix (abstract)  | 162    |
| WESTERMAN (Dr.), an objective uniform measure of hearing as supplied by the amplitude of vibration of Edelmann's C and G tuning-forks. By Professor Ostmann. (Author's abstract, translated by Dr. Westerman) | 561    |
| WESTMACOTT (F. H.), a specimen and section of acute tuberculosis of the left tonsil from a man aged thirty-two.   | 374    |
| WHITEHEAD (A. L.), discussion on tuberculosis of ear, nose, and nasopharynx   | 158    |
| Wilde's incision: inefficiency for otitis media suppurativa (J. M. Ray)   | 551    |
| WILLIAMS (Chisholm), high-frequency currents in the treatment of some diseases (review)   | 503    |
| WILLIAMS (Patrick Watson), a new design for sphenoidal sinus cutting forceps  | 213    |



|  | PAGE     |
|--|----------|
| WILLIAMS (Patrick Watson), on the position of laryngology and otology in the medical student's curriculum (Presidential address, Section of Laryngology and Otology, British Medical Association Annual Meeting, 1903) | 461      |
| — discussion on operative treatment of malignant disease of larynx   | 491, 492 |
| — on the technique of operations on the temporal bone in suppurative middle-ear disease  | 540      |
| — on the upper respiratory tract as a source of systemic infection   | 589      |
| — on local use of formalin in treatment of nasal polypi  | 662      |
| — on difficulties and insufficiency of stenosal theory of adenoid deafness   | 671      |
| WILSON (R. A.), lodgment of a foreign body in the air-passages for seventy-two days (abstract)   | 140      |
| WINGRAVE (V. Wyatt), case of pachydermia laryngis  | 26       |
| — a case of laryngeal growth in a man aged fifty   | 97       |
| — on the microscopical examination of the discharge in one hundred cases of middle-ear suppuration, with an analysis of the results, having special reference to the presence of tubercle and "acid-fast" bacilli      | 123      |
| — tobacco nerve-deafness   | 172      |
| — reply to discussion on tuberculosis of ear, nose, and naso-pharynx   | 190      |
| — a case of laryngeal and pulmonary tuberculosis in a man aged forty-seven   | 198      |
| — a cystic cholesteatoma from the left supra-tonsillar fossa   | 208      |
| — a section of epithelioma of the nostril  | 209      |
| — a case of maxillary node in an infant fourteen months old  | 311      |
| — a case of a tuberculous granuloma of the larynx in a female aged twenty-six  | 311      |
| — case of bilateral adductor paralysis in a girl aged fourteen following tonsillotomy  | 312      |
| — case of lupus of larynx in a boy aged fourteen   | 312      |
| — case of combined syphilitic and tuberculous disease of larynx, pharynx, and soft palate in a woman aged forty  | 313      |
| — a case of rapid destruction of the nasal septum, probably lupus, in a male aged thirty-four  | 382      |
| — a case of lupus of nose, palate, and larynx in a female aged twenty-three  | 414      |
| — microscopic examination of tumour of nose (Mr. Chichele Nourse's case)   | 415      |
| — specimens illustrating the histology of the accessory sinuses  | 416      |
| — specimens of ceruminous glands from the cartilaginous portion of the external auditory meatus  | 416      |
| — a slight modification of Moure's operation   | 420      |
| — a case of supra-nasal cyst in an infant fifteen months old   | 431      |
| — a case of persistent superficial nasal hyperæmia, cured by removal of adenoids, in a male aged twenty-one  | 633      |
| — microscopic specimens: (1) naso-pharyngeal fibroma; (2) malignant ulcer of the oro-pharynx; (3) epithelioma of pharynx and tonsil; (4) epithelioma of the external auditory meatus                                   | 644, 645 |
| WOAKES (Edward), case of nasal vertigo simulating epilepsy (abstract)  | 104      |
| — the pathology of ethmoiditis reconsidered  | 499      |
| WOLF: contribution to the etiology of carcinoma of the œsophagus (abstract)  | 385      |
| WOLFF (L.), the contagiousness of acute otitis media (abstract)  | 559      |
| WOODS (R. H.), discussion on operative treatment of malignant disease of larynx  | 489      |
| — discussion on the technique of operations on the temporal bone in suppurative middle-ear disease   | 539      |
| — discussion on the upper respiratory tract as a source of systemic infection  | 589      |

## Index.

xlv

|  | PAGE |
|--|------|
| WOODS (R. A.) discussion on difficulties and insufficiency of stenosal theory of adenoid deafness . . . . .                                | 671  |
| Wool tidy . . . . .  | 616  |
| X rays: see <i>Röntgen rays</i> .  |      |
| YONGE (Eugene S.), discussion on operative treatment of malignant disease of larynx . . . . .  | 490  |
| — two cases of epithelioma of the larynx remaining well two years after operation (thyrotomy) . . . . .                                    | 658  |
| ZAUFAL: exposure and irrigation of the bulb of the internal jugular vein in the operation for septic sinus thrombosis (abstract) . . . . . | 559  |
| ZIEM (C.), on transillumination of maxillary antrum and of eye . . . . .   | 284  |
| ZUR MUEHLEN (A.), after-treatment of radical operations without packing (abstract) . . . . .   | 613  |

