

NOW AVAILABLE

1976 CURRENT INDEX TO STATISTICS

Many readers of the

Journal of Applied Probability

and

Advances in Applied Probability

and others who make substantial use of statistical methods will be interested in the 1976 edition of the *Current Index to Statistics: Applications, Methods and Theory*. This index provides comprehensive coverage of statistics and of statistical aspects of a variety of related fields such as biostatistics, survey methodology, econometrics, education, sociology, psychology, engineering, quality control, stochastic modelling, and so on.

Articles from the Applied Probability journals and other journals, as well as conference proceedings, monographs, research volumes and related publications, are included. Each article is indexed in several ways: by each author, by non-trivial words in the titles ($\kappa\omega\iota\varsigma$), and where available, by keywords.

Prices for the 1976 *Current Index to Statistics* are:

Individuals: \$12.00

Institutions: \$18.00

Volume 1, covering 1975, is also available at the same price. Copies may be ordered from:

The American Statistical Association,
806 15th Street, N.W.,
Washington, D.C. 20005,
U.S.A.

Editorial information may be obtained from:

Brian L. Joiner, Editor,
Current Index to Statistics,
University of Wisconsin,
1210 W. Dayton Street,
Madison, Wisconsin 53706,
U.S.A.

Publications of the Applied Probability Trust

Methuen's Supplementary Review Series in Applied Probability

General Editor: M. S. Bartlett, M.A., D.Sc., F.R.S. Editor: J. Gani, D.I.C., Ph.D., D.Sc., F.A.A.

The following titles in this series are still available; the papers appeared in the earlier volumes of the *Journal of Applied Probability*.

Volume 2	M. Kimura:	<i>Diffusion models in population genetics</i>
Volume 3	E. J. Hannan:	<i>Group representations and applied probability</i>
Volume 5	S. Kotz:	<i>Recent results in information theory</i>
Volume 6	J. F. C. Kingman:	<i>On the algebra of queues</i>

Price per volume: £0.50 (US\$1.25; \$A.1.00).

Proceedings of the WHO Symposium on Quantitative Epidemiology (Moscow, November 1970):
reprinted from *Advances in Applied Probability*, Volume 3.

Price per copy: £0.50 (US\$1.25; \$A.1.00).

Proceedings of the Conference on Directions for Mathematical Statistics
held at the University of Alberta, Edmonton, Canada, 12–16 August 1974.

This title was issued as a special supplement to *Adv. Appl. Prob.* Volume 7 No. 3.
A limited number of copies are still available at the price of £2.30 (US\$4.00; \$A3.70).

Orders for the above should be sent to

Applied Probability, Dept. of Probability and Statistics,
The University, Sheffield S3 7RH, England.

All orders should be accompanied by a remittance, payable to 'Applied Probability'.

Mathematical Spectrum: A magazine of contemporary mathematics

This magazine addresses itself primarily to young mathematicians in schools, colleges of education and universities. Its object is to discuss the entire range of modern mathematical disciplines in an informative but informal manner and to relate discoveries in mathematics to progress in the natural sciences, technology, social studies and business management.

The Editors believe that the process of learning is a dialogue and consequently they wish to promote active participation by readers. Correspondence on any subject relating to mathematics and mathematical education is welcomed. There is also a problem section, and readers are encouraged to submit their solutions, the best of which are published.

For further information and a detailed price list application should be made to

Editor — Mathematical Spectrum (Ref. AP)
Hicks Building, The University,
Sheffield S3 7RH, England.

Advances in Applied Probability

The Editorial Board would like to encourage the submission to the *Advances* of Review Papers summarising and coordinating recent results in any of the fields of Applied Probability.

In addition to these review papers, *Advances* is also designed to be a medium of publication for (1) longer research papers in Applied Probability, which may include expository material, (2) expository papers on branches of mathematics of interest to probabilists, (3) papers outlining areas in the biological, physical, social and technological sciences in which probability models can be usefully developed, and finally, (4) papers in Applied Probability presented at conferences which do not publish their proceedings.

In short, the main function of *Advances* is to define areas of recent progress and potential development in Applied Probability. As with the *Journal of Applied Probability*, *Advances* undertakes to publish papers accepted by the Editors within 15 months of their submission.

The Editorial Board consists of E. Sparre Andersen, V. D. Barnett, D. Blackwell, V. R. Cane, J. W. Cohen, B. Gnedenko, E. J. Hannan, C. C. Heyde, J. Keilson, D. G. Kendall, J. F. C. Kingman, K. Krickeberg, R. M. Loynes, P. A. P. Moran, J. Neveu, K. R. Parthasarathy, N. U. Prabhu, R. Pyke, C. A. B. Smith and L. Takács. The Editor-in-chief is J. Gani, and the Editorial Office of the *Advances* is in the Department of Probability and Statistics, The University, Sheffield S3 7RH, England.

Volume 9 No. 3 of *Advances* contains the following papers:

BUFFON BICENTENARY SYMPOSIUM ON STOCHASTIC GEOMETRY AND DIRECTIONAL STATISTICS M.J. FADDY	Lake Sevan, Erevan, Armenian SSR 13–18 September 1976 Stochastic compartmental models as approximations to more general stochastic systems with the general stochastic epidemic as an example
JOEL E. COHEN	Ergodicity of age structure in populations with Markovian vital rates, III: Finite-state moments and growth rate; an illustration
D. K. PICKARD	Asymptotic inference for an Ising lattice. II
JAN GRANDELL	Point processes and random measures
JEFFREY J. HUNTER	Renewal theory in two dimensions: bounds on the renewal function
HARRY COHN	Countable non-homogeneous Markov chains: asymptotic behaviour
JOHN RICE	On generalized shot noise
PRISCILLA GREENWOOD AND MOSHE SHAKED	Fluctuations of random walk in R^d and storage systems
A. BADDELEY	Integrals on a moving manifold and geometrical probability
MARCEL F. NEUTS	The $M/G/1$ queue with several types of customers and change-over times
P. J. BROCKWELL	Stationary distributions for dams with additive input and content-dependent release rate

Subscription rates (per volume) for the *Advances* in 1977 are the same as for the *Journal* (see inside back cover). A discount of 10% is allowed to subscribers who order current issues of both the *Journal* and *Advances* at the same time direct from the Applied Probability Office. A detailed price list for both current and back issues is available on request.

Cheques made out on U.S., U.K. and Australian banks will be acceptable: they should be made payable to *Applied Probability*, and sent to:

Executive Editor, Applied Probability,
Department of Probability and Statistics,
The University, Sheffield S3 7RH, England.

Subscription rates

Subscription rates (post free) for the 1977 volume of the *Journal* are as follows:

Subscribers in North, Central and South America, and Australia:

U.S.\$60.00, \$A.45.00, £30.00 for libraries and institutions;

U.S.\$20.00, \$A.15.00, £10.00 for individuals belonging to a recognised scientific society.

All other subscribers:

£24.00 for libraries and institutions;

£8.00 for individuals belonging to a recognised scientific society.

Members of the London Mathematical Society should apply direct to the Secretary of the Society for copies of the *Journal*.

All enquires about the *Journal*, as well as other subscriptions, should be sent to the Executive Editor, Miss M. Hitchcock, Department of Probability and Statistics, The University, Sheffield S3 7RH, England. The price of back numbers varies from volume to volume, and enquiries should be sent to the Executive Editor. Cheques, money orders, etc., should be made out to *Applied Probability*; cheques on U.S., U.K. and Australian banks will be acceptable.

Notes for Contributors

Submission of papers. It is a condition of publication in the *Journal of Applied Probability* that papers shall not previously have appeared elsewhere, and will not be reprinted without the written permission of the Trust. The copyright of all published papers shall be vested in the Trust. It is the general policy of the *Journal* not to accept for publication papers which cannot appear in print within 15 months of their date of submission. Authors will receive 50 reprints of their papers free, and joint authors a proportional share of this number. Additional reprints will be provided at cost.

Manuscripts should be written in English or French; manuscripts in other languages may be accepted by the Editors, but will appear (subject to the author's agreement) in English or French translation in the *Journal*. Authors are requested to comply with the following instructions in submitting their papers:

Authors in Britain, Europe, North and South America should send *three copies* of their submissions to the Applied Probability Office in Sheffield.

Authors in Australasia and the Far East should send *three copies* of their submissions to the Editor-in-Chief, Dr. J. Gani, in Canberra.

The Editor-in-Chief and the Applied Probability Office are in direct contact by Telex, and full details of the papers submitted either in Sheffield or Canberra are available in both centres.

Alternatively, authors may submit papers to any of the Editors listed on the inside front cover. In this case, *two copies* of the submission should be sent to the Editor concerned, and *one copy*, with a copy of the covering letter, should be sent to the Applied Probability Office in Sheffield.

Journal conventions. It will be of help to the Editors if the following conventions are adopted:

- a) The manuscript should be typewritten, using double spacing, on one side of the paper only.
- b) Each paper submitted should be accompanied by
 - (i) a short abstract of approximately 4–10 lines giving a non-mathematical description of the subject matter and results;
 - (ii) a list of keywords detailing the contents for the purpose of computerised information retrieval.
- c) References should be indicated in the text by the name of the author(s) and the date, thus: Feller (1961), and the full references listed at the end of the article in alphabetical order. Journal references should include the title of the article cited, the title of the journal (abbreviated in the style of the *International Journal of Abstracts: Statistical Theory and Method*), the volume, and inclusive page numbers. Book references should give the full title, the publisher, and the place of publication. For example:

Feller, W. (1961) A simple proof of renewal theorems. *Comm. Pure Appl. Math.* **14**, 285–293.
Robinson, E. A. (1959) *An Introduction to Infinitely Many Variates*. Griffin, London.
- d) Type faces should be carefully distinguished on the manuscript using the following standard methods of marking:

Italics capitals (*T, I, R*) and lower case letters (*t, i, r*) should be underlined once, e.g. T, I, R, t, i, r. Bold-face capitals (**T, I, R**) and lower case letters (**t, i, r**) should have a curly underline, e.g. T, I, R, t, i, r. Greek characters (α, β, θ) and script letters (*$\mathcal{J}, \mathcal{I}, \mathcal{R}$*) should be carefully drawn and identified when first used by a marginal note of the form ' α —lower case Greek alpha' or ' \mathcal{R} —script R'.
- e) Indices and subscripts should be clearly distinguished, using the marking $\overset{4}{\smile}$ $\overset{4}{\frown}$ where necessary.

Authors will receive only first proofs for correction; charges will be made for excessive alteration to these.

Printed in Israel at the Jerusalem Academic Press, P.O.B. 2390, Jerusalem.

CONTENTS

Volume 14

Number 3

September 1977

Research Papers

- I. B. GERTSBAKH 427 Epidemic process on a random graph: some preliminary results
- STANLEY SAWYER 439 On the past history of an allele now known to have frequency p
- P. J. GREEN 451 Conditional limit theorems for general branching processes
- C. D. LAI 464 A two-dimensional 'immigration-branching' model with application to earthquake occurrence times and energies
- VIOLET R. CANE 475 A class of non-identifiable stochastic models
- B. D. RIPLEY AND 483 Finding the edge of a Poisson forest
- J.-P. RASSON
- BENNY LEVIKSON 492 The age distribution of Markov processes
- VALERIE ISHAM 507 A Markov construction for a multidimensional point process
- W. REH 516 Generalizations of the elementary renewal theorem to distributions defined by concave recurrence relations
- T. S. LEE AND F. KOZIN 527 Almost sure asymptotic likelihood theory for diffusion processes
- NANCY L. GELLER 538 On limit distributions for one- and two-sample Kolmogorov-Smirnov type statistics
- M. MIURA 548 Stochastic analysis of the raw silk reeling process
- J. C. GITTINGS AND 556 On Bayesian models in stochastic scheduling
- K. D. GLAZEBROOK
- J. MICHAEL HARRISON 566 Limit theorems for periodic queues
- AND AUSTIN J. LEMOINE

Short Communications

- J. F. C. KINGMAN 577 Remarks on the spatial distribution of a reproducing population
- F. P. KELLY 584 The asymptotic behaviour of an invasion process
- ERIC RENSHAW 591 Velocities of propagation for stepping stone models of population growth
- RICHARD W. KATZ 598 An application of chain-dependent processes to meteorology
- CHARLES M. GOLDIE 604 Lanchester square-law battles: transient and terminal distributions
- ALEXANDER MEHLMANN 611 A note on the limiting behaviour of discrete-time Markovian manpower models with inhomogeneous independent Poisson input
- DAVID B. WOLFSON 614 Limit theorems for sums of a sequence of random variables defined on a Markov chain
- A. O. PITTENGER 621 A note on the inverse problem for reducible Markov chains
- KNUT K. AASE 626 A conditional expectation formula for diffusion processes
- J. D. BIGGINS 630 Chernoff's theorem in the branching random walk
- MARK WESTCOTT 637 A note on record times
- D. N. SHANBHAG 640 An extension of the Rao-Rubin characterization of the Poisson distribution
- HAROLD RUBEN 647 The volume of a random simplex in an n -ball is asymptotically normal
- J. E. MANN 654 On the length distribution of stochastic subarcs of a rectifiable arc