# The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR

### Contents

Deafness	R. HINCHCLIFFE / and T. S. LITTLER
RECRUITMENT AND PER-STIMULATORY FATIGUE IN DIAGNOSIS	Tauno Palva
OBSERVATIONS ON PETROSAL AND VIDIAN NEURECTOMY IN CHRONIC VASOMOTOR RHINITIS	PHILIP H. GOLDING- V
BLOODLESS OPERATING FIELD IN MIDDLE-EAR SURGERY SYMPATHECTOMY FOR INNER-EAR VASCULAR IN-	F. Holmes
SUFFICIENCY	T. J. WILMOT
CLINICAL RECORDS—	
A Case of Ethmoidal Ossifying Fibroma Observed in a Child Seven Years Old .	G. Rossi and E. Cherubini
Cylindroma of the Hard Palate Presenting as a Nasal Polyp	A. E. Green and E. H. Rainer
SUBMUCOSAL INJECTIONS OF HYDROCORTISONE FOR ALLERGIC RHINITIS AND RHINITIS MEDI- CAMENTOSA	G. GORDON MOWAT
ENCYSTED CHOLESTEATOMA FOLLOWING MASTOID-	
ECTOMY	JEFFERY POTTER / H. WICKHAM
GENERAL NOTES	

London

# Headley Brothers

109 Kingsway WC2

# The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

#### WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the

Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author.

Corrections, which should be kept to a minimum, must be clearly marked, and

no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £ to per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Éditorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

@ Journal of Laryngology and Otology, 1960

### The Journal of Laryngology and Otology

THE DETECTION AND MEASUREMENT OF CONDUCTIVE DEAFNESS. R. Hinchcliffe and T. S. Littler (London)
RECRUITMENT AND PER-STIMULATORY FATIGUE IN DIAGNOSIS. Tauno Palva (Turku)
Palva (Turku)
Observations on Petrosal and Vidian Neurectomy in Chronic
VASOMOTOR RHINITIS Philip H. Golding-Wood (Maidstone) 222
Assumption than the state of th
BLOODLESS OPERATING FIELD IN MIDDLE-EAR SURGERY, F. Holmes
(Edinburgh)
Sympathectomy for Inner-Ear Vascular Insufficiency, T. J.
Wilmot (Omagh)
Clinical Records—
A Case of Ethmoidal Ossifying Fibroma Observed in a Child
Seven Years Old. G. Rossi and E. Cherubini (Turin) . 268
Cylindroma of the Hard Palate Presenting as a Nasal Polyp.
A. E. Green and E. H. Rainer (Orpington, Kent) 276
Submucosal Injections of Hydrocortisone for Allergic Rhinitis
and Rhinitis Medicamentosa. G. Gordon Mowat (Bolton) 283
Encysted Cholesteatoma following Mastoidectomy. Jeffery
Potter (Liverpool)
Antrolith. H. Wickham (Sunderland) 292
General Notes

#### MIDDLESEX HOSPITAL MEDICAL SCHOOL

Applications are invited for the post of Research Scholar in the Ferens Institute of Oto-Laryngology. Applications giving details of age, qualifications and experience should be sent to the Medical School Secretary, Middlesex Hospital, London, W.1.

#### PART-TIME AUDIOMETRICIAN

required on Tuesday afternoons. Whitley Council scales and conditions of service. Applications immediately to Assistant Secretary, Westminster Hospital, S.W.1.



# The common infections of the mouth and throat

may be promptly relieved
and effectively treated without
recourse to an antibiotic
with

# 'PLANIDETS'

trade mark

brand

ANTISEPTIC / ANALGESIC LOZENGES

- \* Bactericidal
- \* Fungicidal
- \* Analgesic

Detailed information is available on request.

An M&B brand Medical Product



Manufactured by

#### MAY & BAKER LTD

Distributors

PHARMACEUTICAL SPECIALITIES (MAY 🕮 BAKER LTD) • DAGENHA

MA6951

# First clinical audiometer to provide 100% accurate audiograms



# **AMPLIVOX MODEL 82**

#### world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and *all* the other tests essential to proved pure tone audiometry.

#### ${f AMPLIVOX}$ LTD

Medical Acoustic Division 80 New Bond St. London W.1. Tel: HYDe Park 9888



#### SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction.

# SIEMENS

Siemens—the experts for 50 years of Service to the deaf, now introduce an entirely new RANGE OF HEAD LEVEL HEARING AIDS.



#### **TYPE 330 SLIM-LINE SPECTACLES**

Siemens equipment is renowned for quality, giving perfection in service and are cosmetically appealing. BACKED BY ONE YEAR GUARANTEE.



(Illustration of Head Set)

also SIEMENS
SPECIALIZE in


INDIVIDUAL AND GROUP HEARING AID EQUIPMENT SPEECH TRAINING UNITS AND SCHOOL EQUIPMENT etc.

\*Send for full details and literature

### HIGHGATE OPTICAL MANUFACTURING CO.

44 HATTON GARDEN : LONDON : E.C.I

HOLBORN 8271-2





Dear Sir,

As you will probably agree, even though there may be many causes of deafness, the alleviation of it is an individual problem. This is something to which we at Philips have given our specialised attention.

Our wide, interchangeable range of unobtrusive receiving units and ear-pieces makes it possible to obtain the precise combination to match the exact needs of each patient. And in each combination tone and volume are fully adjustable to provide suitable correction for every kind of defective hearing in every listening situation. Even if a patient's hearing the every usualing situation. Even it a patient a hearing changes with time he can, with most models, tune his Philips Hearing Aid accordingly. This technical excellence of these Aids, which are, of course, on the Approved List of the National Institute for the Deaf, is the result of comprehensive - perhaps unique - research and manufacturing facilities and unrivalled experience in the accurate reproduction of sound.

It is an excellent idea to advise your patients who are hard of hearing to visit a Philips Audiometric Centre. There is a network of them throughout Britain, where patients can discuss their individual needs with a skilled audiometrician entirely free of charge.

Yours faithfully,

# PHILIPS ELECTRICAL LTD

Century House · Shaftesbury Avenue London . W.C.2

## THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR. NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. **EDITOR** 

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

#### POST-TONSILLECTOMY COMFORT

#### Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area. ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving


acetylsalicylic acid into intimate and

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. prolonged contact with the tonsillar | Particularly suitable for children.

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250 WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

Please mention The Journal of Laryngology and Otology when replying to advertisements



## **Biomydrin**

# The COMPLETE nasal spray

which contains thonzonium the outstandingly effective mucolytic.

In nasal congestion arising from colds, influenza, sinusitis, hay fever, or any other source, Biomydrin provides rapid, safe, soothing release . . . and a comprehensive treatment that does more than decongestants alone can do.

All nasal sprays have a DECONGESTANT

Most nasal sprays have an ANTIBIOTIC

Some nasal sprays have an ANTIHISTAMINIC

BUT ONLY BIOMYDRIN contains all these and thonzonium—the effective mucolytic. The inclusion of thonzonium makes Biomydrin the only complete nasal spray. Thonzonium ensures adequate penetration by liquefying thick nasal mucus to enable the spray to reach affected tissue.

# FROM CONGESTION

WILLIAM R. WARNER & CO. LTD. EASTLEIGH, HAMPSHIRE TELEPHONE: EASTLEIGH 3131

B10 505



"I know my patients get the best possible choice of aids with Ingrams. Ingrams don't make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

Ingrams have at Shepherd Street one of the best equipped consulting rooms I've ever seen. Their Speech Audiometry equipment, for example, is outstanding. They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London."

REFER YOUR PATIENTS TO....



Largest selection of the Different Makes in the Country.

Member of the Society of Hearing Aid Audiologists


2, Shepherd Street, Shepherd Market, London, W.1 HYDe Park 9041 and 9042

Resident Representatives in all parts of the country.

CASE 2.

# Fitting HEARING AIDS

# in DIFFICULT CASES



Case 2: FILM COMPANY EMPLOYEE
AGE: 18 YEARS

History: Deaf from birth. Lip reads very well. Hearing aid fitting: Amplivox Model A. No automatic volume compression. Wide range earphone. 3 volt battery. Full frequency range. Personal earmoulds for use in either ear.

Remarks: After one week only he was able to repeat several words without any visual assistance, and a short time afterwards the considerable progress made enabled him to obtain profitable employment in the film industry away from home.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.


There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.

For further information and descriptive literature please telephone the local Amplivox Centre or write to:

#### AMPLIVOX LTD.

80 New Bond Street, London, W.1 Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH, BRISTOL, CARDIFF, EDINBURGH, GLASGOW, HULL, LEEDS, LEICESTER, LIVERPOOL, MANCHESTER, NEWCASTLE, DUBLIN



## OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

## 'OTOSPORIN' drops

issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) LONDON