

THE EDINBURGH MATHEMATICAL SOCIETY

The Edinburgh Mathematical Society was instituted in 1883 for 'the promotion and extension of Mathematical Science, Pure and Applied'.

Members may subscribe to the *Proceedings* at a reduced rate. Further information about membership can be obtained from the Secretary.

The Society's address is The Secretary, The Edinburgh Mathematical Society, James Clerk Maxwell Building, The King's Buildings, Edinburgh EH9 3JZ, UK (edmathsoc@ed.ac.uk).

Submission of papers

Papers to be considered for publication should be submitted by email (preferably) to pems@icms.org.uk (in the form of a single pdf, postscript or T_EX/L^AT_EX attachment). Alternatively, papers may be submitted by post to PEMS Editorial Office, International Centre for Mathematical Sciences, The Bayes Centre, 47 Potterrow, Edinburgh EH8 9BT, UK.

Each manuscript should contain a short abstract of no more than 200 words and also a primary classification number from the American Mathematical Society's 2010 Mathematics Subject Classification Scheme. The style and arrangement of the paper should conform to current practice in the *Proceedings*.

Authors should include in their covering note a suggestion of an appropriate subject editor from the list of board members on the inside front cover.

Authors are encouraged to use T_EX or L^AT_EX to prepare their papers. L^AT_EX is especially recommended, and a class file is available from <http://icms.org.uk/activities/pems> although it is not necessary to use this.

Once an article has reached its final form and is accepted for publication, authors will be asked to supply a T_EX file for the paper (if available). This should be a single file, with any relevant macros included in the preamble. Figures in PostScript form are also welcome, and should be submitted at the same time as the T_EX file for the paper (in zipped format if appropriate).

When a paper has been accepted for publication, the corresponding author will be able to choose to publish the paper under a regular publication agreement or under a fully Open Access agreement.

In the case where authors choose to publish a paper as a regular publication, they will need to sign the Journal's standard License to Publish form (<https://www.cambridge.org/core/journals/proceedings-of-the-edinburgh-mathematical-society/information/author-publishing-agreement>): under the conditions detailed on such form, when an article is accepted, its authors are free to post their version of the accepted manuscript on a website or repository. As such, Proceedings of the Edinburgh Mathematical Society is compliant with the Open Access mandates of the vast majority of academic institutions and funding sources.

In the case where authors choose to publish a paper under a fully Open Access agreement, they will be asked to sign the alternative Open Access form (http://journals.cambridge.org/images/fileUpload/images/PEMS_ctf_oa.pdf) and, upon payment of a one-off Article Processing Charge of UK£1780/US\$2835 (in 2016), the final published Version of Record shall be made freely available to all in perpetuity, and will be published under a creative commons licence, enabling its free re-use and re-distribution.

Please note that publication under a fully Open Access agreement is part of the Cambridge Open option (for more details, please see: <http://journals.cambridge.org/action/displaySpecialPage?pageId=4576>).

One proof is supplied, which should be corrected and returned promptly. Excessive corrections may be charged to authors. Authors will receive an electronic offprint in pdf format.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

On semidirectly closed non-aperiodic pseudovarieties of finite monoids <i>J. Kad'ourek</i>	913
Codimension growth for weak polynomial identities, and non-integrality of the PI exponent <i>D. L. da Silva Macedo and P. Koshlukov</i>	929
τ-Tilting finite cluster-tilted algebras <i>S. Zito</i>	950
A class of simple non-weight modules over the Virasoro algebra <i>H. Chen and J. Han</i>	956
Continuous flows generate few homeomorphisms <i>W. Bonomo and P. Varandas</i>	971
Instanton sheaves and representations of quivers <i>M. Jardim and D. D. Silva</i>	984
Nilpotent n-tuples in $SU(2)$ <i>O. Antolín-Camarena and B. Villarreal</i>	1005
On the prime factors of the iterates of the Ramanujan τ-function <i>F. Luca, S. Mabaso and P. Stănică</i>	1031
Chiral smoothings of knots <i>C. Livingston</i>	1048
Asymptotic normality in t-stack sortable permutations <i>X. Chen, J. Mao and Y. Wang</i>	1062
Bounds for finite semiprimitive permutation groups: order, base size, and minimal degree <i>L. Morgan, C. E. Praeger and K. Rosa</i>	1071
On the adjoint representation of a Hopf algebra <i>S. Kolb, M. Lorenz, B. Nguyen and R. Yammine</i>	1092
Bounding size of homotopy groups of spheres <i>G. Boyde</i>	1100