THE PREPARATION OF MANUSCRIPTS

The attention of authors is particulary directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. The copy sent must be clear.

A cover page should give the title, the author's name and institution, with the address at which

mail is to be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas Some applications of a theorem of G. H. Hardy would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing

an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \left\{z^2 \sin \theta/(1+y^2)\right\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign | may be used. Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter

demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in Roman type the publisher's name and the place and year of publication:

(4) JEFFREYS, H. The earth, 5th edition, University Press, Cambridge, 1970.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in Mathematical Reviews:

(6) LITTLEWOOD, J. E. The 'pits effect' for functions in the unit circle. J. Analyse Math. 23 (1970), 237-268.

Mathematical Proceedings of the Cambridge Philosophical Society

MPCPCO 86 (Pt 2) 1931-384 (1979) 0305-0041 September 1979

CONTENTS

			PAGE
Wilson, J. S. Groups with many characteristically simple subgroups			193
RONSE, C. On centralizers of involutions in 2-groups			199
Kirby, D. Subrings of the first neighbourhood ring			205
James, I. M. On fibre spaces and nilpotency. II			215
McCrudden, M. On the nth root set of an element in a connected semisimple I			219
COHEN, F. R., MAY, J. P. and TAYLOR, L. R. Splitting of some more spaces			227
LIN, W-H. The Adams-Mahowald conjecture on real projective spaces .			237
CARNE, T. K. Not all H'-algebras are operator algebras			243
ARCHBOLD, R. J. On the Dixmier property of certain algebras			251
YOUNGSON, M. A. Equivalent norms on Banach Jordan algebras			261
DIXON, P. G. Spectra of approximate identities in Banach algebras			271
MISHRA, B. P. and SRIVASTAVA, A. P. Strong and absolute summabilities of based on (D, α) summability methods	func	tions	279
LAVOINE, J. and MISRA, O. P. Abelian theorems for the distributional Stield formation		rans-	287
NICHOLLS, P. and ZARROW, R. Convex fundamental regions for Fuchsian gro	ups:	II :	295
GARLING, D. J. H. Subsequence principles for vector-valued random variable	es .		301
Melzak, Z. A. Multi-indexing and multiple clustering			313
FRYDMAN, H. and SINGER, B. Total positivity and the embedding problem for chains	or Ma	rkov •	339
COHEN, J. E. Random evolutions and the spectral radius of a non-negative r		х .	345
COHEN, J. E. Contractive inhomogeneous products of non-negative matrices			351
BEEM, J. K. and EHRLICH, P. E. Cut points, conjugate points and Lorentzian son theorems	n com	ipari-	365

© The Cambridge Philosophical Society 1979

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP 32 EAST 57TH STREET, NEW YORK, N.Y.10022

Price £10.40 net (U.S.A. and Canada US \$26.00)

Subscription price £26.00 per volume (£52.00 per annum) net post free
(US \$63.75 per volume (US \$127.50 per annum) in U.S.A. and Canada)

Printed in Great Britain at the University Press, Cambridge