

THE  
**JOURNAL OF LARYNGOLOGY,  
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE

RELATING TO

**THE THROAT, NOSE, AND EAR.**

*Printed and Published Monthly by*

*ADLARD & SON, Bartholomew Press, Bartholomew Close, London, E.C.*

**SUSPENSION  
LARYNGOSCOPY  
APPARATUS**

AFTER PROFESSOR KILLIAN.

As made for MR. W. G. HOWARTH, F.R.C.S.,  
 St. THOMAS'S HOSPITAL.

This modification of Professor Killian's Instrument comprises, with other advantages: mouth-gag with wider opening, adjustable counter-pressure plate, extra long spatula, and improved swing with swivel joint, securing at the same time the most perfect access and comprehensive view possible.

**PRICES.**

Complete, as shown, with upright vertical and horizontal adjustment, clamp for operation table, swing hook, set of spatulae, and electric light, £20 11s. 9d.

Without electric light attachment, £19 7s.


The swing only, with gag and counter-pressure plate, £8 15s. 6d.

**DOWN BROS., Ltd.,**

**Surgical Instrument  
 :: Manufacturers ::**

**21 & 23, St. Thomas's St.,  
 London, S.E.**

Telegrams: (Opposite Guy's Hospital. Telephone: HOP. 4400 (4 lines).  
 "DOWN, LONDON."



**GRANDS PRIX:**

Paris 1900, Brussels 1910, Buenos Aires 1910.



**GOLD MEDAL  
 Allahabad 1910.**

Prepaid Annual Subscription, £1 (5 dollars) post free.

Single Copies, Two Shillings.

We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions.—*British Medical Journal*, May 3, 1890.

**LISTERINE** is an efficient, non-toxic ANTISEPTIC of known and definite power, prepared in a form convenient for immediate use.

It is a saturated solution of boric acid, reinforced by the antiseptic properties of ozoniferous oils.



It is unirritating, even when applied to the most delicate tissue.

It does not coagulate serous albumen.

It is quite generally accepted as the standard antiseptic preparation for use where a poisonous or corrosive disinfectant can not be safely used.

It is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle or douche in catarrhal conditions of the nose and throat.

In proper dilution, it may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

There is no possibility of poisonous effect through the absorption of Listerine.

A pamphlet descriptive of the antiseptic, and indicating its utility in medical, surgical and dental practice, may be had upon application to the manufacturers, Lambert Pharmacal Co., Locust and Twenty-first Streets, St. Louis, Missouri, U.S.A., or to their British Agents, Messrs. S. Maw, Son & Sons, 7-12, Aldersgate Street, London, Eng., but the best advertisement of Listerine is . . . . .

**LISTERINE**

# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

**A. CHEATLE, F.R.C.S.** (Pres. Otol. Sect. Internat. Cong.)  
**DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).**  
**RICHARD LAKE, F.R.C.S.** (Pres. Otol. Sect. R.S.M.)  
**J. MACINTYRE, M.B., C.M. (Glasgow).**  
**W. MILLIGAN, M.D., M.Ch. (Manchester).**  
**D. R. PATERSON, M.D., M.R.C.P.** (Pres. Laryng. Sect. R.S.M.)  
**Sir StCLAIR THOMSON, M.D., F.R.C.S. (London).** (Pres. Laryng. Sect. Internat. Cong.)  
**LOGAN TURNER, M.D. (Edinburgh).**  
**P. WATSON-WILLIAMS, M.D. (Bristol).**  
**MACLEOD YEARSLEY, F.R.C.S. (London).**

EDITOR:

**DAN MCKENZIE, M.D., F.R.C.S.E. (London),**  
*To whom all communications should be addressed.*

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

**DRS. J. STODDART BARR (Glasgow), H. S. BIRKETT (Montreal), BRADY (Sydney, N.S.W.)**  
**JOHN DARLING (Edinburgh), DONELAN (London), CLAYTON FOX (London),**  
**J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool),**  
**A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. McCALL (Bournemouth),**  
**CHICHELE NOURSE (London), W. G. PORTER (Edinburgh), PRICE-BROWN (Toronto),**  
**KNOWLES RENSHAW (Manchester), LINDLEY SEWELL (Manchester),**  
**ALEX. R. TWEEDIE (Nottingham), RAYMOND VEREL (Aberdeen),**  
**C. E. WEST (London), G. HAROLD L. WHALE (London),**  
**WRIGHT (Bristol), and WYLIE (London).**

AND THE ASSISTANCE OF

**MR. GEORGE BADGEROW (London), DRs. J. BARR (Glasgow), HUGO FREY (Vienna),**  
**A. A. GRAY (Glasgow), GRAZZI (Florence), MIDDLEMASS HUNT (Liverpool),**  
**A. BROWN KELLY (Glasgow), E. LAW (London), MASSEI (Naples),**  
**D. PATERSON (Cardiff), URBAN PRITCHARD (London), F. A. ROSE (London),**  
**A. SANDFORD (Cork), SENDZIAK (Warsaw), H. TILLEY (London),**  
**E. WAGGETT (London), R. WOODS (Dublin).**

## CONTRIBUTORS TO THIS NUMBER.

<b>DR. A. LOGAN TURNER.</b>	<b>MR. MACLEOD YEARSLEY.</b>	<b>DR. A. J. WRIGHT.</b>
<b>MR. THOMAS GUTHRIE.</b>	<b>DR. BIRKETT.</b>	<b>DR. J. D. LITHGOW.</b>
<b>DR. W. ALBRECHT.</b>	<b>DR. ROGERS.</b>	<b>DR. J. S. FRASER.</b>
<b>MR. W. J. HARRISON.</b>	<b>DR. H. CLAYTON FOX.</b>	<b>DR. DUNDAS GRANT.</b>
	<b>DR. P. WATSON-WILLIAMS.</b>	<b>DR. W. S. SYME.</b>

## MEDICAL GRADUATES' COLLEGE AND POLYCLINIC,

**22, Chenies Street, Gower Street, London, W.C.**

PRESIDENT:

**Sir JAMES CRICHTON-BROWNE, M.D., LL.D., F.R.S.**

The teachers include members of the Staffs of the General and Special Hospitals and Medical Schools of the Metropolis and elsewhere.

The Demonstrations on Friday afternoons at 4 p.m. are devoted to Diseases of the Throat, Nose, Ear and Eye.

*Lecture*, February 26th, at 5.15 p.m.—Sir StCLAIR THOMSON.—“Common Errors in Diagnosis and Treatment (Nose and Throat).”

Annual Subscription, admitting to all Lectures and Demonstrations, One Guinea.

Special Practical Classes are conducted in Otology (Dr. DAN MCKENZIE), Laryngology (Mr. J. GAY FRENCH), and Rhinology (Mr. STUART-LOW), etc.

Pathological Investigations of all kinds are carried out in the Laboratory.

Further Particulars may be obtained from the Medical Superintendent,

MAJOR VINT, M.B., 22, Chenies Street, Gower Street, London, W.C.

## CONTENTS.

Special Articles—	PAGE
Reports for the Year 1913 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. I.—A Peculiar Form of Hyperplasia of the Mucous Membrane of the Upper Respiratory Tract.—A. LOGAN TURNER—(with 3 Plates) . . . . .	57
Note on a Tumour of the Soft Palate consisting mainly of Salivary Gland Tissue.—THOMAS GUTHRIE . . . . .	68
Suspension Laryngoscopy in Children, with Particular Reference to the Treatment of Papilloma.—W. ALBRECHT . . . . .	71
<b>Clinical Note—</b>	
A Method of Dealing with Septal Perforations.—W. J. HARRISON . . . . .	74
<b>Societies' Proceedings—</b>	
ROYAL SOCIETY OF MEDICINE.—OTOLOGICAL SECTION.—Communications by W. H. KELSON, F. F. MUECKE . . . . .	75
PROCEEDINGS OF THE ROYAL SOCIETY OF MEDICINE.—LARYNGOLOGICAL SECTION.—Communications by D. R. PATERSON, HERBERT TILLEY, P. WATSON-WILLIAMS, DAN MCKENZIE, W. M. MOLLISON, PHILIP TURNER, THOMAS GUTHRIE, T. B. LAYTON, F. H. WESTMACOTT, H. A. KISCH, H. J. DAVIS, J. DUNDAS GRANT, DOUGLAS HARMER, P. R. W. DE SANTI, J. H. CONNOLLY . . . . .	79
PROCEEDINGS OF THE SCOTTISH OTOLOGICAL AND LARYNGOLOGICAL SOCIETY.—Communications by J. D. LUTHGOW, PEEL RITCHIE, W. T. GARDNER, W. G. PORTER, J. K. MILNE DICKIE . . . . .	91
PROCEEDINGS OF THE AMERICAN LARYNGOLOGICAL, RHINOLOGICAL, AND OTOLOGICAL SOCIETY (continued from p. 44).—Communication by EWING W. DAY . . . . .	100
<b>Abstracts—</b>	
PHARYNX.—On the Function of the Tonsils.—The Significance of Plasmacells in the Tonsil.—What Relation, if any, have the Faucial Tonsils to Pulmonary Tuberculosis? . . . . .	104
NOSE.—Modern Treatment of Ozena.—Atrophic Rhinitis in its Historical, Ætiological and Histological Aspects . . . . .	105
LARYNX.—Chronic Laryngitis of Smokers.—Laryngeal Tuberculosis in Cases treated by Artificial Pneumothorax . . . . .	107
EAR.—Auditory Re-education: Remote Results of Auditory Re-education.—Phonatory Massage in Progressive Deafness . . . . .	108
<b>Reviews—</b>	
Map Scheme of the Sensory Distribution of the Fifth Nerve (Trigeminal) with the Ganglia and Connections.—L. HEMINGTON FEGLER . . . . .	109
The Relation of the Lachrymal Organs to the Nose and Nasal Accessory Sinuses.—A. ONODI . . . . .	110
Principes d'Anacusie (Rééducation Auditive).—A. ZÜND BURGNET . . . . .	111
<b>Notes and Queries</b> . . . . .	112
<b>Books Received</b> . . . . .	112

**RHINOLOGY: A Text-Book of Diseases of the Nose and :: :: Nasal Accessory Sinuses**

**By PATRICK WATSON-WILLIAMS,**  
M.D. London,  
Lecturer on the Diseases of the Ear, Nose and Throat at the University of Bristol, etc.

**With 3 Coloured Plates and 44 Black and White Plates (of which 26 are Stereoscopic), and 140 Illustrations in the Text. 8vo. 12s. 6d. net. With Stereoscope, 15s. net (Inland postage 6d.)**

**The Stereoscope is also supplied separately, price 2s. 6d. net.**

**LONGMANS, GREEN & CO., 39, Paternoster Row, London, E.C.**

# BACTERIAL VACCINES

Prepared in the Laboratory of St. Mary's Hospital, London, W., under the supervision of the Director—Sir A. E. Wright, M.D., F.R.S., etc.

## INFLUENZA BACILLUS VACCINE.

In dilutions containing, respectively, 10, 25 and 100 millions of bacilli *per c.c.*

## MIXED VACCINE FOR COLDS.

Contains in each *c.c.*: 30 millions each of micrococcus catarrhalis, pneumococcus, and influenza bacillus; 50 millions of bacillus septus (diphtheroid); 12 millions of parodontal streptococcus; and 300 millions of staphylococcus.

## PNEUMOCOCCUS VACCINE.

In dilutions containing, respectively, 20 and 50 millions of pneumococci *per c.c.*

*Supplied in bulbs of about 1 c.c., also in bottles of 25 c.c.*

## "POLLACCINE" (Pollen Vaccine).

For prophylaxis or treatment of hay fever. In dilutions containing, respectively, 4, 20, 100 and 500 units of pollen toxin *per c.c.*

## TUBERCLE VACCINE (Tuberculin. Bacillary Emulsion).

In dilutions containing, respectively, 1/100,000; 1/40,000; 1/25,000; 1/20,000; 1/5000; 1/2000; 1/1000; 1/500; 1/200 and 1/100 milligramme of powdered tubercle culture *per c.c.*

## WHOOPIING-COUGH VACCINE.

Contains 250 millions of Bordet's bacilli and 10 millions of pneumococci *per c.c.*

A revised edition (just published) of "Vaccine Therapy," containing full particulars of the above-mentioned and other vaccines issued by the St. Mary's Hospital Laboratory, will be sent on request by the

SOLE AGENTS:

**PARKE, DAVIS & Co., 50, Beak St., LONDON, W.**



# KINESIPHONE

OF

:: Dr. MAURICE ::

FOR THE

Treatment of the

# DEAF

BY THE

Re-education of the  
Hearing Faculties

(used by numbers of Medical  
Specialists of all Nations).



For further particulars & scientific  
literature on the subject

Apply to—

M. RAULIN

Rue de Bellefond 1, PARIS

TEXTURÆ ANTIQUÆ 3—AKKADIAN

TRADE  
MARK

# 'WELLCOME' BRAND

## CONCENTRATED DIPHTHERIA ANTITOXIN

*Prepared according to the latest scientific method at  
the Wellcome Physiological Research Laboratories*

The antitoxic globulins separated  
from Diphtheria Antitoxic Serum.

**1000 Ehrlich units in 1 c.c. of fluid  
instead of 2.5 c.c.**

*Supplied in hermetically-sealed phials as follows:—*

1000 units, 2/0; 2000 units, 3/6; 3000 units, 5/0;  
4000 units, 6/0; 5000 units, 7/0; 6000 units, 8/0;  
8000 units, 10/0. *Distributing Agents:—*



BURROUGHS WELLCOME & CO., LONDON

NEW YORK    MONTREAL    SYDNEY    CAPE TOWN    MILAN  
SHANGHAI    BUENOS AIRES    BOMBAY

*London Exhibition Room: 54, WIGMORE STREET, W.*



A cylinder seal belonging to the scribe  
of an early Akkadian prince.

The decorations show the cylindrical  
character of the seal and a conventional  
representation of the semitic plaid as  
engraved upon the seal. Circa 2700 B.C.

F

COPYRIGHT