


The right choice....



Bassanio's choice of the leaden casket was a nice blend of luck and judgment; but there need be no doubt in the mind of the physician who wishes to select the most potent antibiotic against staphylococci, streptococci and pneumococci.

'ILOTYCIN' brand erythromycin exerts a prompt bactericidal effect against these and other Gram-positive organisms. Adequate two-hour blood levels are readily attained after oral administration. 'Ilotycin' causes minimal disturbance of the intestinal flora, and no toxic diarrhoeas have been reported from its use. 'Ilotycin' is safe and well tolerated.

'ILOTYCIN' tablets
100 mg. & 200 mg. in
bottles of 24 & 100.

Average Dose:
1.2Gm. daily in divided
doses at 4-6 hour
intervals.

'ILOTYCIN' Pædiatric
Flavoured oral suspen-
sion for children in
bottles to make 60 cc.
(5 cc. = 100 mg. 'Ilotycin').
Average Dose:
 $\frac{1}{2}$ teaspoonful per stone
bodyweight every six
hours.

- • • • • in Sinusitis • Septic Sore Throat • Bronchopneumonia
Lobar Pneumonia • Wound Infections • Breast Abscess
Staphylococcal Septicaemia • Cellulitis • Diptheria Carriers

use **ILOTYCIN*** *first and be sure*

* THE ORIGINAL ERYTHROMYCIN

Lilly
TRADE MARK

ELI LILLY AND COMPANY LIMITED, BASINGSTOKE, ENGLAND

No other tablet coating
provides for faster or higher
blood levels than the special
coating of tablets 'Ilotycin'.

JOURNAL OF MENTAL SCIENCE

CONTENTS FOR JANUARY, 1955

Original Articles—	PAGE
The Contribution of Psychological Medicine to General Medicine; by <i>Noel G. Harris, M.D., F.R.C.P., D.P.M.</i>	1
Nicotinic Acid Modified Lysergic Acid Diethylamide Psychosis; by <i>N. Agnew, M.A., and A. Hoffer, Ph.D., M.D.</i>	11
A Dynamic Theory of Anxiety and Hysteria; by <i>H. J. Eysenck, Ph.D.</i>	28
Reactions to Pain in Various Abnormal Mental States; by <i>E. Stengel, M.D., M.R.C.P., A. J. Oldham, M.D., D.P.M., and A. S. C. Ehrenberg, B.Sc.</i>	52
The Nature and Treatment of Delirium Tremens and Allied Conditions; by <i>R. W. Armstrong, M.A., M.D., D.P.M., and Jonathan Gould, B.Sc., M.B., B.S., M.R.C.P., D.P.M.</i>	70
The Role of Nicotinic Acid (Niacin) in Mental Health and Disease; by <i>Ian Gregory, M.A., M.B.(Cambridge), D.Psych.(Toronto)</i>	85
Differential Cerebral Electrostimulation; by <i>J. D. Montagu, M.R.C.S., L.R.C.P.</i>	110
The Differential Effect of Cortisone and of A.C.T.H. on Mood; by <i>J. J. Fleming, M.B., M.R.C.P., D.P.M.</i>	123
The Results of the Experimental Administration of Amphetamine Sulphate in Oligophrenia; by <i>J. V. Morris, M.A., M.D., R. C. MacGillivray, M.B., F.R.F.P.S., D.P.M., and C. M. Mathieson, M.A., Ed.B.</i>	131
Types of Synaesthesia; by <i>Lorna Simpson, M.A., and Peter McKellar, M.A., Ph.D.</i>	141
Clinical Observations on Suxethonium in E.C.T.; by <i>A. Gillie, M.B., Ch.B., and D. L. M. McNeill, M.R.C.S., L.R.C.P., D.P.M.</i>	148
Modified Leptazol Convulsive Therapy; by <i>W. P. Berrington, M.D., D.P.M., and S. Goldin, L.R.C.P., L.R.C.S., L.R.F.P.S.</i>	153
The Effect of Convulsive Therapy on Plasma Adrenaline and Noradrenaline; by <i>H. Weil-Malherbe</i>	156
A Controlled Study of the Effect of Mephenesin on Psychiatric Out-patients; by <i>P. A. L. Scott, M.B., Ch.B., B.Sc.</i>	163
The Effects of Mephenesin in Neurotic Anxiety; by <i>E. H. Hare, M.D., D.P.M.</i>	172
Observations on the Effect of Largactil in Psychiatric Illness; by <i>A. A. Baker, M.D., D.P.M.</i>	175
Reviews	183
Bibliography and Epitome	185

ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

LIBRARY

PRINTED IN GREAT BRITAIN BY HEADLEY BROTHERS LTD
109 KINGSWAY LONDON WC2 AND ASHFORD KENT