

Corrigendum

Cite this article: Krasnopero D, Asante-Korang A, Jacobs J, Stapleton S, Carapellucci J, Dotson M, and Stapleton G (2019) Case report and review of the literature: the utilisation of a ventricular assist device as bridge to recovery for anthracycline-induced ventricular dysfunction – CORRIGENDUM. *Cardiology in the Young* 29: 1568. doi: [10.1017/S1047951119002464](https://doi.org/10.1017/S1047951119002464)

First published online: 10 October 2019

Case report and review of the literature: the utilisation of a ventricular assist device as bridge to recovery for anthracycline-induced ventricular dysfunction – CORRIGENDUM

Diane Krasnopero, Alfred Asante-Korang, Jeffrey Jacobs, Stacie Stapleton, Jennifer Carapellucci, Mathew Dotson and Gary Stapleton

doi:[10.1017/S1047951117002281](https://doi.org/10.1017/S1047951117002281), Published by Cambridge University Press, 4 December 2017.

The authors apologise for an error in one of the author names. The author ‘Jeffrey Jacobs’ should be ‘Jeffrey P. Jacobs’, to include his middle name’s initial for proper citation of the paper.

Reference

Krasnopero D, Asante-Korang A, Jacobs J, Stapleton S, Carapellucci J, Dotson M, Stapleton G. Case report and review of the literature: the utilisation of a ventricular assist device as bridge to recovery for anthracycline-induced ventricular dysfunction. *Cardiology in the Young*. 2018; 28: 471–475. Published by Cambridge University Press, 4 December 2017. doi:[10.1017/S1047951117002281](https://doi.org/10.1017/S1047951117002281)