

Corrigendum

Quantity and species of fish consumed shape breast-milk fatty acid concentrations around Lake Victoria, Kenya

Kathryn J Fiorella, Erin M Milner, Elizabeth Bukusi and Lia CH Fernald

First published online 6 March 2018

First published online – 27 November 2017

DOI: <https://doi.org/10.1017/S1368980017003147>

Original text and correction:

Kathryn J Fiorella ^(a1) ^(a2), Erin M Milner ^(a3), Elizabeth Bukusi ^(a4) and Lia CH Fernald ^(a3)

^(a1) Atkinson Center for a Sustainable Future, Cornell University, 340J Warren Hall, Ithaca, NY 14853, USA

^(a2) Environmental Science, Policy & Management, University of California–Berkeley, Berkeley, CA, USA

^(a3) School of Public Health, University of California–Berkeley, Berkeley, CA, USA

^(a4) Centre for Microbiology Research, Kenya Medical Research Institute, Kisumu, Kenya

Correction:

Kathryn J Fiorella ^(a1) ^(a2) ^(a3), Erin M Milner ^(a4), Elizabeth Bukusi ^(a5) and Lia CH Fernald ^(a4)

^(a1) Master of Public Health Program, Population Medicine & Diagnostic Sciences, College of Veterinary Medicine, Cornell University, Shurman Hall, Ithaca, NY 14853, USA

^(a2) Atkinson Center for a Sustainable Future, Cornell University, 340J Warren Hall, Ithaca, NY 14853, USA

^(a3) Environmental Science, Policy & Management, University of California–Berkeley, Berkeley, CA, USA

^(a4) School of Public Health, University of California–Berkeley, Berkeley, CA, USA

^(a5) Centre for Microbiology Research, Kenya Medical Research Institute, Kisumu, Kenya