ERRATUM

OVARIAN FOLLICLE POPULATIONS, STEROIDOGENICITY AND MICROMORPHOLOGY AT 5 AND 9 WEEKS *POST PARTUM* IN BEEF COWS IN TWO LEVELS OF BODY CONDITION

R. Prado, S. M. Rhind, I. A. Wright, A. J. F. Russel, S. R. McMillen, A. J. Smith and A. S. McNeilly

Volume 51 Part 1, page 106

Column 1, line 13, insert after the word testosterone:

and progesterone concentrations in the incubates, were closely related to their histological status (Table 2). Oestradiol and testosterone

Column 1: delete lines 23 and 24.

12th International Congress on Animal Reproduction 23 to 27 August 1992

The Hague, The Netherlands

The congress covers main trends in animal reproduction and artificial insemination as well as novel developments. The four Plenary Sessions comprise two to four state of the art lectures. Invited speakers will present in depth lectures at the 12 Symposia. Current research and novel developments will be presented at Poster Sessions and 16 Workshops. The organizing Committee welcomes abstracts for presentation in the Poster Sessions before 1 November 1991. For additional information please contact the Congress Secretary:

Dr Steph J. Dieleman c/o Nivekon PO Box 90730, 2509 LS The Hague, The Netherlands Telephone (31) 70 31 80 285 Telefax (31) 70 32 49 263

ANNOUNCEMENT

International Postgraduate Course 'Nuclear Magnetic Resonance in Agriculture: Plants, Animals, Products' 15 - 26 October 1991

INSTITUTION

International Training Centre, Wageningen Agricultural University.

OBJECTIVES

This postgraduate course will describe the scope and limitations of NMR in agriculture and the food industry and provide a firm basis for understanding the fundamentals of the method. The course will cover a wide range of applications, including the analysis of agricultural products and food, the physiology of plants and animals, and imaging by spatially resolved NMR. Attention will be paid to personnel and financial aspects of introducing NMR equipment in analysis and research environments.

TARGET GROUP

The course is intended for scientists with a background in biology, chemistry, physics, food technology and agricultural sciences working in industries, institutes, government institutions and universities.

FEES

Fees including full board and lodging, tuition, course material and tourist excursion, but excluding travel to and from Wageningen and insurance are: NLG 3400.

APPLICATION AND INFORMATION

Brochures or information can be obtained from the International Training Centre, Wageningen Agricultural University, PO Box 8130, 6700 EW Wageningen, the Netherlands (tel 31-8370-84092/3).

Deadline registration: 1 May 1991.

Symbols and abbreviations. Authors should consult the notes prepared for guidance. Levels of statistical significance must be clearly indicated.

Illustrations. The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- (a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.
- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract. Every paper should have a short abstract (not more than 250 words for a paper and 120 words for a note) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper.

Keywords. Up to a maximum of five keywords selected from the CAB Thesaurus (1988) or from an equivalent reference volume should be listed at the end of the Abstract.

References. Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in Animal Production; details are given in the notes for guidance.

Proofs are supplied once and must be returned corrected to the Editors within 3 days. Only essential corrections should be made.

Reprints. Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage. Reprints are not supplied for notes.

Animal Production is published six times a year in two volumes. Annual subscription is £99.00 (or \$199.00 in the USA and Canada) and the price for a single part is £18.00 (or \$37.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section in the June issue of Animal Production.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Scottish Academic Press Ltd, 33 Montgomery Street, Edinburgh, Scotland EH7 5JX.

Other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

Senior Editor

T. L. J. Lawrence, University of Liverpool

Editors

- D. G. Chamberlain, Hannah Research Institute, Ayr
- W. Haresign, University of Nottingham
- C. L. Johnson, University of Leeds
- I. J. Lean, Wye College, University of London
- J. C. McCarthy, University College Dublin
- C. A. Morgan, Scottish Agricultural College, Edinburgh
- E. Owen, University of Reading
- R. Thompson, AFRC Institute of Animal Physiology and Genetics Research, Edinburgh
- A. J. F. Webster, University of Bristol
- J. D. Wood, University of Bristol

Technical Editors

Hilary Davies

Marie C. Pitkethly

CONTENTS PAGE

GIBB, M. J. and BAKER, R. D. Compensatory growth and body composition changes in grazing steers following silage feeding without or with a supplement of	222
fish meal and monensin	237
acetate, zeranol and oestradiol-17β implantation on growth performance and reproductive function in beef heifers.	249
SÖLKNER, J. The impact of different genetic models on the optimum design of crossbreeding experiments	255
FURSEY, G. A. J., MILES, C. A., PAGE, S. J. and FISHER, A. V. Speed of ultrasound in Hereford bulls and its correlation with carcass composition	263
TAN, P. V. and BRYANT, M. J. The effects of dietary supplements of fish meal on the voluntary food intake of store lambs	271
IASON, G. R. and Mantecon, A. R. Seasonal variation in voluntary food intake and post-weaning growth in lambs: a comparison of genotypes	279
FORDHAM, D. P., AL-GAHTANI, S., DUROTOYE, L. A. and RODWAY, R. G. Changes in plasma cortisol and β-endorphin concentrations and behaviour in sheep	
subjected to a change of environment	287
and associated plasma progesterone profiles in Menz ewes MULLER, S. and McCutcheon, S. N. Comparative aspects of resistance to body	297
cooling in newborn lambs and kids	301
QUILES, A. J., GONZALO, C., FUENTES, F., HEVIA, M. and SANCHEZ, J. M. Protein composition and variation of caprine colostrum (Murciano-Granadina breed)	
by means of polyacrylamide-sds gel electrophoresis Roca, J., Martinez, E., Vazquez, J. M., Ruiz, S. and Coy, P. Influence of season	311
on testicle size and libido in male goats from the Mediterranean area. Bradford, M. M. V. and Gous, R. M. A comparison of phase feeding and choice	317
feeding as methods of meeting the amino acid requirements of growing pigs	323
LATYMER, EVA A., KEAL, H. D. and Low, A. G. Absorption and metabolism of [U-14C] acetic acid in growing pigs	331
KYRIAZAKIS, I. and EMMANS, G. C. Diet selection in pigs: dietary choices made by growing pigs following a period of underfeeding with protein	337
AALHUS, J. L., JONES, S. D. M., ROBERTSON, W. M., TONG, A. K. W. and SATHER, A. P. Growth characteristics and carcass composition of pigs with known	
genotypes for stress susceptibility over a weight range of 70 to 120 kg. Kemp, B., Bakker, G. C. M., Hartog, L. A. den and Verstegen, M. W. A. The	347
effect of semen collection frequency and food intake on semen production in breeding boars	355
KRIETER, J. and KALM, E. An evaluation of two ultrasonic instruments for the	
prediction of carcass lean grade in growing pigs	361
P. and Nieuwland, M. Effect of α-tocopherol and dietary fat source on some blood and immunological variables in lactating sows	367
SLAYDEN, O., OLDFIELD, J. E. and STORMSHAK, F. Growth and furring of mink (Mustela vison) given diets containing the β-adrenergic agonist, cimaterol.	377
ROCHAMBEAU, H. DE, THÉBAULT, R. G. and GRUN, J. Angora rabbit wool production:	
non-genetic factors affecting quantity and quality of wool TAN, P. V. and BRYANT, M. J. A note on the response of store lambs to iso-	383
nitrogenous diets containing rapeseed meal or fish meal	395
climatic variables and age on the responses of beef calves to different housing types	400
LETERME, P., PIRARD, L. and Théwis, A. A note on the comparison of methods for estimating the ileal digestibility of amino acids in pigs.	404