

Microscopy Reveals Early Neolithic Dentistry

Stephen W. Carmichael¹

Mayo Clinic

carmichael.stephen@mayo.edu

Many people dread the visit to their dentist when they have their teeth drilled, but how long has this been going on? The most ancient evidence to date was recently described by Alfredo Coppa, Luca Bondioli, Andrea Cucian, David Frayer, Catherine Jarrige, Jean-François Jarrige, Guivron Quivron, Massimo Rossi, Massimo Vidale, and Roberto Macchiarelli and microscopy provided the convincing proof.² The specimens were recovered from Mehrgarh, Pakistan, an area known to be occupied by farmers as long as 9,000 years ago. They identified four females, two males, and three individuals of undetermined gender who had a total of eleven drilled permanent teeth, all from adults. No drilled teeth from children were found. Four of the teeth were from the maxilla and seven from the mandible. All the drilling had been in the first or second molars. This led Coppa *et al.* to conclude that the drilling was not done for decorative purposes because on these teeth the holes, with or without decorative material inserted into them, would have been hardly visible.

Light microscopy, scanning electron microscopy, and microtomography (with a micro-computed tomography instrument) were used on the specimens, and/or on replicas of the specimens that revealed the drill holes as projections. The holes were conical, cylindrical, or trapezoidal in shape, 1.3 to 3.2 mm in diameter, and 0.5 to 3.5 mm in depth. Some of the walls of the holes had concentric ridges left by the drilling tool. In all cases, the margins of the holes were smoothed, indicating that the drilling was performed on living people who continued to chew using the drilled teeth. Pieces of flint were found at the same site, along with beads of bone, shell, turquoise, lapis lazuli, and other material that had been drilled, presumably to be fashioned as jewelry. Coppa *et al.* used

models of these drill tips and demonstrated that a bow-powered device used with a flint-tipped drill could produce a hole of similar dimensions in human dental enamel in less than a minute.

Four of the teeth had signs of decay associated with the hole, suggesting that the intervention could have been therapeutic or palliative. Some of the holes exposed sensitive tooth structure, so it's possible that some type of filling may have been placed in the cavity, but there was no evidence to confirm this. Whereas it is certainly tempting to conclude that this early dental intervention was done for the same reasons such interventions are done today, the motives for these Neolithic dental procedures remains unclear.

The cemetery where these specimens were recovered was used from 9,000 to 7,500 years ago. This extends the evidence for the drilling of human teeth about 4,000 years earlier than previously recorded. Interestingly, a nearby grave site that was used after the site where the drilled teeth were recovered had no evidence of drilling, although there is evidence of poor dental health from the more recent site, which is a "Copper age" grave site. Why this practice of drilling teeth existed for 1,500 years and then ceased is an intriguing mystery, but it could be linked to changes in the systematic use of metal and other changes in craft traditions.

Coppa *et al.* suggest that artisans who drilled beads during this period of 1,500 years performed a form of "proto-dentistry" on their contemporaries. We don't know if these ancient "patients" dreaded their experience with these early "dentists" but it couldn't have been a pleasant experience! ■

1. The author gratefully acknowledges Dr. Roberto Macchiarelli for reviewing this article.
2. Coppa, A., L. Bondioli, A. Cusina, D.W. Frayer, C. Jarrige, J.F. Jarrige, G. Quivron, M. Rossi, M. Vidale, and R. Macchiarelli, Early Neolithic tradition of dentistry: Flint tips were surprisingly effective for drilling tooth enamel in a prehistoric population, *Nature* 440:755-756, 2006.

INDEX OF ARTICLES

Microscopy Reveals Early Neolithic Dentistry	3	Improving Membrane Staining of Cultured Cells Using Ferrocyanide as a Post-Fixative	38
<i>Stephen W. Carmichael, Mayo Clinic</i>		<i>Stéphane Nizet</i>	
Microscopic Analysis of Metal Recovered from the Wreck of RMS Titanic	6	The Preparation of Mg, Cd and Zn Samples for Crystal Orientation Mapping with BKD in an SEM	40
<i>J.J. Hooper McCarty¹ and T. Foecke^{1,2}, ¹The Johns Hopkins University, Baltimore, MD, ²NIST, Gaithersburg, MD</i>		<i>R.A. Schwarzer, Clausthal Univ. of Technology, Clausthal-Zellerfeld, Germany</i>	
STEM Imaging of Lattice Fringes and beyond in a UHR In-Lens Field-Emission SEM	10	Visualisation of Native Surfaces by Two-Step Molding	44
<i>Vinh Van Ngo, Mike Hernandez, Bill Roth, and David C Joy,* Hitachi High Technologies America, Inc., *University of Tennessee, Knoxville, TN</i>		<i>Stanislav N. Gorb, Max Planck Inst. for Metals Research, Stuttgart, Germany</i>	
From the McArthur to the Millennium Health Microscope (MHM): Future Developments in Microscope Miniaturization for International Health	18	Cold Temperature Preparation of XTEM Specimens of Embedded Metallic Nanoparticles	48
<i>Keith Dunning¹ & J. Russell Stothard², ¹Dunning Associates, Bedford, UK., ²Natural History Museum, London, UK</i>		<i>Bernt Johannessen, David J. Llewellyn, Patrick Kluth, and Mark C. Ridgway, Australian National University, Canberra, Australia</i>	
A Novel Technique of Hair Removal to Examine the Cuticle of Arthropods	22	Industry News	52
<i>B. N. Philip and C. Shillington, Eastern Michigan University, Ypsilanti, MI</i>		NetNotes	56
Site Specific Three-dimensional Structural Analysis in Tissues and Cells Using Automated DualBeam Slice & View	26	Index of Advertisers	70
<i>Ben Lich, FEI Company, Eindhoven, The Netherlands</i>			
Feature Characterization of Microfluidic Channels Created Using Direct Laser Ablation	32		
<i>John Little* and Dan Borah,** *Hyphenated Systems, LLC, Burlingame, CA, **University of Mass., Dartmouth, MA</i>			
Negative Stiffness Vibration Isolation Technology for Nanotechnology	36		
<i>David L. Platus, Minus K Technology, Inc., Inglewood, CA</i>			

ABOUT THE COVER

The cover shows the port bow of *RMS Titanic* at the Harland and Wolff shipyard in Belfast, Ireland shortly before her launching on May 31, 1911. The *Titanic* was one of three near identical sister ships built in these yards. The other two were *RMS Olympic*, launched in October 1910 and operated for 24 years without serious mishap, and *RMS Britannic*, launched in 1914 and sank during WW1 two years later. The *Titanic* struck the ice berg on the mirror-image starboard bow. Please see the article beginning on page 6 by Hooper-McCarty and Foecke on the metallurgical analysis of *Titanic's* rivets.

COMING EVENTS

2007

- ✓ **American Soc. for Biochemistry and Molecular Biology**
April 28-May 2, 2007, Washington, DC
www.asbmb.org
- ✓ **Microscopy of Semiconducting Materials' Conf. MSM XV**
April 2-5, 2007, Churchill College, Cambridge
conferences.iop.org/msmxv
- ✓ **SCANNING 2007**
April 10-12, 2007, Monterey, CA
www.scanning.org
- ✓ **7th Internatl. ELMI Course On Advanced Light Microscopy**
April 17-20, 2007, The University Of York, UK,
www.york.ac.uk/depts/biol/tf/ELMI/index.htm
- ✓ **GATAN 2007 Training Schools**
April 17-May 3, 2007, Pleasanton, CA (multiple choices)
info@gatan.com
- ✓ **MAS Topical Workshop - Hyperspectral Imaging II**
May 1-4 2007, Gaithersburg, PA
<http://www.microprobe.org/workshops/HI-II/>
- ✓ **Lehigh Microscopy School**
June 3-15, 2007, Bethlehem, PA (multiple choices)
www.lehigh.edu/microscopy
- ✓ **3D Microscopy of Living Cells** (+ pre & post courses)
June 17-28, 2007, U. of British Columbia, Vancouver, BC
www.3dcourse.ubc.ca
- ✓ **8th Multinational Congress on Microscopy**
June 17-21, 2007, Prague, Czech Republic
8mcm@biomed.cas.cz
- ✓ **34th Annual Mtg. of the Microscopical Society of Canada**
June 12-15, 2007, Alberta, Canada
www.phys.ualberta.ca/MSOC-2007/
- ✓ **59th annual INTER/MICRO Conference**
July 9-13, Chicago, IL
www.mcri.org
- ✓ **Microscopy and Microanalysis 2007**
August 5-9, 2007, Fort Lauderdale, FL
mm2007.microscopy.org
- ✓ **EUROMAT 2007**
September 10-13, 2007, Nürnberg, Germany
www.euromat2007.fems.org/
- ✓ **The American Society for Cell Biology**
December 1-5, 2007, Washington, DC
www.ascb.org

2008

- ✓ **PITTCON 2008**
March 3-6, 2008, New Orleans, LA
www.pittcon.org
- ✓ **Microscopy and Microanalysis 2008**
August 3-7, 2008, Albuquerque, NM
www.msa.microscopy.com
- ✓ **American Soc. for Biochemistry and Molecular Biology**
April 3-9, 2008, San Diego, CA
www.asbmb.org

2009

- ✓ **Microscopy and Microanalysis 2009**
August 3-6, 2009, Baltimore, MD
www.msa.microscopy.com

Please check the "Calendar of Meetings and Courses" in the MSA journal "Microscopy and Microanalysis" for more details and a much larger listing of meetings and courses.

MICROSCOPY TODAY

The objective of this publication is to provide material of interest and value to working microscopists!

The publication is owned by the Microscopy Society of America (MSA) and is produced six times each year in odd months, alternating with MSA's peer-reviewed, scientific journal *Microscopy and Microanalysis*. We greatly appreciate article and material contributions from our readers—"users" as well as manufacturers/suppliers. The only criterion is that the subject matter be of interest to a reasonable number of working microscopists. *Microscopy Today* has authors from many disparate fields in both biological and materials sciences, each field with its own standards. Therefore *MT* does not have a rigid set of style instructions and encourages authors to use their own style, asking only that the writing be clear, informative, and accurate. Length: typical article length is 1,500 to 2,000 words plus images, longer articles will be considered. Short notes are encouraged for our Microscopy 101 section. See our "Instructions to Authors" document on our website.

MICROSCOPY TODAY

ISSN 1551-9295

Ron Anderson, Editor

randerson20@tampabay.rr.com

Phil Oshel, Technical Editor

oshel1pe@cmich.edu

Thomas E. Phillips, Contributing Editor

PhillipsT@missouri.edu

Dale Anderson, Art Director

microscopytoday@tampabay.rr.com

Renée Stratmoen, Advertising Director

oshel1pe@cmich.edu

Regular Mail to:

Microscopy Today, P.O. Box 247, Largo, FL 33779

Courier Mail to:

1001 Starkey Road, Lot #374, Largo, FL 33771

Telephones:

1-(727)507-7101 • Fax: (727)507-7102 • Cell: (727) 631-1022

e-Mail:

microscopytoday@tampabay.rr.com

www Page:

<http://www.microscopy-today.com>



*Colophon: Microscopy Today is created using components of Adobe Creative Suite CS2**

Total Circulation: 14,720


Disclaimer: By submitting a manuscript to *Microscopy Today*, the author warrants that the article is original (or that the author has the right to use any material copyrighted by others). The use of trade names, trademarks, etc., does not imply that these names lack protection by relevant laws and regulations. *Microscopy Today*, the Microscopy Society of America, and any other societies stated, cannot be held responsible for opinions, errors, or for any consequences arising from the use of information contained in *Microscopy Today*. The appearance of advertising in *Microscopy Today* does not constitute an endorsement or approval by the Microscopy Society of America of the quality or value of the products advertised or any of the claims, data, conclusions, recommendations, procedures, results or any information found in the advertisements. While the contents of this magazine are believed to be accurate at press time, neither the Microscopy Society of America, the editors, nor the authors can accept legal responsibility for errors or omissions.

© Copyright, 2007, The Microscopy Society of America. All rights reserved.

New
125 eV



WINNER 2006
F&D 100
AWARD




Which **EDS** system is best for your **microanalysis** demands? The answer is **QUANTAX**

LN₂ free
Vibration free

- 4th generation XFlash® silicon drift detectors (10 and 40 mm²)
- Unmatched acquisition speed
- Excellent results at both low and high count rates
- Precise light element analysis (FWHM C-K α = 48 eV)
- New HyperMapping function (high speed PTS)
- Modular, customizable ESPRIT software

QUANTAX - the best choice for **fast, reliable** and **convenient** microanalysis



BRUKER ADVANCED X-RAY SOLUTIONS



www.bruker-axs-microanalysis.com • info-ma@bruker-axs.com • info-ma@bruker-axs.de