MARCH, 1918.

THE

JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:

A RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T., Anæsthetist, Sussex County Hospital, and 2nd Eastern General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case Rigby's Chloroform Bottle only £3 8s. 3d. £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 191".



Gold Medal Allahabad 1910.

Manufactured by

DOWN BROS., LTD.,

Surgical Instrument Makers, 21 & 23, ST. THOMAS'S ST., LONDON, S.E. (opposite Guy's Hospital.)

Telegrams:

Telephone: Hop. 4400 (4 Lines,

Prepaid Annual Subscription, 30s. (8 dollars) post free.

ENTERED AT STATIONERS' HALL.

Single Copies, Three Shillings.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—British Medical Journal, May 3, 1890.

LISTERINE

A safe, non-poisonous, unirritating antiseptic solution

- LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constitutents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhea occurring in infants and adults.
- LISTERINE literature, including special pamphlets upon Respiratory

 Diseases, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D.,
Gol. C.A.M.C. (Montreal). A. CHEATLE, F.R.C.S.

J. MACINTYRE, M.B., C.M. (Glasgow). Sir W. MILLIGAN, M.D., M.Ch. (Manchester) A. CHEATLE, F.R.C.S.
(Pres. Qtol. Sect. Internat. Cong.).
H. J. BANKS DAYIS, M.D., F.R.C.P. (London).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
WILLIAM HILL, M.D. (London).
A. BROWN KELLY, M.D. (Glasgow).
(Pres. Laryng. Sect. R.S.M.) Sir StCLAIR THOMSON, M.D., F.R.C.S.(London). (Pres. Laryng. Sect. Internat. Cong.). HERBERT TILLEY, M.D., F.R.C.S. (London).

DAN McKENZIE, M.D., F.R.C.S.E. (London),

To whom all communications should be addressed.

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

Drs. J. Stoddart Barr (Glasgow), Brady (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), DONELAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth), Chichele Nourse (London),

KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London), LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham), C. E. WEST (London), G. HAROLD L. WHALE (London), WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRS. J. BARR (Glasgow), GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), MASSEI (Naples), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. A. BROWN KELLY. | DR. C. E. JONES-PHILLIPSON. | DR. DOUGLAS GUTHRIE. DR. ANDREW WYLIE, DR. A. J. BRADY. DR. WYATT WINGRAVE. DR. J. S. FRASER. CAPT. H. LAWSON WHALE. MR. MACLEOD YEARSLEY. SIR STCLAIR THOMSON.

CONTENTS.

Special Articles—	PAGK
Hairy or Dermoid Polypi of the Pharynx and Naso-Pharynx. — A. Brown Kelly	65
Fifty Cases of Innocent Laryngeal Growths (concluded).—Andrew Wylie. With Pathological Report.—Wyatt Wingrave	71
War Injuries and Neuroses of Otological Interest.— C. E. Jones-Phillipson	77
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—OTOLOGICAL SECTION.—Discussion on War Injuries and Neuroses of Otological Interest (concluded).—Major A. F. Hurst, R.A.M.C., LieutCol. Goldsmith, C.A.M.C., Mr. Hunter Tod, Mr. Somerville Hastings, the President	
Abstracts-	
PHARYNX.—Vincent's Angina in Liverpool Camp.—An Instrument to Maintain a Dry Field in Tonsillectomy	89
NoseAcute Osteomyelitis of the Frontal Bone; Operation; Recovery	90
LARYNX.—Safety-Pin in the Larynx Treated as Case of Diphtheria.— Repair of the Tympanic Membrane in Perforations of Long Standing.—Wounds of the Larynx and Trachea in War	
EAR.—Infection of the "Posterior" Mastoid Cells followed by Extra dural Abscess	. 93
MISCELLANEOUS.—Surgery of the Temporo-mandibular Articulation	. 93
Correspondence	. 94
Notes and Queries	. 95