

The Journal of Laryngology and Otology

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

Contents

A HITHERTO UNDESCRIBED FUNCTION OF THE VOCAL CORDS	V. E. NEGUS
TREATMENT OF RHINO-LARYNGOLOGICAL TUBERCULOSIS BY FINSSEN LIGHT BATHS AND ITS RESULTS	OVE STRANDBERG
THE REFERRED PAIN OF NASAL SINUS DISEASE	J. A. GIBB
CLINICAL RECORDS:—	
MUCOCELE OF THE FRONTAL SINUS	W. J. HARRISON
PARALYSIS OF BOTH VOCAL CORDS, SECONDARY TO MALIGNANT TUMOURS OF THE MAMMÆ	Sir ST CLAIR THOMSON
TWO CASES OF FOREIGN BODY IN THE LUNG	T. A. MACGIBBON
THE ABSENCE OF FRONTAL SINUSES IN A WOMAN	T. A. MACGIBBON
CRITICAL REVIEW:—	
THE OPERATIVE TREATMENT OF OZÆNA	W. M. MOLLISON
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY.	
ABSTRACTS:—	
EAR, NOSE AND ACCESSORY SINUSES. PHARYNX. ŒSOPHAGUS. LARYNX.	
GENERAL NOTES.	

Edinburgh: Oliver and Boyd

London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & CO., 151-155 West 25th Street, New York.

CENTRAL LONDON THROAT AND EAR HOSPITAL

GRAY'S INN ROAD

(Near King's Cross Stations)

DAILY CLINICS.

OVER 11,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.

IN-PATIENT DEPARTMENT, 43 BEDS.

SPECIAL COURSES OF LECTURES AND DEMONSTRATIONS, as advertised.

CLINICAL ASSISTANTS

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the Hospital.

ATTENDANCE OF STAFF

	O.-P. CLINIC.	I.-P. OPERATIONS.
Dr ABERCROMBIE	Thursday, 2 P.M.	Wednesday, 2 P.M.
Dr WYLIE	Wednesday, 2 P.M.	Thursday, 2.30 P.M.
Dr DAN M'KENZIE	Monday, 2 P.M.	Tuesday, 2.30 P.M.
Mr HAROLD KISCH	Friday, 2 P.M.	Monday, 2 P.M.
Mr NICOL RANKIN	Tuesday, 5 P.M.	..
Mr ARCHER RYLAND	Saturday, 2 P.M.	..
Mr WATKYN-THOMAS	Thursday, 2 P.M.	..
Mr GILL CAREY	Wednesday, 2 P.M.	..
Mr ARMOUR BROWN	Monday, 2 P.M.	..

FEEES

For attendance on the practice of the Hospital—


Three months	5 guineas	Perpetual ticket	10 guineas
Six months	8 guineas	Operative Surgery Class	5 guineas

Further particulars on application to

HAROLD KISCH, F.R.C.S.,
Dean.

RICHARD KERSHAW,
Secretary Superintendent.

INTRODUCING THE WARING SUCTION TONSILLECTOMY



Every doctor doing tonsil work should investigate and see for himself the *unquestionable superiority* of this epoch-making contribution to tonsil surgery.

The outstanding success of a decade. There is nothing like it. By sheer force of merit, it has spread all over the American continent inside a year.

“Really remarkable—especially as to speed, lack of bleeding, and post-operative pain.”

“Has the old methods all beat to a standstill. Done much quicker; pillars uninjured; less bleeding; and convalescence only about half as long.”

Simple! Rapid! Clean! Practically Bloodless!

With Suction Pump—Snare and Waring Tonsil Suction Tubes only instruments used.

The Waring Tonsil Suction Tube Sets \$10.00 post paid

Order TO-DAY for prompt delivery

THE MIM COMPANY, Woodward Building, N.W.

Washington, D.C., U.S.A.

4TH EDITION. REVISED AND ENLARGED. LEWIS'S PRACTICAL SERIES

DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London.

With numerous illustrations, including 74 Plates. Demy 8vo.
28s. net. Postage 1s., abroad 1s. 3d.

Extracts from Press Notices.

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—*British Medical Journal.*

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—*Lancet.*

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—*Medical Press.*

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.
Telegrams: "Publicavit, Eusroad, London." Telephone: Museum 1072.

DEAF CHILDREN

Fully-qualified, experienced teacher receives a few deaf children into her house in Delamere Forest, for oral education, and happy country life.

Miss R. HERFORD
Summertrees, Kelsall, Cheshire

INSTRUMENTS AND EQUIPMENT FOR

Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH
Surgical Instrument Makers to Royal Infirmary, Edinburgh
Phone: Central 669. Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

CONTENTS

	PAGE
A HITHERTO UNDESCRIBED FUNCTION OF THE VOCAL CORDS. V. E. Negus, M.B., F.R.C.S.	1
TREATMENT OF RHINO-LARYNGOLOGICAL TUBERCULOSIS BY FINSEN LIGHT BATHS AND ITS RESULTS. Ove Strandberg	9
THE REFERRED PAIN OF NASAL SINUS DISEASE. J. A. Gibb	15
CLINICAL RECORDS:—	
Mucocele of the Frontal Sinus. W. J. Harrison	20
Paralysis of both Vocal Cords, Secondary to Malignant Tumours of the Mammæ. Sir St Clair Thomson, M.D., London	22
Two Cases of Foreign Body in the Lung. T. A. MacGibbon, M.D., F.R.C.S.E.	23
The Absence of Frontal Sinuses in a Woman. T. A. MacGibbon, M.D., F.R.C.S.E.	24
CRITICAL REVIEW:—	
The Operative Treatment of Ozæna W. M. Mollison, M.Ch.	25
SOCIETIES' PROCEEDINGS:—	
Royal Society of Medicine—Section of Laryngology	33
ABSTRACTS:—	
Ear	40
Nose and Accessory Sinuses	45
Pharynx	48
Œsophagus	50
Larynx	51
GENERAL NOTES	52

NEO-PROTOSIL

A Non-staining Colloidal Silver Antiseptic

for the Treatment of Inflammations of Mucous Membrane

NEO-PROTOSIL is serviceable in diseases of the naso-pharynx and accessory cavities, including acute and chronic muco-purulent rhinitis, simple and follicular tonsillitis, pharyngitis, sinusitis, etc., also in diseases of the eye, such as simple and purulent conjunctivitis, blepharitis marginalis, keratitis, etc.

NEO-PROTOSIL contains about 20 per cent. of silver iodide in a state of colloidal subdivision combined with a soluble protein base. Its solutions are not irritating to mucous membrane, and they *do not cause dark stains*. Neo-Protosil is employed in aqueous solutions ranging from 1 per cent. to 40 per cent. in strength according to the condition to be treated. Neo-Protosil Ointment (5 per cent.) is convenient for use in disorders of the eye, ear, nose, etc.

Supplied in bottles of ½ ounce or 1 ounce. Capsules containing 6 grains (for convenience in making solutions) are supplied in bottles of 25 or 100. Neo-Protosil Ointment is supplied in collapsible tin tubes.

PARKE, DAVIS & Co., 50 Beak St., **LONDON, W.1**
Regent St.,