FEBRUARY, 1918.

THE

JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:

A REGORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. I.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T., Anæsthetist, Sussex County Hospital, and 2nd Eastern General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case Rigby's Chloroform Bottle only £3 8s. 3d. £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910,



Gold Medal Allahabad 1910.

Manufactured by

DOWN BROS., LTD.,

Surgical Instrument Makers,

21 & 23, ST. THOMAS'S ST., LONDON, S.E.

(opposite Guy's Hospital.)

Telegrams:

Telephone: Hop. 4400 (4 Lines "We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—British Medical Journal, May 3, 1890.

LISTERINE

A safe, non-poisonous, unirritating antiseptic solution

- LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE in proper dilution may be treely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constitutents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhea occurring in infants and adults.
- LISTERINE literature, including special pamphlets upon Respiratory
 Diseases, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D.,
Col. C.A.M.C. (Montreal).
A. CHEATLE, F.R.C.S.
(Pres. Otol. Sect. Internat. Cong.).
H. J. BANKS DAY18, M.D., F.R.C.P. (London).
(Pres. Otol. Sect. R.S.M.)
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
WILLIAM HILL, M.D. (London).
A. BROWN KELLY, M.D. (Glasgow).
(Pres. Laryng. Sect. R.S.M.)

J. MACINTYRE, M.B., C.M. (Glasgow).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester)
Sir StCLAIR THOMSON, M.D., F.R.C.S. (London). (Pres. Laryng. Sect. Internat. Cong.).
HERBERT TILLEY, M.D., F.R.C.S. (London).
LOGAN TURNER, M.D. (Edinburgh).
P. WATSON-WILLIAMS, M.D. (Bristol).
MACLEOD YEARSLEY, F.R.C.S. (London)

EDITOR:

DAN McKENZIE, M.D., F.R.C.S.E. (London), To whom all communications should be addressed.

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), DONELAN (London), CLAYTON FOX (London),
J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool),
A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth),
CHICHELE NOURSE (London),

KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London), LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham), C. E. WEST (London), G. HAROLD L. WHALE (London), WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRS. J. BARR (Glasgow),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), MASSEI (Naples), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

Dr. Andrew Wylie.
Dr. Wyatt Wingrave.
Dr. A. Philp Mitchell.
Dr. Mr. Macleod Yearsley.
Sir StClair Thomson.

| Capt. H. Lawson Whale.
| Dr. Douglas Guthrie.
| Dr. W. H. Kelson.

CONTENTS.

Special Articles—	PAGE
Fifty Cases of Innocent Laryngeal Growths.—Andrew Wylie. With Pathological Report.—Wyatt Wingrave	33
Primary Tuberculosis of the Faucial Tonsils in Children.—A. Phile Mitchell	40
Atresia of the Choanæ: A Simple Device for Prevention of Re-formation of the Obstruction after its Removal.—A. J. Brady	49
Ossiculectomy in Chronic Adhesive Otitis.—A. J. Brady	50
Deafness due to the Placing of Candle Grease in the External Auditory Meatus.—G. E. W. Henderson	~ 1
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—OTOLOGICAL SECTION.—Discussion or War Injuries and Neuroses of Otological Interest.—Col. BIRKETT C.B., GORDON WILSON, C. E. WEST, DUNDAS GRANT, Major SHUTER SYDNEY SCOTT, E. A. PETERS, Capt. R.A.M.C	,
Abstracts—	•
Ear.—A Factor in the Prognosis of Acute Suppuration of the Middle Ear.—Acute Circumscribed Labyrinthitis	e . 61
MISCELLANEOUS Bronchoscopy in the Treatment of Asthma.—Observ tions on Chloramines as Nasal Antiseptics	a- 61
Review-	
Otites et Surdités de Guerre	. 62
Correspondence	. 63
Obituary	. 63
Notes and Queries	. 64
Books Received	. 64

PNEUMONIA PHYLAGOGEN

(The name "Phylacogen" distinguishes the modified Bacterial Derivatives manufactured by Parke, Davis & Co., according to the process of Dr. A. F. Schafer).

Supplied in vials of 10 c.c., also in cases of 5 ampoules of 1 c.c.

The therapeutic use of Pneumonia Phylacogen is based on the theory of multiple infections.

Pneumonia Phylacogen is a sterile aqueous solution of bacterial derivatives from cultures of the Diplococcus pneumoniæ (Weichselbaum, Fränkel) and other organisms which are likely to play a part as complicating agents in a case of pneumonia, e.g., Staphylococcus pyogenes, Streptococcus pyogenes, B. pyocyaneus, B. coli communis, etc.

The subcutaneous injection of Pneumonia Phylacogen is indicated in the treatment of any pathological condition caused by the pneumococcus. The earlier it is administered in a case, the more centain is the avoidance of complications.

Reports from English practitioners show that it is rarely necessary to give more than four injections of 0.5 to 1 c.c. each, in order to bring down the temperature. Of 21 cases recently reported there was only one death—a case in which the pneumonia was complicated with mitral disease.

Apart from the fact that Pneumonia Phylacogen is often remedial in severe cases which have not responded to customary treatment, its use in comparatively mild cases usually brings about recovery in one-third to one-half of the time required by the best of other treatments.

Further information will be supplied on request by

PARKE, DAVIS&CO., 50-54, Beak St., LONDON, W.1.

SCHOOL HYGIENE.

Published under the auspices of

The Medical Officers of Schools Association.

OUARTERLY. ANN. SUB. 4/6 post free.

ADLARD & SON & WEST NEWMAN, Ltd., 23, Bartholomew Close, London, E.C. 1.

Lancet.—"We have nothing but praise for this Annual."

THIRTY-FIFTH VEAR.

NOW READY.

Fully Illustrated in Colours and Black and White.

Price 10/- net.

THE

MEDICAL ANNUAL, 1917.

A YEAR BOOK OF TREATMENT. AND PRACTITIONER'S INDEX:

Being a Review of the World's Progress in Medicine and Surgery, arranged in Alphabetical order for Easy Consultation.

Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago. JOSEPH G. BLOMFIELD, B.A., M.D. FRANCIS D. BOYD, c.m.g., M.D., F.R.C.P. FRANCIS J. CHARTERIS, M.D., B.CH. JOHN D. COMRIE, M.A., M.D., F.R.C.P. LEWIS A. CONNER, PH.B., M.D., New York. CAREY F. COOMBS, M.D., F.R.C.P. W. H. DOLAMORE, M.R.C.S., L.R.C.P., L.D.S.R.C.S. JOHN S. FRASER, M.B., CH.B., F.R.C.S. W. E. FOTHERGILL, M.A., M.D. DAVID McV. FLECK, M.B., CH.B. HERBERT FRENCH, M.A., M.D., F.R.C.P. EDWARD W. GOODALL, M.D., B.S. C. THURSTAN HOLLAND, M.R.C.S., L.R.C.F.

J. RAMSAY HUNT, M.D., New York. ROBERT HUTCHISON, M.D., F.R.C.P. FREDERICK LANGMEAD, M.D., F.R.C.P. E. G. GRAHAM LITTLE, M.D., F.R.C.P. CHARLES FRED. MARSHALL, M.D., F.R.C.S. BEDFORD PIERCE, M.D., F.R.C.P. JOSEPH PRIESTLEY, B.A., M.D., D.P.H. SIR LEONARD ROGERS, Lt.-Col. LM.S., M.D., F.R.C.S., F.R.C.P., Calcutta. A. HUGH THOMPSON, M.A., M.D. J. W. THOMSON WALKER, F.R.C.S. W. I. DE COURCY WHEELER, B.A., M.D., F.R.C.S A. GASCOIGNE WILDEY, Dep. Surg.-Gen., R.N. MARGUERITE WILSON, M.B., CH.B., Glasgow.

THIS year's volume aims, like its predecessors, to be a faithful reflex of current Medical and Surgical thought. It is, therefore, of necessity coloured by the consideration of the man, new problems which are thrust upon us by the War. These problems will confront the

general Practitioner on every hand, and he must be prepared to deal with them.

Hence the current volume has a unique value, in that it furnishes the reader with a careful review of the latest achievements in War Surgery and Medicine, which will be of value now and in the years to come, and which cannot be obtained from any other source.

The civil side of the Practitioner's work has, of course, not been neglected.

The new "Annual" continues to be, as in the past, a digest of the best modern teaching culled by experts from the medical literature of the world.

BRISTOL, ENG.: JOHN WRIGHT & SONS LTD. LONDON: SIMPKIN, MARSHALL, HAMILTON, KENT & CO. LTD.