

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

Contents

THE MOBILIZATION OPERATION IN THE TREATMENT OF OTOSCLEROSIS	I. SIMSON HALL ✓
THE FENESTRATION OPERATION: A REVIEW BASED ON AN ANALYSIS OF 139 OPERATIONS	R. B. LUMSDEN ✓
CIRCULATION OF LABYRINTHINE FLUIDS	D. R. NAFTALIN and M. SPENCER HARRISON ✓
NEUROGENIC TUMOURS OF THE HEAD AND NECK	H. MARKOWICZ and E. SHANON ✓
SOME PROBLEMS OF TYMPANOPLASTY	P. H. BEALES ✓
CLINICAL RECORDS—	
A CASE OF FAMILIAL HÆMORRHAGIC TELANGIECTASIA ASSOCIATED WITH PULMONARY ARTERIOVENOUS FISTULA	D. F. N. HARRISON ✓
EMBRYONIC SARCOMA (RHABDOMYOSARCOMA) OF THE NASOPHARYNX PRESENTING WITH FACIAL PALSY	C. A. HOLBOROW and LESLIE L. R. WHITE ✓
EXTRACRANIAL NEURILEMMOMA OF THE VAGUS	J. F. O. MITCHELL ✓
GENERAL NOTES	

London
Headley Brothers Ltd
109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

The deaf child

For 23 years we've specialised in making group hearing-aid equipment and individual hearing aids with a range of characteristics wide enough to help any child who *can* be helped by sound amplification.

Particulars of the latest Range of Individual and Group Aids—believed to be the largest in existence—will be gladly sent to Medical Officers of Health, Educational Authorities and Schools.

multitone

HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED
25 Dover Street, London, W.1. Telephone: HYDE Park 9977

Signatories to the National Institute for the Deaf Agreement

CRC 5 M

Please mention *The Journal of Laryngology* when replying to advertisements



INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques. The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



Literature and any information on request:

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935

St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD, 3

Please mention *The Journal of Laryngology* when replying to advertisements

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum (Category 3)

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year


MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology* when replying to advertisements

**When a
hearing
aid is
advised . . .**



**. . . you may confidently
recommend your patients
to S. C. INGRAM**

- ★ They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant

On the approved List of the National Institute for the Deaf

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1

Hyde Park 9042

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
THE MOBILIZATION OPERATION IN THE TREATMENT OF OTOSCLEROSIS. I. Simson Hall (Edinburgh)	93
THE FENESTRATION OPERATION: A REVIEW BASED ON AN ANALYSIS OF 139 OPERATIONS. R. B. Lumsden (Edinburgh)	102
CIRCULATION OF LABYRINTHINE FLUIDS. D. L. Naftalin and M. Spencer Harrison.	118
NEUROGENIC TUMOURS OF THE HEAD AND NECK. H. Markowicz and E. Shanon (Tel Aviv)	137
SOME PROBLEMS OF TYMPANOPLASTY. P. H. Beales (Doncaster)	144
CLINICAL RECORDS—	
A Case of Familial Hæmorrhagic Telangiectasia Associated with Pulmonary Arteriovenous Fistula. D. F. N. Harrison (London)	153
Embryonic Sarcoma (Rhabdomyosarcoma) of the Nasopharynx presenting with Facial Palsy. C. A. Holborow and Leslie L. R. White (London)	157
Extracranial Neurilemmoma of the Vagus. J. F. O. Mitchell (Dundee)	166
GENERAL NOTES	172

== J. & A. CHURCHILL LTD. ==

New (Third) Edition.

Ready this month.

RECENT ADVANCES IN OTO-LARYNGOLOGY

By F. BOYES KORKIS, M.B., Ch.B.(N.Z.), F.R.C.S.(Eng.), D.L.O.,
Surgeon, Metropolitan Ear, Nose and Throat Hospital, London

With a Foreword by

R. SCOTT STEVENSON, M.D., Ch.B., F.R.C.S.(Ed.).

2 Coloured Plates and 144 Text-figures.

60s.

By the same author:

EAR, NOSE AND THROAT NURSING

85 Illustrations.

12s. 6d.

RECENT ADVANCES IN ANAESTHESIA AND ANALGESIA

Eighth Edition. By C. LANGTON HEWER, M.B., B.S., M.R.C.P., F.F.A.R.C.S., and J. ALFRED LEE, M.R.C.S., L.R.C.P., F.F.A.R.C.S. 95 Illustrations. **40s.**

RECENT ADVANCES IN NEUROLOGY AND NEUROPSYCHIATRY

By Sir RUSSELL BRAIN, M.A., D.M., F.R.C.P., and E. B. STRAUSS, M.A., D.M., F.R.C.P.

Sixth Edition. 46 Illustrations. **30s.**

COMMON DISEASES OF THE EAR, NOSE AND THROAT

By PHILIP READING, M.S., F.R.C.S.

Second Edition. 2 Coloured Plates and 38 Text-figures.

22s. 6d.

== 104 Gloucester Place, London, W.1 ==

Please mention *The Journal of Laryngology* when replying to advertisements