

The Aeronautical Quarterly

*A Journal devoted to
Aeronautics and the Allied Sciences*

EDITORIAL BOARD

PROFESSOR W A MAIR (*Chairman*)
CBE, MA, FRAeS

SIR ARNOLD HALL
MA, FRS, HonFRAeS, HonFAIAA

DR J H HORLOCK
MA, PhD, FRS, FRAeS

LORD KINGS NORTON
DSc, DIC, PhD, HonFRAeS, FAIAA

SIR ALFRED PUGSLEY
OBE, DSc, FRS, HonFRAeS

PROFESSOR S C REDSHAW
DSc, PhD, FRAeS, FICE, FIStructE

SIR OWEN SAUNDERS
FRS, FRAeS

PROFESSOR W H WITTRICK
ScD, PhD, FRAeS

EDITOR

PROFESSOR L F CRABTREE

VOLUME XXXI

FEBRUARY 1980—NOVEMBER 1980

*Printed by Technical Editing and Reproduction Ltd, Harford House, 7–9 Charlotte St, London, W1P 1HD
and Published by
The Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ*

AUTHOR INDEX

(Volume XXXI)

- BAKER, S *see* MOSS, W D
- BAND, E G U and PAYNE, P R
The Pressure Distribution on the Surface of an Ellipsoid in Inviscid Flow, p 70 (February).
- CALVERT, W J and HERBERT, M V
An Inviscid-Viscous Interaction Method to Predict the Blade-to-Blade Performance of Axial Compressors, p 173 (August).
- COLBOURNE, D E
A Simulation of a Supersonic Intake on a Hybrid Computer, p 197 (August).
- CUMPSTY, N A and HEAD, M R
Comment on "Transition in the Infinite Swept Attachment Line Boundary Layer", p 149 (May).
- DOWELL, E H
A Simplified Theory of Oscillating Aerofoils in Transonic Flow: Review and Extension, p 252 (November).
- DUTT, H N V and SREEKANTH, A K
Design of Aerofoils for Prescribed Pressure Distribution in Viscous Incompressible Flows, p 42 (February).
- FOTHERINGHAM, J *see* MARSTERS, G F
- GRAHAM, J M R *see* McKEOUGH, P J
- HEAD, M R *see* CUMPSTY, N A
- HERBERT, M V *see* CALVERT, W J
- HUNT, B L *see* JENNIONS, I K
- JENNIONS, I K and HUNT, B L
The Axisymmetric Impingement of Supersonic Air Jets on Cones, p 26 (February).
- MARSTERS, G F and FOTHERINGHAM, J
The Influence of Aspect Ratio on Incompressible Turbulent Flows from Rectangular Slots, p 285 (November).
- McKEOUGH, P J and GRAHAM, J M R
The Effect of Mean Loading on the Fluctuating Loads Induced on Aerofoils by a Turbulent Stream, p 56 (February).
- MOREL, T
Effect of Base Slant on the Flow in the Near Wake of an Axisymmetric Cylinder, p 132 (May).
- MOSS, W D and BAKER, S
Re-Circulating Flows Associated with Two-Dimensional Steps, p 151 (August).
- MUDFORD, N R, STALKER, R J and SHIELDS, I
Hypersonic Nozzles for High Enthalpy Non Equilibrium Flow, p 113 (May).
- NARAYANA, P A Aswath
An Investigation of Turbulent Boundary Layer on a Flat Plate with a Small Step Change in Surface Roughness, p 221 (November).
- PAYNE, P R *see* BAND, E G U
- POLL, D I A
Reply to Comment by Cumpsty and Head, p 150 (May).
- RAO, K N *see* YOUNG, A D
- SHARMA, V D
Non-Equilibrium Flow of an Ideal Dissociating Gas Behind an Attached Shock Wave, p 238 (November).
- SHIELDS, I *see* MUDFORD, N R
- SQUIRE, L C and SMITH, M J
Interaction of a Shock Wave with a Turbulent Boundary Layer Disturbed by Injection, p 85 (May).
- SMITH, M J *see* SQUIRE, L C
- SREEKANTH, A K *see* DUTT, H N V
- STALKER, R J *see* MUDFORD, N R
- THOMSON, K D
Calculation of Subsonic Normal Force and Centre of Pressure Position of Bodies of Revolution Using a Slender Body Theory – Boundary Layer Method, p 1 (February).
- YOUNG, A D and RAO, K N
Corrigendum: "Some Low Speed Experimental Results on the Effects of Swirl and Velocity Distribution on an Axisymmetric Jet", p 148 (May).
- YOUNG, A D *see* ZAMIR, M
- ZAMIR, M and YOUNG, A D
Corrigendum: "Pressure Gradient and Leading-Edge Effects on the Corner Boundary Layer", p 69 (February).

SUBJECT INDEX TO VOLUME XXXI – 1980

AEROFOILS

- Design of Aerofoils for Prescribed Pressure
Distribution in Viscous Incompressible Flows,
H N V Dutt and A K Srekanth, p 42
(February).
- The Effect of Mean Loading on the Fluctuating
Loads Induced on Aerofoils by a Turbulent
Stream, P J McKeough and J M R Graham, p 56
(February).
- See also* Transonic Flow

AXIAL COMPRESSORS

- An Inviscid-Viscous Interaction Method to Predict
the Blade-to-Blade Performance of Axial
Compressors, W J Calvert and M V Herbert,
p 173 (August).

AXISYMMETRIC JETS

- Corrigendum: "Some Low Speed Experimental
Results on the Effects of Swirl and Velocity
Distribution on an Axisymmetric Jet",
A D Young and K N Rao, p 148 (May).

BODIES OF REVOLUTION

- Calculation of Subsonic Normal Force and
Centre of Pressure Position of Bodies of
Revolution Using a Slender Body Theory
– Boundary Layer Method, K D Thomson,
p 1 (February).
- The Pressure Distribution on the Surface of an
Ellipsoid in Inviscid Flow, E G U Band and
P R Payne, p 70 (February).
- Effect of Base Slant on the Flow in the Near
Wake of an Axisymmetric Cylinder, T Morel,
p 132 (May).

BOUNDARY LAYER

- Corrigendum: "Pressure Gradient and
Leading-Edge Effects on the Corner Boundary
Layer", M Zamir and A D Young, p 69
(February).
- See also* Transition

HYPERSONIC NOZZLES

- Hypersonic Nozzles for High Enthalpy Non
Equilibrium Flow, N R Mudford, R J Stalker
and I Shield, p 113 (May).

INTAKES

- A Simulation of a Supersonic Intake on a Hybrid
Computer, D E Colbourne, p 197 (August).

JET IMPINGEMENT

- The Axisymmetric Impingement of Supersonic
Air Jets on Cones, I K Jennions and
B L Hunt, p 26 (February).

NON-EQUILIBRIUM FLOW

- Non-Equilibrium Flow of an Ideal Dissociating
Gas Behind an Attached Shock Wave,
V D Sharma, p 238 (November).
- See also* Hypersonic Nozzles

RE-CIRCULATING FLOWS

- Re-Circulating Flows Associated with
Two-Dimensional Steps, W D Moss and
S Baker, p 151 (August).

SHOCK WAVES

- See* Non-Equilibrium Flow

SHOCK WAVE – BOUNDARY LAYER INTERACTION

- Interaction of a Shock Wave with a Turbulent
Boundary Layer Disturbed by Injection,
L C Squire and M J Smith, p 85 (May).

SIMULATION

- See* Intakes

SUBSONIC FLOW

- Calculation of Subsonic Normal Force and
Centre of Pressure Position of Bodies of
Revolution Using a Slender Body Theory
– Boundary Layer Method, K D Thomson,
p 1 (February).

SUPERSONIC FLOW

- See* Intakes
- See also* Jet Impingement

TRANSITION

- Comment on "Transition in the Infinite Swept
Attachment Line Boundary Layer",
N A Cumpsty and M R Head, p 149 (May).
- Reply to Comment by Cumpsty and Head,
D I A Poll, p 150 (May).

TRANSONIC FLOW

- A Simplified Theory of Oscillating Aerofoils
in Transonic Flow: Review and Extension,
E H Dowell, p 252 (November).

TURBULENT FLOW

- An Investigation of Turbulent Boundary Layer
on a Flat Plate with a Small Step Change in
Surface Roughness, P A Aswath Narayana,
p 221 (November).
- The Influence of Aspect Ratio on Incompressible
Turbulent Flows from Rectangular Slots,
G F Marsters and J Fotheringham, p 285
(November).
- See also* Aerofoils.

NOTICE TO CONTRIBUTORS

Papers for consideration should be addressed to the editor (see inside front cover).

Papers must be as short as possible, twenty foolscap pages being considered a maximum. Those written as internal reports, i.e. with full descriptions and complete results of work, must be re-written concisely.

Manuscripts should be read critically, for example by a colleague, before submission, in order to avoid small errors, *which might otherwise prolong the refereeing process.*

PRESENTATION

Papers submitted should comply with the following points:

1. They must be typewritten with double spacing. The provision of two copies is advisable.
2. The title must be short.
3. A summary of not more than 250-300 words is essential.
4. Routine mathematics should be omitted or given in an Appendix; the main text should contain only necessary equations.
5. **SI Units must be used.**
6. *All* symbols used in the text and figures, whether standard or not, must be listed in a Notation and the following points observed:
 - (a) Greek letters should be clearly written in ink and should also be indicated by name where they first appear.
 - (b) The use of dots, bars, and so on, over symbols, or the use of dots as multiplication signs and bars for brackets should be avoided.
 - (c) Suffixes and indices must be clearly indicated and complicated suffixes avoided.
7. References should be given in the form:

L C Squire. Experimental results for waveriders in certain off-design conditions. *Aeronautical Quarterly*, Vol. XXII, p 225, August 1971.
8. Illustrations should be reduced to a minimum. When the paper is first submitted they can be clear prints of graphs, sketches or photographs. If the paper is accepted, authors will be expected to provide black and white line drawings or graphs, in a form suggested by the editorial staff, and clear glossy photographs.
9. Tables should not duplicate information given in graphs.

CONDITIONS OF PUBLICATION

1. An author must obtain consent, where necessary, to use any material in his paper which is copyright or the property of any other person or his employers.
2. The copyright of every paper printed in *The Aeronautical Quarterly* is the property of The Royal Aeronautical Society. Permission to reprint or to use any paper will not be refused unreasonably.

REPRINTS

1. Authors will be entitled to 15 complimentary offprints of their papers, taken direct from the printed version.
2. Authors can order any number of additional *reprints*, re-imposed and with a title page. Order forms are sent to authors when proofs are submitted for correction.

The *Aeronautical Quarterly* is published at the Offices of The Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ, at £5.00 net for a single number to non-members and £1.50 net for a single number to members of The Royal Aeronautical Society. None of the papers must be taken as expressing the opinion of the Council of the Royal Aeronautical Society unless such is definitely stated to be the case.

Telephone: 01-499 3515/9. Cables: Didaskalos, London, W1V 0BQ

THE AERONAUTICAL QUARTERLY

It is the aim of *The Aeronautical Quarterly* to attract not only original papers contributing to aeronautical science and engineering, and papers developing new or improved methods of analysis and experimental techniques, but also papers on allied sciences which have a bearing on aeronautical problems. *The Aeronautical Quarterly* is open to authors of any nationality and is not restricted to members of the Society.

The Editor makes efforts to reduce, as far as possible, the time lag between receipt and publication of a paper. Papers which do not require major revision after refereeing can usually be published within six months, especially if they are short ones.

CONTRIBUTIONS

The attention of authors is drawn to the "Notice to Contributors" inside this cover. In addition, a leaflet on the preparation of papers published by the Royal Aeronautical Society is available on request from the Editor.

PRICE

The Council of the Society has decided that in future *The Aeronautical Quarterly* must be self-supporting. This decision, together with increased printing costs and much increased postal charges, has made an increase in the subscription rate inevitable. The new prices are given below.

The Aeronautical Quarterly is published in February, May, August and November and the prices for Volume XXXI, which include postage and packing, will be as follows:

	<i>To Members of the Society</i>	<i>To Non-Members</i>
Per Part	£1.50	£5.00
Subscription (4 parts)	£6.00	£19.00

*Printed by Technical Editing and Reproduction Ltd, Harford House, 7-9 Charlotte St, London, W1P 1HD,
from copy supplied by the Royal Aeronautical Society.
Published by the Royal Aeronautical Society, 4 Hamilton Place, London, W1V 0BQ, England.*