

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1996

Printed in the United Kingdom by the University Press, Cambridge

Contents

PART 1 FEBRUARY 1996

Absolutely continuous invariant measures for piecewise expanding C^2 transformations in \mathbb{R}^n on domains with cusps on the boundaries <i>K. Adl-Zarabi</i>	1
Nonuniformly hyperbolic K-systems are Bernoulli <i>N. I. Chernov and C. Haskell</i>	19
Some results on the classification of expansive automorphisms of compact abelian groups <i>F. Fagnani</i>	45
Construction of invariant measures supported within the gaps of Aubry–Mather sets <i>G. Forni</i>	51
Successive derivatives of a first return map, application to the study of quadratic vector fields <i>J. P. Francoise</i>	87
Ergodic transformations conjugate to their inverses by involutions <i>G. R. Goodson, A. del Junco, M. Lemańczyk and D. J. Rudolph</i>	97
Phase transition in subhyperbolic Julia sets <i>N. Makarov and S. Smirnov</i>	125
Measure of minimal sets of polymodal maps <i>E. Vargas</i>	159
Topological Wiener–Wintner ergodic theorems and a random L^2 ergodic theorem <i>P. Walters</i>	179

PART 2 APRIL 1996

The strong sweeping out property for lacunary sequences, Riemann sums, convolution powers, and related matters <i>M. Akcoglu, A. Bellow, R. L. Jones, V. Losert, K. Reinhold-Larsson and M. Wierdl</i>	207
On the transfer operator for rational functions on the Riemann sphere <i>M. Denker, F. Przytycki and M. Urbański</i>	255
Square functions in ergodic theory <i>R. L. Jones, I. V. Ostrovskii and J. M. Rosenblatt</i>	267
Measures of full dimension on affine-invariant sets <i>R. Kenyon and Y. Peres</i>	307
Regularity results for the solutions of the Livsic cohomology equation with values in diffeomorphism groups <i>V. Niţică and A. Török</i>	325
θ -transformations, θ -shifts and limit theorems for some Riesz–Raikov sums <i>B. Petit</i>	335
Lexicographic semigroupoids <i>S. C. Power</i>	365
Systèmes dynamiques gaussiens d'entropie nulle, lâchement et non lâchement Bernoulli <i>T. de la Rue</i>	379
Reidemeister torsion and Morse–Smale flows <i>H. Sánchez-Morgado</i>	405

PART 3 JUNE 1996

Simple C^* -crossed products with a unique trace <i>E. Bédos</i>	415
--	-----

A non-transverse homoclinic orbit to a saddle-node equilibrium <i>A. R. Champneys, J. Härterich and B. Sandstede</i>	431
The lap-counting function for linear mod one transformations I: explicit formulas and renormalizability <i>L. Flatto and J. C. Lagarias</i>	451
Stochastic stability of Bernoulli toral linked twist maps of finite and infinite entropy <i>M. Nicol</i>	493
Automorphisms of the Bernoulli endomorphism and a class of skew-products <i>W. Parry</i>	519
Non-ergodicity for C^1 expanding maps and g -measures <i>A. N. Quas</i>	531
On a conjecture about expansive geodesic flows <i>R. O. Ruggiero</i>	545
Accumulation theorems for quadratic polynomials <i>D. E. K. Sørensen</i>	555
Expansive homeomorphisms and hyperbolic diffeomorphisms on 3-manifolds <i>J. L. Vieitez</i>	591

PART 4 AUGUST 1996

Minimal entropy and Mostow's rigidity theorems (Survey Article) <i>G. Besson, G. Courtois and S. Gallot</i>	623
Intermingled basins for the triangle map <i>J. C. Alexander, B. R. Hunt, I. Kan and J. A. Yorke</i>	651
Rank and symbolic complexity <i>S. Ferenczi</i>	663
Fixed points of elliptic reversible transformations with integrals <i>X. Gong</i>	683
Ergodic elements for actions of Lie groups <i>K. R. Gutschera</i>	703
New limiting notions of the IP type in the enveloping semigroup <i>K. N. Haddad</i>	719
Estimating invariant measures and Lyapunov exponents <i>B. R. Hunt</i>	735
Invariant measures for higher-rank hyperbolic abelian actions <i>A. Katok and R.J. Spatzier</i>	751
Formes normales d'équations différentielles implicites et de champs de Liouville <i>M. Manouchehri</i>	779
Fractal dimensions of almost periodic attractors <i>K. Naito</i>	791
Generalized Fredholm determinants and Selberg zeta functions for Axiom A dynamical systems <i>H. H. Rugh</i>	805
Minimal actions of semisimple groups <i>G. Stuck</i>	821
Transitive maps which are not ergodic with respect to Lebesgue measure <i>S. van Strien</i>	833
Hausdorff dimension of Julia sets of complex Hénon mappings <i>A. Verjovsky and H. Wu</i>	849

PART 5 OCTOBER 1996

Roland L. Dobrushin (1929–1995) <i>Obituary by R. Minlos, S. Shlosman and Ya. Sinai</i>	863
A non-additive thermodynamic formalism and applications to dimension theory of hyperbolic dynamical systems <i>L. M. Barreira</i>	871

<i>Contents</i>	1361
The complexity of the collection of measure-distal transformations <i>F. Belezny and M. Foreman</i>	929
IP-sets and polynomial recurrence <i>V. Bergelson, H. Furstenberg and R. McCutcheon</i>	963
Elliptic islands in generalized Sinai billiards <i>V. J. Donnay</i>	975
Rotation orbits and the Farey tree <i>L. Goldberg and C. Tresser</i>	1011
Pseudocircles, diffeomorphisms and perturbable dynamical systems <i>J. A. Kennedy and J. A. Yorke</i>	1031
Planar central configuration estimates in the n -body problem <i>C. K. McCord</i>	1059
Strange attractor in the unfolding of an inclination-flip homoclinic orbit <i>V. Naudot</i>	1071
Mixing for stationary processes with finite-order multiple Wiener–Itô integral representation <i>E. Slud and D. Chambers</i>	1087
Book review ‘ <i>Nonlinear Dynamical Systems and Chaos</i> ’	1101
Book review ‘ <i>Ergodic Theory of Z^d-Actions</i> ’	1105
Correction to M. A. Shereshevsky. On the classification of some two- dimensional Markov shifts with group structure. <i>Ergod. Th. & Dynam. Sys.</i> 12 (1992), 823–833	1109


PART 6 DECEMBER 1996

Reduction of cocycles with hyperbolic targets <i>S. Adams</i>	1111
Invariant circles in the Bogdanov–Takens bifurcation for diffeomorphisms <i>H. Broer, R. Roussarie and C. Simó</i>	1147
The trajectory of the turning point is dense for almost all tent maps <i>K. Brucks and M. Misiurewicz</i>	1173
Arithmetic averages of rotations of measurable functions <i>Z. Buczolich</i>	1185
Entropy for extensions of Bernoulli shifts <i>M. Choda</i>	1197
Structural stability of linear random dynamical systems <i>Nguyen Dinh Cong</i>	1207
Admissible subgroups of full ergodic groups <i>A. Fedorov and B.-Z. Rubshtein</i>	1221
Backward continued fractions, Hecke groups and invariant measures for transformations of the interval <i>K. Gröchenig and A. Haas</i>	1241
Julia sets for holomorphic endomorphisms of C^n <i>S.-M. Heinemann</i>	1275
Properties of attractors of generic homeomorphisms <i>M. Hurley</i>	1297
The topology of attractors <i>J. A. Kennedy</i>	1311
Rational maps whose Fatou components are Jordan domains <i>K. M. Pilgrim</i>	1323
On almost everywhere exponential convergence of the modified Jacobi–Perron algorithm: a corrected proof <i>T. Fujita, S. Ito, M. Keane and M. Ohtsuki</i>	1345

Would you like to advertise in...

Ergodic Theory and Dynamical Systems

Ergodic Theory and Dynamical Systems focuses on a rich variety of research areas which, although diverse, employ as common themes global dynamical methods. The journal provides a focus for this important and flourishing area of mathematics and brings together many major contributions in the field. Publishing only high quality articles, the journal acts as a forum for central problems of differential geometry, number theory, operator algebras, topological, differential and symbolic dynamics, and celestial and statistical mechanics.



Readership

• Mathematicians working in areas such as harmonics, analysis, geometry, topology and number theory, but also in physics and other allied subjects

Rates & Data

Published in February, April, June, August, October and December

Copydate: 7 weeks preceding 1st of publication month

Circulation 600

Full page 210 x 135 mm £250/\$400

Half page 103 x 135 or 210 x 65mm £200/\$300

Insert (WW) 600 £120/\$200

Insert (ex N America) 400 £95/\$150

List rental (WW) 600 £130/\$220

List rental (ex N America) 400 £110/\$170

Bookings

I would like to book the following space:

full page half page

inserts world wide ex N America

list rental world wide ex N America

In the: February April June August

October December issue(s)

Your Details

Name _____

Company _____

Address _____

Telephone _____

Fax _____

Please send/fax to:

Rebecca Symons
Journals Advertising Promoter
Cambridge University Press
The Edinburgh Building
Shaftesbury Road
Cambridge CB2 2RU
Tel: +44 (0)1223 325757
Fax: +44 (0)1223 315052
Email: rsymons@cup.cam.ac.uk



CAMBRIDGE
UNIVERSITY PRESS

European Journal of Applied Mathematics

Aims and Objectives

Increasingly research workers in science and industry pose their problems in mathematical and computational terms. Such activity leads to a need for new mathematical analysis at a high level. This is particularly true in physical applied mathematics as can be seen from current developments in areas such as materials science, electronics, aerodynamics, or environmental modelling.

European Journal of Applied Mathematics provides a forum for original work in those areas of mathematics for which an understanding of the application requires the use of innovative and interesting mathematical ideas. It focuses on areas of mathematics inspired by real world applications, at the same time fostering the development of theoretical methods with broad areas of applicability.

EJAM is distinct from existing titles in that it specialises in the art of applying mathematics of genuine interest and general applicability to real problems. Particular emphasis is attached to the exposition of high level mathematics, both rigorous and heuristic, in terms comprehensible to all mathematically-minded applied scientists.

Recent contents

Models for thin viscous sheets

P. D. Howell

Hele-Shaw flows with free boundaries driven along infinite strips by a pressure difference

S. Richardson

Explicit solutions for LBIC signals in semiconductors by asymptotic method

E. Cumberbatch and W. Fang

Asymptotic profiles of a decaying contaminant in transport through a porous medium

M. Escobedo and R. E. Grundy

An analysis of phase transition models

A. Fasano and M. Primicerio

Maximal viscosity solutions of the modified porous medium equation and their asymptotic behaviour

J. Hulshof and J. L. Vazquez

On a Signorini problem for inclusions in shells

A. M. Khudnev

On the asymptotics of solutions of a class of linear functional-differential equations

G. Derfel and F. Vogel

Subscription

Volume 8 in 1997: February, April, June, August, October and December. £148; £75 for members of SIAM, ECMI, GAMM, SMAI, IMA and the LMS; prices include delivery by air. ISSN 0956-7925.

Take a closer look!

- Please send me further information
- Please send a **free** sample copy

Name _____

Address _____

Send your coupon to: Journals Marketing Department, Cambridge University Press, FREEPOST*, The Edinburgh Building, Cambridge CB2 1BR, UK

(*no postage stamp necessary if posted in the UK)

Tel: +44 (0)1223 325969

Fax: +44 (0)1223 315052

Email: journals_marketing@cup.cam.ac.uk

In USA, Canada & Mexico, write to:

Cambridge University Press, 40 West 20th Street, New York, NY 10011-4211, USA



CAMBRIDGE
UNIVERSITY PRESS


CAMBRIDGE

Introduction to the Modern Theory of Dynamical Systems

ANATOLE KATOK and BORIS HASSELBLATT

This book provides the first self-contained comprehensive exposition of the theory of dynamical systems as a core mathematical discipline closely intertwined with all main areas of mathematics. The authors introduce and rigorously develop the theory while providing researchers interested in applications with fundamental tools and paradigms.

£60.00 net HB 0 521 34187 6 822 pp. 1995
Encyclopedia of Mathematics and its Applications 54



Ergodic Theory and Harmonic Analysis

Proceedings of the 1993 Alexandria Conference

Edited by KARL E. PETERSEN and IBRAHIM SALAMA

The papers printed here explore many of the rapidly developing connections between ergodic theory and other branches of mathematics, giving the background of each area, the most outstanding recent results and the most current promising lines of research. They should form perfect starting points for beginning researchers.

£24.95 net PB 0 521 45999 0 445 pp. 1995
London Mathematical Society Lecture Note Series 205

Lectures on Ergodic Theory and Pesin Theory on Compact Manifolds

MARK POLLICOTT

Pesin theory consists of the study of the theory of non-uniformly hyperbolic diffeomorphisms. The aim of this book is to provide the reader with a straightforward account of this theory, following the approaches of Katok and Newhouse. The notes are divided into two parts. The first develops the basic theory, starting with general ergodic theory and introducing Liapunov exponents. Part Two deals with the applications of Pesin theory and contains an account of the existence (and distribution) of periodic points. It closes with a look at stable manifolds, and gives some results on absolute continuity.

£19.95 net PB 0 521 43593 5 180 pp. 1992
London Mathematical Society Lecture Note Series 180

Cambridge books are available from good bookshops, alternatively call UK + 44 (0)1223 325970 to order direct using your credit card, or fax UK + 44 (0)1223 315052. For further information please email Giulia Williams on science@cup.cam.ac.uk



CAMBRIDGE
UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 2RU

A WHOLE NEW MATHEMATICA® BOOK

Now available from Cambridge


The **MATHEMATICA**® Book, Third Edition, by Stephen Wolfram (the creator of *Mathematica*) is the must-have guide and reference to *Mathematica* 3.0.

A major benefit of the new version of *Mathematica* is ease of use, bringing technical empowerment to everyone.

The **MATHEMATICA** Book describes the underlying concepts behind this groundbreaking new version of the software including:

- Editable typesetting capabilities that actually do the mathematics.
- New and unique "palette" based feature that enables you to build and manipulate mathematical expressions.
- Fully programmable interactive documents for mixing text, graphics, sound and mathematics.

This edition which is nearly 50% longer than the second edition, includes many other new features, for example



- Behind-the-scenes discussions of the algorithms and engineering of *Mathematica*
- How to create WEB publishable interactive documents
- A 16-page colour section of spectacular *Mathematica* graphics
- Over 250 new functions

In a comprehensive step-by-step fashion, The **MATHEMATICA** Book, Third Edition shows you how to take advantage of the powerful new features of Version 3.0 that make *Mathematica* so easy to use.

<http://www.cup.cam.ac.uk>

September 1996 250mm x 200mm 1400 pp. 1980 tables 370 halftones and line diagrams
16 colour plates 200 exercises. For PC, Macintosh and Unix.

0521 58889 8 Hardback £49.95 0521 58888 X Paperback £34.95

Co-published with Wolfram Media Inc.

CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS TO AUTHORS

1 *Submission of typescripts*

Two copies of the manuscript should be submitted to one of the Executive Editors (addresses on outside front cover). Papers may also be submitted electronically to those Executive Editors with electronic mail addresses. The editor will acknowledge receipt of the manuscripts. **It is important that authors inform the editor of any changes of address whilst their paper is under consideration.**

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Upon acceptance of a paper, the author will be asked to transfer copyright to the publisher.

2 *Typescript*

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

3 *Notation*

It is important that mathematician's expressions are clear to a printer (who is not a mathematician). For instance, n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponents like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced types is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ε , \in ; κ , k .

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

4 *Diagrams*

Figures and drawings should be on separate sheets in black ink or produced by computer to comparable quality. Photocopies are acceptable only if they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay.* Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

Figures should be used sparingly and only when they greatly clarify the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

5 *Tables*

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 *References*

References should be collected at the end of the paper numbered in alphabetical order of the author's names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication;

[4] N. Dunford & J. T. Schwartz *Linear Operators* Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* **23** (1970), 236–268.

7 *Proofs*

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. **It is important that proofs are corrected and returned promptly.**

8 *Offprints*

50 offprints of each article will be supplied free to each first named author. Extra offprints may be purchased from the publisher.

Ergodic theory and dynamical systems

VOLUME 16 PART 6 DECEMBER 1996

CONTENTS

<i>Adams, S.</i> Reduction of cocycles with hyperbolic targets	1111
<i>Broer, H., Roussarie, R. and Simó, C.</i> Invariant circles in the Bogdanov–Takens bifurcation for diffeomorphisms	1147
<i>Brucks, K. and Misiurewicz, M.</i> The trajectory of the turning point is dense for almost all tent maps	1173
<i>Buczolich, Z.</i> Arithmetic averages of rotations of measurable functions	1185
<i>Choda, M.</i> Entropy for extensions of Bernoulli shifts	1197
<i>Nguyen Dinh Cong</i> Structural stability of linear random dynamical systems	1207
<i>Fedorov, A. and Rubshtein, B.-Z.</i> Admissible subgroups of full ergodic groups	1221
<i>Gröchenig, K. and Haas, A.</i> Backward continued fractions, Hecke groups and invariant measures for transformations of the interval	1241
<i>Heinemann, S.-M.</i> Julia sets for holomorphic endomorphisms of \mathbb{C}^n	1275
<i>Hurley, M.</i> Properties of attractors of generic homeomorphisms	1297
<i>Kennedy, J. A.</i> The topology of attractors	1311
<i>Pilgrim, K. M.</i> Rational maps whose Fatou components are Jordan domains	1323
<i>Fujita, T., Ito, S., Keane, M. and Ohtsuki, M.</i> On almost everywhere exponential convergence of the modified Jacobi–Perron algorithm: a corrected proof	1345
Index to Volume 16	1353

*Printed in the United Kingdom
by the University Press, Cambridge*

CAMBRIDGE
UNIVERSITY PRESS



0143-3857(199612)16:6;1-T