Phycologia

Published for the International Phycological Society

Editor

Dr Wm. J. Woelkerling Department of Botany, La Trobe University, Bundoora, Victoria, Australia 3083

This is the official journal of the International Phycological Society, dedicated to the promotion of phycology and the encouragement of international cooperation among phycologists and phycological institutes. The purpose of *Phycologia* is to serve as a clearing house for phycological news and information. In addition to research papers and occasional review articles it also publishes information on meetings and excursions, reports from laboratories and institutions, and book reviews. Original contributions are accepted on a wide range of subjects provided they are of international interest and make a significant contribution to the study of phycology.

Subscription Information

Phycologia is published quarterly. Subscription rates for 1989 are £115.00 (UK & overseas), US\$198.00 (USA & Canada) post free.

Order Form

Please tick	the	anı	ıra	nri	ato	h	or																																					
i ieuse iick	1716	upp	יו טוי	<i>)</i> , , ,	ше	U	U.A.																																					
☐ I wou	ld li	ke	to	su	bs	cr	ibe	t	o I	Ph	yα	0	lo,	gi	a.	ar	ıd	I	er	c	lo	se	n	ny	r	er.	ni	tta	ın	ce	fo	r	th	e (u	rre	nt	tν	ol	lur	ne	•		
☐ I wou	ld li	ke	a f	re	e s	pe	ci	m	en	c	эp	y	of	F	h,	yα	co	lo	gi	а																								
Name .																																									. .			
Address															•																													

Blackwell Scientific Publications


P.O. Box 88, Oxford, England

- Cover: The photograph on the outside of the cover was taken by David Nicholson at Pedney Beach, Cornwall.
- *Inside front cover:* Scanning electron micrographs of diatoms (photographs by Derek Harbour). Upper: *Asteromphalus sarcophagus* Wallich (12 μm x 26 μm). Lower: *A. robustus* Castracane (20 μm).
- Inside back cover: Scanning electron micrographs of diatoms (photographs by Derek Harbour). Upper: *Thalassiosira eccentrica* (Ehrenberg) Cleve (60 μm). Lower: *T. angulata* (Gregory) Hasle (30 μm).

© The Marine Biological Association of the United Kingdom 1989

CAMBRIDGE UNIVERSITY PRESS
THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP
32 EAST 57TH STREET, NEW YORK, NY 10022, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Printed in Great Britain by the University Press, Cambridge



JMBA

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM VOLUME 69:2 MAY 1989

CONTENTS

		DACE
J	ohnson, I. and Jones, M. B. Effects of zinc/salinity combinations on	PAGE
	zinc regulation in Gammarus duebeni (Liljeborg) from the estuary	
	and the sewage treatment works at Looe, Cornwall	249
С	ampbell, P. J. and Jones, M. B. Osmoregulation of the estuarine	
	prawn Palaemon longirostris (Caridea: Palaemonidae)	261
В	race, R. C. and Reynolds, H. A. Relative intraspecific aggressiveness	
	of pedal disc colour phenotypes of the beadlet anemone, Actinia	070
_	equina	273
1	ully, O. The succession of generations and growth of the caligid	
	copepods Caligus elongatus and Lepeophtheirus parasitising farmed	270
0	Atlantic salmon smolts (Salmo salar L.)	279
G	ray, J. A. B. and Best, A. C. G. Patterns of excitation of the lateral line of the ruffe	289
D	ird, G. J. and Holdich, D. M. Recolonisation of artificial sediments in	209
Ь	the deep Bay of Biscay by tanaidaceans (Crustacea: Peracarida),	
	with a description of a new species of <i>Pseudotanais</i>	307
N	Myers, A. A., McGrath, D. and Cunningham, P. A presumed male of the	307
ıv	parthenogenetic amphipod <i>Corophium bonnellii</i> (Milne-Edwards)	319
н	lenderson, R. J. and Almatar, S. M. Seasonal changes in the lipid	0.0
	composition of herring (Clupea harengus) in relation to gonad	
	maturation	323
В	ailey, S. K. and Davies, I. M. The effects of tributyltin on dog-whelks	020
	(Nucella lapillus) from Scottish coastal waters	335
K	ing, P. A., McGrath, D. and Gosling, E. M. Reproduction and	
	settlement of Mytilus edulis L. on an exposed rocky shore in Galway	
	Bay, west coast of Ireland	355
G	irant, A. The use of graphical methods to estimate demographic	
	parameters	367
J	asim, A. K. and Brand, A. R. Observations on the reproduction of	
	Modiolus modiolus in Isle of Man waters	373
В	asford, D. J., Eleftheriou, A. and Raffaelli, D. The epifauna of the	
	northern North Sea (56°-61°N)	387
D	enton, E. J. and Locket, N. A. Possible wavelength discrimination by	
	multibank retinae in deep-sea fishes	409
C	lark, G. and Topping, G. Mercury concentrations in fish from	
	contaminated areas in Scottish waters	437
В	right, D. A. and Ellis, D. V. Aspects of histology in <i>Macoma carlottensis</i>	
	(Bivalvia: Tellinidae) and in situ histopathology related to mine-	
	tailings discharge	447
А	nstensrud, M. Experimental studies of the reproductive behaviour of	405
	the parasitic copepod <i>Lernaeocera branchialis</i> (L.) (Pennellidae)	465
н	ichardson, C. A. An analysis of the microgrowth bands in the shell of	477
	the common mussel <i>Mytilus edulis</i>	4//
K	tankine, P. W. and Morrison, J. A. Predation on herring larvae and eggs by sand eels (<i>Ammodytes marinus</i> (Rait) and <i>Hyperoplus</i>	
	lanceolatus (Lesauvage))	493
P	Rook Notices	499
l-1:-bd	Legina by Cambridge University Descri	400

62 Published online by Cambridge University Press

CAMBRIDGE UNIVERSITY PRESS