

CONTENTS

Breeding and genetics

- Berry, D. P., Meade K. G., Mullen, M. P., Butler, S., Diskin, M. G., Morris, D. and Creevey, C. J.
The integration of 'omic' disciplines and systems biology in cattle breeding (*review*) 493

- Purzyc, H., Kobryńczuk, F. and Bojarski, J.
Sexual dimorphism in Hucul horses using discriminant analysis 506

Nutrition

- Van Ranst, G., Lee, M. R. F. and Fievez, V.
Red clover polyphenol oxidase and lipid metabolism (*review*) 512

- Nikkhah, A., Ehsanbakhsh, F., Zahmatkesh, D. and Amanlou, H.
Prepartal wheat grain feeding improves energy and calcium status of periparturient Holstein heifers 522

- Hildebrand, B., Boguhn, J. and Rodehutscord, M.
Effect of maize silage to grass silage ratio and feed particle size on ruminal fermentation *in vitro* 528

- Hildebrand, B., Boguhn, J. and Rodehutscord, M.
Effect of maize silage to grass silage ratio and feed particle size on protein synthesis and amino acid profile in different microbial fractions in a semi-continuous rumen simulation 537

- Barea, R., Nieto, R., Vitari, F., Domeneghini, C. and Aguilera, J. F.
Effects of pig genotype (Iberian v. Landrace × Large White) on nutrient digestibility, relative organ weight and small intestine structure at two stages of growth 547

- Ivarsson, E., Frankow-Lindberg, B. E., Andersson, H. K. and Lindberg, J. E.
Growth performance, digestibility and faecal coliform bacteria in weaned piglets fed a cereal-based diet including either chicory (*Cichorium intybus* L) or ribwort (*Plantago lanceolata* L) forage 558

Physiology and functional biology of systems

- Petr, J., Krejčová, M., Rajmon, R. and Jílek, F.
Activation of protein kinase C suppresses fragmentation of pig oocytes aged *in vitro* 565

- Ben Chedly, H., Lacasse, P., Marnet, P.-G., Komara, M., Marion, S. and Boutinaud, M.
Use of milk epithelial cells to study regulation of cell activity and apoptosis during once-daily milking in goats 572

Behaviour, welfare and health

- Baxter, E. M., Lawrence, A. B. and Edwards, S. A.
Alternative farrowing systems: design criteria for farrowing systems based on the biological needs of sows and piglets (*review*) 580

- Zonderland, J. J., Kemp, B., Bracke, M. B. M., den Hartog, L. A. and Spolder, H. A. M.
Individual piglets' contribution to the development of tail biting 601

- Bickell, S., Poindron, P., Nowak, R., Ferguson, D., Blackberry, M. and Blache, D.
Maternal behaviour and peripartum levels of oestradiol and progesterone show little difference in Merino ewes selected for calm or nervous temperament under indoor housing conditions 608


Farming systems and environment

- Leenhouwers, J. I., Ten Napel, J., Hanenberg, E. H. A. T. and Merks, J. W. M.
Breeding replacement gilts for organic pig herds (*review*) 615

- Jarret, G., Martinez, J. and Dourmad, J.-Y.
Effect of biofuel co-products in pig diets on the excretory patterns of N and C and on the subsequent ammonia and methane emissions from pig effluent 622

- Hansson, H., Szczensa-Rundberg, M. and Nielsen, C.
Which preventive measures against mastitis can increase the technical efficiency of dairy farms? 632

- Serrano, E., Cornu, A., Kondjoyan, N., Agabriel, J. and Micol, D.
Traceability of grass feeding in beef: terpenes, 2,3-octanedione and skatole accumulation in adipose tissue of young bulls 641



journals.cambridge.org

Advancing research. Increasing access.

Informed by detailed consultation with the library and research communities, we are constantly developing our industry-leading online journals platform.

Some recent advances include:

- **Refreshed site design**, facilitating rapid access to the most relevant content.
- **New advanced search interface** and a more detailed, fielded quick search function.
- **Enriched content** in the form of multimedia companions and editorial blogs.
- **The launch of Cambridge Open Option**, our open access initiative.
Visit journals.cambridge.org/openoption for more information.

