

September/October 1980

Volume 1/Number 5

Should There Be An Association of Hospital

Epidemiologists? Frank S. Rhame, M.D.

Original Articles Hospital-Acquired Mylasis

Jay A. Jacobson, M.D.; Robert L. Kolts, M.D.; Marlyn Conti, R.N.; and John P. Burke, M.D.

Two Epidemics of Pseudobacteremia Due

to Staphylococcus aureus and Aerococcus viridans

Martin L. Spivack, M.D., Ph.D.; Robert Shannon, M.S.P.H.;

George A. Natsios, B.S.; and Jan Wood, R.N.

Recommendations from the CDC

Recommendations for the Control of Yersinia pestis Infections

Mark E. White, M.D.; Diane Gordon, R.N.;

Jack D. Poland, M.D.; and Allan M. Barnes, Ph.D.

N.F.I.D. Lecture

Infection Control: Old Myths and New Realities


William Schaffner, M.D.



WITH YOUR CHOICE OF PREMIUM FOLEY CATHETERS FROM BARD

The BARDEX® Silicone Elastomer Coated Foley Catheter or

The *Silicone 100 BARDEX® Foley Catheter
*made entirely of silicone elastomer



Regarding all Foley Catheters: **USAGE**: For 5cc balloons, use 10cc maximum sterile water. **WARNING**: On catheter, do not use ointments or lubricants having a petrolatum base. They will damage latex or silicone elastomer and may burst balloon.

Regarding all Drainage Bags and Foley Catheters: CAUTION: Federal (U.S.A.) Law restricts these devices to sale by or on the order of a physician.

...IN A TRAY FROM BARD

THE BARD® CENTER ENTRY URINARY DRAINAGE BAG

- Round Profile/Center Entry
 Easier to Empty
- Prevents Pooling
- Better Balance

WITH THESE SPECIAL INFECTION **CONTROL FEATURES**



A. Exclusive BARD® Tamper-Evident Seal+

Assures a Continuous, Unbroken Catheter/Bag Link-up Permits Opening When Needed

B. Redesigned Anti-Reflux Valve

Prevents Urine Reflux in Any Bag Position

C. Catheter Care Starter Kit

Povidone-Iodine Ointment, 4" x 4" Pad and Instructions

PLUS These Special Features

- Walleted Latex Gloves
- Patient Education Booklet The Basics of Proper Bladder Drainage
- Calibrated Specimen Container
- 10cc Sterile Lubricant in Dispenser
- With all components sequence-packed for Foley catheterization procedure.

t patent pending






BARD UROLOGICAL DIVISION

C.R. Bard, Inc., 111 Spring Street, Murray Hill, N.J. 07974

Chaston announces an important development:

Now wash your hands with a soapless, gentle to the skin cleansing bar containing povidone-iodine



E ver since povidone-iodine was compounded—more than 20 years ago—a number of companies have attempted to produce a hard milled bar containing povidone-iodine.

Chaston introduces the Povadyne[®] Cleansing Bar, containing povidone-iodine, U.S.P. 5%. The Povadyne[®] Cleansing Bar is patented. (U.S. Patent #4,130,640)

Significantly Reduces Microbial Flora on the Skin In an in vivo test the Povadyne® Cleansing Bar reduced, on average, the microbial flora on the skin by 99%.



Superior to Other Handwashing Materials

In vitro documentation demonstrates that the Povadyne® Cleansing Bar is more effective than other handwashing materials against a broad spectrum of gram positive and gram negative bacteria, including Pseudomonas, and Staphylococcus.

Unparalleled Convenience

Many hospital personnel prefer a convenient bar cleanser for handwashing even when a microbicidal liquid cleanser is present. Chaston's Povadyne[®] Cleansing Bar is the only povidone-iodine microbicidal skin cleanser in a convenient hard milled bar form. The Cleansing Bar has full sudsing action for effective lathering.

Gentle to the Skin

Chaston's Povadyne® Cleansing Bar is non-alkaline; it is virtually non-irritating to the skin.

Cost Effective

Each 3/4 oz. Cleansing Bar allows numerous handwashes. Approximate cost—less than 1¢ per handwash.

Send for Free Sample and Test Data Report

The Povadyne® Cleansing Bar can be an important element in your infection control program. Send for a free sample to see how convenient it is. You will also receive a Test Data Report that demonstrates how effective the Cleansing Bar is.



TABLE OF CONTENTS

INFECTION CONTROL®

ISSN-0195-9417

September/October 1980 Volume 1/Number 5

Editorial Should there be an Association of Hosp Epidemiologists? Frank S. Rhame, M.D.	oital		314
Original Articles Hospital-Acquired Myiasis Jay A. Jacobson, M.D.; Robert L. Kolt Marlyn Conti, R.N.; and John P. Burke			319
Two Epidemics of Pseudobacteremia D Staphylococcus aureus and Aerococcus Martin L. Spivack, M.D., Ph.D.; Robert George A. Natsios, B.S.; and Jan Wood,	s <mark>viridan</mark> : t Shanno		321
Recommendations from the CDC Recommendations for the Control of Yersinia pestis Infections Mark E. White, M.D.; Diane Gordon, R Jack D. Poland, M.D.; and Allan M. Ba		D.	324
N.F.I.D. Lecture Infection Control: Old Myths and New Realities William Schaffner, M.D.			330
Departments			
Information for Authors New Developments in Infection	290	Applied Statistics in Infection Control	345
Control	297	Legislative News	349
Book Review	310	Calendar of Events	351
Readers' Forum	335	Index to Advertisers	356
Letters to the Editor	341	New Products and Services	357
The Law and Infection Control	343		

Publisher: Infection Control is published bimonthly by Charles B. Slack, Inc., 6900 Grove Road, Thorofare, New Jersey 08086. Telephones: Thorofare (609) 848-1000; New York (212) 285-9777.

Copyright 1980. Published bimonthly by Charles B. Slack, Inc., 6900 Grove Road, Thorofare, New Jersey 08086; telephone (609) 848-1000. All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions: Subscription requests should be addressed to the publisher. Annual subscription price is: Individual, One year—\$18.00; Two years—\$34.00; Three years—\$50.00. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$4.00. All orders for individual issues must be accompanied by payment.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Controlled circulation postage is paid at Thorofare, New Jersey 08086.

As of Volume 1, Number 1, INFECTION CONTROL is listed in Current Contents—Clinical Practice, Hospital Literature Index, and Cumulative Index to Nursing and Allied Health Literature.

BPA audit applied for.

Special-design Skin Saver Razor minimizes risk of post-op infection.




Exclusive wraparound protective edge positions blade safely against patient's skin.

According to recent literature, the best pre-op shave is *not* the closest one.

Some prep razors shave so closely they traumatize the skin, wounding the hair follicles and giving access to bacteria. But with a razor that minimizes skin trauma, the incidence of post-op infection due to shaving trauma can be reduced. Unlike most prep razors, the Skin Saver Razor shaves hair—not skin.

The design of most prep razors encourages skin trauma.






Skin shaved with a regular prep razor. Macrophotography* reveals numerous small cuts and scratches that can serve as a breeding ground for bacteria.

*Macrophotography courtesy of G. T. Rodeheaver and R. F. Edlich, University of Virginia Medical Center, Charlottesville.

Skin Saver Razor design minimizes skin trauma.





In contrast, skin shaved with the Skin Saver Razor is undamaged and resistant to bacterial contamination. The guarded blade cuts hair above the skin line, leaving a slight stubble, to help prevent skin trauma.


Caution: Federal (USA) law restricts this device to sale by or on the order of a physician.

Seamless Shave Prep Trays

... everything you need for the most comfortable and convenient pre-op shaves. For a free "Shave Hair Not Skin" booklet and sample Skin Saver Razor, write Seamless Hospital Products Company, Box 828, Barnes







TEMP-AWAY Thermometer Sheaths are flexible plastic covers that help isolate the patient—and the medical practitioner—from direct contact with the thermometer and its possible contaminants.

TEMP-AWAY Sheaths are now being adopted by many medical institutions because they represent an important contribution to the control of infection...and cost.

The important benefits of TEMP-AWAY Thermometer Sheaths apply equally to any medical environment or situation. Accordingly, to enable you to evaluate TEMP-AWAY in your institution, we'll be happy to forward a working trial sample.

<u>Please note</u>: TEMP-AWAY Thermometer Sheaths are available in bulk as oral or pre-lubricated rectal sheaths or in several different kit configurations for single-patient use with either oral or rectal sheaths plus a thermometer in a protective plastic box.



BECTON-DICKINSON

Rutherford, New Jersey 07070 Division of Becton, Dickinson and Company

Free Samples!

Dept. TA 7 Becton-Dickinson Rutherford, New Jersey 07070 Please forward a free trial sample of your TEMP-AWAY Thermometer Sheaths for my own evaluation.
I now use thermometer sheaths in my practice:yesno
Type of practice:
Title
Dept
Organization
Address

IC