

AGAR No. 3 has been developed by the Oxoid Laboratories as a high-quality neutral agar which does not cause phosphate precipitation and needs no filtration. Furthermore, it will gel at concentrations of as little as 1%.

Agar No. 3 is the most inexpensive high-quality agar available.



For free sample and prices of standard and bulk packing, write to:

OXOID DIVISION OF OXO LIMITED, THAMES HOUSE, QUEEN STREET PLACE, LONDON E.C.4. Phone: CENtral 9781



## microbiological reagents and media are the only complete line offered in U.K.

Requirements of the Bacteriologist, Biochemist, Biologist, Pathologist and Pharmacologist can be met very quickly either from our extensive stocks, or in the case of certain specialised products, within a few days.

Over 60 years experience ensure

## UNIFORMITY STABILITY ECONOMY

Culture Media Microbiological Assay Media Tissue Culture Media Serological Reagents Antisera Diagnostic Reagents Sensitivity Disks Unidisks Peptones Hydrolysates Amino Acids Enzymes Enrichments Dyes **Indicators** Carbohydrates

Biochemicals

Please send for the latest technical information.



complete laboratory service

BAIRD & TATLOCK (LONDON) LTD., CHADWELL HEATH, ESSEX, ENGLAND.

Branches in London, Manchester and Glasgow.

TAS/DO II

## Microbial Classification

#### EDITED BY

#### G. C. AINSWORTH & P. H. A. SNEATH

This Symposium is devoted to a consideration of the many problems involved in the taxonomy of the many groups of microorganisms. The contributors discuss the use of morphological, biochemical and genetic characters in microbial classification and examine how far the taxonomic concepts and principles which have been developed in relation to the larger organisms can be applied to microorganisms. Society for General Microbiology Symposium 12.

from all bookshops

#### CAMBRIDGE UNIVERSITY PRESS

## The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 28, No. 2

35s.

June 1962

- H. A. Keir and J. W. Porteous. The amino acid requirements of a single strain of Actinomyces israelii growing in a chemically defined medium.
- N. LAZAROFF and W. VISHNIAC. The participation of filament anastomosis in the developmental cycle of Nostoc muscorum, a blue-green alga.
- R. T. Moore & J. H. McAlear. Observations on ascospore initiation in the discomycete Dasyscyphas sp.
- D. NEWMEYER. Genes influencing the conversion of citrulline to argininosuccinate in Neurospora crassa.
- J. N. ADAMS and N. M. McClung. On the nature of cytoplasmic inclusion bodies of *Nocardia rubra*.
- S. RAZIN. Nucleic acid precursor requirements of Mycoplasma laidlawii.
- P. J. CHAPMAN and S. DAGLEY. Oxidation of homogentisic acid by cell-free extracts of a Vibrio.
- C. QUADLING and B. A. D. STOCKER. An environmentally induced transition from the flagellated to the non-flagellated state in Salmonella typhimurium: the fate of parental flagella at cell division.

- G. S. COLEMAN. The preparation and survival of almost bacteria-free suspensions of *Entodinium caudatum*.
- A. C. Wilson and A. B. Pardee. Regulation of flavin synthesis by *Escherichia coli*.
- B. B. Buchanan and L. Pine. Characterization of a propionic acid producing actinomycete, Actinomyces propionicus, n.sp.
- K. GUNDERSEN and T. WADSTEIN. Morphological changes and resistance induced in Saccharomyces pastorianus by the antibiotic cycloheximide.
- L. F. BOJALIL, J. CERBON and A. TRUJILLO. Adansonian classification of Mycobacteria.
- C. R. Spotts. Physiological and biochemical studies on streptomycin dependence in *Escherichia coli*.
- B. West and F. C. Kelly. Relationship of sodium chloride tolerance and serological group of staphylococcal phages.
- J. SANTA MARIA. Saccharomyces hienipiensis, a new meliobiose fermenting yeast, unable to assimilate raffinose.
- W. L. GABY, C. LOGAN and S. WHITAKER. Catabolism of nitrogenous compounds by Pseudomonas.

Subscription 80s. per volume of 3 parts.

Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. I

# 'Wellcome' Venereal Disease Diagnostic Reagents

There is no room for doubt when 'Wellcome' Reagents are used in the laboratory diagnosis of V.D., because each is standardised to the most exacting limits.

Cardiolipin (Maltaner and V.D.R.L.), P.P.R., Wassermann, Kahn, and Gonococcus Antigens; Preserved Complement (liquid or dried); Haemolytic Sera (horse or rabbit for sheep corpuscles); and Sheep Blood (defibrinated, either formolised or without preservative, or in Alsever solution) are all available.

Order with confidence from



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.)

The Wellcome Building, Euston Road, London, N.W.1 Phone EUSton 4477

### CONTENTS

(All rights reserved)

	PAGE
Heller, C. L., Roberts, B. C., Amos, A. J., Smith, Muriel E. and Hobbs, Betty C.  The pasteurization of liquid whole egg and the evaluation of the baking pro-	
perties of frozen whole egg	135
Brooks, J. (the late). α-Amylase in whole egg and its sensitivity to pasteurization	
temperatures	145
Shrimpton, D. H., Monsey, J. B., Hobbs, Betty C. and Smith, Muriel E. A laboratory determination of the destruction of $\alpha$ -amylase and salmonellae in whole egg	
by heat pasteurization	153
PEL, J. Z. S. Common infections during the first five years of life	163
ASHBURNER, FRANCES M. and MUSHIN, ROSE. Experimental intestinal coliform	
infections in mice	175
KOCH, WALTER. Atmospheric ions and comfort	183
Jameson, J. E. A discussion of the dynamics of salmonella enrichment	193
STOKES, E. JOAN and MILNE, SHELAGH E. Effect of Naseptin cream prophylaxis on	
staphylococcal infection in adult surgical wards and infant nurseries	209
Polson, A. and Deeks, D. Zone electrophoresis of enteroviruses (with 2 plates)	217
McDonald, J. C., Miller, D. L., Zuckerman, A. J. and Pereira, Marguerite S. Coe (Coxsackie A21) virus, para-influenza virus and other respiratory virus	
infections in the R.A.F., 1958-60	235
HARPER, G. J. and MORTON, J. D. A method for measuring the retained dose in experiments on airborne infection	249
Hobbs, Betty C., Ritchie, J. M. and Ritchie, Ellen D. Food hygiene on board	
chin	950

The Journal of Hygiene is issued in four parts to a volume.

Quotations can be given for back volumes on application.

Papers for publication should be sent to Lt.-Col. H. J. Bensted, c/o Lister Institute of Preventive Medicine, Chelsea Bridge Road, London, S.W. 1, Other communications should be addressed to the University Press, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered

to The Journal of Hygiene alone, unless the contrary is stated.

Contributors receive twenty-five copies of their paper free. Additional copies, not exceeding two hundred (except in special cases) may be purchased; these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A., is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York 22, N.Y.