

December
1998

The Journal of
**Laryngology
& Otology**

Founded in 1887
by Marcell Mackenzie & Norris Wollenberg

Edited by Neil Weir
and Guy Kenyon

Assistant Editors (UK)

Carol Wengraf,
Richard Ramsden,
David Proops,
Valerie Lund,
Andrew Jones,
Michael Rothera,
Martin Bailey,
Liam Flood,
Patrick Bradley,
Nick Jones,
Jain Swan &
John Rubin

Assistant Editors (USA)

Steven Zeitels
Saumil Merchant

Emeritus Adviser
in Pathology

Innrch Friedmann

Advisers in Pathology

Christopher Milroy,
Lesley Smallman,
Ketan Shah &
Adrian Warfield

Adviser in Audiology

Linda Luxon

Advisers in Radiology

Glyn Lloyd &
Peter Phelps

Advisers in Statistics

Anthony Hughes,
Peter Kelly & Janine Gray


Production Editors

Gillian Goldfarb &
Jennifer Almond

V o l

1 1 2

No 12



features:

The molecular and cell biology of
allergy

'Bones of contention'

Long-term results of vestibular
nerve section

Mechanisms in noise-induced
permanent hearing loss

Thyroplasty for functional
rehabilitation of the incompetent
larynx

CME Multiple Choice Questions



Private Practice Software

From D.G.L. Information Technologies (UK) Ltd.

The UK's best selling private practice software, just got better...

- Completely rewritten to take full advantage of Windows '95 & NT.
- New modular version provides a tailored, cost-effective solution whatever your budget or requirements.
- Major new features have been added that offer an unrivalled range of features and flexibility.
- Ready for Electronic Claims Processing and approved by major participating Insurers.
- Acclaimed for it's ease of use, we have made the software *even easier* to use and tailor to your exact requirements.
- BEST OF ALL it is now available, FREE, on a 30-day, no-obligation trial basis.

Over 1300 Practice Manager Licences Sold To-date.



D.G.L.'s
Practice Manager
 Professional

Ring Today for your **FREE Trial CD**

01280 824600

D.G.L. Information Technologies (UK) Ltd.

42 Celtic Court, Ball Moor,
 Buckingham Industrial Park,
 Buckingham MK18 1RQ
 Fax: 01280 824700



The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by NEIL WEIR and GUY KENYON

INSTRUCTIONS FOR AUTHORS

1. Original Articles which have not been published elsewhere are invited and should be sent to the Editors. Articles should not normally exceed 7,500 words. Audit articles must demonstrate that the 'audit cycle' has been completed. Articles concerning medico-legal matters are also welcome. Longer articles or theses will be considered for publication as *Supplements* but, in such instances, the costs of publication must be met by the authors or their employing authorities.

2. Review Articles, preferably not exceeding 3,000 words, will be considered but the authors are expected to be recognized authorities on the subject.

3. Historical articles of well known characters or events should provide some new information or interpretation: those from within a Hospital's own department highlighting a hitherto less well known contribution are also welcome.

4. Short reports where radiology, pathology or medical oncology have been critical in diagnosis or management will be published on a monthly or bimonthly basis under the headings Radiology, Pathology or Oncology in Focus. Such articles should not normally be longer than 4 pages of A4 text (excluding title page and references) and must emphasise a problem of particular clinical interest. The pathologist, radiologist or oncologist who has been involved will normally be expected to be a co-author and will be expected to sign the covering letter submitted with the paper.

5. Clinical Records (Case Reports) should be brief (as with short reports, no more than 4 pages of A4 text) and should be confined to single cases without precedent in the world literature or to cases which illustrate some entirely new facet in management or investigation. Reports of relative rarities are only welcome when they add to our understanding of a clinical issue.

6. All manuscripts are considered on the understanding that they have been submitted solely to this Journal and that, if accepted, subsequent reproduction in whole or in part will not be permitted without the explicit written consent of the principal Author and Editors. In all cases where such permission is granted the customary acknowledgements must be made.

7. All papers must be accompanied by a covering letter. This should contain a declaration, to be signed by each author, to confirm that they have read and approved the contribution bearing their name. Authors should also individually indicate the part they have played in data collection, analysis or authorship. The principal investigator (who should normally be the first author) should also indicate that he or she is prepared to take total responsibility for the integrity of the content of the manuscript.

In the same letter the authors must list any potential or actual conflicts of interest: where none have occurred this should be clearly stated. Competing interests include affiliations with, or financial involvement in, organizations or entities described in the manuscript and include grant monies, honoraria, fees or gifts related to the work as well as indirect financial support where equipment or drugs have been supplied.

8. Manuscripts must be typewritten in duplicate on one side of the paper only (A4 297 × 210 mm). Double spacing with wide margins (5 cm for the header and 2.5 cm for the remainder) should be used throughout. The pages should be sequentially numbered.

Begin each section on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends. The following details should apply to each of these sections:

(a) **Title Page**—This should contain a succinct title for the paper and the names of the authors together with their principal higher degree(s). Below this should be the details of the departments in which the authors work and the name of their affiliated institution(s). An address for correspondence and the name of the author who is to receive this should be typed at the foot of the title page: this will ultimately appear beneath the list of references.

If the paper was presented at a meeting, the details must be given and will be inserted at the foot of the first page of printed text.

(b) **Abstract and Key Words**—The abstract should be no longer than 150 words and should include a statement of the problem, the method of study, the results obtained and the conclusions drawn. A separate 'summary' section in the main manuscript is not permitted.

Following the abstract should be those key words which can be used to index the article. Only the words appearing as Medical Subject Headings (MeSH) in the supplement to *Index Medicus* may ordinarily be used: in exceptional circumstances, and where no appropriate word(s) are listed, those dictated by common usage should be supplied.

No paper will be accepted without an abstract and appropriate key words.

(c) **Text**—The text should normally follow the common outlines, i.e., introduction, materials and methods, results and analysis, discussion, conclusion(s). The latter sections should clearly indicate how this work fits with the current body of world literature.

(d) **Illustrations**—Tables and charts should be adjuncts to the text and must not repeat material already presented. They should be numbered consecutively, with Roman numerals, and must be marked with a clear legend.

Photographic illustrations should be unmounted, should not exceed 80 mm in width and should be high quality black and white prints: reproduction of coloured prints will normally be charged to the authors. Two sets of photographic illustrations, one with each copy of the manuscript, should be supplied and each should be clearly identified on the back with the figure number and the first authors name. Where any ambiguity might result the top edge should be identified with an arrow to aid orientation. Colour illustrations from papers are occasionally selected by the editor for use on the front cover of the journal at no cost to the authors. If appropriate a colour version of one of the black and white photographs submitted can be included for this purpose.

Photomicrographs of histopathological specimens must be accompanied by details of the staining method and the magnification used.

Photographs which could result in the person illustrated being identified must be accompanied by a signed release giving specific consent to publication. For minors signed parental permission is required.

Written permission from the publisher to reproduce any illustration with copyright elsewhere must be obtained and, where necessary, the consent of the senior author must also be acquired.

(e) **Measurements**—These must be in metric units with Systeme Internationale (SI) equivalents given in parentheses.

(f) **References**—The Harvard system should be used. Other systems are not permissible.

In the list of references all authors should be included and references should be in alphabetical order (by name of first author). The following format should be used:

For papers the names of the authors, the year of publication, the title and the journal name in full should be given followed by the volume and page numbers, e.g., Green, C., Brown, D. (1951) The tonsil problem. *Journal of Laryngology and Otology* 65: 33–38.

For single author books the style used should be Green, C. (1951) The tonsil problem. 2nd Edition. vol. 1, Headley Brothers Ltd., Ashford, Kent, pp 33–38.

For papers in multi author books with one or more editors the reference should include the title of the chapter and the names of the editors together with the number of the edition as in: Brown, D. (1951) Examination of the Ear. In *Diseases of the Ear Nose and Throat*. 2nd Edition. (White, A., Black B., eds.) Headley Brothers Ltd., Ashford, Kent, pp 33–38.

Within the body of the text references should be in parentheses and should cite the author(s) and the year of publication. A paper written by three or more authors should be abbreviated e.g., Green *et al.*, 1951.

The authors should personally verify the accuracy of every reference before submitting a paper for publication.

(g) **Drugs**—The proper names of drugs should be used. One reference to a proprietary name may be given if this is felt to be important to the study.

9. **Submission of manuscripts**—Manuscripts should be sent to the Editors, The Journal of Laryngology and Otology, 2 West Road, Guildford, Surrey GU1 2AU (Fax: +44(0)1483-451874). All authors should send a facsimile number where possible to speed communication. Material submitted on floppy disk or sent by e-mail is not acceptable.

Page proofs sent to authors should be corrected and returned within 5 working days. No extra material should be added to the manuscript at this stage. Orders for reprints must be made on the form provided at the time of returning the proofs.

10. **Rejection of manuscripts**—All manuscripts that are rejected will no longer be returned to the authors and those submitting papers should, therefore, ensure that they retain at least one copy. The exception will be manuscripts containing coloured illustrations where the illustrations only will normally be returned automatically by Surface Mail.

11. **Subscriptions, advertising and business communications**—Information concerning these matters can be obtained from The Editors, c/o The Journal of Laryngology and Otology, Headley Brothers, The Invicta Press, Ashford, Kent TN24 8HH.

HEADLEY BROTHERS LTD, THE INVICTA PRESS, ASHFORD, KENT, GREAT BRITAIN

© Journal of Laryngology and Otology Ltd., 1998 ISSN 0022-2151

Periodicals Postage Paid at Rahway N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury

Airfreight International Ltd. Inc., 365 Blair Road, Avenel, N.J. 07001. Frequency of Publication: Monthly.



Surgical Workshop

Bone Anchored Facial Prostheses & Bone Anchored Hearing Aid (BAHA®)

by the Department of Otolaryngology,
Sahlgrenska University Hospital, Göteborg

April 8-9, 1999

This two-day workshop will include:

- Selection of patients
- Update on surgical technique
- Practising the surgical technique for orbit and midface defects
- Live surgery with participants in OR
- Surgery in compromised tissue
- Implants in children
- Update on laboratory techniques
- Update on BAHA
- Patient demonstrations
- Case presentations by faculty and participants
- Troubleshooting

Language: English

Workshop Directors:

Kerstin Bergström, CDT, MD, hc
Gösta Granström, MD, PhD
Anders Tjellström, MD, PhD

Next course: October 14-15, 1999 (Basic course)

For further information please contact:

Hannele Andersson, Product specialist
Nobel Biocare Norden AB,
Box 5211, S-402 24 Göteborg, Sweden
Phone: +46 31 335 49 00, fax: +46 31 40 69 15

Temporal Bone Surgical Dissection Course

INTERNATIONAL CENTER FOR OTOLOGIC TRAINING (ICOT)

- Designed for practicing otolaryngologists and senior residents
- Temporal bone dissection morning and afternoon
- Lectures and surgical videotape

1998

May 16 - 20, 1998
September 19 - 23, 1998
December 5 - 9, 1998

1999

January 23 - 27, 1999
April 17 - 21, 1999
September 18 - 22, 1999
November 13 - 17, 1999

Fees: Physicians - \$925 • Residents \$450
50 hours CME credit

COURSE DIRECTORS:

M. MILES GOLDSMITH, MD, FACS
MALCOLM D. GRAHAM, MD, FACS

Contact Shirley Johnson, RN, MSA
email: JohnsSh1@memorialmed.com
912-350-7365 • Fax 912-350-8998

MEMORIAL
GEORGIA EAR INSTITUTE

Savannah, Georgia USA



Bymed Ltd are the sole UK agents for

MICRO-FRANCE®

- Bouchayer Laryngeal Instruments
- J B Causse otology instrumentation
- Zini Micro Instruments
- Thomassin Endoscopic Ear Instruments

ECCOVISION

AN ACOUSTIC REFLECTION IMAGING SYSTEM




Affordable Office-based
Imaging System for quantifying
Nasal Patency



Please contact: BYMED LTD, 8 College Road, Ringwood, Hampshire BH24 1NX Tel: 01425 474972 Fax: 01425 471992


New Techniques in ENT: Made-to-order Instruments for APC and Electrosurgery



1



2



3



4

APC (Argon Plasma Coagulation) permits safe hemostasis and effective devitalization of pathologic tissues.

Specially developed instruments now make the advantages of APC – along with ERBE electrosurgical technology – available for ENT as well:

- Limited penetration depth with reduced risk of perforation
- Non-contact technology
- No vaporization, no carbonization
- Easy to use
- Improved postoperative wound healing

The **nasal turbinates** are reduced effectively and lastingly in **hyperplasia** (see Fig. 1).

APC permits non-contact, homogeneous and highly effective treatment of superficial lesions of the oral mucosa such as **granuloma** and **leucoplakia** (Fig. 2).

APC's limited penetration depth offers maximum protection against perforation in treatment of **papillomatosis** (Fig. 3).

The tympanic membrane can be opened by the Microneedle 100 (Fig. 4) with pinpoint accuracy and precision in **otitis media**. And this with minimum necrosis of the incision margins.

We will be glad to provide you with more information about other possibilities of application.



APC 300 with the ERBOTOM ICC 350



Selected instruments for ENT

ERBE

ERBE Elektromedizin GmbH, Waldhörnlestraße 17, D-72072 Tübingen
Telefon 07071/755-0, Telefax 07071/755-188, E-Mail: sales@erbe-med.de
<http://www.erbe-med.com>