

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

Contents

PNEUMATIZATION OF THE MASTOID BONE	MARCUS DIAMANT ✓
HISTOCHEMISTRY OF THE NASAL RESPIRATORY MUCOSA	MILES TAYLOR ✓
PASSAGE OF FLUID AND OTHER SUBSTANCES THROUGH THE NASAL MUCOSA	J. M. YOFFEY ✓
POST-CRICOID CARCINOMA	RONALD W. RAVEN —
POST-CRICOID CARCINOMA	M. LEDERMAN —
CARCINOMA OF THE HYPOPHARYNX IN THE FEMALE	R. G. MACBETH —
POST-CRICOID CARCINOMA	J. A. SEYMOUR-JONES —
CLINICAL RECORDS—	
RHINOSCLEROMA AND MALIGNANCY	O. M. ATTIA ✓
TUBERCULOMA OF THE NOSE	AHMAD EL-HAKEEM ✓
CLINICAL NOTE—	
THE EMBRYOLOGICAL ORIGIN OF MIDLINE NASO- PHARYNGEAL CYSTS	J. KEOHANE ✓
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTIONS OF LARYNGOLOGY AND OTOTOLOGY	
GENERAL NOTES—	

London

Headley Brothers Ltd

109 Kingsway W.C.2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.


10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STRECHERT-HAPNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**When a
hearing
aid is
advised . .**



**. . you may confidently
recommend your patients
to S. C. INGRAM**

- ★ They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant

On the approved List of the National Institute for the Deaf

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1

Hyde Park 9042

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

MA4906



*In the
treatment of* **OTITIS**

The persistently discharging ear is a common problem and one which poses many difficulties in effective treatment. In many cases of chronic ear infection, bacteria and fungi can be isolated and treatment should, therefore, be aimed at eliminating both types of infection. 'Otamidyl' contains dibromopropamide isethionate 0.15% w/v and diamidinodiphenylamine dihydrochloride 0.5% w/e in propylene glycol and is intended for topical application in the treatment of otitis externa and of chronic suppurative otitis media. The antibacterial and antifungal properties of these compounds are retained in the presence of pus, blood and tissue debris.

Further information is available on request.

An M & B brand Medical Product

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

PRESENTATIONS:

Dropper bottles of 15 c.c.

Bottles of 100 c.c.




**MANUFACTURED BY
MAY & BAKER LTD**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

In schools for the DEAF— multitone Telesonic INDUCTION LOOP SYSTEM brings new advantages

- 1 Can be installed in adjoining classrooms without risk of 'spill over'.
- 2 Combines good hearing with complete freedom of movement. Unaffected by distance between pupil and teacher.
- 3 Clear speech at high amplification.
- 4 Any number of pupils may use the same installation.
- 5 The child can use the instrument as a normal hearing aid outside school.



The Kindergarten Class at the London Residential School for Jewish Deaf Children where all classrooms have been installed with the Multitone Telesonic Induction Loop System

Write for further details to:

multitone

ELECTRIC COMPANY LTD., 12-20 UNDERWOOD STREET, LONDON, N.1.

CRC M23


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

EAR WAX*Removed this easy way*

The removal of wax from the external auditory meatus has, in the past, normally entailed attendance by the patient for diagnosis and for the prescription of a suitable loosening agent, and a second attendance a few days later for syringing.

Now, by the use of Cerumol Ear Drops, wax can be removed in most cases at one visit. A few drops of Cerumol can be instilled into the ear and, while another patient is being attended to, the soft cerumen dissolves and the harder wax disimpacts. The wax can then be removed by gentle syringing or with cotton wool. The wax may even be found to run out of the ear on its own accord, in which case patients themselves may instil Cerumol at home, obviating further attendances. Cerumol is anti-bacterial, non-irritating and harmless to the lining of the external auditory meatus or the tympanic membrane.

Cerumol is included in Category No. 4 of the M.O.H. classified list and may be prescribed on N.H.S. Form E.C.10.



CERUMOL
REGD TRADE MARK

EAR DROPS*for the easier removal of wax*

If you wish to test for yourself and have not received recently a 10. c.c. vial please write or telephone direct to:

LABORATORIES FOR APPLIED BIOLOGY LTD.,
91, AMHURST PARK, LONDON, N.16 Tel.: STA 2252

*PACKS For Surgery Use :
10 c.c. vial — separate
dropper included
(Basic N.H.S. price 2/8)
for Hospital Use : 2 oz.
and 10 oz. bottles.*

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques. The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



Literature and any information on request:

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935

St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD, 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum (Category 3)

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal

devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR


640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

An outstanding accomplishment
in hearing aid design

Amplivox

"C" SERIES HEARING AIDS



FACILITIES

Individual fitting related to the Audiogram by means of selective compensation. Tone control giving low frequency attenuation combined with an overall response extending to 4000 c/s provides excellent speech discrimination in cases of perceptive deafness.

Two-stage adjustable automatic volume compression.

SPECIFICATION

4 stage transistor circuit. Stable operation from 0° to 40°C.

*Miniature earphone with extended response. Magnetic microphone. Telephone inductor. Mercury cell battery —life 100 hours. Size $2\frac{1}{8}$ " x $1\frac{1}{16}$ " x $\frac{1}{32}$ "
Weight 1 oz.*

Mirror gold finish.

AMPLIVOX LTD . LONDON . ENGLAND

47/48 New Bond Street, London, W.1. Hyde Park 9888

WORLD-WIDE DISTRIBUTION AND SERVICE

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
PNEUMATIZATION OF THE MASTOID BONE. Marcus Diamant (Halmstad, Sweden)	343
HISTOCHEMISTRY OF THE NASAL RESPIRATORY MUCOSA. Miles Taylor (Sheffield)	365
PASSAGE OF FLUID AND OTHER SUBSTANCES THROUGH THE NASAL MUCOSA. J. M. Yoffey (Bristol)	377
POST-CRICOID CARCINOMA. Ronald W. Raven (London)	385
POST-CRICOID CARCINOMA. M. Lederman (London)	397
CARCINOMA OF THE HYPOPHARYNX IN THE FEMALE. R. G. Macbeth (Oxford)	406
POST-CRICOID CARCINOMA. J. A. Seymour-Jones (Portsmouth)	409
CLINICAL RECORDS—	
Rhinoscleroma and Malignancy. O. M. Attia (Cairo)	412
Tuberculoma of the Nose. Ahmad El-Hakeem (Cairo)	416
CLINICAL NOTE—	
The Embryological Origin of Midline Nasopharyngeal Cysts. J. Keohane (Stettler, Alberta)	420
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Sections of Laryngology and Otology	422
GENERAL NOTES	428

For Advertisement space in this Journal apply to:

HEADLEY BROTHERS Ltd, 109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements