

MATHEMATICAL PROCEEDINGS

*of the
Cambridge Philosophical Society*

VOLUME 109




CAMBRIDGE UNIVERSITY PRESS

Cambridge

New York Port Chester Melbourne Sydney

1991



Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011-4211, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Cambridge Philosophical Society 1991

Printed in Great Britain by the University Press, Cambridge

INDEX

PAGE

Amick, C. J. & Toland, J. F. Points of egress in problems of Hamiltonian dynamics	405
Ánh, P. N., & Márki, L. Left orders in regular rings with minimum condition for principal one-sided ideals	323
Bédos, E. Discrete groups and simple C^* -algebras	521
Behrendt, G. Sharply transitive posets with free abelian automorphism group	517
Bogley, W. A. An identity theorem for multi-relator groups	313
Bridges, T. J. Stability of periodic solutions near a collision of eigenvalues of opposite signature	375
Brüdern, J. On Waring's problem for cubes	229
Budak (Papazyan), T. Compactifications of discrete versions of semitopological semigroups by filters of zero sets	363
Carey, A. L., Moran, W. & Kaniuth, E. The Pompeiu problem for groups	45
Chen, Y. Homomorphisms of two-dimensional linear groups over Laurent polynomial rings and Gaussian domains	287
Cuong, N. T. On the dimension of the non-Cohen–Macaulay locus of local rings admitting dualizing complexes	479
Earl, J. P. & Hayman, W. K. Smooth majorants for functions of arbitrarily rapid growth	565
Emmanuele, G. On the reciprocal Dunford–Pettis property in projective tensor products	161
Falconer, K. J. The horizon problem for random surfaces	211
Fernández-Alcober, G. A. & Vera-López, A. On p -groups of maximal class. III.	489
Ferrario, N. & Künzi, H.-P. Bicompleteness of the fine quasi-uniformity	167
Fremlin, D. H. & Kunen, K. Essentially unbounded chains in compact sets	149
Gaffney, T. & Mond, D. M. Q. Weighted homogeneous maps from the plane to the plane	451
Glockner, P. Quantum stochastic differential equations on $*$ -bialgebras	571
Gómez-Larrañaga, J. C., Gonzalez-Acuña, F. & Hoste, J. Minimal atlases on 3-manifolds	105
Gonzalez-Acuña, F., Hoste, J. & Gómez-Larrañaga, J. C. Minimal atlases on 3-manifolds	105
Griffin, P. S. & Mason, D. M. On the asymptotic normality of self-normalized sums	597
Harman, G. Short intervals containing numbers without large prime factors	1
Hayman, W. K. & Earl, J. P. Smooth majorants for functions of arbitrarily rapid growth	565
Hennings, M. A. Hopf algebras and regular isotopy invariants for link diagrams	59
Heyfron, P. Some inequalities concerning immanants	15
Hoste, J., Gómez-Larrañaga, J. C. & Gonzalez-Acuña, F. Minimal atlases on 3-manifolds	105
Howie, J. M. & Selfridge, J. L. A semigroup embedding problem and an arithmetical function	277
Johnson, F. E. A. & Rees, E. G. Kähler groups and rigidity phenomena	31
Johnson, K. W. On the group determinant	299
Joyce, G. S. & Zucker, I. J. Special values of the hypergeometric series	257
Jósefiak, T. Schur Q -functions and cohomology of isotropic Grassmannians	471
Kaniuth, E., Moran, W. & Carey, A. L. The Pompeiu problem for groups	45
Kunen, K. & Fremlin, D. H. Essentially unbounded chains in compact sets	149
Künzi, H.-P. & Ferrario, N. Bicompleteness of the fine quasi-uniformity	167
Kwasik, S. & Schultz, R. Topological pseudofree actions on spheres	433
Le, H. A stochastic calculus approach to the shape distribution induced by a complex normal model	221

Luft, E. & Sjerve, D. A torus reduction theorem for regular coverings of 3-manifolds by homology 3-spheres	117
Macpherson, D., Mekler, A. H. & Shelah, S. The number of infinite substructures	193
Maki, L. & Anh, P. N. Left orders in regular rings with minimum condition for principal one-sided ideals	323
Mekler, A. H., Shelah, S. & Macpherson, D. The number of infinite substructures	193
Menasco, W. & Thistlethwaite, M. A geometric proof that alternating knots are non-trivial	425
Mond, D. M. Q. & Gaffney, T. Weighted homogeneous maps from the plane to the plane	451
Moran, W., Kaniuth, E. & Carey, A. L. The Pompeiu problem for groups	45
Mason, D. M. & Griffin, P. S. On the asymptotic normality of self-normalized sums	597
Morton, H. R. & Strickland, P. Jones polynomial invariants for knots and satellites	83
Mulvey, C. J. & Pelletier, J. W. A geometric characterization concerning compact, convex sets	351
Nakagoshi, N. On the class number of the l th cyclotomic number field	263
Neumann, W. D. & Reid, A. W. Amalgamation and the invariant trace of a Kleinian group	509
Paseka, J. Lindelof locales and N-compactness	187
Pelczynski, A. & Szarek, S. J. On parallelepipeds of a minimal volume containing a convex symmetric body in \mathbb{R}^n	125
Pelletier, J. W. & Mulvey, C. J. A geometric characterization concerning compact, convex sets	351
Rees, E. G. & Johnson, F. E. A. Kähler groups and rigidity phenomena	31
Reid, A. W. & Neumann, W. D. Amalgamation and the invariant trace field of a Kleinian group	509
Schultz, R. & Kwasik, S. Topological pseudofree actions on spheres	433
Selfridge, J. L. & Howie, J. M. A semigroup embedding problem and an arithmetical function	277
Shelah, S., Macpherson, D. & Mekler, A. H. The number of infinite substructures	193
Sjerve, D. & Luft, E. A torus reduction theorem for regular coverings of 3-manifolds by homology 3-spheres	117
Strickland, P. & Morton, H. R. Jones polynomial invariants for knots and satellites	83
Szarek, S. J. & Pelczynski, A. On parallelepipeds of minimal volume containing a convex symmetric body in \mathbb{R}^n	125
Szűcs, A. On the cobordism groups of immersions and embeddings	343
Thistlethwaite, M. & Menasco, W. A geometric proof that alternating knots are non-trivial	425
Toland, J. F. & Amick, C. J. Points of egress in problems of Hamiltonian dynamics	405
Vera-López, A. & Fernández-Alcober, G. A. On p -groups of maximal class. III	489
Verma, J. K. Joint reductions and Rees algebras	335
Wall, C. T. C. Is every quartic a conic of conics?	419
Watanabe, J. The syzygies of m -full ideals	7
Włodarczyk, K. Intermediate value theorems for holomorphic maps in complex Banach spaces	539
Xu, Q. Analytic functions with values in lattices and symmetric spaces of measurable operators	541
Zimmermann, B. On groups associated to a knot	79
Zucker, I. J. & Joyce, G. S. Special values of the hypergeometric series	257

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ϵ , ϵ ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign **□** may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) 72 (1960), 20–104.

[2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.

[3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 109 (Pt 3) 419-610 (1991) 0305-0041 May 1991

CONTENTS

	PAGE
WALL, C. T. C. Is every quartic a conic of conics?	419
MENASCO, W. & THISTLETHWAITE, M. A geometric proof that alternating knots are non-trivial	425
KWASIK, S. & SCHULTZ, R. Topological pseudofree actions on spheres	433
GAFFNEY, T. & MOND, D. M. Q. Weighted homogeneous maps from the plane to the plane	451
JÓZEFIAK, T. Schur Q -functions and cohomology of isotropic Grassmannians	471
CUONG, N. T. On the dimension of the non-Cohen-Macaulay locus of local rings admitting dualizing complexes	479
VERA-LÓPEZ, A. & FERNÁNDEZ-ALCOBER, G. A. On p -groups of maximal class. III	489
NEUMANN, W. D. & REID, A. W. Amalgamation and the invariant trace field of a Kleinian group	509
BEHRENDT, G. Sharply transitive posets with free abelian automorphism group	517
BÉDOS, E. Discrete groups and simple C^* -algebras	521
WŁODARCZYK, K. Intermediate value theorems for holomorphic maps in complex Banach spaces	539
XU, Q. Analytic functions with values in lattices and symmetric spaces of measurable operators	541
EARL, J. P. & HAYMAN, W. K. Smooth majorants for functions of arbitrarily rapid growth.	565
GLOCKNER, P. Quantum stochastic differential equations on $*$ -bialgebras	571
GRIFFIN, P. S. & MASON, D. M. On the asymptotic normality of self-normalized sums	597

© The Cambridge Philosophical Society 1991

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
40 WEST 20TH STREET, NEW YORK, NY 10011-4211, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £25.00 net (USA and Canada US \$58.00)

*Subscription price £72.00 per volume (£144.00 per annum) net post free
(US \$149.50 per volume (US \$299 per annum) in USA and Canada)*

Printed in Great Britain by the University Press, Cambridge