

## Index of Authors

- ADAMS, B. W. and MEAD, G. C. Comparison of media and methods for counting *Clostridium perfringens* in poultry meat and further-processed products, 151
- ADLER, B. and FAINE, S. Immunogenicity of boiled compared with formalized leptospiral vaccines in rabbits, hamsters and humans, 1
- APOSTOLOV, K. The effects of iodine on the biological activities of myxoviruses, 381
- ARAI, TERUYOSHI, IKEJIMA, NOBUYUKI, ITOH, TAKESHI, SAKAI, SENZO, SHIMADA, TOSHIO and SAKAZAKI, RIICHI. A survey of *Plesiomonas shigelloides* from aquatic environments, domestic animals, pets and humans, 203
- AWAD, Z. A. *see* BAIRD, ROSAMUND M.
- BAIRD, ROSAMUND M., AWAD, Z. A., SHOOTER, R. A. and NOBLE, W. C. Contaminated medicaments in use in a hospital for diseases of the skin, 103
- BARKER, RUTH, OLD, D. C. and SHARP, J. C. M. Phage type/biotype groups of *Salmonella typhimurium* in Scotland 1974-6: variation during spread of epidemic clones, 115
- BARNHAM, M., KERBY, J. and SKILLIN, J. An outbreak of streptococcal infection in a chicken factory, 71
- BARRELL, R. A. E. and ROWLAND, M. G. M. Commercial milk products and indigenous weaning foods in a rural West African environment: a bacteriological perspective, 191
- BENEDIKTSÓTTIR, E. *see* HAMBRAEUS, A.
- BETTELHEIM, K. A., WILSON, M. W., SHOOTER, R. A. and O'FARRELL, S. M. Studies on the enterotoxigenicity of environmental *Escherichia coli*, belonging to serotypes normally considered enterotoxigenic, 411
- BOUGHTON, C. R. *see* HAWKES, R. A.
- BOUGHTON, E. *see* THORNS, C. J.
- BOWKER, C. *see* FREESTONE, D. S.
- BRAYSON, JANET C. *see* COOKE, E. MARY
- BREWER, R. A. *see* CORBEL, M. J.
- BROOKES, JOE E., HTUN, THAN PE and NAING HLA. The susceptibility of *Bandicota bengalensis* from Rangoon, Burma, to several anticoagulant rodenticides, 127
- BRUCE, R. G. *see* QUINN, R.
- BUCHER, C. *see* PITT, T. L.
- BUTLER, M. *see* HAJENIAN, H.
- BUTLER, M. *see* HAJENIAN, H. G.
- BYE, C. *see* FREESTONE, D. S.
- CEDERBERG, ÅKE and ÖSTERBERG, KAI. A method for measuring the cleaning effect of flushing disinfectors, 321
- CINCO, M., COGHLAN, J. D. and MATTHEWS, P. R. J. Isolation and classification of sixteen strains of saprophytic leptospires, 173
- COGHLAN, J. D. *see* CINCO, M.
- COOKE, E. MARY *see* FEENEY, A. R.
- COOKE, E. MARY, SAZEGAR, TAHERE, EDMONDSON, A. S., BRAYSON, JANET C. and HALL, DIANA. *Klebsiella* species in hospital food and kitchens: a source of organisms in the bowel of patients, 97
- CORBEL, M. J. and BREWER, R. A. Isolation and properties of an RNA fraction present in *Brucella* culture supernatants, 223
- COX, J. C., PYE, D., EDMONDS, J. W. and SHEPHERD, ROSAMOND. An investigation of *Encephalitozoon cuniculi* in the wild rabbit *Oryctolagus cuniculus* in Victoria, Australia, 295
- DE LEEUW, P. W., TIESSINK, J. W. A. and VAN BEKKUM, J. G. Aspects of heat inactivation of foot-and-mouth disease virus in milk from intramammarily infected susceptible cows, 159

- DIAS, SYLVIA F. *see* SPIERS, A. S. D.  
 DUBOCK, A. C. *see* RENNISON, B. D.  
 DUERDEN, B. I. The identification of gram-negative anaerobic bacilli isolated from clinical infections, 301
- EDMONDS, J. W. *see* COX, J. C.  
 EDMONDS, J. W. *see* SHEPHERD, ROSAMOND C. H.  
 EDMONDSON, A. S. *see* COOKE, E. MARY  
 EMMELOT, C. H. and VAN DER WAAL, D. The dose at which neomycin and polymyxin B can be applied for selective decontamination of the digestive tract in mice, 331  
 ERDMAN, Y. J. *see* PITTS, T. L.  
 EVANS, NEST *see* KAPLAN, C.
- FAINE, S. *see* ADLER, B.  
 FEENEY, A. R., COOKE, E. MARY, and SHINEBAUM, R. A comparative study of gram-negative aerobic bacilli in the faeces of babies born in hospital and at home, 91  
 FERRIS, R. *see* FREESTONE, D. S.  
 FREESTONE, D. S., KELLY, A., FERRIS, R., SIMMONS, R. L. L., BOWKER, C., LETLEY, E. and BYE, C. Comparison of antibody responses and virus shedding following administration of trivalent oral poliomyelitis vaccines prepared either in monkey kidney or human diploid cell substrates, 17
- GABOR, I. *see* TJADE, O. H.  
 GILBERT, R. J. *see* PARRY, JENNIFER M.  
 GILBERT, R. J. *see* STRINGER, M. F.  
 GILL, J. E. *see* REDFERN, R.  
 GILL, J. E. *see* RENNISON, B. D.  
 GILL, K. P. W. *see* LANDER, K. P.  
 GIRDWOOD, R. W. A. *see* QUINN, R.  
 GOTO, JUN *see* ISHIGURO, NAOTAKA
- HAJENIAN, H. and BUTLER, M. Inactivation of f2 coliphage in municipal effluent by the use of various disinfectants, 247  
 HAJENIAN, H. G. and BUTLER, M. Inactivation of viruses in municipal effluent by chlorine, 63  
 HALL, DIANA *see* COOKE, E. MARY  
 HAMBRAEUS, A. and BENEDIKTSÓTTIR, E. Airborne non-sporeforming anaerobic bacteria, 181  
 HARRIS, R. E., REVFEIM, K. J. A. and HEATH, D. D. Simulating strategies for control of *Echinococcus granulosus*, *Taenia hydatigena* and *T. ovis*, 389  
 HAWKES, R. A., PHILBROOK, SUSAN C. and BOUGHTON, C. R. The response of institutionalized Down's syndrome subjects to enterovirus infections, 433  
 HEALING, LESLEY *see* KAPLAN, C.  
 HEALING, T. D. *see* KAPLAN, C.  
 HEATH, D. D. *see* HARRIS, R. E.  
 HTUN, THAN PE *see* BROOKES, JOE E.  
 HUSON, L. W. Statistical analysis of comparative field trials of acute rodenticides, 341  
 HUTCHINGS, G. H. *see* MANN, J. A.
- IKEJIMA, NOBUYUKI *see* ARAI, TERUYOSHI  
 ISHIGURO, NAOTAKA, GOTO, JUN and SATO, GIHEI. Genetical relationship between R. plasmids derived from *Salmonella* and *Escherichia coli* obtained from a pig farm, and its epidemiological significance, 365  
 ITOH, TAKESHI *see* ARAI, TERUYOSHI  
 IWARSON, S. and LARSSON, P. Intradermal versus subcutaneous immunization with typhoid vaccine, 11

- JOHNSON, ALAN M., ROBERTS, HELEN and McDONALD, P. J. Age-sex distribution of *Toxoplasma* antibody in the South Australian population, 315
- JONES, P. W., RENNISON, LYNNE M., LEWIN, V. H., REDHEAD, D. L. The occurrence and significance to animal health of salmonellas in sewage and sewage sludges, 47
- AKLAMANI, EVANGELIA, KYRIAKIDOU, ATHENA, TRICHOPOULOS, DIMITRI, PAPOUTSAKIS, GEORGE, KOUMANDAKI, IVONI and KARALIS, DIMITRI. Hepatitis B serology in Greek prostitutes: significance of the different serum markers, 257
- KAPLAN, C., HEALING, T. D., EVANS, NEST, HEALING, LESLEY and PRIOR, ANNE. Evidence of infection by viruses in small British field rodents, 285
- KARALIS, DIMITRI *see* AKLAMANI, EVANGELIA
- KELLY, A. *see* FREESTONE, D. S.
- KERBY, J. *see* BARNHAM, M.
- KOUMANDAKI, IVONI *see* AKLAMANI, EVANGELIA
- KURTZ, J. B., MORTIMER, P. P., MORTIMER, P. R., MORGAN-CAPNER, P., SHAFI, M. S. and WHITE, G. B. B. Rubella antibody measured by radial haemolysis. Characteristics and performance of a simple screening method for use in diagnostic laboratories, 213
- KYRIAKIDOU, ATHENA *see* AKLAMANI, EVANGELIA
- LANDER, K. P. and GILL, K. P. W. Experimental infection of the bovine udder with *Campylobacter coli/jejuni*, 421
- LARSSON, P. *see* IWARSON, S.
- LETLEY, E. *see* FREESTONE, D. S.
- LEWIN, V. H. *see* JONES, P. W.
- LOPEZ, J. A. *see* SPIERS, A. S. D.
- LUCAS, C. M. and MENDES, M. F. A bacteriological survey of sanitary dressings, and development of an effective means for their disposal, 41
- MCDONALD, P. J. *see* JOHNSON ALAN M.
- MANN, J. A. and HUTCHINGS, G. H. Swine vesicular disease: pathways of infection, 355
- MARTINEAU, R. *see* MITTAL, K. R.
- MATTHEWS, P. R. J. *see* CINCO, M.
- MEAD, G. C. *see* ADAMS, B. W.
- MENDES, M. F. *see* LUCAS, C. M.
- MITTAL, K. R., TIZARD, I. R. and MARTINEAU, R. The use of the non-specific immunological factors, conglutinin, immunoconglutinin and heterophile antibody, in the serodiagnosis of bovine brucellosis, 405
- MORGAN-CAPNER, P. *see* KURTZ, J. B.
- MORTIMER, P. P. *see* KURTZ, J. B.
- MORTIMER, P. R. *see* KURTZ, J. B.
- NAING, HLA *see* BROOKES, JOE E.
- NAYLOR, G. R. E. Technique for the cultural examination of urine using a single plate (the Macba plate), 429
- NOBLE, W. C. *see* BAIRD, ROSAMUND M.
- O'FARRELL, S. M. *see* BETTELHEIM, K. A.
- OLD, D. C. *see* BARKER, RUTH
- ÖSTERBERG, KAI *see* CEDERBERG, ÅKE
- PAPOUTSAKIS, GEORGE *see* AKLAMANI, EVANGELIA
- PARRY, JENNIFER M. and GILBERT, R. J. Studies on the heat resistance of *Bacillus cereus* spores and growth of the organism in boiled rice, 77
- PHILBROOK, SUSAN C. *see* HAWKES, R. A.
- PITT, T. L., ERDMAN, Y. J. and BUCHER, C. The epidemiological type identification of *Serratia marcescens* from outbreaks of infection in hospitals, 269
- PORTER, I. A. and REID, T. M. S. A milk-borne outbreak of *Campylobacter* infection, 415
- PRIOR, ANNE *see* KAPLAN, C.

- PYE, D. *see* COX, J. C.
- PYHÄLÄ, R. Protection by a polyvalent influenza vaccine and persistence of homologous and heterologous HI antibodies during a period of two epidemic seasons, 237
- QUINN, R., SMITH, H. V., BRUCE, R. G. and GIRDWOOD, R. W. A. Studies on the incidence of *Toxocara* and *Toxascaris* spp. ova in the environment. 1. A comparison of flotation procedures for recovering *Toxocara* spp. ova from soil, 83
- REDFERN, R. and GILL, J. E. Laboratory evaluation of bromadiolone as a rodenticide for use against warfarin-resistant and non-resistant rats and mice, 263
- REDFERN, R. *see* RENNISON, B. D.
- REDHEAD, D. L. *see* JONES, P. W.
- REID, T. M. S. *see* PORTER, I. A.
- RENNISON, B. D., REDFERN, R., DUBOCK, A. C., GILL, J. E. and RICHARDS, C. G. J. Laboratory and field evaluation of pyriminyl as a poison for *Rattus norvegicus*, 347
- RENNISON, LYNNE M. *see* JONES, P. W.
- REVFEIM, K. J. A. *see* HARRIS, R. E.
- RICHARDS, C. G. J. *see* RENNISON, B. D.
- ROBERTS, HELEN *see* JOHNSON, ALAN M.
- ROWLAND, M. G. M. *see* BARRELL, R. A. E.
- SAKAI, SENZO *see* ARAI, TERUYOSHI
- SAKAZAKI, RIICHI *see* ARAI, TERUYOSHI
- SATO, GIHEI *see* ISHIGURO, NAOTAKA
- SAZEGAR, TAHERE *see* COOKE, E. MARY
- SHAFI, M. S. *see* KURTZ, J. B.
- SHARP, J. C. M. *see* BARKER, RUTH
- SHEPHERD, ROSAMOND *see* COX, J. C.
- SHEPHERD, ROSAMOND C. H. and EDMONDS, J. W. Myxomatosis: the emergence of male and female European rabbit fleas *Spilopsyllus cuniculi* (Dale) from laboratory cultures, 109
- SHIMADA, TOSHIO *see* ARAI, TERUYOSHI
- SHINEBAUM, R. *see* FEENEY, A. R.
- SHOOTER, R. A. *see* BAIRD, ROSAMUND M.
- SHOOTER, R. A. *see* BETTELHEIM, K. A.
- SIMMONS, R. L. L. *see* FREESTONE, D. S.
- SKILLIN, J. *see* BARNHAM, M.
- SMITH, H. V. *see* QUINN, R.
- SPIERS, A. S. D., DIAS, SYLVIA F. and LOPEZ, J. A. Infection prevention in patients with cancer: microbiological evaluation of portable laminar air flow isolation, topical chlorhexidine, and oral non-absorbable antibiotics, 457
- STRINGER, M. F., TURNBULL, P. C. B. and GILBERT, R. J. Application of serological typing to the investigation of outbreaks of *Clostridium perfringens* food poisoning, 1970–1978, 443
- THORNS, C. J. and BOUGHTON, E. Studies on the effect of growth medium composition on the antigenicity of *Mycoplasma bovis*, 29
- TIESSINK, J. W. A. *see* DE LEEUW, P. W.
- TIZARD, I. R. *see* MITTAL, K. R.
- TJADE, O. H. and GABOR, I. Evaluation of airborne operating room bacteria with a Biap slit sampler, 37
- TRICHOPOULOS, DIMITRI *see* KAKLAMANI, EVANGELIA
- TUCKER, J. F. *see* WILLIAMS SMITH, H.
- TUCKER, J. F. *see* WILLIAMS SMITH, H.
- TURNBULL, P. C. B. *see* STRINGER, M. F.
- VAN BEKKUM, J. G. *see* DE LEEUW, P. W.
- VAN DER WAALIJ, D. *see* EMMELOT, C. H.

- WHITE, G. B. B. *see* KURTZ, J. B.
- WILLIAMS SMITH, H. Antibiotic-resistant *Escherichia coli* in market pigs in 1956–1979: the emergence of organisms with plasmid-borne trimethoprim resistance, 467
- WILLIAMS SMITH, H. and TUCKER, J. F. Further observations on the effect of feeding diets containing avoparcin, bacitracin and sodium arsenilate on the colonization of the alimentary tract of poultry by salmonella organisms, 137
- WILLIAMS SMITH, H. and TUCKER, J. F. The virulence of salmonella strains for chickens: their excretion by infected chickens, 479
- WILSON, M. W. *see* BETTELHEIM, K. A.