

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London:

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACOCARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

Original Article:—

Diphtheria and Pseudo-Diphtheria. Report to the Sanitary Board of New York.
By Drs. PARK and BEEBE. Pages 699 to 736

Abstracts:—

Diphtheria.—Bacteriology, *Chaillou* and *Martin*—Diphtheritic Paralysis, *Bikeles*
—Treatment, *Moizard*, *Weißgen*, *Bathony*, *Kruche*, *Welsch*, *Nesemann*, *Davison*, *Sziklai*,
Ahronson, *Dräer*. Pages 736 to 738

Pharynx and Œsophagus.—Sarcoma of Tongue, *Perman*—Chronic Bacillary
Tonsillitis, *Lermoyez*, etc.—Mycosis, *Bean*—Entry of Micro-organisms through the
Tonsils, *Buschke*—Semeiology of Tonsillar Tumours, *Gulfin* and *Ripault*—Lympho-
Sarcoma, *Montaz*—Foreign Body in Œsophagus, *Drederichs*, *Schniegelow*—Tuberculo-
Cancroid Ulcer of Œsophagus, *Condua*. Pages 738 to 740

Nose and Naso-Pharynx.—Electric Lamp, *Bresgen*—Massage, *Scheff*—
Nervous Coryza, *Hornung*—Anatomy of External Nose, *Hovorka*—Deflections of
Septum, *Ziem*—Deformities of Septum, *Anton*—Nasal Impermeability, *Spitzer*—
Nasal Hæmorrhage, *Hellman*—Epistaxis, *Roth*—Rhinitis Hypertrophica, *Onodi*—
Lachrymal Ducts in Ocular Diseases, *Tacquet*—Ozæna, *Tissier*—The Accessory Nasal
Cavities, *Wright*, *King*, *Lermoyez*, *Luc*—Nasal Fibro-Sarcoma, *Mermet*—Electrolysis
of Pharyngeal Fibromata, *Kaarsberg*. Pages 740 to 745

Larynx.—Insufflations, *Tarunorovsky*—Intubation, *Chiari*—Opium in Laryngeal
Stenosis, *Stern*—Laryngeal Phthisis, *Langmaid*—Cure of Laryngeal Cancer, *Fischer*—
Cure of Cyst by Carbolic Acid, *Ingals*—Tubes Dorsalis and Laryngeal Crises, *Schlesinger*
—Supra-Glottic Edema, *Pryor*. Pages 745 to 747

Thyroid Gland.—Injections in Goitre, *Garré*—Operations for Goitre, *Störn*—
Thyroid Gland Treatment, *Reinhold*—Myxœdema, *Harold*. Page 748

Society Reports:—

New York Academy of Medicine—Section of Laryngology, etc. Pages 749 to 758
Pan-American Medical Congress—Section of Laryngology, etc. ,, 759 to 779
Medical Society of Christiania. Page 779

Reviews:—

Pharmacopœia of Throat Hospital. Page 779
Bullkey, Syphilis in the Innocent. ,, 780
Nevin, Discovery of Modern Anæsthetics. ,, 780
Macewen, Pyogenic Infective Diseases of the Brain and Spinal Cord; Meningitis;
Abscess; Thrombosis. Pages 781 to 785

Letter to Editors:—

K. Behnke. Page 786

Notes.

,, 787

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	x.
Burroughs, Wellcome & Co.	vi., viii., xiii.
Central London Throat Hospital	xiv.
Godfrey & Cooke	x.
Ingram & Royle ..	ix.
Lambert Pharmacal Co.	ii.
Rebman	x., xi., xii.

COD-LIVER OIL IN SOLUTION (KEPLER).

THE value of Cod-Liver Oil as a tissue-forming, force-producing, and nutritive food was formerly so greatly impaired by the difficulties attending its administration that it is greatly to be wondered at that it did not altogether go out of use. A this is also remarkable on another account. Plain Cod-Liver Oil has been shown to be assimilated to such a partial extent that the unpleasant and nauseating effect produced by taking it into the stomach must have been scarcely compensated for the benefit derived. But even in the early days of its use its ultimate importance as a medicinal agent was foreseen, so pharmacists set about trying the best to devise, in the first place, methods of rendering it as pure as possible, and in the second place, means of sophistication so as to cover the nauseous taste, render it comparatively palatable, and to enable as large a proportion of it as possible to be absorbed into the system.

The former of these objects was not especially difficult of attainment, but the latter problem was for years tackled in vain. It was attempted to emulsify Cod-Liver Oil with gums, alkalies, &c., but although preparations so treated were not objectionable to swallow, when taken into the stomach the oil globules were found to coalesce through the warmth of the body, and the consequent eructations were as bad as when the Oil was administered *per se*. Still, for a long time, emulsions held the field, and were regarded as the most practical method of preparing Cod-Liver-Oil.

But the KEPLER SOLUTION OF COD-LIVER OIL IN EXTRACT OF MALT was the final "solution" of the difficulty. The reason for past failures was at length revealed; Cod-Liver Oil had been treated as a drug, whereas it should have been treated as a food. It was at length apparent to us that the only rational method of taking it was with another food, as all other oils and fats are taken, and we resolved to test the capabilities of the KEPLER MALT EXTRACT as a medium for the administration of Cod-Liver Oil. Our experiments were entirely successful, since it was found that by centrifugal motion induced by machinery, Cod-Liver Oil was completely dissolved in Extract of Malt, the presence of the latter material aiding the assimilation of the Oil, and at the same time thoroughly masking its unpleasant taste, and removing the possibility of the production of nauseous effects.

The "BRITISH MEDICAL JOURNAL" reported:—"The Kepler Solution is the ideal form for the administration of Fat."

KEPLER SOLUTION of COD-LIVER OIL in MALT EXTRACT is supplied to the Medical Profession in $\frac{1}{2}$ -lb. and 1 $\frac{1}{2}$ -lb. bottles at 1s. 8d. and 3s. each, and may be obtained from all first-class Pharmacies and Wholesale Drug Houses.

BURROUGHS, WELLCOME & CO.

SNOW HILL BUILDINGS, LONDON, E.C.

Cable and Telegraphic Address: "BURCOME, LONDON."