

systematic parasitology

editor in chief

Dr. Sheila Willmott
Commonwealth Institute of
Helminthology
St. Albans England

co editors

R. C. Anderson (Canada)
J. R. Baker (England)
I. Beveridge (Australia)
A. G. Chabaud (France)
L. Euzet (France)
M. T. Franklin (England)
Z. Kabata (Canada)
J. J. Laarman (The Netherlands)
J. C. Pearson (Australia)
G. D. Schmidt (USA)

This new journal is being produced as a direct response to the increasing recognition of the fundamental importance of sound systematics in biology, especially as applied to those parasitic organisms which affect the health of man, animals and plants throughout the world.

In scope, it will cover Nemathelminthes (including plant parasites), Platyhelminthes, parasitic Arthropoda and Protozoa, and parasitic genera in other invertebrate groups.

The highest scientific standards of work will be required and descriptions of new taxa will not normally be accepted unless specimens are made available for scrutiny by the referees.

Initially, the journal will be issued quarterly, the first part to appear early in 1979. Papers, brief communications and research notes describing original work and major revisions of a high standard will be acceptable for publication. It is the aim to publish within six months of acceptance.

Subscription information.

The subscription price for volume 1 (4 issues), 1979, is Dfl. 120,00 plus Dfl. 18,50 for postage and handling.

Private subscribers are entitled to a 50% discount on the subscription price (i.e. Dfl. 60,00 plus Dfl. 18,50 for postage and handling).

Orders should be sent to our distribution centre: Kluwer Academic Publishers Group, P.O. Box 322, 3300 AH Dordrecht, The Netherlands.

PARASITOLOGY

PARASITOLOGY

(*Founded by G. H. F. Nuttall, F.R.S.*)

EDITORS

D. W. T. CROMPTON and B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

GWENDOLEN REES, F.R.S. (*Chairman*)

R. ANDERSON	D. I. GIBSON	J. H. ROSE
D. R. ARTHUR	L. G. GOODWIN, F.R.S.	J. F. RYLEY
J. R. BAKER	L. P. JOYNER	G. SALT, F.R.S.
J. BARRETT	C. R. KENNEDY	S. R. SMITHERS
ELIZABETH U. CANNING	ANN M. LACKIE	K. VICKERMAN
L. H. CHAPPELL	D. L. LEE*	D. WAKELIN
S. COHEN	R. J. LINCOLN	P. F. V. WARD
R. R. A. COOMBS, F.R.S.	J. LLEWELLYN	P. J. WHITFIELD
F. E. G. COX	S. H. P. MADDRELL	H. H. WILLIAMS
G. A. M. CROSS	BRIDGET M. OGILVIE	R. A. WILSON
D. A. ERASMUS	M. ELAINE ROSE	C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 78, 1979

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE · LONDON · NEW YORK

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1979

CONTENTS

(All rights reserved)

PART 1 FEBRUARY 1979

	PAGE
MORENO, M. SANCHEZ and BARRETT, J. Monoamine oxidase in adult <i>Hymenolepis diminuta</i> (Cestoda)	1
HEALY, J. A. Phosphoglucomutase polymorphism in the tick <i>Ixodes ricinus</i>	7
SCHILDKNACHT, E. G. and SQUIBB, R. L. The effect of vitamins A, E and K on experimentally induced histomoniasis in turkeys	19
PANITZ, E. Efficacy and cross-resistance studies on <i>N,N'-bis</i> (3,4 ditri-fluoromethylphenyl) methylmalonamide, a novel anticoccidial agent	33
LONG, P. L. and MILLARD, B. J. Studies on <i>Eimeria dispersa</i> Tyzzer 1929 in turkeys	41
RILEY, J., JAMES, J. L. and BANAJA, A. A. The possible role of the frontal and subparietal gland systems of the pentastomid <i>Reighardia sternae</i> (Diesing, 1864) in the evasion of the host immune response	53
LANGHORNE, J. and COHEN, W. <i>Plasmodium knowlesi</i> in the marmoset (<i>Callithrix jacchus</i>)	67
BOMFORD, R. and McHARDY, N. <i>Corynebacterium parvum</i> as an adjuvant for <i>Trypanosoma cruzi</i> epimastigote vaccines: a comparison with saponin and <i>Bordetella pertussis</i>	77
KIPNIS, T. L., CALICH, V. L. G. and DIAS DA SILVA, W. Active entry of bloodstream forms of <i>Trypanosoma cruzi</i> into macrophages	89
HIGGINS, J. C. The role of the tegument of the metacercarial stage of <i>Bucephalus haimeanus</i> (Lacaze-Duthiers, 1854) in the absorption of particulate material and small molecules in solution	99

PART 2 APRIL 1979

LE JAMBRE, L. F., ROYAL, W. M. and MARTIN, P. J. The inheritance of thiabendazole resistance in <i>Haemonchus contortus</i>	107
KENNEDY, M. W., WAKELIN, D. and WILSON, MARGARET M. Transplantation of adult <i>Trichinella spiralis</i> between hosts: worm survival and immunological characteristics of the host-parasite relationship	121
WHARTON, D. A. Oogenesis and egg-shell formation in <i>Aspiculuris tetraptera</i> Schulz (Nematoda: Oxyuroidea)	131
WHARTON, D. A. The structure of the egg-shell of <i>Aspiculuris tetraptera</i> Schulz (Nematoda: Oxyuroidea)	145

	PAGE
HIGBY, G. C., CANNING, ELIZABETH U., PILLEY, BARBARA M. and BUSH, P. J. Propagation of <i>Nosema eurytremae</i> (Microsporida: Nosematidae) from trematode larvae, in abnormal hosts and in tissue culture	155
DOENHOFF, M. and LONG, E. Factors affecting the acquisition of resistance against <i>Schistosoma mansoni</i> in the mouse. IV. The inability of T-cell-deprived mice to resist re-infection, and other <i>in vivo</i> studies on the mechanisms of resistance	171
BICKLE, Q. D., TAYLOR, M. G., JAMES, E. R., NELSON, G. S., HUSSEIN, M. F., ANDREWS, B. J., DOBINSON, A. R. and MARSHALL, T. F. DE C. Further observations on immunization of sheep against <i>Schistosoma mansoni</i> and <i>S. bovis</i> using irradiation-attenuated schistosomula of homologous and heterologous species	185
BOXRUCKER, J. C. Effects of a thermal effluent on the incidence and abundance of the gill and intestinal metazoan parasites of the black bullhead	195
SHERLOCK, P. L. <i>Diplocystis tipulae</i> sp.nov. (Sporozoa: Eugregarinorida), a parasite of <i>Tipula paludosa</i> Meigen (Diptera: Tipulidae)	207
SHIRLEY, M. W. A reappraisal of the taxonomic status of <i>Eimeria mivati</i> Edgar and Seibold 1964, by enzyme electrophoresis and cross-immunity tests	221
LONG, P. L. and MILLARD, B. J. Rejection of <i>Eimeria</i> by foreign hosts	239

PART 3 JUNE 1979

DOJIRI, MASAHIRO. Two new species of <i>Lepeophtheirus</i> (Copepoda: Caligidae) parasitic on fishes from southern California waters	251
HOWARD, R. J. and BATTYE, F. L. <i>Plasmodium berghei</i> -infected red cells sorted according to DNA content	263
DARGIE, J. D., MURRAY, P. K., MURRAY, MAX, GRIMSHAW, W. R. T. and MCINTYRE, W. I. M. Bovine trypanosomiasis: the red cell kinetics of Ndama and Zebu cattle infected with <i>Trypanosoma congolense</i>	271
WATTS, S. D. M., ORPIN, A. and MACCORMICK, C. Lysosomes and tegument pathology in the chemotherapy of schistosomiasis with 1,7-bis(<i>p</i> -aminophenoxy)heptane (153C51)	287
WILSON, R. A. and BARNES, P. E. Synthesis of macromolecules by the epithelial surfaces of <i>Schistosoma mansoni</i> : an autoradiographic study	295
SMITH, M. A. and CLEGG, J. A. Different levels of immunity to <i>Schistosoma mansoni</i> in the mouse: the role of variant cercariae	311

Contents

vii

PAGE

CHRISTIE, P. R., WAKELIN, D. and WILSON, M. M. The effect of the expulsion phase of <i>Trichinella spiralis</i> on <i>Hymenolepis diminuta</i> infection in rats	323
BORGSTEED, F. H. M. and HENDRIKS, J. Experimental infections with <i>Cooperia oncophora</i> (Railliet, 1918) in calves. Results of single infections with two graded dose levels of larvae	331
CHEN, S. N. and HOWELLS, R. E. The uptake <i>in vitro</i> of dyes, monosaccharides and amino acids by the filarial worm <i>Brugia pahangi</i>	343
PREMVATI, G. and CHOPRA, ASHOK K. <i>In vitro</i> variation of glycogen content in three sheep nematodes	355
ROLLINSON, D., JOYNER, L. P. and NORTON, C. C. <i>Eimeria maxima</i> : the use of enzyme markers to detect the genetic transfer of drug resistance between lines	361

PARASITOLOGY

SUBSCRIPTIONS may be sent to any bookseller or subscription agent or direct to Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL. Subscriptions in the U.S.A. and Canada should be sent to Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022. The subscription price of volumes 78 and 79, 1979, is £21.00 net (including postage) for a volume of three parts (US \$52.50 in the U.S.A. and Canada) payable in advance (£42.00 or US \$105.00 per year); separate parts cost £9.00 net or US \$22.50 each (plus postage).

BACK VOLUMES. Vols. 1-39: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 40 onwards: quotations for parts still in print may be obtained from the Cambridge or New York offices of the Cambridge University Press.

COPYING. This journal is registered with the Copyright Clearance Center, New York. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. © law) subject to payment to C.C.C. of the per-copy fee indicated in the code on the first page of the article. This consent does not extend to multiple copying for promotional or commercial purposes.

ISI TEAR SERVICE, 325 Chestnut Street, Philadelphia, Pennsylvania 19106, U.S.A., is authorized to supply single copies of separate articles for private use only.

FOR ALL OTHER USE, permission should be sought from the Cambridge or New York offices of the Cambridge University Press.

CLAIMS for missing issues can only be considered if made immediately after receipt of the subsequent issue.

ADVERTISING. Details of advertising in *Parasitology* may be obtained from the publisher.

The previous part was published on 3 April 1979

PARASITOLOGY

Volume 78, Part 3, June 1979

CONTENTS

	PAGE
DOJIRI, MASAHIRO. Two new species of <i>Lepeophtheirus</i> (Copepoda; Caligidae) parasitic on fishes from southern California waters	251
HOWARD, R. J. and BATTYE, F. L. <i>Plasmodium berghei</i> -infected red cells sorted according to DNA content	263
DARGIE, J. D., MURRAY, P. K., MURRAY, MAX, GRIMSHAW, W. R. T. and MCINTYRE, W. I. M. Bovine trypanosomiasis: the red cell kinetics of Ndama and Zebu cattle infected with <i>Trypanosoma congolense</i>	271
WATTS, S. D. M., ORPIN, A. and MACCORMICK, C. Lysosomes and tegument pathology in the chemotherapy of schistosomiasis with 1,7-bis(<i>p</i> -aminophenoxy)heptane (153C51)	287
WILSON, R. A. and BARNES, P. E. Synthesis of macromolecules by the epithelial surfaces of <i>Schistosoma mansoni</i> : an autoradiographic study	295
SMITH, M. A. and CLEGG, J. A. Different levels of immunity to <i>Schistosoma mansoni</i> in the mouse: the role of variant cercariae	311
CHRISTIE, P. R., WAKELIN, D. and WILSON, M. M. The effect of the expulsion phase of <i>Trichinella spiralis</i> on <i>Hymenolepis diminuta</i> infection in rats	323
BORGSTEEDE, F. H. M. and HENDRIKS, J. Experimental infections with <i>Cooperia oncophora</i> (Railliet, 1918) in calves. Results of single infections with two graded dose levels of larvae	331
CHEN, S. N. and HOWELLS, R. E. The uptake <i>in vitro</i> of dyes, monosaccharides and amino acids by the filarial worm <i>Brugia pahangi</i>	343
PREMVATI, G. and CHOPRA, ASHOK K. <i>In vitro</i> variation of glycogen content in three sheep nematodes	355
ROLLINSON, D., JOYNER, L. P. and NORTON, C. C. <i>Eimeria maxima</i> : the use of enzyme markers to detect the genetic transfer of drug resistance between lines	361

© Cambridge University Press 1979

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge