

Index of Subjects

- Airborne polyoma virus, detection of, 9
 Aircraft effluent as a possible source of cholera infection, 361
 Ampicillin and chloramphenicol resistance in *Salmonella johannesburg* in Hong Kong, 1973–7, 343
 Animal viruses, isolation of from farm livestock waste, soil and water, 295
 Antibiotic resistant staphylococci acquired during the first year of life, 125
 Antibody to Nairobi sheep disease in sheep and goats, wild ruminants and rodents within Kenya, 251
 Antibody to poliovirus in patients in a mental deficiency hospital, with particular reference to Down's syndrome, 25
 Antibody to a soluble antigen of myxoma virus in wild rabbits, *Oryctolagus cuniculus* (L.) in Victoria, Australia, 245
 Antibody responses, homologous and heterologous, to subunit influenza virus vaccine, 331
 Anticoagulant, difenacoum; a test to identify resistance to in the Norway rat, 427
- Bacteria contaminating refrigerated cooked chicken, 161
 Bacteria and skin squames, shedding of after handwashing, 99
Bacteroides fragilis serotypes, their distribution amongst clinical strains, 89
 Biotype, phage type and source, correlation of in strains of *Salmonella typhimurium*, 203
 Bluetongue, possible windborne spread of to Portugal, 189
Bordetella pertussis, conversion of to *Bordetella parapertussis*, 15
 Bovine ephemeral fever virus in chickens and chicken embryos, 1
 Brodifacoum (WBA 8119), field trials of against the house mouse, 197
 5-Bromodeoxyuridine, differential inhibitory effects of on vaccinia and monkeypox viruses, 171
- Chicken, refrigerated cooked; a study of the spoilage potential and possible origin of contaminating bacteria, 161
 Chickens and chicken embryos, bovine ephemeral fever virus in, 1
 Chloramphenicol and ampicillin resistant *Salmonella johannesburg* in Hong Kong, 343
 Cholera: possible infection from aircraft effluent, 361
 Conversion of *Bordetella pertussis* to *Bordetella parapertussis*, 15
 Corrigendum, to paper by J. Gallagher and D. M. Horwill, *Journal of Hygiene* 79, 155–60, 330
 Coxsackievirus B5, the relative effectiveness of commonly used disinfectants in inactivation of, 389
- Difenacoum resistance in the Norway rat, development and use of a test for, 427
 Dimensions of skin fragments dispersed into the air during activity, 471
 Disinfectants, the relative effectiveness of in inactivation of echovirus 11, 77; of coxsackievirus B5, 389
 Dispersal of skin organisms through fabrics in a test chamber, 453
 Dispersed skin fragments in the air during activity, the dimensions of, 471
- e-Antigen: a link between the immune response and infectivity in hepatitis B?, 405
 Echovirus 11, inactivation of by commonly used disinfectants, 77
 Enumeration of micro-organisms in food: a comparative study of five methods, 151
 Ephemeral fever virus, bovine, in chickens and chicken embryos, 1
Escherichia coli serotypes in faeces, the effect of travel on, 481
- Fabrics, evaluation of in relation to their use as protective garments in nursing and surgery, I, 433; II, 453
 Faecal viruses in new-born and other infants, 279

- Farm livestock waste, soil and water, isolation of animal viruses from, 295
- Flea, European rabbit, and its establishment in the Mallee Region of Victoria, coincidentally with changes in the epidemiology of myxomatosis, 399
- Foot-and-mouth disease virus excreted in oesophageal-pharyngeal fluid and milk of cattle after intranasal infection, 415
- Foot-and-mouth disease virus strains, microneutralization tests for serological typing and subtyping of, 107
- Grouse, wild red; studies on louping-ill virus in, 321
- Haemagglutination-inhibition test for the detection of rubella antibody, 373
- Handwashing causing shedding of bacteria and skin squames, 99
- Hepatitis B; e-antigen as a link between immune response and infectivity? 405
- Herpes simplex virus; the pathogenicity of thymidine kinase-deficient mutants in mice, 267
- Immunogenicity in mice of whole and split influenza virus, 337
- Infants, a search for faecal viruses in, 279
- Influenza A/Port Chalmers/1/73: intrafamilial spread and the effect of antibodies to the surface antigens, 67
- Influenza virus, whole and split; their relative immunogenicity in mice, 337
- Influenza virus subunit vaccine, homologous and heterologous antibody responses to, 331
- Isolator, the Trexler; its safety as judged by some physical and biological criteria, 311
- Klebsiella serotyping by counter-current immunoelectrophoresis, 219
- Louping-ill virus (Flavivirus group) in wild red grouse (*Lagopus lagopus scoticus*), 321
- Mallee region of Victoria, Australia, myxomatosis in, 239; changes in the epidemiology of myxomatosis in, coincident with the establishment of the European rabbit flea, 399
- Mice, field trials of brodifacoum (WBA 8119) against, 197
- Microneutralization tests for serological typing and subtyping of foot-and-mouth disease virus strains, 107
- Micro-organisms in food, enumeration of by five methods, 151
- Milk and oesophageal-pharyngeal fluid of cattle after intranasal infection with foot-and-mouth disease virus, excretion of virus in, 415
- Minimum immune titre of rubella HI antibody, the derivation of, 383
- Monkeypox and vaccinia viruses, differential inhibitory effects of 5-bromodeoxyuridine on, 171
- Myxomatosis in the Mallee region of Victoria, Australia, 239
- Myxomatosis: the occurrence of antibody to a soluble antigen of myxoma virus in wild rabbits in Victoria, Australia, 245
- Myxomatosis: changes in the epidemiology of myxomatosis coincident with the establishment of the European rabbit flea *Spilopsyllus cuniculi* (Dale) in the Mallee region of Victoria, 399
- Nairobi sheep disease antibody in sheep and goats, wild ruminants and rodents within Kenya, 251
- Nairobi sheep disease in Kenya. The isolation of virus from sheep and goats, ticks and possible maintenance hosts, 259
- Phage type, biotype and source, correlation of in strains of *Salmonella typhimurium*, 203
- Pneumococcal types causing serious infections in patients admitted to the Radcliffe Infirmary, Oxford, 1969-77, 227
- Poliomyelitis, paralytic, in the urban and rural population around Lucknow, India, 179
- Poliovirus, serum antibody to in patients in a mental deficiency hospital, with particular reference to Down's syndrome, 25
- Pollution of surface waters by *Salmonella*, 353
- Polyoma virus, detection in air, 9

- Port Chalmers, a study of acute respiratory disease in the community of, I, 49; II, 67
- Protective garments in nursing and surgery, the evaluation of fabrics in relation to their uses, I, 433; II, 453
- Rainwater from a contaminated roof as a possible cause of an outbreak of salmonellosis, 303
- Resistance to the anticoagulant difenacoum in the Norway rat, 427
- Resistance to tetracycline in *Shigella sonnei*, 131
- Resistance to chloramphenicol and ampicillin in *Salmonella johannesburg* in Hong Kong, 1973-7, 343
- Respiratory disease, acute, in the community of Port Chalmers, I, 49, II; 67
- Rubella antibody, HI test for the detection of, 373
- Rubella HI antibody, the derivation of a minimum immune titre of, 383
- Salmonella dublin*, experimental infections in cattle, the serology of, 31
- Salmonella johannesburg*, resistance of to chloramphenicol and ampicillin in Hong Kong, 1973-7, 343
- Salmonella pollution of surface waters, 353
- Salmonella typhimurium*, correlation of phage type, biotype and source in strains of, 203
- Salmonellosis possibly caused by contaminated roof-collected rainwater, 303
- Salmonellosis in wild birds feeding at sewage treatment works, 43
- Serology of experimental *Salmonella dublin* infections in cattle, 31
- Serotypes of *Bacteroides fragilis*, the distribution of amongst clinical strains, 89
- Serotyping of *Klebsiella* by counter-current electrophoresis, 219
- Shedding of bacteria and skin squames after handwashing, 99
- Shigella sonnei*, high and low level tetracycline resistance in, 131
- Skin fragments dispersed in the air, dimensions of, 471
- Skin organisms, dispersal of in a test chamber, 453
- Spoilage potential and possible origin of bacteria contaminating refrigerated cooked chicken, 161
- Staphylococci acquired during the first year of life, antibiotic resistance of, 125
- Stool viruses in babies in Glasgow, 285
- Surface water, salmonella pollution of, 353
- Tetracycline resistance in *Shigella sonnei*, 131
- Thymidine kinase-deficient mutants of herpes simplex virus, pathogenicity in mice, 267
- Travel, the effect of on *Escherichia coli* serotypes, 481
- Trexler isolator, the safety of as judged by some physical and biological criteria: a report of experimental work at two centres, 311
- Urban and rural population around Lucknow, the problem of paralytic poliomyelitis in, 179
- Vaccinia and monkeypox viruses, differential effects of 5-bromodeoxyuridine on, 171
- Viruses, animal, from farm livestock waste, soil and water, 295
- Viruses, faecal, in new-born and other infants, 279
- Viruses from stools of babies in Glasgow, 285
- Viruses; bluetongue, 189; bovine ephemeral fever, 1; Coxsackie B5, 389; echo, 11, 77; foot-and-mouth, 107, 415; herpes simplex, 267; influenza A, 67, 331, 337; louping ill, 321; monkeypox, 171; myxoma, 245; Nairobi sheep disease, 259; poliomyelitis, 25, 179; polyoma, 9; rubella, 383; vaccinia, 171
- Waterborne infectious disease in Britain, 139
- WBA 8119 (brodifacoum), field trials of against the house mouse, 197
- Wind as a possible means of spread of bluetongue to Portugal, June-July 1956, 189