

EUROPEAN PSYCHIATRY

VOL 9/No 1

1994

ISSN 0767-399 X

SCSPED II (1) 1-60

PSYPEK (9) (1)

ex PSYCHIATRIE & PSYCHOBIOLOGIE

THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

SPECIAL ARTICLE

The contribution of epidemiology to the study of diagnosis

H Häfner, K Maurer (Mannheim, Germany)

3

ORIGINAL ARTICLES

Dysthymic disorder in an inpatient population. A descriptive study

P Scherillo, M Gasperini, A Cescon, E Smeraldi (Milan, Italy)

13

Prevalence of anxiety and depressive symptoms in a high-school students population

N Angelopoulos, M Economou (Athens, Greece)

19

Treatment of panic disorder with alprazolam and imipramine: clinical relevance of DSM III dysthymia

R Rosenberg, P Nehr Jensen (Risskov, Denmark)

27

A family study of obsessive compulsive, eating and mood disorders

L Pasquale, G Sciuto, S Cocchi, P Ronchi, L Bellodi (Milan, Italy)

33

The opiate system in Gilles de la Tourette syndrome: diverse effects of naltrexone treatment

N Müller, A Putz, A Straube (Munich, Germany)

39

Schizophrenia and family rituals: measuring family rituals among schizophrenics and "normals"

MG Madianos, M Economou (Athens, Greece)

45

CASE REPORT

Dementia associated with nasopharyngeal carcinoma

MDA Zain, SL Varma, BM Selladurai, HS Scharma, AS Dharap (Kelantan, Malaysia)

53

Agenda

55

AEP News

56

News from the Secretariat

58

List of Reviewers

59

Cited/abstracted in: Psychological Abstracts (BIOSIS), CNRS/Pascal, Excerpta Medica (EMbase), Psychological Abstracts



Quitaxon

DOXE PIN E

le Tricyclique du bien-être



et présentations : comprimés pelliculés sécables à 10 mg (boîte de 40) et de 50 mg (boîte de 20). Solution buvable en gouttes de 10mg/ml (flacon de 30 ml) et solution injectable à 25 mg/2 ml (boîte de 10 ml). **Effets :** antidépresseur imipraminique ayant également une activité anxiolytique et sédatrice. **Sort du médicament :** la doxépine est bien absorbée par voie orale et elle est rapidement détectable dans le sang [pic 1 à 3^e après prise]. **Indications :** comprimés à 50 mg et solution injectable : états dépressifs. Comprimés à 10 mg et solution buvable : états anxiodépressifs et états dépressifs. **Contre indications :** association aux IMAO, non sélectif pour les IMAO. Risques de rétention urinaire liés à des troubles urétraprostataiques. Glaucome par fermeture de l'angle. Insuffisance rénale ou hépatique grave. **Précautions d'emploi :** un délai de 15 jours après l'arrêt d'un traitement de ce type de médicament. Risques de rétention urinaire liés à des troubles urétraprostataiques. Glaucome par fermeture de l'angle. Insuffisance rénale ou hépatique grave. Patients présentant des antécédents cardiaques. Egalement prudence chez les sujets épileptiques. **Grossesse :** le risque tératogène, s'il existe semble faible, il semble raisonnable d'essayer de limiter les durées de prescription. Si possible il est souhaitable de diminuer les posologies en fin de grossesse en raison des effets atropiniques des antidépresseurs. Il semble justifié d'observer une période de surveillance des fonctions respiratoires et digestives du nouveau né. L'allaitement est déconseillé pendant la durée du traitement. **Interactions médicamenteuses :** Association contre indiquée : IMAO non sélectifs (risque de collapsus ou d'HTA, hyperthermie, convulsions, décès). Associations déconseillées : alcool (majoration par l'alcool de l'effet sédatif). Epinephrine ou Adrénaline, Norépinephrine ou Noradrénaline (risque d'HTA paroxystique). Association contre indiquée : anticonvulsivants. Autres dépresseurs du SNC : anti-histaminique H1, barbituriques, benzodiazépines, clonidine et apparentés, hypnotiques, dérivés morphiniques, neuroleptiques, tranquillisants et benzodiazépines. Antihypertenseurs (risque de majoration d'hypotension orthostatique). Atropine et autres substances atropiniques : la plupart des anti-histaminiques H1, les antiparkinsoniens, anticholinergiques, atropiniques, le disopyramide, les neuroleptiques phénothiaziniques (addition des effets indésirables atropiniques à type de rétention urinaire, constipation, sécheresse de bouche...). **Effets indésirables :** effet initial, effets atropiniques cités précédemment, rares manifestations allergiques, possibilités de réactivation des crises comitiales. **Mode d'emploi et posologie :** en fonction de l'indication (état dépressif ou anxiodepressif) la posologie et la forme employées seront adaptées. Pour une information complète, voir le Vidal. **Surdosage :** faire évacuer le produit ingéré et faire hospitaliser immédiatement le malade. Liste 1 A.M.M. 333 293. Comprimés 50 mg 333 292-6 (1990) comprimés 10 mg; 312 597-2 (1988) solution buvable en goutte; 312 602-6 (1988) solution injectable.

EUROPEAN PSYCHIATRY

The journal of the Association of European Psychiatrists

Editors: C Ballus (Barcelona), JD Guelfi (Paris), H Heimann (Tübingen), R Murray (London)

Co-Editors: M Maj (Naples), CB Pull (Luxembourg), M Ackenheil (Munich), P Bech (Copenhagen)

Deputy editors: P Boyer, Y Lecrubier (Paris). **Secretariat:** Hôpital de la Salpêtrière, Pavillon Clérambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France. Tel: (0033) 1 45 86 70 22. Fax: (0033) 1 44 23 92 49

Advisory board

J Adès, <i>Colombes, France</i>	HJ Gaertner, <i>Tübingen, Germany</i>	E O'Callaghan, <i>Dublin, Ireland</i>
HS Akiskal, <i>Rockville, USA</i>	J Gibert, <i>Cadiz, Spain</i>	Y Ono, <i>Tokyo, Japan</i>
NC Andreasen, <i>Iowa City, USA</i>	D Goldberg, <i>Manchester, UK</i>	M Patris, <i>Strasbourg, France</i>
J Angst, <i>Zurich, Switzerland</i>	I Hand, <i>Hamburg, Germany</i>	J Pellet, <i>Saint-Etienne, France</i>
P Baumann, <i>Lausanne, Switzerland</i>	WE Haefely, <i>Basel, Switzerland</i>	C Perris, <i>Umeå, Sweden</i>
H Beckmann, <i>Würzburg, Germany</i>	H Häfner, <i>Mannheim, Germany</i>	P Pichot, <i>Paris, France</i>
P Berner, <i>Vienna, Austria</i>	T Helgason, <i>Reykjavik, Iceland</i>	H Pope, <i>Belmont, USA</i>
A Bertelsen, <i>Risskov, Denmark</i>	H Hippius, <i>Munich, Germany</i>	AJ Puech, <i>Paris, France</i>
J Birley, <i>London, UK</i>	A Jablenski, <i>Sofia, Bulgaria</i>	G Racagni, <i>Milan, Italy</i>
JC Bisserbe, <i>Meudon, France</i>	E Johnston, <i>Edinburgh, UK</i>	N Retterstol, <i>Oslo, Norway</i>
D Bobon, <i>Ghain-Liège, Belgium</i>	M Kastrup, <i>Hvidovre, Denmark</i>	M A Ron, <i>London, UK</i>
B Bondy, <i>Munich, Germany</i>	D Kemali, <i>Naples, Italy</i>	R Rosenberg, <i>Risskov, Denmark</i>
JP Boulenger, <i>Sherbrooke, Canada</i>	R Kendall, <i>Edinburgh, UK</i>	M Roth, <i>Cambridge, UK</i>
F Brambilla, <i>Milan, Italy</i>	D Klein, <i>New York, USA</i>	F Rouillon, <i>Colombes, France</i>
I Brockington, <i>Birmingham, UK</i>	R Klein, <i>New York, USA</i>	J Saiz-Ruiz, <i>Madrid, Spain</i>
A Clare, <i>Dublin, Ireland</i>	S Langer, <i>Paris, France</i>	A Sanchez-Blanque, <i>Zaragoza, Spain</i>
F Clerget-Darpoux, <i>Paris, France</i>	J Lelouch, <i>Villejuif, France</i>	N Sartorius, <i>Geneva, Switzerland</i>
V Conde Lopez, <i>Valldolid, Spain</i>	T Lemperiére, <i>Colombes, France</i>	F Schulsinger, <i>Copenhagen, Denmark</i>
S Consoli, <i>Paris, France</i>	J-P Lépine, <i>Paris, France</i>	G Sedvall, <i>Stockholm, Sweden</i>
J Coitiaux, <i>Lyons, France</i>	OM Lesch, <i>Vienna, Austria</i>	L Singer, <i>Strasbourg, France</i>
M von Cranach, <i>Kaufbeuren, Germany</i>	SW Lewis, <i>London, UK</i>	CN Stefanis, <i>Athens, Greece</i>
A Dahl, <i>Oslo, Norway</i>	H Lôô, <i>Paris, France</i>	E Straube, <i>Tübingen, Germany</i>
JM Danion, <i>Strasbourg, France</i>	JJ Lopez-Ibor, <i>Madrid, Spain</i>	E Strömgren, <i>Risskov, Denmark</i> +
JFW Deakin, <i>Manchester, UK</i>	P McGuffin, <i>Cardiff, UK</i>	E Taylor, <i>London, UK</i>
M de Bonis, <i>Le Kremlin Bicêtre, France</i>	W Maier, <i>Mainz, Germany</i>	P Taylor, <i>London, UK</i>
H Dufour, <i>Lausanne, Switzerland</i>	A Mann, <i>London, UK</i>	L Träskman-Bendz, <i>Lund, Sweden</i>
R Engel, <i>Munich, Germany</i>	K Mann, <i>Tübingen, Germany</i>	J Vallejo Rubiola, <i>Barcelona, Spain</i>
L Farde, <i>Stockholm, Sweden</i>	I Marks, <i>London, UK</i>	D Widlöcher, <i>Paris, France</i>
A Féline, <i>Le Kremlin Bicêtre, France</i>	J Marlet, <i>Venray, The Netherlands</i>	J Wilmotte, <i>Marchienne du Pont, Belgium</i>
A Fernandes da Fonseca, <i>Porto, Portugal</i>	J Massana Ronquillo, <i>Barcelona, Spain</i>	J Wing, <i>London, UK</i>
F Ferrero, <i>Geneva, Switzerland</i>	J Mendlewicz, <i>Brussels, Belgium</i>	FT Zimmer, <i>Tübingen, Germany</i>
M Fichter, <i>Prien am Chiemsee, Germany</i>	HJ Möller, <i>Bonn, Germany</i>	J Zohar, <i>Beer-Sheva, Israel</i>
H Freeman, <i>London, UK</i>	D Naber, <i>Munich, Germany</i>	

Association of European Psychiatrists

President: P Bech (Copenhagen); **Past President:** C Ballus (Barcelona); **President Elect:** R Murray (London); **Secretary General:** C Pull (Luxembourg); **Treasurer:** M Patris (Strasbourg); **Councillors:** D Kemali (Naples), J Angst (Zurich); **Section.** L Singer (Strasbourg).



EDITIONS SCIENTIFIQUES ELSEVIER

29, rue Buffon, F-75005 Paris

A member of Reed Elsevier Medical

Tel: (1) 47 07 11 22 – Telecopier: (1) 43 36 80 93

SUBSCRIPTIONS 1994 – Vol 9 in 6 issues

• France: 1380 FF • Students: 828 FF • EEC (organisms or firms; VAT registration number requested) and rest of the world: 1580 FF

EEC (individuals) FF 1613 – Air delivery included.

Address order and payment to: Editions Scientifiques Elsevier

Bank: CCP Paris, No 30041 00001 1904540H020/70.

– Subscriptions begin 4 weeks after receipt of payment and start with the first issue of the calendar year.

– Back issues and volumes are available from the publisher.

– Claims for missing issues should be made within six months of publication.

Consulting Translator: P Rousseau-Conningham.

Advertising: Editions Scientifiques Elsevier (Anne Blanvillain).

© 1994 Editions Scientifiques Elsevier, Paris

Tous droits de traduction, d'adaptation et de reproduction par tous procédés réservés pour tous pays. Loi du 11 mars 1957. Il est interdit de reproduire, même partiellement, la présente publication sans l'autorisation de l'éditeur ou du Centre Français d'exploitation du droit de copie (3, rue Haute-Feuille – 75006 Paris).

All rights reserved. No part of this publication may be translated, reproduced, stored in a retrieval system or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of the publisher.

Saint-Paul France S.A., 55000 Bar-le-Duc
Dépôt légal: février 1994. N° 11-93-1293

Le directeur de la publication: Alain Devanlay
Commission paritaire: 68321
Périodicité bimestrielle

EUROPEAN PSYCHIATRY



ex PSYCHIATRIE & PSYCHOBIOLOGIE

THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

As of 1991, European Psychiatry is the official journal of the Association of European Psychiatrists (AEP). Six times a year, papers are published in the fields of psychopathology, therapeutics, clinical and basic research. All papers are peer-reviewed by at least two eminent specialists.

Each issue includes:

- Original articles
- Short communications
- Editorials
- Review articles
- Letters to the Editor
- Conference calendar

Abstracted/Index in

Biological Abstracts,
CNRS/Pascal, Excerpta Medica,
Psychological Abstracts

Editors

C Ballus, *Barcelona*
JD Guelfi, *Paris*
H Heimann, *Tübingen*
R Murray, *London*

Co-Editors

M Maj, *Naples*
CB Pull, *Luxembourg*
M Ackenheil, *Munich*
P Bech, *Copenhagen*

Deputy Editors

P Boyer, *Paris*
Y Lecrubier, *Paris*

FREE SAMPLE COPIES
AVAILABLE

Subscription information

1994 - Vol 9 in 6 issues
ISSN 0924-9338
France: FF 1380
EEC (for organisms or firms with registration number) and other countries: FF 1380* (US \$ 287)
EEC (for individuals): FF 1613
Excluding EEC: FF 1380* / US \$ 250
Air delivery included.
* The French franc price is definitive.

Submission of manuscripts

should be made to one of the editors indicated above. Addresses of the Editors and Instructions to Authors available upon request at the secretariat of the Journal, (European Psychiatry, Hôpital de la Salpêtrière, Pavillon Clémambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France).

■ 5 receiving centres ■ 25 free reprints ■ No page or submission charges

A special rate is available to the Members of the Association of European Psychiatrists who should apply directly to the headquarters: Clinique psychiatrique, CHU, 1 place de l'Hôpital, 67091 Strasbourg Cedex, France.

Please send your order to the Paris address (or to your usual supplier):



EDITIONS SCIENTIFIQUES
ELSEVIER

29, rue Buffon, 75005 Paris, France

For further information and/or free sample copy, please write to either the French or USA address.

Elsevier Science Publishing Co, Inc
655 Avenue of Americas
New York, NY 10010, USA

A MEMBER OF THE REED ELSEVIER GROUP

- Please enter my 1994 subscription to *European Psychiatry*.
France: FF 1380. EEC (for organisms or firms, please indicate registration No _____) and others countries: FF 1580 (US \$ 287). EEC (for individuals) FF 1613
- Please send me a free sample copy
- Please find my check enclosed
- Please debit my credit card (VISA only)

No _____

Expires _____

Signature: _____

- Please send me an invoice

NAME _____

ADDRESS _____

CITY/STATE/POSTAL CODE _____