

CONTRIBUTORS

- J. R. Arthur *Rowett Research Institute, Bucksburn, Aberdeen AB2 9SB*
L. Bueno *Department of Pharmacology, INRA, 31300 Toulouse, France*
R. G. Campbell *Animal Research Institute, Werribee, Victoria 3030, Australia*
J. K. Chesters *Rowett Research Institute, Bucksburn, Aberdeen AB2 9SB*
W. A. Coward *Medical Research Council, Dunn Nutritional Laboratory, Cambridge CB4 1XJ*
C. B. Cowey *NERC Institute of Marine Biochemistry, Aberdeen AB1 3RA*
Susan J. Fairweather-Tait *AFRC Institute of Food Research, Norwich NR4 7UA*
Anne Ferguson *Gastrointestinal Unit, Western General Hospital, Edinburgh EH4 2XU*
J. Fioramonti *Department of Pharmacology, INRA, 31300 Toulouse, France*
Peter R. Flatt *Department of Biochemistry, University of Surrey, Guildford GU2 5XH*
J. M. Forbes *Department of Animal Physiology and Nutrition, University of Leeds, Leeds LS2 9JT*
K. C. Hayes *Brandeis University, Waltham, Massachusetts 02254, USA*
P. M. Kennedy *CSIRO, Davies Laboratory, Aitkenvale, Queensland 4814, Australia*
J. L. Mangan *AFRC Institute of Animal Physiology and Genetics Research, Babraham, Cambridge CB2 4AT*
Vincent Marks *Department of Biochemistry, University of Surrey, Guildford GU2 5XH*
Linda M. Morgan *Department of Biochemistry, University of Surrey, Guildford GU2 5XH*
P. R. Murgatroyd *Medical Research Council, Dunn Nutritional Laboratory, Cambridge CB4 1XJ*
M. R. Murphy *Department of Animal Science, University of Illinois, Urbana, Illinois 61801, USA*
Susan A. Parkinson *Medical Research Council, Dunn Nutritional Laboratory, Cambridge CB4 1XJ*
T. A. B. Sanders *Department of Food and Nutritional Sciences, King's College, University of London, London W8 7AH*
R. Shepherd *AFRC Institute of Food Research, Norwich NR4 7UA*
Karen C. Watret *Gastrointestinal Unit, Western General Hospital, Edinburgh EH4 2XU*