

May
1996

The Journal of

Laryngology & Otology

Founded in 1887
by Morrell Mackenzie & Norris Wolfenden

Edited by Neil Weir

Assistant Editors
Carol Wengraf,
Richard Ramsden,
David Proops,
Valerie Lund,
Henry Grant,
Andrew Jones,
Guy Kenyon,
Michael Rothera,
Martin Bailey,
Liam Flood,
Patrick Bradley &
Nick Jones

Emeritus Advisor
in Pathology
Imrich Friedmann

Advisors in Pathology
Brian Manners,
Christopher Milroy &
Lesley Smallman

Advisor in Audiology
Linda Luxon

Advisors in Radiology
Glyn Lloyd &
Peter Phelps


Advisors in Statistics
Anthony Hughes &
Peter Kelly

Production Editors
Gillian Goldfarb &
Jennifer Almond

Vol


110

No 5



features:

Day-case myringoplasty
An animal model for FESS training
Acute laryngeal trauma: war and
peacetime injuries
Inhibition of head and neck
neoplasia by local administration of
OK-432
Endoscopic control of posterior
epistaxis



The Start of a Wound Closure Revolution

INDERMIL™ is a revolutionary new wound closure system. For the first time, an advanced, gamma-sterilised, non-pigmented tissue adhesive has been combined with precision electronic delivery technology.

INDERMIL™ adhesive allows rapid wound closure with minimal scarring and reduced risk of subsequent infection. Touchpad programmed delivery brings unprecedented accuracy and control.

Now wound closure can be less traumatic and more efficient than has ever been possible before. To discover the future of wound closure **telephone 01707 821255** or **fax 01707 821152** today.



- **RAPID** - Accelerates wound closure procedure, maximising theatre time
- **REDUCED SCARRING** - Non-invasive, no tissue deformation, minimises scarring
- **REDUCED TRAUMA** - Reduces the trauma associated with conventional techniques
- **REDUCED RISK OF INFECTION** - Can achieve complete tissue closure, reducing the risk of subsequent infection
- **PRECISION** - Unique adhesive delivery technology enables precise wound closure even in less accessible areas
- **EXTENDED SHELF LIFE**

INDERMIL™
Wound Closure Redefined

 **Loctite UK Limited**
Biomedical Division

PLEASE FORWARD DETAILS OF THE INDERMIL™ WOUND CLOSURE SYSTEM I WOULD LIKE TO SEE A DEMONSTRATION OF THE INDERMIL™ SYSTEM

NAME POSITION SPECIALITY

HOSPITAL/CLINIC ADDRESS

POSTCODE TELEPHONE

Send to: Loctite UK Ltd., Biomedical Division, Watchmead, Welwyn Garden City, Herts. AL7 1JB



The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by NEIL WEIR

Assistant Editors CAROL WENGRAF, RICHARD RAMSDEN, DAVID PROOPS, VALERIE LUND, HENRY GRANT, ANDREW JONES, GUY KENYON,
MICHAEL ROTHERA, MARTIN BAILEY, LIAM FLOOD, PATRICK BRADLEY & NICK JONES

Production Editors GILLIAN GOLDFARB & JENNIFER ALMOND

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as *Supplements*, at the expense of the authors or their employing authorities.

2. Manuscripts should be **typewritten** in **duplicate** on one side of the paper only (A4 297 x 210 mm) and double spaced, with wide margins.

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

(a) **Title page**—Titles should be short with names of the authors, higher degrees only. Details of the departments in which the authors work should be put lower down. An address for correspondence should be supplied together with the author who should receive this; this will ultimately appear beneath the list of references. Any change of address should be notified. If the paper was presented at a meeting, the details of this must be given and will be inserted at the bottom of the first page of printed script.

(b) **Abstract**—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should **not** be included in the main manuscript. **No paper will be accepted without an abstract.**

(c) **Key Words**—Only those appearing as Medical Subject Headings (MeSH) in the supplement to the Index Medicus may be used; where no appropriate word(s) are listed those dictated by common sense/usage should be supplied.

(d) **Text**—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

(e) **Tables** are adjuncts to the text and should not repeat material already presented.

(f) **Illustrations**—Two sets of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the *Journal* in order to republish material with copyright elsewhere and also from the senior author where necessary. Consent to be obtained from a patient if a photograph of their face is to be reproduced.

(g) **Measurements** must be in metric units, with *Système Internationale* (SI) equivalents given in parentheses.

(h) **References**—For *Journal* articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951) The tonsil problem. *Journal of Laryngology and Otology* 65: 33–38. A paper written by more than two authors should be abbreviated in the text, e.g. Green *et al.* (1951), but *all* the authors should be given in the list of references. The titles of all *Journals* should be given without abbreviation. **References should be listed in alphabetical order**; use of the Vancouver system will **not** be accepted.

For single-author books, the following style should be used: Green, C. (1951) *The tonsil problem*, 2nd Edition. vol. 1, Headley Brothers Ltd., Ashford, Kent, pp 33–38.

For papers in multi-books with one or more editors, the reference should include the title of the chapter and the names of the editors, together with the number of the edition as e.g. Brown, D. (1951) Examination of the ear. In *Diseases of the Ear, Nose and Throat*. 2nd Edition. (White, A., Black, B., eds.), Headley Brothers Ltd., Ashford, Kent, pp 33–38.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication. The names of authors cited in the References should be given in alphabetical order.

(i) **Drugs**—The proper names of drugs must be used. One reference can be made to the brand name if it is felt to be important to the study.

(j) **Financial disclosures**—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.

(k) **Declaration**. Each manuscript must be accompanied by a letter of declaration to be signed by each author to confirm that they have seen, read and approve the contribution bearing their name.

(l) **Rejections**—All manuscripts which are rejected will no longer be returned to the authors. Those submitting papers should, therefore, ensure that they retain at least one copy and the reference numbers, if any, of the illustrations. The only exception to this will be those manuscripts with colour illustrations which will be returned *automatically* by Surface Mail.

(m) **Facsimile (FAX)**—All authors should send a Facsimile number whenever possible to speed communication; this particularly applies to those outside the United Kingdom. Manuscripts with no visual illustrations (X-rays/pathology) may be sent by facsimile.

3. Page proofs are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.

5. Editorial communications may be addressed to **The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH, or sent by FAX (01483 451874).**

6. **The annual subscription is £100.00 Institutions & Libraries US\$230.00; £85.00 Individuals US\$195.50; £45.00 Registrars, Residents and Interns.** (Those in training should submit a certificate from The Head of the Department giving details of their appointment; those who qualify must supply their *home* address for mailing direct). Claims to be made for missing issues within 6 months of each publication date.

7. Single copies of current or back numbers (when available) will be on sale at £12.00 each (including postage).

8. **SUPPLEMENTS** published at 'irregular' intervals with subscription, available separately on request.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD, THE INVICTA PRESS, ASHFORD, KENT

© *Journal of Laryngology and Otology Ltd.*, 1996 ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury

Airfreight International Ltd. Inc., 2323 Randolph Avenue, Avenel, N.J. 07001. Frequency of Publication: Monthly.

Instructions for Occasional Articles

Review Articles. Articles of this type, preferably not exceeding 3,000 words will be considered but the author(s) are expected to be a recognized authority on the topic and have carried out work of their own in the relevant field.

Historical Articles. Articles of this type are generally encouraged, but it is obvious that they have to provide some new information or interpretation, whether it be about a well-known person or for example an instrument associated with him, but those from within a Hospital's own department who have made a hitherto less well-known contribution would be welcome.

Audit Articles. Articles should be of general audit interest—not specifically departmental. It should always be demonstrated that the 'audit cycle' has been completed.

'Silence in Court'. Articles on medicolegal topics are welcome but a preliminary letter written beforehand is requested to ensure that the contribution would be appropriate.

Short Communications. This feature will be used on an occasional basis. Examples of material suitable for inclusion under this title would be, for example, a piece of work which was of clinical interest but had failed to produce findings which were of statistical significance; where an investigative technique has been applied to an allied field, not warranting a further in-depth description of its earlier application and methodology.


Radiology in Focus. Short reports on cases in which the radiology has been crucial in the making of the diagnosis or the management of a particular case now appear on a monthly or bimonthly basis. This spot is to encourage clinicians and radiologists to produce material of particular interest in the specialty and to encourage co-operation in this field. Only presentations with first-class illustrations can be accepted and these must emphasize a problem of unusual clinical interest.

Pathology in Focus. Articles which are of pathological interest with particular emphasis on the way the diagnosis was achieved now appear on a monthly or bimonthly basis. It is hoped that clinicians will involve their pathologists in these reports, and all illustrations must be of first-class quality. Where a department, particularly those overseas, may not have such specialized facilities. It may be possible, if a block or several unstained sections are provided for our Adviser to produce or supplement the illustration submitted. Only contributions of particular pathological interest will be accepted.

Oncology in Focus. This new feature is for papers concerned with oncological treatment and investigation.

Letters to the Editor. This feature has been re-introduced to give those who wish to comment about a paper previously published within the *Journal*, an opportunity to express their views. Wherever possible, the original author is asked to add his further comment, thereby adding to the value of the contribution. Such letters should be sent as soon as possible after publication of each month's issue of the *Journal* in the hope of including them early thereafter.

'Mini-papers', such as those which appear in the *British Medical Journal*, *Lancet*, or *New England Journal of Medicine*, will not be acceptable except on the rare occasion that they bring information of immediate interest to the reader.



EVERY MONTH... SINCE 1887

The Journal of Laryngology and Otology was the first British journal in the ENT field. Since 1887, it has remained the definitive information resource for surgeons, consultants and students. The Journal is run as a charity to promote education and knowledge in all spheres of Laryngology, Rhinology, Otology and related fields.

The JLO is very much an international journal with contributors from around the world and readers from over 80 countries.

The JLO contains main Articles, case reports and short communications from all over the world. Other contents include the quarterly book review, selected abstract service, and every ten years there is a comprehensive index issue published. By subscribing to the JLO, you not only gain everyday access to this valuable source of information, but also assist in the promotion of excellence in the ENT domain.

SUBSCRIBE TO THE JOURNAL OF LARYNGOLOGY AND OTOTOLOGY

----- ORDER FORM -----

I wish to subscribe to the JLO for one year (12 issues)

Please tick one:

- Standard Rate £85
- Standard Rate U.S. \$195.50
- Registrars, residents and interns Rate £45 (with confirmation of status from head of department)
- Bill me

Cheques must be in pounds sterling or US dollars drawn on a US bank payable to Headley Brothers Ltd.

Name: _____

Address: _____

City: _____ Postal Code _____

Country: _____

Grade: _____

Mail to: Subscription Department
Journal of Laryngology and Otology
Headley Brothers Ltd
The Invicta Press
Ashford, Kent TN24 8HH
ENGLAND

or Fax to: +44 1233 612345



Summer Meeting

for the sections of
OTOLOGY, LARYNGOLOGY & RHINOLOGY

Mr James M. Robinson - President of the Section of Otology
Mr Trevor Farrington - President of the Section of Laryngology & Rhinology

4th-6th July '96

The Summer Meeting will be held at Puckrup Hall, a Regency house which has recently been extended to create a well appointed country house and hotel, with its own golf course. It is situated close to the intersection of the M5 and M50 and is therefore readily accessible. The format will be that the golf tournament will be held on the Thursday, with a dinner reception in the evening to be held at the Parliament Rooms at Gloucester Cathedral. The academic session will be on Friday followed by a banquet at the hotel. There will also be an accompanying persons programme.

Tewkesbury is in the centre of a popular tourist area. Apart from having its own Abbey, there are the cathedral cities of Gloucester, Hereford and Worcester all close by. Only a little further away are the scenically outstanding areas of the Cotswolds, Forest of Dean, Wye Valley, Malvern Hills and the Welsh Borders. Stratford-on-Avon is less than 40 miles away. We have negotiated a package deal with the hotel so that anybody wishing to stay the Saturday night may do so with advantage and we strongly recommend this course of action

Academic Programme

Friday 5th July

Section of Otology

- The role of the artist in medical illustration
Professor Peter Cull.
- Still photography of the ear - Dr. Christian Deguine.
- Stereo-photography of the ear and interactive CD ROM
Dr. Robert Vincent

It is hoped to hold practical workshops in the use of these techniques after the formal lectures.

Lunch

Sections of Laryngology and Rhinology

- Cancer Centres and the Purchaser
Mr Neil Goodwin
Chief Executive, Manchester health Commission
- Cancer Centres - the case for
Mr Patrick Bradley, MB, BCh, BAO, DCH, FRCS (IR), FRCS (Ed)
Consultant otolaryngologist

- Cancer Centres - the case against

Mr Charles Vize, MB, BCh, BAO, BSc (hons), FRCS (Ed)
Consultant Otolaryngologist
Bradford Royal Infirmary

Social Programme

Thursday 4th July

Golf Competition

Visit to Gloucester Cathedral

President's Reception - Gloucester Cathedral

Friday 5th July

Visit to Wallsworth Hall - which houses the 'Society of Wildlife Artists of the World'. Guided tour by Dr. David Trapnell, the founding director.

Visit to Gloucester Docks with several fine museums and excellent shopping nearby.

Summer Meeting Evening Banquet at Puckrup Hall.

Enquiries to:

Ms Jenny Stubbs, Sections Administrator
The RSM, 1 Wimpole Street, London W1M 8AE
Tel: 0171 290 2984 Fax: 0171 290 2989





QUEEN'S MEDICAL CENTRE
NOTTINGHAM

FOURTH NATIONAL HEAD AND NECK ONCOLOGY CONFERENCE

Multidisciplinary Approach to Rehabilitation

NOTTINGHAM

APRIL 16-19 1997

Sessions

Clinical effectiveness and Evidence based practice in Surgery, Radiotherapy, Prosthetics, Speech, Swallowing, Nutrition, Nursing, Reconstruction

International Faculty

Short Paper and Poster Presentations

Call for papers

Submissions are invited for short papers of 15 minutes duration in each session.

Prize for best short paper.

For preliminary registration, apply to:

Conference Nottingham Limited

Regent House, Clinton Avenue, Nottingham NG5 1AZ

THE VOROSCOPE COAXIAL




makes light of those LITTLE problem areas.
by providing:

- ❖ EYE-ALIGNED ILLUMINATION OF 12,000 LUX AT ONLY 85g.
- ❖ BELT CLIP BATTERY AND COMPLETE MOBILITY.
- ❖ CONTINUOUS USAGE CAPABILITY.
- ❖ VARIABLE MAGNIFICATION OF X1.5, X1.75 AND X2.25
- ❖ EYE STRAIN AND FATIGUE RELIEF.
- ❖ LOW COST AND CONVENIENCE.
- ❖ PRESCRIPTION LENSES IF REQUIRED.
- ❖ AVAILABILITY IN EITHER BLACK OR WHITE.
- ❖ IDEAL FOR USE IN THEATRE, CLINIC, WARD, CONSULTING ROOM, EMERGENCY AND DOMICILIARY CALLS.

G A R T H J E S S A M I N E H E A L T H C A R E

Unit 5, The Courtyard, Matthewsgreen Farm, Matthewsgreen Road, Wokingham, Berkshire,
RG41 1JX Telephone: (01734) 786916. Facsimile: (01734) 774064



... a
development
of the Bone
Anchored
Hearing Aid.

BAHA Classic 300

The updated BAHA has **three main improvements**:

The first is the development of a **continuous base tone control** which has flexibility to cover the frequency response range of the four previous models.

The second improvement is the adoption of ABS plastic for the hearing aid casing which offers a more **aesthetic moulded design**, greater strength and colour stability.

THE BAHA CLASSIC 300 ALSO COMES WITH A **FIVE YEAR WARRANTY**.

Indications for the BAHA

- **Chronic Otitis Media** - with conductive or mixed hearing loss where the use of air conduction devices is contraindicated.
- **Congenital Malformation** - of the external or middle ear where an air conduction hearing aid cannot be used or is contraindicated.
- **Otosclerosis** - in some cases.

For further information
contact Michael Mercer on
tel. +44 (0) 1895 430650.

 **Nobelpharma**



Institute of Laryngology
and Otology
University College London
Royal National Throat,
Nose and Ear Hospital



9 - 12 October 1996

An Endoscopic Approach to Rhinosinusitis

The Institute of
Laryngology and Otology

Course Organisers:

V J LUND and I S MACKAY

Further information:

Administration
The Institute of Laryngology
and Otology
330/332 Gray's Inn Road
London WC1X 8EE

Tel: 0171-915 1592/14
Fax: 0171-837 9279



BRITISH ASSOCIATION FOR PAEDIATRIC OTOLARYNGOLOGY

ANNUAL MEETING

FRIDAY 18 OCTOBER 1996

at

SOUTHMEAD HOSPITAL, BRISTOL

Invited Speakers:

Mr Richard Maw - A personal algorithm for Glue Ear
Dr Anthony Michalski - Head and Neck Malignancy in Childhood

Free Paper Session:

Abstracts are invited from Consultants, Trainees and allied Professionals and should be submitted by 31 July to the address below

£10 Registration Fee for non-members

Further details from:

Bernie Smith

Portland Hospital Consulting Suite

234 Great Portland Street

London Q1N 5PH

Tel: 0171 390 8300

Fax: 0171 383 4269



VERTIGO

CONTROL



 SOLVAY
HEALTHCARE

S/JLO/MAR/96

NON-SEDATIVE* CONTROL

SERC PRESCRIBING INFORMATION

Presentation A white, flat round tablet imprinted '267' on one face, 'DUPHAR' on the reverse, each tablet containing 16mg betahistine dihydrochloride. Available in packs of 84 tablets. Basic NHS price £18.03. PL0512/0088. **Indications** Vertigo, tinnitus and hearing loss associated with Ménière's syndrome. **Dosage and Administration** *Adults (including the elderly):* Initially one tablet three times daily, taken preferably with meals. *Maintenance dose:* 24-48mg daily.

Children: No dosage recommendations are made for children. **Contra-indications, Warnings, etc.** *Contra-indications:* Pheochromocytoma. *Precautions:* Caution is advised in the treatment of patients with a history of peptic ulcer. Clinical intolerance to Serc in bronchial asthma patients has been shown in a relatively few patients and therefore caution should be exercised when administering betahistine to patients with bronchial asthma. The usual precautions should be observed when administering Serc

serc-16[®]

betahistine 16mg

FOR VERTIGO due to Ménière's syndrome

to patients in pregnancy. *Side-effects:* Relatively few side-effects have been reported, they include gastro-intestinal upset, (including dyspepsia), headache, skin rash and pruritus. **Legal Category** POM. Further information is available from the product licence holder: Solvay Healthcare Limited, Hamilton House, Gaters Hill, West End, Southampton SO18 3JD. Tel: 01703 472281. A member of the Solvay Group. Date of preparation: March 1996. © Registered trade mark *Aantaa E. Acta Otolaryngol (Stockh) 1991. Suppl. 479: 44-47.