

Weeds

VOLUME II
APRIL 1953
NUMBER 2

EDITORIAL BOARD

<i>Name</i>	<i>Representing</i>
W. A. HARVEY.....	Western Weed Control Conference, College of Agric., Davis, Calif.
E. C. TULLIS.....	Southern Weed Control Conference, Camp Detrick, Frederick, Maryland
H. L. YOWELL (<i>advertising</i>)..	Northeastern Weed Control Conference, Standard Oil Development Co., P.O. Box 51, Linden, New Jersey
R. S. DUNHAM.....	North Central Weed Control Conference, College of Agriculture, St. Paul, Minn.
R. L. LOVORN (<i>circulation</i>)..	Association of Regional Weed Control Conferences, Div. of Weed Investigations, Bureau of Plant Industry, Beltsville, Maryland
R. D. Sweet, Editor, Cornell Univ., Ithaca, New York	

WEEDS is a quarterly journal published by the Association of Regional Weed Control Conferences. Editorial offices are located in E. Roberts Hall, Cornell University, Ithaca, N. Y. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York. Subscription price is \$4.00 yearly or four issues; single copies \$1.25. Address all communications regarding subscriptions to Dr. R. L. Lovorn, Division of Weed Investigations, Bureau of Plant Industry, U.S.D.A., Beltsville, Maryland. For information on advertising contact Dr. H. L. Yowell, Esso Laboratories, P. O. Box 51, Linden, New Jersey. Manuscripts and inquiries on material for publication should be addressed to the Editorial offices.

Entered as second-class matter at the post office
at Ithaca, New York, and Geneva, New York.

Table of Contents

	<i>Page</i>
Editorial	104
The Effect of 2,4-D on the Yield and Botanical Composition of Ladino Clover-Orchard Grass Pasture by Ellis W. Hauser, W. C. Shaw, D. S. Chamblee, and W. W. Woodhouse, Jr.	105
Preliminary Studies in the Use of Herbicides for the Control of Weeds in Sansevieria by Edward O. Gangstad, Charles C. Seale, and J. Frank Joyner	113
The Influence of Soil Type on the Selective Action of Chloro-IPC and Sodium TCA by Roger Blouch and Jess Fulst.	119
Weed Populations as Related to Certain Cultivated Crops in the Connecticut River Valley, Mass. by Jonas Vengris.	125
A Synthesis of C ¹⁴ Carbonyl Labeled 3-(Parachlorophenyl)-1, 1-Dimethyl-urea by Albert V. Logan and Norman R. Odell.	135
The Effects of Fresh Water Storage on the Germination of Certain Weed Seeds. I. White top, Russian knapweed, Canada thistle, morning glory, and poverty weed by V. F. Bruns and W. L. Rasmussen.	138
Effect of 2,4-D Sprays on the Growth of Young Sugar Cane by John R. Havis	148
Comments:	
A Theory for the Selective Mechanism of Chloro IPC by S. K. Ries.	155
Bibliography of Weed Investigations	
October, November, December, 1952.	159

HAVE YOU RENEWED YOUR *Weeds* SUBSCRIPTION?

It will help our office work if all those who wish to continue to receive WEEDS and who have not yet renewed their subscription would do so at once.

Send your \$4.00 check (for 4 issues) to Dr. R. L. Lovvorn, BPSIAE, Beltsville, Md. Be sure to enclose your exact and complete address. Make checks payable to "Weeds".

*Control Weeds Chemically
with these
Cyanamid Products*

AERO* CYANATE, Weedkiller

Contains 92% potassium cyanate. For pre-emergence contact weedkilling, post-emergence selective contact weedkilling, top-killing and defoliation. Breaks down rapidly on contact with soil.

AERO® CYANAMID, Granular

Contains 20% nitrogen and 70% lime. For pre-emergence weed control in peas, corn, asparagus and other crops. For pre-seeding weed control in tobacco and other plant beds, and in soils for new turf. In granular form for easy handling and application.

AERO® CYANAMID, Special Grade

Contains 21% nitrogen and 70% lime. Used as dust for pre-emergence residual and contact weed control. Defoliates cotton, field beans and other crops. For pre-harvest top-killing of tomatoes and potatoes.

AERO* CYANAMID, Soluble

A readily soluble form of Cyanamid for spray application. Contains 85% monosodium cyanamide and about 40% nitrogen. Recommended as a cotton defoliant. Available in experimental quantities for herbicidal testing. *Trade-mark

AMERICAN Cyanamid COMPANY

AGRICULTURAL CHEMICALS DIVISION

30 Rockefeller Plaza

New York 20, N. Y.

TIME - brings changes

No one knows so well as the man of science how things are changing about us. In the field of herbicides, it takes up-to-the-minute facilities and know-how to keep abreast of developments. Our long years in the business have afforded us both these qualities. When you recommend Thompson-Hayward herbicides, you can be assured they are modern, honestly formulated, and that they will perform exactly as the label represents. What else can a herbicide be?



THOMPSON - HAYWARD CHEMICAL CO.

KANSAS CITY • NEW ORLEANS • DENVER • OMAHA • CHICAGO • MEMPHIS
DAVENPORT • WICHITA • DALLAS • HOUSTON • ST. LOUIS • DES MOINES • SAN ANTONIO
N. LITTLE ROCK • OKLAHOMA CITY • MINNEAPOLIS • TULSA • LUBBOCK

Efficiency at Low Cost

Nonselective Herbicides:

POLYBOR-CHLORATE*

POLYBOR*

BORASCU*

BORASCU · 44

CONCENTRATED BORASCU

Be thrifty! . . . choose any of these safe, effective weed-and grass-killing products . . . their high Boron content provides lasting results; toxic to most types of vegetation.

POLYBOR-CHLORATE, a new, improved, high solubility product is now available! This is a fast-acting general purpose herbicide which combines the effectiveness of sodium borates and chlorate to quickly destroy vegetation by contact or thru root absorption. It is nonfire-hazardous! . . . may be applied in its dry form.

POLYBOR* is a spray herbicide for effective destruction of some noxious weeds such as Bindweed, Leafy Spurge, and Canada Thistle. May also be applied in dry form.

The BORASCU'S* are applied dry in delivered form and may be handled freely for they are nonpoisonous, noncombustible, and will not corrode ferrous metals.

*Reg. U. S. Pat. Off.

Check These Highlight Features: { **NONTOXIC . . . NONCORROSIVE
NONSELECTIVE . . . NONFLAMMABLE
FAST-ACTING . . . ECONOMICAL**



PACIFIC COAST BORAX CO.


DIVISION OF BORAX CONSOLIDATED, LIMITED

LOS ANGELES • CHICAGO • NEW YORK




the precision nozzle for effective spraying

Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. TeeJet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.




TEEJET SPRAY NOZZLE male pipe connection



TEEJET SPRAY NOZZLE female pipe connection

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.



INTER-CHANGEABLE ORIFICE TIPS flat and cone spray types

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Bulletin 58.

SPRAYING SYSTEMS CO.
Engineers and Manufacturers

3275 RANDOLPH STREET

BELLWOOD, ILLINOIS

**For dependable control of
weeds, grass and brush**

Use DuPont Weed & Brush Killers

CMU Weed Killer clears the ground of vegetation. This new, powerful chemical kills weeds and grass and prevents regrowth. Just 1 or 2 lbs. per 1,000 square feet may do the job for a year! CMU is non-volatile, non-flammable, non-corrosive, easy to use in spray.

AMMATE[®] Weed and Brush Killer destroys roots and tops so there's little re-sprouting. Ideal for killing poison ivy, woody plants and clearing rights-of-way. Keeps brush down with little or no retreatment necessary. Non-volatile, non-flammable, non-poisonous to livestock.

Other Du Pont Weed and Brush Killers include TCA and 2,4-D Weed Killers; also 2,4-D - 2,4,5-T and 2,4,5-T Brush Killers. For details, write Du Pont, Grasselli Chemicals Dept., Wilmington, Del.




BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY

GEIGY BIG 4...

WEED and BRUSH Control Program

AIR AND GROUND APPLICATIONS MADE EASY WITH 4 LB. FORMULATIONS




- **GEIGY 2,4-D ESTER WEED KILLER No. 4**— **4** lbs. 2,4-D acid equivalent per gallon. Weed control in small grains, corn, flax, pastures, fence rows, roadsides, ditch-banks, etc.



- **GEIGY 2,4,5-T No. 400**— **4** lbs. 2,4,5-T acid equivalent per gallon. Brush and woody plant control on range land, power line right-of-ways, stump land, roadsides, etc.



- **GEIGY BRUSH KILLER No. 22**— **4** lbs. (each gallon contains 2 lbs. each of 2,4-D and 2,4,5-T acid equivalent). Brush and woody plant control on range land, power line right-of-ways, stump land, etc.



- **GEIGY "Lo-V" BRUSH KILLER No. 500**— **4** lbs. (each gallon contains 2 lbs. each of 2,4-D and 2,4,5-T acid equivalent). (Low volatile polyethylene glycol ester). Brush and woody plant control on range land, power line right-of-ways, stump land, etc.

ORIGINATORS OF



DDT INSECTICIDES

GEIGY COMPANY, INC.

89 BARCLAY ST., N. Y. 8, N. Y.

Aberdeen, N. C.; Burlington, Iowa; Colorado Springs, Colo.; Elkton, Md.; Fresno, Calif.; Houlton, Me.; Leland, Miss.; McGregor, Tex.; Orlando, Fla.; Walla Walla, Wash.

You could get
rid of WEEDS
like this . . .




but for fast, positive control

buy *Pittsburgh*


2, 4-D

Crop yields go up and weed control costs go down when you spray with *Pittsburgh* 2,4-D. This dependable weed killer gives you better weed killing performance because it's Quality-Controlled at every step of production. If you need a low volatile formulation, ask for *Pittsburgh* D4. Buy the *Pittsburgh* 2,4-D formulation you need at your Dealer's today!



Standard for Quality

Made by the Pittsburgh Agricultural Chemical Co., New York, N. Y., a Division of Pittsburgh Coke & Chemical Co., Pittsburgh, Pa.



ATLACIDE: A chlorate weed killer...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots...destroys entire plant...discourages regrowth. Applied as spray or in original dry form. Atlacide is backed by over 25 years of successful use, plus an outstanding reputation as "the safer chlorate".

ATLACIDE WITH 2, 4-D: A combination of Atlacide and 2,4-D acid. Offers dual killing action of sodium chlorate and 2,4-D.

CHLORAX SPRAY POWDER: A non-separating composition of sodium chlorate and pentaborate. For use where long-lasting residual effect is desirable...such as along fence rows, ditch banks, around buildings and other structures. Kills practically all types of weeds and grasses. Creates no fire or poison hazard. Applied dry or as spray.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide

per gal.). Destroys certain submerged vegetation in ponds and lakes. Used for selective control of crabgrass, chickweed and clover in turf. Also used as general weed killer for annual weeds and grasses. Used to kill trees and stumps.

SODIUM ARSENITE: A powder containing 75% arsenic trioxide. Used for the same purposes as Atlas "A". Applied dry or as a spray.

2, 4-D WEED KILLERS: Available as 2,4-D Amine and 2,4-D Ester liquids; also 2,4-D Ester dusts.

METHOXONE: Contains 2 pounds of MCP sodium salt per gallon. Used for weed control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying, especially in flax.

Low Volatile 2,4,5-T
 Low Volatile Brush Killer
 Sodium TCA 90% IPC 90% Liquid
 CIPC-4L (Chloro IPC)
 Chipman General (Dinitro)

— Write for Weed Control Booklet —

CHIPMAN CHEMICAL COMPANY, INC.

BOUND BROOK, N. J.

Chicago, Ill. . Palo Alto, Calif. . Pasadena, Tex. . Portland, Ore.

Manufacturers of Weed Killers Since 1912

WEEDONE®

*Constantly
Searching-----*



We maintain a permanent department whose field research is ever seeking new and improved chemicals and methods for weed and brush control.



AMERICAN CHEMICAL PAINT COMPANY

Agricultural Chemicals Division

AMBLER, PA.

Originators of 2,4-D and 2,4,5-T Weedkillers



For Herbicides

DIAMOND'S facilities for manufacturing and distributing agricultural chemicals for weed and brush control assure formulators a dependable source of supply for these important materials.

2,4-D and
2,4,5-T
Weed Killers
and
Brush Killers

Isopropyl Ester
Butyl Ester
Butoxy Ethoxy Propanol
Esters (*low volatile type*)

think
first
of
DIAMOND

DIAMOND ALKALI COMPANY

Organic Chemicals Division

80 LISTER AVE., NEWARK 5, NEW JERSEY

DIAMOND

**ALKALI
CHEMICALS**

Plants: Newark, N. J., Houston, Texas

Chemicals you live by

NATIONAL WEED CONTROL CONFERENCE

Sponsored by

THE ASSOCIATION OF

REGIONAL WEED CONTROL CONFERENCES

and by

THE NORTH CENTRAL WEED CONTROL CONFERENCE

(Host)

KANSAS CITY, MISSOURI

December 8, 9, 10, 1953