

Volumes 1, 2 and 3

The Geology of Libya

edited by M.J. Salem and M.T. Busrewil

July/August 1981

Volume 1: xvi + 348pp., £20.00(UK only) / \$48.00, 0.12.615501.1

Volume 2: xii + 430pp., £20.00(UK only) / \$48.00, 0.12.615502.X

Volume 3: xiii + 338pp., £20.00(UK only) / \$48.00, 0.12.615503.8

The symposium of which these volumes are the record – held in Tripoli in Al-Fateh University, September 1978, was the second of its kind to be held on the subject. Since the first, in 1969, so many new data and ideas have come to the fore that it has become essential to be able to find in one place a complete survey of the decade's work on every aspect of Libya's geology. The three volumes of this major treatise provide just that, including in their scope stratigraphy and biostratigraphy, palaeontology, sedimentation, hydrology and hydrogeology, Quaternary geology and geomorphology, petroleum geology, mineralogy and economic geology, igneous petrology, structural geology and geophysics.

Geothermal Systems

John W. Elder

March 1981, x + 502pp., £20.60 (UK only) / \$49.50, 0.12.236450.3

Rather than presenting a broad study of the hot Earth, the book concentrates on how the heat gets out – it deals with heat and mass *transfer* in lithothermal and hydrothermal systems deriving their energy from a vigorously convecting mantle, with emphasis on the mechanisms by which energy is delivered to the surface. The author has sought to bridge the gap between large-scale volcanic and small-scale hydrothermal systems, and provides evidence for considering these apparently very different kinds of system together.

**Academic
Press**



A Subsidiary of Harcourt Brace Jovanovich, Publishers
London New York Toronto Sydney San Francisco
24-28 Oval Road, London NW1 7DX, England
111 Fifth Avenue, New York, NY 10003, USA

Geological Magazine

with which is incorporated

The Geologist

founded in 1864 by the late DR HENRY WOODWARD, F.R.S.

Edited by W. B. HARLAND, M.A.
C. P. HUGHES, M.A.
and R. S. J. SPARKS, M.A.

assisted by MRS M. J. MASON

Associate editors

SIR KINGSLEY DUNHAM, D.SC., F.R.S.
MR N. L. FALCON, M.A., F.R.S.
PROFESSOR LEONARD HAWKES, D.SC., F.R.S.
SIR PETER KENT, D.SC., F.R.S.
DR S. R. NOCKOLDS, PH.D., F.R.S.
PROFESSOR F. W. SHOTTON, M.B.E., M.A., SC.D., F.R.S.
SIR JAMES STUBBLEFIELD, D.SC., F.R.S.

Volume 118 of Whole Series
January–December 1981

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1981

Pagination and dates of publication of issues in this volume

Number 1: pp. 1–112 January 1981
2: pp. 113–224 March 1981
3: pp. 225–336 May 1981
4: pp. 337–448 July 1981
5: pp. 449–579 September 1981
6: pp. 581–722 November 1981

Printed in Great Britain at the University Press Cambridge

Contents

ARTICLES

(Figures in bold type denote number of issue)

ADIGHIJE, C. I.

Gravity study of Lower Benue Trough, Nigeria, **1**, 59

BAHAT, Dov.

Certain mechanical aspects in comparative continental rifting with a special reference to the Baikal rift, **3**, 271

BAKER, S. J.

The graptolite biostratigraphy of a Llandovery outlier near Llanystumdwy, Gwynedd, North Wales, **4**, 355

BANHAM, P. H., HOPPER, F. M. W. & JACKSON, J. B.

The Gillbrea Nappe in the Skiddaw Group, Cockermouth, Cumbria, England, **5**, 509

BASSETT, M. G.

The Ordovician brachiopods of Cornwall, **6**, 647

BENTON, M. J. & WALKER, A. D.

The use of flexible synthetic rubbers for casts of complex fossils from natural moulds, **5**, 551

BHAT, M. I., ZAINUDDIN, S. M. & RAIS, A.

Panjali Trap chemistry and the birth of Tethys, **4**, 367

BLACKBOURN, G. A.

Correlation of Old Red Sandstone (Devonian) outliers in the Northern Highlands of Scotland, **4**, 409

BUTLER, D. E.

Marine faunas from concealed Devonian rocks of southern England and their reflection of the Frasnian transgression, **6**, 679

CALVER, M. A.

Palaeozoic studies in honour of Sir James Stubblefield, **6**, 581

DALZIEL, I. W. D., ELLIOT, D. H., JONES, D. L., THOMSON, J. W., THOMSON, M.R.A., WELLS, N. A. & ZINSMEISTER, W. J.

The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, **1**, 15

DUYVERMAN, H. J. & ROOBOL, M. J.

Gas pipes in Eocambrian volcanic breccias, **3**, 265

EVANS, K. M.

A marine fauna from the Dartmouth Beds (Lower Devonian) of Cornwall, **5**, 517

FORTEY, R. A.

Prospectatrix genatenta (Stubblefield) and the trilobite superfamily Cyclopygacea, **6**, 603

GALE, A. S. & WOODROOF, P. B.,

A Coniacian ammonite from the 'Top Rock' in the chalk of Kent, **5**, 557

GOMEZ, B. & SIMS, P. C.

Overbank deposits of the Narrator Brook, Dartmoor, England, **1**, 77

- GRAHAM, C. M. & BRADBURY, H. J.**
Cambrian and late Precambrian basaltic igneous activity in the Scottish Dalradian: a review, **1**, 27
- HANCOCK, P. L., AL-KHATIEB, S. O. & AL-KADHI, A.**
Structural and photogeological evidence for the boundaries to an East Arabian block, **5**, 533
- HIGGINS, A. C. & SOPER, N. J.**
Cretaceous–Palaeogene sub-basaltic and intrabasaltic sediments of the Kangerdlugssuaq area, Central East Greenland, **4**, 337
- HINDLE, W. H. & COLLEY, H.**
An oceanic volcano in an island-arc setting – Seatura Volcano, Fiji, **1**, 1
- HOARE, P. G. & CONNELL, E. R.**
The chalky till at Barrington, near Cambridge, and its connection with other Quaternary deposits in southern Cambridgeshire and adjoining areas, **5**, 463
- HOJJATZADEH, M.**
Mid-Cretaceous (Albian–Cenomanian) calcareous nannofossils from Pont du Fahs (northern Tunisia), **2**, 161
- HOU, HONG-FEI.**
Devonian brachiopod biostratigraphy of China, **4**, 385
- JARVIS, I. & WOODROOF, P.**
The phosphatic chalks and hardgrounds of Boxford and Winterbourne, Berkshire – two tectonically controlled facies in the late Coniacian to early Campanian (Cretaceous) of southern England, **2**, 175
- JOHNSON, M. R. W.**
The erosion factor in the emplacement of the Keystone thrust sheet (South East Nevada) across a land surface, **5**, 501
- KANTHA, L. H.**
‘Basalt fingers’ – origin of columnar joints?, **3**, 251
- LAMBERT, R. St J., WINCHESTER, J. A. & HOLLAND, J. G.**
Comparative geochemistry of pelites from the Moinian and Appin Group (Dalradian) of Scotland, **5**, 477
- LEITCH, E. C.**
Quartz-albite rocks of ash-fall origin, **1**, 83
- MAJIDI, B.**
The ultrabasic lava flows of Mashhad, North East Iran, **1**, 49
- MASON, R.**
A trondhjemite vein in the Sulitjelma Gabbro, Norway, and its implications for the age of the Sulitjelma Ophiolite, **5**, 525
- MAYALL, M. J.**
The Late Triassic Blue Anchor Formation and the initial Rhaetian marine transgression in south-west Britain, **4**, 377
- MITCHELL, M.**
The age of the Dinantian (Lower Carboniferous) rocks proved beneath the Kent Coalfield, **6**, 703

- MITCHELL, M. & REYNOLDS, M. J.
Early Tournaisian rocks at Lilleshall, Shropshire, **6**, 699
- OLAUSSEN, S.
Marine incursion in Upper Palaeozoic sedimentary rocks of the Oslo Region, Southern Norway, **3**, 281
- OWENS, R. M.
The Ordovician proetacean trilobite *Rorringtonia*, **1**, 89
- P'AN, K.
Devonian Antiarch Biostratigraphy of China, **1**, 69
- PAUL, D. K. & POTTS, P. J.
Rare earth abundances and origin of some Indian lamprophyres, **4**, 393
- PICCARRETA, G.
Deep-rooted overthrusting and blueschistic metamorphism in compressive continental margins. An example from Calabria (Southern Italy), **5**, 539
- PRICE, D.
Tretaspis radialis Lamont and allied species (Trilobita), **3**, 289
- ROBERTS, B.
Low grade and very low grade regional metabasic Ordovician rocks of Llŷn and Snowdonia, Gwynedd, North Wales, **2**, 189
- ROBINSON, D.
Metamorphic rocks of an intermediate facies series juxtaposed at the Start boundary, southwest England, **3**, 297
- ROCK, N. M. S.
How should igneous rocks be grouped?, **5**, 449
- ROTHSTEIN, A. T. V.
The primary crescumulates of the Lizard peridotite, Cornwall, **5**, 491
- RUSHTON, A. W. A.
A polymorphic graptolite from concealed Tremadoc rocks of England, **6**, 615
- RUSHTON, A. W. A. & HUGHES, C. P.
The Ordovician trilobite fauna of the Great Paxton Borehole, Cambridgeshire, **6**, 623
- SHAKESBY, R. A.
The application of trend surface analysis to directional data, **1**, 39
- SHEARMAN, D. J.
Displacement of sand grains in sandy gypsum crystals, **3**, 303
- SMELLIE, J. L.
A complete arc-trench system recognized in Gondwana sequences of the Antarctic Peninsula region, **2**, 139
- SOLIMAN, M. M.
Geochemical surveys for Sn, Nb, Cu and Au mineralization, Mueilha – Dungash area, Southeastern Desert, Egypt, **5**, 545
- SWETT, K.
Cambro-Ordovician strata in Ny Friesland, Spitsbergen and their palaeotectonic significance, **3**, 225

- TRIPP, R. P. & EVITT, W. R.
Silicified Lichidae (Trilobita) from the Middle Ordovician of Virginia, **6**, 665
- WARE, M. & WINDLE, T. M. F.
Micropalaeontological evidence for land near Cirencester, England, in Forest Marble (Bathonian) times: a preliminary account, **4**, 415
- WHITTINGTON, H. B.
Paedomorphosis and cryptogenesis in trilobites, **6**, 591
- WILLIAMS, S. H.
Form and mode of life of *Dicellograptus* (Graptolithina), **4**, 401
- YANG, S., PAN, K. & HOU, H.
The Devonian System in China, **2**, 113
- ZHANG, Z.
A new Oscillatoriaceae-like filamentous microfossil from the Sinian (late Precambrian) of western Hubei Province, China, **2**, 201

CORRESPONDENCE

- ACHARYYA, S. K. Alkaline v. calc-alkaline Late Palaeozoic volcanism in the Himalayas and some aspects on Himalayan geotectonics, **4**, 421
- ALLEN, P. M. A new occurrence of possible Tertiary deposits in South-western Dyfed, **5**, 561
- COPE, J. C. W. The Swansea Valley Fault, Wales, **3**, 309
- HOLMES, J. & SCOTT, A. C. A note on the occurrence of marine animal remains in a Lancashire coal ball (Westphalian A), **3**, 307
- JAMES, D. M. D. Petrographic evidence bearing on plate tectonics of the Upper Ordovician Welsh Basin, **1**, 95
- TAVENER-SMITH, R. The neotype of *Retepora nodulosa* Phillips, 1836, **5**, 565
- WHITE, D. E. The base of the Ludlow Series in the graptolitic facies, **5**, 566
- WRIGHT, V. P. A subaerial stromatolite from the Lower Carboniferous of South Wales, **1**, 97

ESSAY REVIEWS

- BAILEY, D. K. Bowen and the Post-Impressionists, **3**, 311
- HARLAND, W. B. Introducing New Zealand Geology, **5**, 567
- HAZEN, R. M. A Bibliography for Historians of Geology, **4**, 425

REVIEWS

- The Age of the Earth, **2**, 221
- Archaean volcanic studies in the Timmins-Kirkland Lake-Noranda region of Ontario and Quebec, **4**, 431
- Atlas of Primitive Man in China, **4**, 441
- Atlas of rock-forming minerals in thin section, **1**, 106
- Atmospheric Phenomena, **2**, 218

- Beitrage zur regionalen Geologie der Erde, **4**, 433
- The Biosaline Concept. An approach to the Utilization of Underexploited Resources, **6**, 713
- British Brachiopods, **2**, 213
- The Cambridge Encyclopedia of Archaeology, **1**, 106
- Chemistry and Biogeochemistry of Estuaries, **4**, 435
- A Comparison of two Atlantic-type continental margins, **3**, 332
- A Concise World Atlas of Geology and Mineral Deposits, **4**, 436
- Cretaceous Research Volume 1, Number 1, **1**, 107
- Deltaic Sand Bodies, **3**, 327
- Diagenesis in Sediments and Sedimentary Rocks, **3**, 319
- Dictionary of Earth Science. English–French: French–English, **3**, 324
- Early Diagenesis: A Theoretical Approach, **3**, 330
- The Earth: Past, Present and Future. An Introduction to Geology, **3**, 320
- Earthquake Prediction and Seismicity Patterns, **3**, 321
- Earthquakes, **4**, 432
- Energy in Transition 1985–2010. Final Report of the Committee on Nuclear and Alternative Energy Systems, **2**, 215
- Estimation of Minimum Specifications for Economically Explorable Sandstone-Type uranium Deposits. **4**, 429
- Estuarine and Wetland Processes with emphasis on Modelling, **6**, 714
- Estuarine Hydrography and sedimentation, **2**, 207
- The Evidence for Chemical Heterogeneity in the Earth's Mantle, **3**, 329
- The Evolution of Passive Continental Margins in the Light of Recent Deep Drilling Results, **3**, 322
- Experimental photogrammetry of Lunar Images. Apollo 15–17 orbital investigations, **2**, 211
- Fjord Oceanography, **6**, 713
- The Fossil Hunters. In Search of Ancient Plants, **5**, 571
- Fossils in the making. Vertebrate Taphonomy and Paleoecology, **1**, 103
- General Geology of the Federal Republic of Germany, with Two Excursions to Industrial Mineral Rocks and Environmental Research, **4**, 434
- Geochemistry of Hydrothermal Ore Deposits, **2**, 209
- Geological Howlers, **6**, 715
- A geological map of Ethiopia and Somalia (1973) 1:2,000,000 and comment with a map of Major Landforms, **3**, 322
- Geology and Scenery in Scotland, **2**, 207
- Geology of Bideford and Lundy Island, **5**, 574
- The Geology of Europe, **5**, 575
- The Geology of Guadalcanal, Solomon Islands, **2**, 210
- Geology of the country around Bude and Bradworthy (Sheet Memoir 307 & 308), **1**, 105
- Geology of the country around Chulmleigh (Sheet Memoir 309), **1**, 105

- Geology of the country north of Derby, **4**, 439
- Geology. The Science of the Earth, **2**, 220
- Geometric interpretation of lunar craters. Apollo 15–17 Orbital Investigations, **3**, 328
- Ground Water, **2**, 208
- Groundwater Hydrology, **4**, 442
- How to obtain abundant clean energy, **2**, 215
- Humphry Davy on Geology: The 1805 Lectures for the General Audience, **3**, 331
- Inkohlung und Geothermik. Beziehungen zwischen Inkohlung, Illit-Diagenese, Kohlenwasserstoff-Führung und Geothermik, **4**, 101
- An Introduction to Ore Geology, **2**, 221
- Lower Cambrian Archeocyathid buildups, Pelly Mountains Yukon, **3**, 326
- Lunar Remote Sensing and Measurements. Apollo 15–17 Orbital Investigations, **2**, 211
- The Mammalian Skull, **6**, 716
- Mesozoic Mammals. The First two-thirds of Mammalian History, **2**, 211
- Metamorphic Rock Sequences of the Eastern Himalaya, **2**, 217
- Middle Ordovician to Lower Devonian Deep-Water Succession at southeastern margin of Hazen Trough, Cañon Fiord, Ellesmere Island, **2**, 218
- Morphometric Methods in Biostratigraphy, **3**, 324
- Natural History Manuscript Resources in the British Isles, **4**, 444
- Oil sands, resource, recovery and industry, **4**, 444
- On Modeling Magnetic Fields on a Sphere with Dipoles and Quadrupoles, **6**, 714
- Ordovician and Silurian Phi Kappa and Trail Creek Formations, Pioneer Mountains, Central Idaho – Stratigraphic and structural revisions, and new data on graptolite faunas, **3**, 332
- Petroleum and Hard Minerals from the Sea, **2**, 216
- Physical Geology, **2**, 209
- Physics of Magmatic Processes, **4**, 443
- Problems of Petroleum Migration, **3**, 327
- Quantitative Seismology, Theory and Methods, **2**, 208
- Reconnaissance geology of a part of the Precambrian Shield, Northwestern Quebec, Northern Labrador and Northwest Territories, **2**, 219
- The Red Notebook of Charles Darwin, **3**, 325
- Remote Sensing in Geology, **4**, 438
- The Scientific Basis for Nuclear Waste Management, Volumes 1 and 2, **4**, 430
- Shear Zones in Rocks, **4**, 444
- Skeletal Growth of Aquatic Organisms. Biological Records of Environmental Change, **5**, 572
- The Solent Estuarine System. An Assessment of Present Knowledge, **4**, 438
- Stable Isotope Geochemistry, **2**, 214
- Stratigraphy and Correlation of Lower Paleozoic Formations, Subsurface of Bathurst Island, and adjacent smaller Islands, Canadian Arctic Archipelago, **2**, 218

- Stratigraphy of part of the lunar Near Side, **6**, 715
- Structural framework of Lancaster Aulacogen, Arctic Canada, **2**, 219
- Studies in the Lateglacial of north-west Europe, **1**, 104
- A Trilobite zonation of Middle Ordovician rocks, Southwestern District of Mackenzie, **1**, 101
- Uranium and Nuclear Energy, **4**, 432
- Uranium Supply and Demand, **4**, 429
- Uses of Fieldwork in Further Education, **4**, 434
- Volcanic Activity and Human Ecology, **2**, 212
- Volcanic Scenery, **4**, 437

Publications Received

Lists appear beginning pages **1**, 109; **2**, 223; **3**, 333; **4**, 446; **5**, 577; **6**, 718.

Index

to Authors, key words in titles and to new taxa and new stratigraphical terms
in Volume 118; (R) indicates Review

- Acharyya, S. K. Alkaline v calc-alkaline Late Palaeozoic volcanism in the Himalayas and some aspects on Himalayan geotectonics, 421
- Adighije, C. I. Gravity study of Lower Benue Trough, Nigeria, 59
- Afghanistan (R), 433
- Albian, nannofossils, Tunisia, 161
- Al-Kadhi, A., Hancock, P. L. & Al-Khatieb, S. O. Structural and photogeological evidence for the boundaries to an East Arabian block, 533
- Allen, P. M. A new occurrence of possible Tertiary deposits in south-western Dyfed, 561
- Ammonite, Coniacian, 557
- Antarctic Peninsula, 139
- Antiarch Biostratigraphy, 69
- Appin Group, 477
- Aquatic Organisms (R), 572
- Archaean (R), 431
- Archaeology (R), 106
- Archeocyathid (R), 326
- Arctic, Archipelago (R), 218; Canada (R), 219
- Arc-trench system, 139
- Ash-fall, 83
- Atlantic-type continental margins (R), 332
- Atmospheric Phenomena (R), 218
- Au mineralization, 545
- Bahat, Dov. Certain mechanical aspects in comparative continental rifting with a special reference to the Baikal rift, 271
- Baikal rift, 271
- Bailey, D. K. Bowen and the Post-Impressionists, 311
- Baker, S. J. The graptolite biostratigraphy of a Llandovery outlier near Llanystumdwy, Gwynedd, North Wales, 355
- Banham, P. H., Hopper, F. M. W. & Jackson, J. B. The Gillbrea Nappe in the Skiddaw Group, Cockermouth, Cumbria, England, 509
- Barrington, 463
- 'Basalt Fingers', 251
- Basaltic igneous activity, 27
- Bassett, M. G. The Ordovician brachiopods of Cornwall, 647
- Bathonian, 415
- Bathurst Island (R), 218
- Benton, M. J. & Walker, A. D. The use of flexible synthetic rubbers for casts of complex fossils from natural moulds, 551
- Benue Trough, Lower, 59
- Bergamia artemis* sp. nov., 630
- Berkshire, 175

- Bhat, M. I., Zainuddin, S. M. & Rais, A. Panjal Trap chemistry and the birth of Tethys, 367
- Bideford, geology of (R), 574
- Biosaline (R), 713
- Biostratigraphy, 355; brachiopod, 385; (R), 324
- Blackbourn, G. A. Correlation of Old Red Sandstone (Devonian) outliers in the Northern Highlands of Scotland, 409
- Blårevbreen Sandstone Member, 231
- Blue Anchor Formation, 377
- Bohemilla tridens* sp. nov., 638
- Bowen, 311
- Brachiopod biostratigraphy, 385
- Brachiopods, British (R), 213; ordovician, 647
- Bradbury, H. J. & Graham, C. M. Cambrian and late Precambrian basaltic igneous activity in the Scottish Dalradian: a review, 27
- Bradworthy (R), 105
- Britain, South-west, 377
- British Columbia (R), 713
- Bude (R), 105
- Butler, D. E. Marine faunas from concealed Devonian rocks of southern England and their reflection of the Frasnian transgression, 679
- Calabria, 539
- Calver, M. A. Palaeozoic studies in honour of Sir James Stubblefield, 581
- Cambrian, Lower (R), 326; Scottish, 27
- Cambridgeshire, 463; Great Paxton Borehole, 623
- Cambro-Ordovician, 225
- Campanian, phosphatic chalks and hardgrounds, 175
- Carboniferous, 97; lower, 703
- Cenomanian nannofossils, Tunisia, 161
- Chalk, 557
- Chalky till, 463
- Chemical Heterogeneity (R), 329
- China, Devonian, 69; 113; 385; Precambrian, 201; Primitive Man (R), 441
- Chulmleigh (R), 105
- Cirencester, 415
- Coal ball, 307
- Cockermouth, 509
- Colley, H. & Hindle, W. H. An oceanic volcano in an island arc setting – Seatura Volcano, Fiji, 1
- Columnar joints, 251
- Coniacian, ammonite, 557; phosphatic chalks and hardgrounds, 175
- Connell, E. R. & Hoare, P. G. The chalky till at Barrington, near Cambridge, and its connection with other Quaternary deposits in southern Cambridgeshire and adjoining areas, 463
- Continental margins, 539; (R), 322
- Continental rifting, 271
- Cope, J. C. W. The Swansea Valley Fault, Wales, 309
- Cornwall, Brachiopods, 647; Lizard peridotite, 491; Lower Devonian, 517
- Correlation (R), 218

- Cretaceous, England, 175; Greenland, 337; nanofossils, Tunisia, 161; (R), 107
- Cryptogenesis, 591
- Cu mineralization, 545
- Cyclopygacea, 603
- Dalradian, 27; 477
- Dalziel, I. W. D., Elliot, D. H., Jones, D. L., Thomson, J. W., Thomson, M. R. A., Wells, N. A. & Zinsmeister, W. J. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15
- Dartmoor, 77
- Dartmouth Beds, 517
- Darwin, Charles (R), 325
- Deep Drilling (R), 322
- Deltaic Sand Bodies (R), 327
- Devonian, China, 69; 113; 385; Ellesmere Island (R), 218; England, 679; Lower, 517; Scotland, 409
- Diagenesis (R), 319; early (R), 330
- Dicellograptus*, mode of life, 401
- Dinantian, 703
- Dipoles (R), 714
- Directional data, 39
- District of Mackenzie (R), 101
- Ditlovtoppen Dolomite Member, 234
- Doushantuonema peatii* sp. nov., 204
- Duyverman, H. J. & Roobol, M. J. Gas pipes in Eocambrian volcanic breccias, 265
- Dyfed, 561
- Earth (R), 220; (R), 320; Age of (R), 221
- Earthquake Prediction (R), 321
- Earthquakes (R), 432
- Earth Science, dictionary (R), 324
- Eastern Himalaya (R), 217
- Egypt, 545
- Ellesmere Island (R), 218
- Elliot, D. H., Dalziel, I. W. D., Jones, D. L., Thomson, J. W., Thomson, M. R. A., Wells, N. A. & Zinsmeister, W. J. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15
- Energy, alternative (R), 215; clean (R), 215
- England, Devonian, 679; metamorphic rocks, 297; phosphatic chalks, 175; Skiddaw Group, 509; Tremadoc, 615
- Eocambrian, 265
- Estuaries (R), 435
- Estuarine processes (R), 714
- Ethiopia, geological map (R), 322
- Europe, (R), 104; geology (R), 575
- Evans, K. M. A marine fauna from the Dartmouth Beds (Lower Devonian) of Cornwall, 517
- Evitt, W. R. & Tripp, R. P. Silicified Lichidae (Trilobita) from the Middle Ordovician of Virginia, 665
- Federal Republic of Germany (R), 434
- Fieldwork, (R), 434

- Fiji, 1
 Fjord Oceanography (R), 713
 Forest Marble, 415
 Fossils, casts, 551; (R), 103
 Fossil Hunters (R), 571
 Frasnian, 679
 Gabbro, 525
 Gale, A. S. & Woodroof, P. B. A Coniacian ammonite from the 'Top Rock' in the Chalk of Kent, 557
 Gas pipes, 265
 Geochemical, 545
 Geochemistry, Isotope (R), 214; (R), 209; Scotland, 477
 Geological Howlers (R), 715
 Geology and Scenery (R), 207
 Geology, Atlas (R), 436; Bradworthy (R), 105; Bude (R), 105; Chulmleigh (R), 105; Europe (R), 575; Introduction (R), 320; New Zealand, 567; North of Derby (R), 439; ore (R), 221; (R), 220
 Geotectonics, Himalayan, 421
 Geothermik (R), 101
 Germany, General Geology (R), 434
 Gillbrea Nappe, 509
 Gomez, B. & Sims, P. C. Overbank deposits of the Narrator Brook, Dartmoor, England, 77
 Gondwana, 139
 Graham, C. M. & Bradbury, H. J. Cambrian and late Precambrian basaltic igneous activity in the Scottish Dalradian: a review, 27
 Graptolite, Llandovery, 355; Tremadoc, 615
 Graptolithina, 401
 Graptolitic facies, 566
 Gravity, Benue Trough, 59
 Great Paxton Borehole, Cambridgeshire, 623
 Greenland, 337
 Groundwater, (R), 208; (R), 442
 Guadalcanal (R), 210
 Gypsum crystals, 303
 Hancock, P. L., Al-Khatieb, S. O. & Al-Kadhi, A. Structural and photogeological evidence for the boundaries to an East Arabian block, 533
 Hardgrounds, 175
 Harland, W. B. Introducing New Zealand Geology, 567
 Hazen, R. M. A Bibliography for Historians of Geology, 425
 Hazen Trough (R), 218
Hemiarges turneri rasetti subsp. nov., 666
 Higgins, A. C. & Soper, N. J. Cretaceous-Palaeogene sub-basaltic and intrabasaltic sediments of the Kangerdlugssuaq area, Central East Greenland, 337
 Highlands, northern, of Scotland, 409
 Himalaya, Eastern (R), 217
 Himalayas, 421
 Hindle, W. H. & Colley, H. An oceanic volcano in an island arc setting – Seatura Volcano, Fiji, 1.

- Historians of Geology, 425
- Hoare, P. G. & Connell, E. R. The chalky till at Barrington, near Cambridge, and its connection with other Quaternary deposits in Southern Cambridgeshire and adjoining areas, 463
- Hojjatzadeh, M. Mid-Cretaceous (Albian-Cenomanian) calcareous nannofossils from Pont du Fahs (northern Tunisia), 161
- Holland, J. G., Lambert, R. St J. & Winchester, J. A. Comparative geochemistry of pelites from the Moinian and Appin Group (Dalradian) of Scotland, 477
- Holmes, J. & Scott, A. C. A note on the occurrence of marine animal remains in a Lancashire coal ball (Westphalian A), 307
- Hopper, F. M. W., Banham, P. H. & Jackson, J. B. The Gillbrea Nappe in the Skiddaw Group, Cockermouth, Cumbria, England, 509
- Hou, H.-F. Devonian brachiopod biostratigraphy of China, 385
- Hou, H.-F., Yang, S.-P. & P'an, K. The Devonian System in China, 113
- Howlers, Geological (R), 715
- Hubei, 201
- Hughes, C. P. & Rushton, A. W. A. The Ordovician trilobite fauna of the Great Paxton Borehole, Cambridgeshire, 623
- Human Ecology (R), 212
- Humphry Davy (R), 331
- Hydrography, Estuarine (R), 207
- Hydrology (R), 442
- Hydrothermal Ore (R), 209
- Idaho (R), 332
- Igneous rocks, 449
- Indian lamprophyres, 393
- Inkohlung (R), 101
- Intrabasaltic sediments, 337
- Iran, 49
- Island arc, 1
- Isotope Geochemistry (R), 214
- Italy, southern, 539
- Jackson, J. B. The Gillbrea Nappe in the Skiddaw Group, Cockermouth, Cumbria, England, 509
- James, D. M. D. Petrographic evidence bearing on plate tectonics of the Upper Ordovician Welsh Basin, 95
- Jarvis, I. & Woodroof, P. The phosphatic chalks and hardgrounds of Boxford and Winterbourne, Berkshire – two tectonically controlled facies in the late Coniacian to early Campanian (Cretaceous) of southern England, 175
- Johnson, M. R. W. The erosion factor in the emplacement of the Keystone thrust sheet (South East Nevada) across a land surface, 501
- Jones, D. L., Dalziel, I. W. D., Elliot, D. H., Thomson, J. W., Thomson, M. R. A., Wells, N. A. & Zinsmeister, W. J. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15
- Kangerdlugssuaq, 337
- Kantha, L. H. 'Basalt fingers' – origin of columnar joints, 251
- Kent, 557; coalfield, 703
- Keystone thrust sheet, 501
- Kiaerograptus? quasimodo* sp. nov., 616

- Labrador, Precambrian (R), 219
- Lambert, R. St J., Winchester, J. A. & Holland, J. G. Comparative geochemistry of pelites from the Moinian and Appin Group (Dalradian) of Scotland, 477
- Lamprophyres, Indian, 393
- Lancashire, 307
- Lancaster Aulacogen (R), 219
- Lateglacial (R), 104
- Leitch, E. C. Quartz-albite rocks of ash-fall origin, 83
- Lichidae, Trilobita, 665
- Lilleshall, Shropshire, 699
- Lizard peridotite, 491
- Llandoverly, 355
- Llanystumdwy, 355; Mudstone Formation, 355
- Llŷn, 189
- Ludlow Series, 566
- Lunar, craters (R), 328; Near side, stratigraphy (R), 715; photogrammetry (R), 211; Remote Sensing (R), 211
- Lundy Island, geology (R), 574
- Magmatic Processes (R), 443
- Magnetic Fields (R), 714
- Majidi, B. The ultrabasic lava flows of Mashhad, North East Iran, 49
- Mammalian Skull (R), 716
- Mammals, Mesozoic (R), 211
- Mantle, Chemical Heterogeneity (R), 329
- Manuscript Resources, Natural History (R), 444
- Mashhad, 49
- Mason, R. A trondhjemite vein in the Sulitjelma Gabbro, Norway, and its implications for the age of the Sulitjelma Ophiolite, 525
- Mayall, M. J. The Late Triassic Blue Anchor Formation and the initial Rhaetian marine transgression in south-west Britain, 377
- Merlinia anxia* sp. nov., 637
- Mesozoic Mammals (R), 211
- Metabasic rocks, 189
- Metamorphic rocks, 297
- Metamorphism, blueschistic, 539
- Microfossil, Sinian, 201
- Microfossils, 15
- Micropalaeontological, 415
- Mineral Deposits (R), 436
- Minerals (R), 216; rock-forming (R), 106
- Mitchell, M. The age of the Dinantian (Lower Carboniferous) rocks proved beneath the Kent Coalfield, 703
- Mitchell, M. & Reynolds, M. J. Early Tournaisian rocks at Lilleshall, Shropshire, 699
- Moinian, 477
- Morphometric Methods (R), 324
- Mueilha – Dungash, 545
- Nannofossils, calcareous, 161
- Narrator Brook, 77
- Natural History, Manuscript Resources (R), 444

- Nb mineralization, 545
Neotype, 565
Nevada, 501
Nigeria, 59
Northwest Territories, Precambrian (R), 219
Norway, 525; southern, 281
Nuclear Energy (R), 432
Nuclear Waste (R), 430
Ny Friesland, 225
Oceanic, 1
Oceanography, Fjord (R), 713
Ogygiocaris macrops sp. nov., 635
Oil sands (R), 444
Olaussen, S. Marine incursion in Upper Palaeozoic sedimentary rocks of the Oslo Region, Southern Norway, 281
Old Red Sandstone, Scotland, 409
Ontario (R), 431
Ophiolite, 525
Ordovician, brachiopods, 647; Ellesmere Island (R), 218; Idaho (R), 332; Llŷn & Snowdonia, 189; Middle (R), 101; trilobite, 89, 623; Virginia, 665; Welsh Basin, 95
Ore, Deposits (R), 209; Geology (R), 221
Oscillatoriaceae, 201
Oslo Region, 281
Overbank deposits, 77
Overthrusting, 539
Owens, R. M. The Ordovician proetacean trilobite *Rorringtonia*, 89
Paedomorphosis, 591
Palaeogene, 337
Palaeotectonic, 225
Palaeozoic, 581; late, 421; Upper, 281; Volcanism, 421
Paleoecology (R), 103
Paleozoic (R), 218
Panjal Trap, 367
P'an K. Devonian Antiarch Biostratigraphy of China, 69
P'an K., Yang, S.-P. & Hou, H.-F. The Devonian System in China, 113
Paul, D. K. & Potts, P. J. Rare earth abundances and origin of some Indian lamprophyres, 393
Pelly Mountains (R), 326
Peridotite, Lizard, 491
Petroleum, Migration (R), 327; (R), 216
Phi Kappa Formation (R), 332
Phosphatic chalks, 175
Photogrammetry (R), 211
Physical Geology (R), 209
Piccarreta, G. Deep-rooted overthrusting and blueschistic metamorphism in compressive continental margins. An example from Calabria (Southern Italy), 539
Pioneer Mountains (R), 332
Plants, Ancient (R), 571
Plate tectonics, Welsh Basin, 95

- Pont du Fahs, 161
- Potts, P. J. & Paul, D. K. Rare earth abundances and origins of some Indian lamprophyres, 393
- Precambrian, China, 201; Quebec, Labrador & Northwest Territories (R), 219; Scottish, 27
- Price, D. *Tretaspis radialis* Lamont and allied species (Trilobita), 289
- Primitive Man, China (R), 441
- Proetacean trilobite, 89
- Prospectatrix genatenta*, 603
- Protolloydolithus salax* sp. nov., 631
- Quadrupoles (R), 714
- Quartz-albite rocks, 83
- Quaternary, 463
- Quebec, Precambrian (R), 219; (R), 431
- Rais, A., Bhat, M. I. & Zainuddin, S. M. Panjal Trap chemistry and the birth of Tethys, 367
- Rare earth, 393
- Red Notebook (R), 325
- Remote Sensing, Lunar (R), 211; (R), 438
- Resources (R), 713
- Retepora nodulosa*, 565
- Reynolds, M. J. & Mitchell, M. Early Tournaisian rocks at Lilleshall, Shropshire, 699
- Rhaetian, 377
- Roberts, B. Low grade and very low grade regional metabasic Ordovician rocks of Llŷn and Snowdonia, Gwynedd, North Wales, 189
- Robinson, D. Metamorphic rocks of an intermediate facies series juxtaposed at the Start boundary, southwest England, 297
- Rock, N. M. S. How should igneous rocks be grouped?, 449
- Rocks, metamorphic (R), 217
- Roobol, M. J. & Duyverman, H. J. Gas pipes in Eocambrian volcanic breccias, 265
- Rorringtonia*, 89
- Rorringtonia kennedyi* sp. nov., 91
- Rothstein, A. T. V. The primary crescumulates of the Lizard peridotite, Cornwall, 491
- Rushton, A. W. A. A polymorphic graptolite from concealed Tremadoc rocks of England, 615
- Rushton, A. W. A. & Hughes, C. P. The Ordovician trilobite fauna of the Great Paxton Borehole, Cambridgeshire, 623
- Rydon Member, 377
- Sand grains, 303
- Scenery, volcanic (R), 437
- Schalidomorphis stubblefieldi* sp. nov., 650
- Scotia Ridge, 15
- Scotland, geochemistry, 477; Highlands, 409; (R), 207
- Scott, A. C. & Holmes, J. A note on the occurrence of marine animal remains in a Lancashire coal ball (Westphalian A), 307
- Seatura Volcano, 1
- Sedimentary rocks, 281; (R), 319
- Sedimentation, estuarine (R), 207
- Sediments (R), 319
- Segmentagnostus stubblefieldi* sp. nov., 627

- Seismicity patterns (R), 321
Seismology (R), 208
Shakesby, R. A. The application of trend surface analysis to directional data, 39
Shearman, D. J. Displacement of sand grains in sandy gypsum crystals, 303
Shear Zones (R), 444
Shropshire, Lilleshall, 699
Silurian, Idaho (R), 332
Sims, P. C. & Gomez, B. Overbank deposits of the Narrator Brook, Dartmoor, England, 77
Sinian, 201
Skeletal growth (R), 572
Skiddaw Group, 509
Smellie, J. L. A complete arc-trench system recognized in Gondwana sequences of the Antarctic Peninsula region, 139
Sn mineralization, 545
Snowdonia, 189
Solent Estuarine System (R), 438
Soliman, M. M. Geochemical surveys for Sn, Nb, Cu and Au mineralization, Mueilha-Dungash area, Southeastern Desert, Egypt, 545
Solomon Islands (R), 210
Somalia, geological map (R), 322
Soper, N. J. & Higgins, A. C. Cretaceous-Palaeogene sub-basaltic and intrabasaltic sediments of the Kangerdlugssuaq area, central east Greenland, 337
South Orkney Islands, 15
South Wales, 97
Spitsbergen, 225
Start boundary, 297
Stratigraphy, Lunar near side (R), 715; (R), 218
Stromatolite, subaerial, 97
Stubblefield, Sir James, 581
Sub-basaltic sediments, 337
Sulitjelma Gabbro, ophiolite, 525
Swansea Valley Fault, 309
Swett, K. Cambro-Ordovician strata in Ny Friesland, Spitsbergen and their palaeotectonic significance, 225
Synthetic rubbers, 551
Taphonomy (R), 103
Tavener-Smith, R. The neotype of *Retepora nodulosa* Phillips, 1836, 565
Tertiary, 561
Tethys, 367
Thomson, J. W., Dalziel, I. W. D., Elliot, D. H., Jones, D. L., Thomson, M. R. A., Wells, N. A. & Zinsmeister, W. J. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15
Timmins-Kirkland Lake-Noranda (R), 431
Topiggane Shale Member, 232
Top rock, 557
Tournaisian, 699
Trail Creek Formations (R), 332
Tremadoc, 615
Trend surface analysis, 39

- Tre-Nichol Formation, 561
Tretaspis, caritus sp. nov., 292; *radialis*, 289
 Triassic, 15; 377
 Trilobita, 289; Lichidae, 665
 Trilobite, Ordovician, 623; *Rorringtonia*, 89; Zonation (R), 101
 Trilobites, 591
Trinucleus bicallis sp. nov., 628
 Tripp, R. P. & Evitt, W. R. Silicified Lichidae (Trilobita) from the middle Ordovician of Virginia, 665
 Trondhjemite, 525
 Tunisia, 161
 Ultrabasic lava flows, 49
 Uranium, Deposits (R), 429; Supply (R), 429; Nuclear Energy (R), 432
 Virginia, Ordovician, 665
 Volcanic, Activity (R), 212; breccias, 265; scenery (R), 437
 Volcanism, Palaeozoic, 421
 Wales, 189; 309; North, 355
 Walker, A. D. & Benton, M. J. The use of flexible synthetic rubbers for casts of complex fossils from natural moulds, 551
 Ware, M. & Windle, T. M. F. Micropalaeontological evidence for land near Cirencester, England, in Forest Marble (Bathonian) times: a preliminary account, 415
 Wells, N. A., Dalziel, I. D., Elliot, D. H., Jones, D. L., Thomson, J. W., Thomson, M. R. A. & Zinsmeister, W. J. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15
 Welsh Basin, 95
 Westphalian A, 307
 Wetland processes (R), 714
 White, D. E. The base of the Ludlow Series in the graptolitic facies, 566
 Whittington, H. B. Paedomorphosis and cryptogenesis in trilobites, 591
 Williams, S. H. Form and mode of life of *Dicellograptus* (Graptolithina), 401
 Williton Member, 379
 Winchester, J. A., Lambert, R. St J. & Holland, J. G. Comparative geochemistry of pelites from the Moinian and Appin Group (Dalradian) of Scotland, 477
 Windle, T. M. F. & Ware, M. Micropalaeontological evidence for land near Cirencester, England, in Forest Marble (Bathonian) times: a preliminary account, 415
 Woodroof, P. B. & Gale, A. S. A Coniacian ammonite from the 'Top Rock' in the Chalk of Kent, 557
 Woodroof, P. B. & Jarvis, I. The phosphatic chalks and hardgrounds of Boxford and Winterbourne, Berkshire – two tectonically controlled facies in the late Coniacian to early Campanian (Cretaceous) of southern England, 175
 Wright, V. P. A subaerial stromatolite from the Lower Carboniferous of South Wales, 97
 Yang, S.-P., P'an, K. & Hou, H.-F. The Devonian System in China, 113
 Yukon (R), 326
 Zainuddin, S. M., Bhat, M. I. & Rais, A. Panjal Trap chemistry and the birth of Tethys, 367
 Zhang, Z. A new Oscillatoriaceae-like filamentous microfossil from the Sinian (late Precambrian) of western Hubei Province, China, 201
 Zinsmeister, W. J., Dalziel, I. W. D., Elliot, D. H., Jones, D. L., Thomson, J. W., Thomson, M. R. A. & Wells, N. A. The geological significance of some Triassic microfossils from the South Orkney Islands, Scotia Ridge, 15

NOTES FOR CONTRIBUTORS

Contributions for publication should be addressed to The Editors, *Geological Magazine*, Department of Earth Sciences, Downing Street, Cambridge CB2 3EQ, England.

All contributions, whether articles, correspondence or reviews, must be typed in duplicate on one side of the paper, double spaced throughout, with a wide margin on the left of each page and a narrower margin on the right. Any minor corrections should be made neatly in the typescript, leaving the margins clear.

The total length of a paper should not in general exceed 20 pages of the *Geological Magazine*; preference and priority are given to short papers. Longer papers (between 20 and 40 pages of *Geological Magazine*) will from time to time be considered, but authors wishing to submit such manuscripts should first request further details.

The accuracy of references is the responsibility of authors. References must be double spaced and abbreviated in the form of the *World List of Scientific Periodicals* 4th Edition as far as possible, e.g.

- Brooks, M. & James, D. G. 1975. The geological results of seismic refraction surveys in the Bristol Channel, 1970–73. *Q. Jl geol. Soc. Lond.* **131**, 163–82.
Kirby, G. A. 1978. Layered gabbros in the Eastern Lizard, Cornwall, and their significance. *Geol. Mag.* **115**, 199–204.

Books should be cited as:

- Ramsey, J. G. 1967. *Folding and Fracturing of Rocks*. New York: McGraw-Hill.
Bott, M. H. P. 1973 The evolution of the Atlantic north of the Faroe Islands. In *Implications of Continental Drift to the Earth Sciences*, vol. 1 (ed. D. H. Tarling and S. N. Runcorn), pp. 175–89. London, New York: Academic Press.

Unpublished work, e.g. from theses, should normally be referred to in the text in parentheses and not included in the reference list unless in the press.

Articles must be accompanied by a brief summary. Contributions should follow the general style of papers in recent issues of the Magazine and the principles laid down in *Notes to Authors* (*Proc. Geol. Soc. Lond.*, No. 1627, Oct. 1965). Headings should be set out clearly, but not underlined. Primary headings should be in lower case, at margin, with arabic numeral; sub-headings should be numbered 2.a, 2.b, etc., and tertiary headings 2.a.1., 2.a.2. No cross-references should be given by page number, but 'above' and 'below' should be used with the section specified, e.g. Section 2.a.1.

Illustrations must be drawn to allow reduction to maximum size of 200 mm × 134 mm; originals should normally be drawn at twice final size and must be sent in a flat package. Lettering must allow for legibility after reduction (i.e. equivalent to 1 mm as a minimum on reduction). Duplicates of illustrations may be prints or, preferably, reductions. Metric units of the SI system are preferred. Illustrations in the text will be referred to as figures (Fig. 2, 2a, etc.), and halftone plates will be referred to (also in arabic) as Plates 2, 2a, etc. Folding plates will not be accepted. Captions for figures and plates must be typed on separate sheets.

Twenty-five offprints of each paper will be provided free of charge. Additional offprints may be purchased according to a set scale of charges.

Geological Magazine

Volume 118, Number 6, November 1981

CALVER, M. A. Palaeozoic studies in honour of Sir James Stubblefield	581-589
WHITTINGTON, H. B. Paedomorphosis and cryptogenesis in trilobites	591-602
FORTEY, R. A. <i>Prospectatrix genatenta</i> (Stubblefield) and the trilobite superfamily Cyclopygacea	603-614
RUSHTON, A. W. A. A polymorphic graptolite from concealed Tremadoc rocks of England	615-622
RUSHTON, A. W. A. & HUGHES, C. P. The Ordovician trilobite fauna of the Great Paxton Borehole, Cambridgeshire	623-646
BASSETT, MICHAEL, G. The Ordovician brachiopods of Cornwall	647-664
TRIPP, R. P. & EVITT, W. R. Silicified Lichidae (Trilobita) from the Middle Ordovician of Virginia	665-677
BUTLER, D. E. Marine faunas from concealed Devonian rocks of southern England and their reflection of the Frasnian transgression	679-697
MITCHELL, M. & REYNOLDS, M. J. Early Tournaisian rocks at Lilleshall, Shropshire	699-702
MITCHELL, M. The age of the Dinantian (Lower Carboniferous) rocks proved beneath the Kent Coal-field	703-711
REVIEWS	713-717
PUBLICATIONS RECEIVED	718-722

© Cambridge University Press 1981

Printed in Great Britain at the University Press, Cambridge