

General Notes

TEMPORAL BONE SURGICAL DISSECTION COURSE

OFFERED BY

THE DEPARTMENT OF OTOLARYNGOLOGY

THE UNIVERSITY OF MICHIGAN MEDICAL SCHOOL, ANN ARBOR, MICHIGAN

COURSE DIRECTOR: JOHN L. KEMINK, M.D.

1989: 24–28 April: 22–26 May: 16–20 October: 13–17 November

Intensive one-week courses emphasize the surgical and anatomical approaches to the temporal bone, and are presented in a manner relevant for the otologic surgeon, utilizing lectures, videotapes, and dissection.

Mornings and afternoons are spent in the dissection laboratory, giving extensive drilling experience in temporal bone anatomy and surgical techniques. All instruments and high-speed handpieces will be provided.

Course fee is: Physicians \$1,000 Residents \$750

For further information write:

John L. Kemink, M.D.,
Box 0312 Taubman Medical Center,
1500 E. Medical Center Drive,
Ann Arbor,
Michigan 48109, U.S.A.
Tel: (313) 936-8006

4TH ASEAN OTORHINOLARYNGOLOGICAL HEAD & NECK CONGRESS

SINGAPORE

The 4th ASEAN Otorhinolaryngological Head & Neck Congress will be held from 6–9 April 1989, in Singapore.

Programme includes Plenary Lectures, Panel Discussions, Symposia, "How I do it" sessions, and Free Papers.

For further information, contact

Dr R. E. Stanley,
Organizing Secretary,
c/o ENT Department,
Singapore General Hospital,
Outram Road,
Singapore 0316,
Republic of Singapore.

FOUNDATION G. PORTMANN

and

CLINIQUE UNIVERSITAIRE ORL DE BORDEAUX

30th ENGLISH COURSE IN MICRO SURGERY IN OTOTOLOGY AND OTONEUROLOGY

held in Bordeaux from July 3 to July 8, 1989

Conducted by Professor Michel Portmann, M.D. with collaboration of foreign personalities.

A six-day intensive course including:

- theoretical and practical lectures
- surgical demonstrations on colour TV
- temporal bone dissection (equipment provided to each participant)
- case presentations
- discussions

The course is taught in English.

CME Credit: 59 hours.

Information:

Secretary of the Course,
Foundation G. Portmann,
114 avenue d'Arès,
33074 Bordeaux Cedex France

Tel: (33) 56 24 30 15

THE ROYAL COLLEGE OF SURGEONS OF ENGLAND
35-43 Lincoln's Inn Fields, London WC2A 3PN

ANNOUNCEMENT

At a quarterly meeting of the Council held on 29 September, 1988, a Diploma in Laryngology and Otology was granted to the undermentioned candidate:

Name
Cheuk Lun Sham

Qualification
MB., BS., Hong Kong

CONFERENCE ON THE EUSTACHIAN TUBE AND MIDDLE EAR DISEASES

GENEVA, SWITZERLAND

26-29 OCTOBER, 1989

For further information please contact:

Professor Jacob Sade,
c/o The Secretariat,
Conference on The Eustachian Tube and Middle Ear Diseases,
Intercontinental Hotel Geneva,
7-9 CH. du Petit Saconnex,
CH-1211 Geneva 19,
Switzerland.

COCHLEAR IMPLANTS

A course for professionals run by UCH/RNID programme

21-23 February, 1989

at

The Institute of Laryngology and Otology, London

Course fee: £150 including lunches, tea and evening reception (reductions available for students etc.)

Write for details and application form to:

The Course Secretary,
UCH/RNID Cochlear Implant Programme,
Royal Ear Hospital,
Huntley Street,
London WC1

or phone: 01-387 9300 extension 8761 or 01-387 8033 extension 215

ANNOUNCEMENT

3d Course on Endonasal Surgery of the Paranasal Sinuses, February 10-11, 1989 in Fulda, West Germany.

Information:

Prof. Dr W. Draf,
Head of the Department for ENT-Diseases and Facial Plastic Surgery,
Pacelliallee 4,
D-6400 Fulda
Telephone 0661-84481, Telex 49808

GRAY'S INN ROAD ENT FELLOWSHIP COURSE

27 February – 10 March, 1989

(For students taking the Final F.R.C.S. in Otolaryngology)

This two week, full-time course is limited to 20 senior students who are about to take the final F.R.C.S. In addition to a series of lectures/demonstrations at the appropriate level, both in the specialty and in related branches of general surgery, the course will include a number of clinical and viva voce sessions, and the setting and correction of test papers.

Course Tutors: Mr C. M. Bailey & Mr C. B. Croft

COURSE FEE: £350

(Meals and refreshments not included apart from the Course Dinner)

All applications must be accompanied by the course fee. Cheques should be made payable to University College London and sent together with the completed application form to:

Cheryl Overington,
Secretary to the Dean,
The Institute of Laryngology and Otology,
330-332 Gray's Inn Road,
London WC1X 8EE.

Telephone: 01-837 8855 Ext. 4218

Index

Orig. Art. Original Article

Clin. Rec. Clinical Record

AUTHORS

- Abdel-Baki, F., Moghazi, H., Eassa, A. and Talaat, F. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
Abdu, M. H. and Feghali, J. G. Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea. *Clin. Rec.*, 546
Abdul-Rasool, I. H. and Wackym, P. A. Prospective management of malignant hyperthermia in the otolaryngological patient. *Orig. Art.*, 513
Ahmed, G. M. S. and Deb Nath, D. K. Ceruminous gland tumour. *Clin. Rec.*, 346
Aitsalo, K. and Puhakka, H. J. Oesophageal carcinoma: endoscopic and clinical findings in 258 patients. *Orig. Art.*, 1137
Aker Gunes, H., Almac, A. and Canbay, E. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Akosa, A. B., Ali, M. H. and Hanna, G. S. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
Akosa, A. B., Maher, E. J., Hanna, G. S. and Ali, M. H. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Al Khalifa, S., Sharma, R. K., Shenoy, P. and Paulose, K. O. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
Al Khalifa, S., Shenoy, P. K., Harris, S., Sharma, R. K. and Paulose, K. O. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Albera, R., Pia, F., Bussi, M., Lucisano, S. and Mortara, P. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Albizzati, C. and Ramesar, K. Laryngeal cysts: clinical relevance of a modified working classification. *Orig. Art.*, 923
Albizzati, C., Ramesar, K. C. R. B. and Davis, B. C. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Ali, M. H., Akosa, A. B., Maher, E. J. and Hanna, G. S. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Ali, M. H., Hanna, G. S. and Akosa, A. B. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
Al-Jassim, A. H. H. The use of Walkman mini-stereo system as a tinnitus masker. *Orig. Art.*, 27
Al-Khalifa, S., Paulose, K. O., Shenoy, P. and Sharma, R. K. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
Al-Lozi, M. T. A.-L., Jamal, M. N. and Samara, N. S. Moebius' syndrome. *Clin. Rec.*, 350
Allen, C., Buckley, J. G. and Hinton, A. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
Almac, A., Canbay, E. and Aker Gunes, H. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Anavi, Y., Har-El, G. and Mintz, S. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
Andreassen, U. K., Ankjaergaard, O. and Lawaetz, K. D. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
Andreassen, U. K. and Arndal, H. Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia. *Orig. Art.*, 1012
Anim, J. T., Baraka, M. E. and Dawlatly, E. E. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
Anim, J. T., El-Hassan, A. Y. and Dawlatly, E. E. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
Ankjaergaard, O., Lawaetz, K. D. and Andreassen, U. K. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
Arndal, H. and Andreassen, U. K. Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia. *Orig. Art.*, 1012
Arndal, H. and Bomholt, A. Middle-ear damage caused by a defective portable headphone. *Clin. Rec.*, 715
Arnold, W. and Friedmann, I. Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology. *Orig. Art.*, 865
Azhar, T., Symonds, R. P., Evans, R. A. and Liu, K. C. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
Babu, S. and Samuel, P. The effect of inhaled steroids on the upper respiratory tract. *Orig. Art.*, 592
Baer, S. T., Coulson, I. H. and Elliman, D. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
Baer, S. T., Drysdale, A. and Moore-Gillon, V. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
Bagger-Sjöbäck, D., Barbara, M. and Rask-Anderson, H. The surface morphology of the endolymphatic sac of the Mongolian gerbil (*Meriones unguiculatus*). *Orig. Art.*, 308
Bagger-Sjöbäck, D., Rask-Anderson, H. and Takumida, M. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
Bahadur, S., Kacker, S. K., Goulatia, R. K. and Tandon, D. A. Nasopharyngeal angiomyolipoma. *Orig. Art.*, 805
Bailey, C. M. and Morrison, G. A. J. Relapsing malignant otitis externa successfully treated with ciprofloxacin. *Orig. Art.*, 872
Bailey, C. M., Evans, J. N. G., Kearns, D. B., Wickstead, M., Choa, D. I. and Leitch, R. N. Computed tomography in choanal atresia. *Orig. Art.*, 414
Bailey, C. M., Preccce, J. M., Kearns, D. B., Wickersham, J. K. and Grace, A. R. Nasal lipoma. *Clin. Rec.*, 1044
Baker, J. R., Batsakis, J. G., Ordonez, N. G. and Sevidal, P. A. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
Banerjee, A. K., Mann, S. B. S., Garge, K., Nehru, V. I., Dubey, S. P. and Mehra, Y. N. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C. and Nachiappan, M. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Baraka, M. E., Dawlatly, E. E. and Anim, J. T. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
Barbara, M., Rask-Anderson, H. and Bagger-Sjöbäck, D. The surface morphology of the endolymphatic sac of the Mongolian gerbil (*Meriones unguiculatus*). *Orig. Art.*, 308
Bark-Jones, N., Willatt, D. J., Durham, L. and Ramadan, M. F. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Barnard, D. and Ling, J. Mandibular pathology presenting as a parotid tumour. *Orig. Art.*, 896
Barr, G. S. and Osborne, J. Weight gain in children following tonsillectomy. *Orig. Art.*, 595
Barr, G. S., Osborne, J. and Simpson, J. R. M. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
Bartal, N. An improved stent for use in the surgical management of congenital posterior choanal atresia. *Orig. Art.*, 146
Barton, R. P. E. and Wickham, M. H. Nasal regurgitation as the presenting symptom of rhinolithiasis. *Clin. Rec.*, 59
Barton, R. P. E., Forrest, A. W. and Wickham, M. H. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328

- Baser, B. and Pradhan, K. A. Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery. *Orig. Art.*, 601
 Basu, M. K., Frame, J. W. and Rhys Evans, P. H. Wound healing following partial glossectomy using the CO₂ laser, diathermy and scalpel. *Orig. Art.*, 322
 Batch, A. J. G. Globus pharyngeus: (Part II), Discussion. *Orig. Art.*, 227
 Batch, A. J. G. Globus pharyngeus. *Orig. Art.*, 152
 Bates, G. J. and Curley, J. W. A. Rationalization of peritonsillar abscess as an indication for tonsillectomy. *Orig. Art.*, 37
 Bates, G. J. E. M. and Herdman, R. C. D. Chondrosarcoma of the sphenoid. *Clin. Rec.*, 727
 Batsakis, J. G., Hawkins, R. A., Doble II, H. P. and Sneige, N. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
 Batsakis, J. G., Kessler, S. and El-Naggar, A. Benign metastatic mixed tumours or unrecognized salivary carcinomas? *Orig. Art.*, 810
 Batsakis, J. G., Mackay, B., Ryka, A. F. and Seifert, R. W. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
 Batsakis, J. G., Ordóñez, N. G., Sevidal, P. A. and Baker, J. R. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
 Beckingham, E., Jones, A. S., Wright, R. G. and Stevens, J. C. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
 Beckingham, E., Wight, R. G. and Jones, A. S. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
 Bellini, M. J., Peel, R. N. and Terry, R. M. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
 Ben Arieh, Y. and Joachims, H. Z. Basal cell carcinoma of the middle-ear—a natural history. *Clin. Rec.*, 932
 Bende, M. and Holmberg, K. Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose. *Orig. Art.*, 408
 Bende, M., Löth, S. and Löth, A. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
 Benítez, J. P. Otopathology of Egyptian mummy Pum II. *Orig. Art.*, 485
 Benjamin, B. and Parsons, D. S. Recurrent respiratory papillomatosis. *Orig. Art.*, 1022
 Bergmann, L., Szepesi, S., Ilberg, C. V., Klima, A. and Klippstein, T. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
 Berkovits, R. N. P., Knegt-Junk, K. J. and Bos, C. E. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
 Bhamhani, S., Raju, G., Kakar, P. K., Das, D. K. and Dhingra, P. L. Role of fine needle aspiration biopsy in head and neck tumours. *Orig. Art.*, 248
 Bhandwaj, B. K. and Kacker, S. K. Revision stapes surgery. *Orig. Art.*, 20
 Bhani, T. S., Mathai, R., Raghavan, R. and Job, A. Pseudocyst of the auricle. *Clin. Rec.*, 344
 Bhargava, D. K., Tandon, D. A., Ghosh, P. and Tickoo, S. K. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
 Bhargava, K. B., Juvekar, R. V., Gadre, A. K., Savant, R. and Gadre, K. C. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
 Bhargava, K. B., Shirali, G. N., Savant, R. A. and Uppal, P. K. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
 Bickerton, R. C. and Brockbank, M. J. Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity. *Clin. Rec.*, 468
 Bingham, B. and Hawthorne, M. The use of anaesthetic EMLA cream in minor otological surgery. *Clin. Rec.*, 517
 Biondi, G., Pacini, P., Gulisano, M. and Polli, G. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
 Biörklund, A., Hansson, L.-G. and Johansen, C. C. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
 Blair, R. L. and Ruckley, R. W. Thermal myringotomy. *Orig. Art.*, 125
 Blair, R. L., Christmas, H. E., McKenzie, H. and Osborne, J. E. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
 Bleach, N. R., Stanworth, P. A. and Stansbie, J. M. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
 Blumgart, R. and Solomons, N. B. Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization. *Clin. Rec.*, 260
 Bomholt, A. and Arndal, H. Middle-ear damage caused by a defective portable headphone. *Clin. Rec.*, 715
 Borah, K. and Zaman, K. Myringoplasty with three meatal flaps. *Orig. Art.*, 777
 Bos, C. E., Berkovits, R. N. P. and Knegt-Junk, K. J. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
 Boss, J., Gertner, R., Podoshin, L., Fradis, M. and Miszelevitch, I. Liposarcoma of the larynx. *Clin. Rec.*, 838
 Boysen, M. Y., Scott, H., Hovig, T., Wetteland, J. and Kolbenstvedt, A. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
 Bradley, C., McClymont, L. G. and Reid, R. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
 Bradley, P. J., Narula, A. A., Padfield, C. J., Morgan, D. A. L. and MacLennan, K. A. NED survival in head and neck cancer. *Clin. Rec.*, 194
 Brain, D. J. The Indian contribution to rhinoplasty. *Orig. Art.*, 689
 Brandrick, J. T., Das Gupta, A. R. and Singh, R. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
 Breach, N. M., Choudhury, C. R., McLean, N. R. and Harrop-Griffiths, K. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
 Bridger, M. and Violaris, N. S. The use of sputum-trap in the collection of antral washout specimen during antroscopy. *Clin. Rec.*, 540
 Brockbank, M. J. and Bickerton, R. C. Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity. *Clin. Rec.*, 468
 Brooker, D. S. Laryngeal stridor due to odontoid peg subluxation. *Clin. Rec.*, 473
 Brookes, J. D., Gatland, D. J. and Keene, M. H. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
 Brookes, J., Youngs, R. P. and Gatland, D. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
 Brough, M. D., East, C. A. and Stewart Flemming, A. F. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
 Browning, G. G., Gatehouse, S. and Calder, I. T. Medical management of active chronic otitis media. *Orig. Art.*, 491
 Buchanan, G. and Rainer, E. H. Tuberculous mastoiditis. *Clin. Rec.*, 440
 Buckley, G. and Hinton, A. E. Parental smoking and middle ear effusions in children. *Orig. Art.*, 992
 Buckley, J. G., Hinton, A. and Allen, C. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
 Buckley, J. G., Hinton, A. E., Penter, G. and Farndon, P. A. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
 Buller, N., Shvili, Y., Laurian, N., Laurian, L. and Zohar, Y. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
 Bussi, M., Lucisano, S., Mortara, P., Albera, R. and Pia, F. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
 Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M. and Prat, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
 Cable, H. R. and Smith, M. C. F. Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings. *Orig. Art.*, 1086
 Calabrese, V., Mazzoni, A. and Pareschi, R. Intratemporal vascular tumours. *Clin. Rec.*, 353
 Calder, I. T., Browning, G. G. and Gatehouse, S. Medical management of active chronic otitis media. *Orig. Art.*, 491

- Campbell, J. B., Crocker, J. and Shenoi, P. M. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
Campbell, J. B., Hunter, J., McIlwain, J. C., Toner, J. G., Stewart, T. J. and Kwok, O. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
Campbell, J. B., Wake, M. and Pearman, K. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
Campbell, J. B., Watson, M. G., Povey, L. and Shenoi, P. M. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
Canbay, E., Aker Gunes, H. and Almac, A. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Canter, R. J., Megarry, S., Pett, A., Scarlett, A., Teh, W. and Zeigler, E. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Cantrel, G., Rosen, G. and Kedar, A. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
Canty, P., Williamson, I. G. and Timms, M. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
Carlton, W. V., Thomas, P. L. and John, D. G. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
Carr, R. J. and von Arx, D. Displaced tooth mimicking a tonsillolith. *Clin. Rec.*, 652
Carruth, J. A. S. and Williams, S. R. The role of the carbon dioxide laser in treatment of carcinoma of the tongue. *Orig. Art.*, 1122
Carulla, M., Sabater, F., Mensa, J., Doménech, J. and Loncá, M. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Cassidy, M., McMullin, J. P. and Gleeson, M. J. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M., Prat, M., Bussolati, G. and Cortesina, G. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Cerrato, M., Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M. and Poggio, E. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Chan, X., Med, M. and Xie, Y. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184
Chang, R. W. S. and Younos, M. Chyle fistulae. *Clin. Rec.*, 384
Charachon, R. Surgery of cholesteatoma in children. *Orig. Art.*, 680
Chatterji, P., Chaudhuri, J. N. and Khatri, B. B. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
Chaudhary, C., Misra, N. K., Tandon, D. A. and Deka, R. C. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
Chaudhuri, J. N., Khatri, B. B. and Chatterji, P. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
Cheesman, A. D., Quiney, R. E., Rogers, M. J. C. and Davidson, R. N. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Chevreton, E., Lowe, D. and Drake-Lee, A. B. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
Choa, D. I., Leitch, R. N., Bailey, C. M., Evans, J. N. G., Kearns, D. B. and Wickstead, M. Computed tomography in choanal atresia. *Orig. Art.*, 414
Choudhury, C. R., McLean, N. R., Harrop-Griffiths, K. and Breach, N. M. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
Choy, D., Shum, J., Engzell, U. C. G., Lau, S. K. and Wei, W. I. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Christmas, H. E., McKenzie, H., Osborne, J. E. and Blair, R. L. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
Ciardi, M. R., Gusmano, R., Raspino, M., Tarantino, V., Moni, L. and Verrina, E. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Clark, D. R. Pritt Tak: Another hazard of grommets and swimming. *Clin. Rec.*, 1039
Clark, G. M. and Franz, B. K-H. G. The surgical anatomy for multiple-electrode extracochlear implant operations. *Orig. Art.*, 685
Cobley, M. A., Davies, J. E. and Lesser, T. H. J. Intubation trauma. *Orig. Art.*, 822
Cole, P. J., Greenstone, M. A., Stanley, P. J. and Mackay, I. S. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
Conrad, J. G., Tyrrell, C. J., Daniel, F. and Mancero, F. S. M. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M., Prat, M. and Bussolati, G. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Couldery, A. D. and Sharma, P. L. Necrotizing otitis externa. *Clin. Rec.*, 713
Coulson, I. H., Elliman, D. and Baer, S. T. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
Cremers, C. W. R. J. and Pouwels, A. B. P. M. Fibrous dysplasia of the temporal bone. *Clin. Rec.*, 171
Creter, D., Kronenberg, J. and Horowitz, A. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
Crocker, J., Nar, P. and Egan, M. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
Crocker, J., Shenoi, P. M. and Campbell, J. B. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
Crocker, J., Wake, M., Nar, P., Egan, M. and Newman, J. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
Cross, S. S., Lewis, M. S. and John, D. G. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
Crowther, J. A. and McClymont, L. G. Local anaesthetic with vasoconstrictor combinations in septal surgery. *Orig. Art.*, 793
Crowther, J. A. and Sim, D. W. Primary nasal tuberculosis masquerading as a malignant tumour. *Clin. Rec.*, 1150
Croxson, G., Nicholaides, A. and McFerran, D. J. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
Curley, J. W. A. and Bates, G. J. Rationalization of peritonsillar abscess as an indication for tonsillectomy. *Orig. Art.*, 37
Curley, J. W. A. and O'Donoghue, G. M. Some complications of tracheo-oesophageal puncture for voice restoration. *Clin. Rec.*, 558
Dale, J. C. and Robinson, R. A. Malakoplakia of the parotid gland. *Clin. Rec.*, 737
Daniel, F., Mancero, F. S. M., Conrad, J. G. and Tyrrell, C. J. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
Das, D. K., Dhingra, P. L., Bhamhani, S., Raju, G. and Kakar, P. K. Role of fine needle aspiration biopsy in head and neck tumours. *Orig. Art.*, 248
Das Gupta, A. R., Parker, D. A. and Woodhead, J. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
Das Gupta, A. R., Singh, R. and Brandrick, J. T. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
Das, S., Ghosh, L. M., Samanta, A. and Nandy, T. Haemangioma of the maxilla. *Clin. Rec.*, 725
Das, V. K. Aetiology of bilateral sensorineural deafness in children. *Orig. Art.*, 975
Davidson, R. N., Cheesman, A. D., Quiney, R. E. and Rogers, M. J. C. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Davies, J. E., Lesser, T. H. J. and Cobley, M. A. Intubation trauma. *Orig. Art.*, 822
Davis, B. C., Albizzati, C. and Ramesar, K. C. R. B. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Dawes, P. J. D. Inferior turbinectomy. *Orig. Art.*, 590

- Dawlatly, E. E., Anim, J. T. and Baraka, M. E. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
- Dawlatly, E. E., Anim, J. T. and El-Hassan, A. Y. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
- De, S. K. and Dey, D. D. Tumours of the mastoid temporal bone. *Orig. Art.*, 582
- Deadman, M. and Morgan, D. W. The thermoplastic splint. *Clin. Rec.*, 724
- Deb Nath, D. K. and Ahmed, G. M. S. Ceruminous gland tumour. *Clin. Rec.*, 346
- Deggouj, N., Frederickx, Y., Remacle, M., Hamoir, M. and Marbaix, E. Interest in frozen section examination of margins and lymph nodes in laryngeal surgery. *Orig. Art.*, 818
- Deka, R. C., Chaudhary, C., Misra, N. K. and Tandon, D. A. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
- Deka, R. C., Dev, A. and Ghosh, P. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
- Del Villar, R., Gayoso, M. J., Morais, D. and González, M. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
- Dempster, J. H. and Mackenzie, K. Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis. *Clin. Rec.*, 938
- Dempster, J. H. and Roig, J. A. Stoma buttons—an unreported hazard. *Clin. Rec.*, 556
- Dempster, J. H. Post-tonsillectomy analgesia: The use of benzocaine lozenges. *Orig. Art.*, 813
- Desai, S. and Rajaratnam, K. Kaposi's sarcoma of the trachea. *Clin. Rec.*, 951
- Desai, S. D. and Rajaratnam, K. Laryngeal granuloma—an unusual presentation of AIDS. *Clin. Rec.*, 372
- Desouza, C., Sheode, J., Shah, K. L. and Ogale, S. B. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
- Dev, A., Ghosh, P. and Deka, R. C. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
- Dev, A., Ghosh, P. and Sen Gupta, S. K. Congenital cholesteatoma. *Clin. Rec.*, 612
- Dey, D. D. and De, S. K. Tumours of the mastoid temporal bone. *Orig. Art.*, 582
- Dhingra, P. L., Bhamhani, S., Raju, G., Kakar, P. K. and Das, D. K. Role of fine needle aspiration biopsy in head and neck tumours. *Orig. Art.*, 248
- Dhingra, P. L., Verma, S. K. and Saxena, S. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
- Doan, H. T. and Powell, J. S. Exostosis of the internal auditory canal. *Clin. Rec.*, 173
- Doble II, H. P., Sneige, N., Batsakis, J. G. and Hawkins, R. A. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
- Doménech, J., Loncá, M., Carulla, M., Sabater, F. and Mensa, J. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
- Dommerby, H., Tvetérås, K. and Kristensen, S. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
- Drake-Lee, A. B. and McLoughlan, P. The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests. *Orig. Art.*, 886
- Drake-Lee, A. B., Chevreton, E. and Lowe, D. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
- Drysdale, A., Moore-Gillon, V. and Baer, S. T. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
- Dubey, S. P., Mehra, Y. N., Banerjee, A. K., Mann, S. B. S., Garge, K. and Nehru, V. I. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
- Dulitzky, F., Finkelstein, Y., Zohar, Y., Talmi, Y. P. and Sador, R. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
- Durham, L., Mackenzie, I. J. and Foy, P. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
- Durham, L., Ramadan, M. F., Bark-Jones, N. and Willatt, D. J. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
- Duvall, E. and Ibekwe A. O. Verrucous carcinoma of the larynx: problems of diagnosis and treatment. *Clin. Rec.*, 79
- Eassa, A., Talaat, F., Abdel-Baki, F. and Moghazi, H. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
- East, C. A., Stewart Flemming, A. F. and Brough, M. D. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
- Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R. and Hasegawa, M. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Eccles, R., Griffiths, D. H., Newton, C. G. and Tolley, N. S. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
- Echeverria-Zumarraga, M., Kaiser, C. and Gavilan, C. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
- Egan, M., Crocker, J. and Nar, P. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
- Egan, M., Newman, J., Crocker, J., Wake, M. and Nar, P. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
- El-Hassan, A. Y., Dawlatly, E. E. and Anim, J. T. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
- El-Khatib, A. A. and Mann, W. Cranioplasty with Palacos® in reconstruction of frontal sinus defects. *Clin. Rec.*, 824
- Elliman, D., Baer, S. T. and Coulson, I. H. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
- El-Naggar, A., Batsakis, J. G. and Kessler, S. Benign metastatic mixed tumours or unrecognized salivary carcinomas? *Orig. Art.*, 810
- El-Ot-eify, M. A., Mokhtar Farag, M. and Ragaa, A. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
- Elwany, S. Auditory brain stem responses (ABR) in patients with acute severe closed head injuries. *Orig. Art.*, 755
- Engård, P., Krouthén, B., Wennmo, C. and Spandow, O. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
- Engzell, U. C. G., Lau, S. K., Wei, W. I., Choy, D. and Shum, J. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
- Esa, R., Said, H., Phang, K. S., Razi, A., Khuzaiyah, R. and Patawari, P. H. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
- Evans, E. G. V. and Rivron, R. P. Enlarged cervical lymph node due to African histoplasmosis. *Clin. Rec.*, 945
- Evans, J. N. G., Kearns, D. B., Wickstead, M., Choa, D. I., Leitch, R. N. and Bailey, C. M. Computed tomography in choanal atresia. *Orig. Art.*, 414
- Evans, R. A., Liu, K. C., Azhar, T. and Symonds, R. P. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
- Eykyn, S. J., Grandsen, N. R. and Wickstead, M. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33
- Fagg, N. L. K., Watkinson, J. C. and Hornung, E. A. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
- Fagg, N. L. K., Watkinson, J. C. and Searle, A. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
- Farndon, P. A., Buckley, J. G., Hinton, A. E. and Penter, G. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
- Farrington, W. T., Keith, A. and Timms, M. S. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
- Feghali, J. G. and Abdu, M. H. Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea. *Clin. Rec.*, 546
- Fennell, G., O'Dwyer, T. P., Lee, R. J. and Kaye, J. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
- Ferlito, A., Giarelli, L. and Silvestri, F. Intratracheal thyroid. *Clin. Rec.*, 95

- Finkelstein, Y., Shem Tov, Y., Zohar, Y., Laurian, N. and Talmi, Y. P. Scrofula revisited. *Clin. Rec.*, 387
- Finkelstein, Y., Zohar, Y., Talmi, Y. P., Sador, R. and Dulitzky, F. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
- Fjeremedal, O., Saunte, C. and Pedersen, S. Septoplasty and/or submucous resection? *Orig. Art.*, 796
- Fliss, D. M., Puterman, M. and Leiberman, A. Cervicomedastinal emphysema due to oral blast. *Clin. Rec.*, 105
- Fliss, D. M., Sidi, J., Zirkin, H. and Puterman, M. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
- Flood, L. M., Ruckley, R. W. and Oswal, V. Use of bronchoscopic CO₂ laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
- Forrest, A. W., Wickham, M. H. and Barton, R. P. E. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328
- Foy, P., Durham, L. and Mackenzie, I. J. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
- Fradis, M., Mislevitch, I., Boss, J., Gertner, R. and Podoshin, L. Liposarcoma of the larynx. *Clin. Rec.*, 838
- Frame, J. W., Rhys Evans, P. H. and Basu, M. K. Wound healing following partial glossectomy using the CO₂ laser, diathermy and scalpel. *Orig. Art.*, 322
- Franz, B. K-H. G. and Clark, G. M. The surgical anatomy for multiple-electrode extracochlear implant operations. *Orig. Art.*, 685
- Frederickx, Y., Remacle, M., Hamoir, M., Marbaix, E. and Deggouj, N. Interest in frozen section examination of margins and lymph nodes in laryngeal surgery. *Orig. Art.*, 818
- Friedmann, I. and Arnold, W. Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology. *Orig. Art.*, 865
- Fukui, M., Nakashima, T., Tomita, K., Uemura, T. and Matsushima, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
- Furukawa, Y., Ikeda, K., Sakurada, T., Sasaki, Y. and Takasaka, T. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
- Gadre, A. K., Savant, R., Gadre, K. C., Bhargava, K. B. and Juvekar, R. V. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
- Gadre, K. C., Bhargava, K. B., Juvekar, R. V., Gadre, A. K. and Savant, R. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
- Gamea, A. M. Local rifampicin in treatment of rhinoscleroma. *Orig. Art.*, 319
- Gandolfo, L., Tanda, F., Ghiselli, F., Manunta, V. and Massarelli, G. Maxillary chondrosarcoma. *Clin. Rec.*, 177
- Garfield Davies, D. and Vallis, R. C. Angiolymphoid hyperplasia of the head and neck. *Clin. Rec.*, 100
- Garge, K., Nehru, V. I., Dubey, S. P., Mehra, Y. N., Banerjee, A. K. and Mann, S. B. S. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
- Gatehouse, S., Calder, I. T. and Browning, G. G. Medical management of active chronic otitis media. *Orig. Art.*, 491
- Gatland, D., Brookes, J. and Youngs, R. P. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
- Gatland, D. J., Keene, M. H. and Brookes, J. D. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
- Gatot, A., Tovi, F. and Hirsch, M. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
- Gavilan, C., Echeverria-Zumarraga, M. and Kaiser, C. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
- Gayoso, M. J., Morais, D., González, M. and Del Villar, R. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
- Gendeh, B. S. and Gibb, A. G. An unusual foreign body presenting in the nasopharynx. *Clin. Rec.*, 641
- Gertner, R., Podoshin, L., Fradis, M., Mislevitch, I. and Boss, J. Liposarcoma of the larynx. *Clin. Rec.*, 838
- Ghiselli, F., Manunta, V., Massarelli, G., Gandolfo, L. and Tanda, F. Maxillary chondrosarcoma. *Clin. Rec.*, 177
- Ghosh, L. M., Samanta, A., Nandy, T. and Das, S. Haemangioma of the maxilla. *Clin. Rec.*, 725
- Ghosh, P., Deka, R. C. and Dev, A. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
- Ghosh, P., Sen Gupta, S. K. and Dev, A. Congenital cholesteatoma. *Clin. Rec.*, 612
- Ghosh, P., Tickoo, S. K., Bhargava, D. K. and Tandon, D. A. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
- Giarelli, L., Silvestri, F. and Ferlito, A. Intratracheal thyroid. *Clin. Rec.*, 95
- Gibb, A. G. and Gendeh, B. S. An unusual foreign body presenting in the nasopharynx. *Clin. Rec.*, 641
- Gibb, A. G., Said, H. and Phang, K. S. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
- Gillberg, C., Rosenhall, U. and Johansson, E. Oculomotor findings in autistic children. *Orig. Art.*, 435
- Gleeson, M. J., Cassidy, M. and McMullin, J. P. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
- Goldhammer, Y., Sadeh, M., Martinovits, G. and Leventon, G. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
- González, M., Del Villar, R., Gayoso, M. J. and Morais, D. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
- Goulartia, R. K., Tandon, D. A., Bahadur, S. and Kacker, S. K. Nasopharyngeal angiomyxoma. *Orig. Art.*, 805
- Grace, A. R., Bailey, C. M., Preece, J. M., Kearns, D. B. and Wickersham, J. K. Nasal lipoma. *Clin. Rec.*, 1044
- Grandi, G., Pagliaro, G., Poli, P. and Ralza, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
- Grandson, N. R., Wickstead, M. and Eykyn, S. J. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33
- Greenstone, M. A., Stanley, P. J., Mackay, I. S. and Cole, P. J. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
- Griffiths, D. H., Newton, C. G., Tolley, N. S. and Eccles, R. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
- Griffiths, M. V. and Watson, D. J. The safety and efficacy of intra-nasal ethmoidectomy. *Orig. Art.*, 802
- Gulisano, M., Polli, G., Biondi, G. and Pacini, P. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
- Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K. and Narayanan, P. S. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Gusmano, R., Raspino, M., Tarantino, V., Moni, L., Verrina, E. and Ciardi, M. R. The branchio-oto-renal syndrome. *Orig. Art.*, 138
- Halaburt, H., Lunndorf, E. and Kjeldgaard, A. Coronal CT examination in the evaluation of small fronto-ethmoidal encephaloceles. *Orig. Art.*, 1119
- Hamoir, M., Marbaix, E., Deggouj, N., Frederickx, Y. and Remacle, M. Interest in frozen section examination of margins and lymph nodes in laryngeal surgery. *Orig. Art.*, 818
- Hanna, G. S., Akosa, A. B. and Ali, M. H. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
- Hanna, G. S., Ali, M. H., Akosa, A. B. and Maher, E. J. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
- Hansson, L.-G., Johansen, C. C. and Biörklund, A. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
- Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M. and Watanabe, K. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Hardy, P. A. J. Influence of spinal puncture and injection on VIIth nerve function. *Clin. Rec.*, 452

- Har-El, G., Mintz, S. and Anavi, Y. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
- Harries, M. L. L. Melanoma metastatic to the head and neck. *Clin. Rec.*, 842
- Harris, S. C., Shortland, J. R., Shaw, J. D. and Wight, R. G. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
- Harris, S., Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. K. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
- Harrap-Griffiths, K. and McLean, N. R. An ingenious mucus trap. *Clin. Rec.*, 291
- Harrap-Griffiths, K., Breach, N. M., Choudhury, C. R. and McLean, N. R. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
- Hartwig, S., Lindén, M., Laurent, C., Vargö, A.-K. and Lindqvist, N. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
- Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I. and Ichinohasama, R. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Hawkins, R. A., Doble II, H. P., Sneige, N. and Batsakis, J. G. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
- Hawthorn, M. R. and Parker, A. J. Perforations of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes. *Orig. Art.*, 997
- Hawthorne, M. and Bingham, B. The use of anaesthetic EMLA cream in minor otological surgery. *Clin. Rec.*, 517
- Hazarika, P., Rajshekhar, B., Hebbar, G. K. and Murty, P. S. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
- Hebbar, G. K., Murty, P. S., Hazarika, P. and Rajshekhar, B. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
- Hein, P., Poulsen, M. B., Outzen, K. E., Kristensen, S. and Tveteras, K. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
- Herdman, R. and Wright, J. L. W. Grommets and cholesteatoma in children. *Orig. Art.*, 1000
- Herdman, R. C. D. and Bates, G. J. E. M. Chondrosarcoma of the sphenoid. *Clin. Rec.*, 727
- Hildesheimer, M., Muchnik, C. and Rubinstein, M. Chronic labyrinthine ischemia. *Orig. Art.*, 496
- Hinton, A., Allen, C. and Buckley, J. G. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
- Hinton, A. E. and Buckley, G. Parental smoking and middle ear effusions in children. *Orig. Art.*, 992
- Hinton, A. E., Penter, G., Farndon, P. A. and Buckley, J. G. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
- Hirsch, M., Gatot, A. and Tovi, F. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
- Holmberg, K. and Bende, M. Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose. *Orig. Art.*, 408
- Holmes, M. and McGurk, M. Chronic muco-cutaneous candidiasis and oral neoplasia. *Clin. Rec.*, 643
- Hornung, E. A., Fagg, N. L. K. and Watkinson, J. C. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
- Horowitz, A., Creter, D. and Kronenberg, J. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
- Hovig, T., Wetteland, J., Kolbenstvedt, A., Boysen, M. Y. and Scott, H. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
- Howard, D. J., Wei, W. I. and Lund, V. J. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
- Hunter, J., McIlwain, J. C., Toner, J. G., Stewart, T. J., Kwok, O. and Campbell, J. B. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
- Ibekwe, A. O. and Duvall, E. Verrucous carcinoma of the larynx: problems of diagnosis and treatment. *Clin. Rec.*, 79
- Ibrahim, R. A. and Khalifa, M. C. Cherubism. *Clin. Rec.*, 568
- Ikeda, K., Sakurada, T., Sasaki, Y., Takasaka, T. and Furukawa, Y. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
- Ilberg, C. V. and Klima, A. Laryngoplasty: results and problems after the creation of a neoglottis. *Orig. Art.*, 43
- Ilberg, C. V., Klima, A., Klippstein, T., Bergmann, L. and Szepesi, S. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
- Irwin, S. T., Nirodi, N. and Scally, C. M. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284
- Jagger, C., Moloney, J. R. and John, D. G. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
- Jamal, M. N., Samara, N. S. and Al-Lozi, M. T. A.-L. Moebius' syndrome. *Clin. Rec.*, 350
- Jenkins, J. P. R., Pace-Balzan, A., Ramsden, R. T. and Lye, R. H. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
- Joachims, H. Z. and Ben Arieh, Y. Basal cell carcinoma of the middle-ear—a natural history. *Clin. Rec.*, 932
- Job, A., Bhani, T. S., Mathai, R. and Raghaven, R. Pseudocyst of the auricle. *Clin. Rec.*, 344
- Johansen, C. C., Biörklund, A. and Hansson, L.-G. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
- Johansson, E., Gillberg, C. and Rosenhall, U. Oculomotor findings in autistic children. *Orig. Art.*, 435
- John, D. G., Carlin, W. V. and Thomas, P. L. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
- John, D. G., Cross, S. S. and Lewis, M. S. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
- John, D. G., Jagger, C. and Moloney, J. R. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
- John, D. G., Newman, P., Lesser, T. J. N., Thomas, P. L. and Kasanzew, M. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
- John, D. G., Thomas, P. L. and Semeraro, D. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
- Johnson, A. P., Smallman, L. A., Young, J. A., Oates, J. and Proops, D. W. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
- Jokinen, K., Palva, A., Nuorviita, J., Poukkula, A. and Ruotsalainen, E.-M. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
- Jonathan, D. A. and Violaris, N. S. Comparison of cocaine and lignocaine as intranasal local anaesthetics. *Clin. Rec.*, 628
- Jones, A. S., Beckingham, E. and Wight, R. G. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
- Jones, A. S., Le Boutillier, A., Lancer, J. M. and Syder, D. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
- Jones, A. S., Wright, R. G., Stevens, J. C. and Beckingham, E. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
- Jones, N. S. and Kenyon, G. S. Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry. *Orig. Art.*, 1095
- Jones, R. and Kent, S. K. Pseudomonas vaccination in chronic ear disease. *Orig. Art.*, 579

- Juvekar, R. V., Gadre, A. K., Savant, R., Gadre, K. C. and Bhargava, K. B. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
- Kacker, S. K. and Bhandwaj, B. K. Revision stapes surgery. *Orig. Art.*, 20
- Kacker, S. K., Goulatia, R. K., Tandon, D. A. and Bahadur, S. Nasopharyngeal angiofibroma. *Orig. Art.*, 805
- Kaiser, C., Gavilan, C. and Echeverria-Zumarraga, M. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
- Kakar, P. K., Das, D. K., Dhingra, P. L., Bhamhani, S. and Raju, G. Role of fine needle aspiration biopsy in head and neck tumours. *Orig. Art.*, 248
- Kalmanovich, M., Zohar, Y. and Talmi, Y. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91
- Kasanzew, M., John, D. G., Newman, P., Lesser, T. J. N. and Thomas, P. L. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
- Kaye, J., Fennell, G., O'Dwyer, T. P. and Lee, R. J. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
- Kearns, D. B., Wickersham, J. K., Grace, A. R., Bailey, C. M. and Preece, J. M. Nasal lipoma. *Clin. Rec.*, 1044
- Kearns, D. B., Wickstead, M., Choa, D. I., Leitch, R. N., Bailey, C. M. and Evans, J. N. G. Computed tomography in choanal atresia. *Orig. Art.*, 414
- Keay, D. G. and Murray, J. A. M. Malignant otitis externa due to *Staphylococcus* infection. *Clin. Rec.*, 926
- Keay, D. G., Small, M., Kerr, A. I. G. and McLaren, K. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
- Keay, D. Total bilateral hearing loss as a complication of myeloma. *Clin. Rec.*, 357
- Kedar, A., Cantrel, G. and Rosen, G. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
- Keene, M. H., Brookes, J. D. and Gatland, D. J. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
- Keith, A., Timms, M. S. and Farrington, W. T. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
- Kent, S. K. and Jones, R. Pseudomonas vaccination in chronic ear disease. *Orig. Art.*, 579
- Kenyon, G. S. and Jones, N. S. Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry. *Orig. Art.*, 1095
- Kerr, A. I. G., McLaren, K., Keay, D. G. and Small, M. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
- Kessler, S., El-Naggar, A. and Batsakis, J. G. Benign metastatic mixed tumours or unrecognized salivary carcinomas? UF92 Orig. Art., 810
- Khalifa, M. C. and Ibrahim, R. A. Cherubism. *Clin. Rec.*, 568
- Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinam, C., Nachiappan, M., Banerjee, A. and Subba Rao, K. S. V. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Khatri, B. B., Chatterji, P. and Chaudhuri, J. N. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
- Khuzaiyah, R., Patawari, P. H., Esa, R., Said, H., Phang, K. S. and Razi, A. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
- Kirkham, N. and Stevens, D. J. Neurofibromas of the paranasal sinuses. *Clin. Rec.*, 256
- Kirveskari, P. and Puhakka, H. J. Globus hystericus; globus syndrome? *Orig. Art.*, 231
- Kjeldgaard, A., Halaburt, H. and Lunndorf, E. Coronal CT examination in the evaluation of small fronto-ethmoidal encephaloceles. *Orig. Art.*, 1119
- Klima, A. and Ilberg, C. V. Laryngoplasty: results and problems after the creation of a neoglottis. *Orig. Art.*, 43
- Klima, A., Klippstein, T., Bergmann, L., Szepesi, S. and Ilberg, C. V. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
- Klippstein, T., Bergmann, L., Szepesi, S., Ilberg, C. V. and Klima, A. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
- Knegt-Junk, K. J., Bos, C. E. and Berkovits, R. N. P. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
- Kolbenstvedt, A., Boysen, M. Y., Scott, H., Hovig, T. and Wetteland, J. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
- Kramer, M. R., Neshner, G. and Sonnenblick, M. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
- Kristensen, S., Dommerby, H. and Tveterås, K. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
- Kristensen, S., Tveterås, K., Hein, P., Poulsen, M. B. and Outzen, K. E. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
- Kronenberg, J., Horowitz, A. and Creter, D. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
- Krouthén, B., Wennmo, C., Spandow, O. and Emgård, P. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
- Kwok, O., Campbell, J. B., Hunter, J., McIlwain, J. C., Toner, J. G. and Stewart, T. J. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
- Laberke, H. G. and Schrader, M. Differential diagnosis of verrucous carcinoma in the oral cavity and larynx. *Orig. Art.*, 700
- Laing, M. R. and Clay, K. A. Ectopic thyroid malignancy in the midline of the neck. *Clin. Rec.*, 93
- Lal, H., Singh, B., Wig, U. and Saini, A. S. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
- Lancer, J. M., Syder, D., Jones, A. S. and Le Bouillier, A. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
- Lannigan, F. J. and Terry, R. M. Pericarditis and peritonitis secondary to otitis media. *Clin. Rec.*, 717
- Lannigan, F. J., Newbegin, C. J. R. and Terry, R. M. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
- Lau, S. K., Wei, W. I., Choy, D., Shum, J. and Engzell, U. C. G. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
- Laurent, C., Vargö, A.-K., Lindqvist, N., Hartwig, S. and Lindén, M. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
- Laurian, L., Zohar, Y., Buller, N., Shvili, Y. and Laurian, N. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
- Laurian, N., Laurian, L., Zohar, Y., Buller, N. and Shvili, Y. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
- Laurian, N., Shem Tov, Y., Talmi, Y. and Zohar, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
- Laurian, N., Talmi, Y. P., Finkelstein, Y., Shem Tov, Y. and Zohar, Y. Scrofula revisited. *Clin. Rec.*, 387
- Lawaetz, K. D., Andreassen, U. K. and Ankjaergaard, O. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
- Le Boutillier, A., Lancer, J. M., Syder, D. and Jones, A. S. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
- Lee, R. J., Kaye, J., Fennell, G. and O'Dwyer, T. P. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
- Lee, R. J., O'Dwyer, T. P., Sleeman, D. and Walsh, M. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
- Leggett, J. M. and Prendergast, K. Malignant external otitis. *Clin. Rec.*, 53
- Leggett, J. M. Laryngo-tracheal stenosis in frontometaphyseal dysplasia. *Clin. Rec.*, 74
- Leiberman, A. and Stahl, N. Acute upper airway obstruction due to myxoedema and upper airway abnormalities. *Clin. Rec.*, 733

- Leiberman, A., Fliss, D. M. and Puterman, M. Cervicomedastinal emphysema due to oral blast. *Clin. Rec.*, 105
 Leitch, R. N., Bailey, C. M., Evans, J. N. G., Kearns, D. B., Wickstead, M. and Choa, D. I. Computed tomography in choanal atresia. *Orig. Art.*, 414
 Lesser, T. H. J. and Williams, K. R. The tympanic membrane in cross section. *Orig. Art.*, 209
 Lesser, T. H. J., Cobley, M. A. and Davies, J. E. Intubation trauma. *Orig. Art.*, 822
 Lesser, T. J. N., Thomas, P. L., Kasanzew, M., John, D. G. and Newman, P. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
 Leventon, G., Goldhammer, Y., Sadeh, M. and Martinovits, G. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
 Lewis, M. S., John, D. G. and Cross, S. S. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
 Liang, T. S. and Stanley, R. E. Acute epiglottitis in adults. *Orig. Art.*, 1017
 Lindén, M., Laurent, C., Vargö, A.-K., Lindqvist, N. and Hartwig, S. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
 Lindqvist, N., Hartwig, S., Lindén, M., Laurent, C. and Vargö, A.-K. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
 Ling, J. and Barnard, D. Mandibular pathology presenting as a parotid tumour. *Orig. Art.*, 896
 Liu, F.-C. and Strome, M. Staging in the treatment of maxillary carcinoma revisited. *Orig. Art.*, 224
 Liu, K. C., Azhar, T., Symonds, R. P. and Evans, R. A. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
 Lokman, S., Said, H., Razi Hadi, A. and Noor Akmal, S. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
 Loncà, M., Carulla, M., Sabater, F., Mensa, J. and Doménech, J. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
 Löth, A., Bende, M. and Löth, S. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
 Löth, S., Löth, A. and Bende, M. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
 Lowe, D., Drake-Lee, A. B. and Chevreton, E. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
 Lubsen, H., van 't Verlaat, J. W. and van Olphen, A. F. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
 Lucisano, S., Mortara, P., Albera, R., Pia, F. and Bussi, M. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
 Lund, V. J., Howard, D. J. and Wei, W. I. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
 Lunndorf, E., Kjeldgaard, A. and Halaburt, H. Coronal CT examination in the evaluation of small fronto-ethmoidal encephaloceles. *Orig. Art.*, 1119
 Luntz, M. and Sadé, J. The value of Politzerization in the treatment of atelectatic ears. *Orig. Art.*, 779
 Lye, R. H., Jenkins, J. P. R., Pace-Balzan, A. and Ramsden, R. T. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
 Lyons, T. J. and Variend, S. Posterior cleft larynx associated with hamartoma. *Clin. Rec.*, 471
 Macario, M., Poggio, E., Cerrato, M., Prat, M., Bussolati, G., Cortesina, G. and Cavallo, G. P. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
 Mackay, B., Ryka, A. F., Seifert, R. W. and Batsakis, J. G. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
 Mackay, I. S., Cole, P. J., Greenstone, M. A. and Stanley, P. J. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
 Mackenzie, I. J. and Somjee, S. Intracranial aerocoel due to micropaque barium. *Clin. Rec.*, 267
 Mackenzie, I. J., Foy, P. and Durham, L. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
 Mackenzie, K. and Dempster, J. H. Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis. *Clin. Rec.*, 938
 MacLennan, K. A., Bradley, P. J., Narula, A. A., Padfield, C. J. and Morgan, D. A. L. NED survival in head and neck cancer. *Clin. Rec.*, 194
 Maher, E. J., Hanna, G. S., Ali, M. H. and Akosa, A. B. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
 Mancero, F. S. M., Conrad, J. G., Tyrrell, C. J. and Daniel, F. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
 Mangat, K. S. and Watson, C. A comparison of audiotmetric performance and complications of T tubes and Shepard grommets. *Orig. Art.*, 677
 Mann, S. B. S., Garge, K., Nehru, V. I., Dubey, S. P., Mehra, Y. N. and Banerjee, A. K. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
 Mann, W. and El-Khatieb, A. A. Cranioplasty with Palacos R® in reconstruction of frontal sinus defects. *Clin. Rec.*, 824
 Manni, J. J., Merx, J. L., van den Broek, P. and Thijssen, H. O. M. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
 Manunta, V., Massarelli, G., Gandolfo, L., Tanda, F. and Ghiselli, F. Maxillary chondrosarcoma. *Clin. Rec.*, 177
 Marbaix, E., Deggouj, N., Frederickx, Y., Remacle, M. and Hamoir, M. Interest in frozen section examination of margins and lymph nodes in laryngeal surgery. *Orig. Art.*, 818
 Martin, F. W. and Ruckley, R. W. Fluctuating hearing loss in presbyacusis. *Orig. Art.*, 25
 Martinovits, G., Leventon, G., Goldhammer, Y. and Sadeh, M. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
 Marus, G. and Mathews, T. J. Otogenic intradural complications. *Orig. Art.*, 121
 Massarelli, G., Gandolfo, L., Tanda, F., Ghiselli, F. and Manunta, V. Maxillary chondrosarcoma. *Clin. Rec.*, 177
 Mathai, R., Raghaven, R., Job, A. and Bhani, T. S. Pseudocyst of the auricle. *Clin. Rec.*, 344
 Mathews, T. J. Acute and acute-on-chronic mastoiditis. *Orig. Art.*, 115
 Mathews, T. J. and Marus, G. Otogenic intradural complications. *Orig. Art.*, 121
 Mathews, T. J. and Oliver, S. P. Bacteriology of mastoiditis. *Orig. Art.*, 397
 Mathews, T. J. Lateral sinus pathology. *Orig. Art.*, 118
 Matsushima, T., Fukui, M., Nakashima, T., Tomita, K. and Uemura, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
 Matthew, R. N. and Stafford, N. D. Reconstruction of the pharynx after laryngectomy and partial pharyngectomy. *Orig. Art.*, 45
 Mazzoni, A., Pareschi, R. and Calabrese, V. Intratemporal vascular tumours. *Clin. Rec.*, 353
 McClymont, L. G. and Crowther, J. A. Local anaesthetic with vasoconstrictor combinations in septal surgery. *Orig. Art.*, 793
 McClymont, L. G., Reid, R. and Bradley, C. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
 McFerran, D. J., Croxson, G. and Nicholaides, A. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
 McGurk, M. and Holmes, M. Chronic muco-cutaneous candidiasis and oral neoplasia. *Clin. Rec.*, 643
 McIlwain, J. C., Toner, J. G., Stewart, T. J., Kwok, O., Campbell, J. B. and Hunter, J. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
 McKenzie, H., Osborne, J. E., Blair, R. L. and Christmas, H. E. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
 McLaren, K., Keay, D. G., Small, M. and Kerr, A. I. G. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530

- McClay, K. A. and Laing, M. R. Ectopic thyroid malignancy in the midline of the neck. *Clin. Rec.*, 93
- McLean, N. R. and Harrop-Griffiths, K. An ingenious mucus trap. *Clin. Rec.*, 291
- McLean, N. R., Harrop-Griffiths, K., Breach, N. M. and Choudhury, C. R. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
- McLean, N. R., Trott, P. A. and Shaw, H. J. Fine needle aspiration of the larynx. *Orig. Art.*, 815
- McLoughlan, P. and Drake-Lee, A. B. The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests. *Orig. Art.*, 886
- McMullin, J. P., Gleeson, M. J. and Cassidy, M. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
- McShane, D. P. and Walsh, M. A. Nasal granuloma gravidarum. *Clin. Rec.*, 828
- Med, M., Xie, Y. and Chan, X. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184
- Megarry, S., Pett, A., Scarlett, A., Teh, W., Zeigler, E. and Canter, R. J. The activity against yeasts of human cerumen. *Orig. Art.*, 671
- Mehra, Y. N., Banerjee, A. K., Mann, S. B. S., Garge, K., Nehru, V. I. and Dubey, S. P. Nasal involvement in systemic amyloidosis: *Clin. Rec.*, 1153
- Mensa, J., Doménech, J., Loncá, M., Carulla, M. and Sabater, F. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
- Merx, J. L., van den Brock, P., Thijssen, H. O. M. and Manni, J. J. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
- Miettinen, I. and Wood, C. Why you should have a hearing therapist. *Orig. Art.*, 142
- Mills, D. A. J. and Stewart, I. A. A unique presentation of giant cell arteritis. *Clin. Rec.*, 636
- Mintz, S., Anavi, Y. and Har-El, G. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
- Misra, N. K., Tandon, D. A., Deka, R. C. and Chaudhary, C. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
- Misselevitch, I., Boss, J., Gertner, R., Podoshin, L. and Fradis, M. Liposarcoma of the larynx. *Clin. Rec.*, 838
- Mitchell, D. B. and Waldron, J. Unusual presentations of extramedullary plasmacytoma in the head and neck. *Clin. Rec.*, 102
- Moghazi, H., Eassa, A., Talaat, F. and Abdel-Baki, F. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
- Mokhtar Farag, M., Ragaa, A. and El-Ot-eify, M. A. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
- Moloney, J. R., John, D. G. and Jagger, C. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
- Moni, L., Verrina, E., Ciardi, M. R., Gusmano, R., Raspino, M. and Tarantino, V. The branchio-oto-renal syndrome. *Orig. Art.*, 138
- Moore-Gillon, V., Baer, S. T. and Drysdale, A. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
- Morais, D., González, M., Del Villar, R. and Gayoso, M. J. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
- Morgan, D. A. L., MacLennan, K. A., Bradley, P. J., Narula, A. A. and Padfield, C. J. NED survival in head and neck cancer. *Clin. Rec.*, 194
- Morgan, D. W. and Deadman, M. The thermoplastic splint. *Clin. Rec.*, 724
- Moriarty, B. and Pace-Balzan, A. Bilateral chylothorax following left radical neck dissection. *Clin. Rec.*, 288
- Morrison, A. W. Otology at the crossroads. *Orig. Art.*, 751
- Morrison, G. A. J. and Bailey, C. M. Relapsing malignant otitis externa successfully treated with ciprofloxacin. *Orig. Art.*, 872
- Morrison, G. A. J. and Shaw, H. J. Squamous carcinoma arising within a Warthin's tumour of the parotid gland. *Clin. Rec.*, 1189
- Mortara, P., Albera, R., Pia, F., Bussi, M. and Lucisano, S. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
- Muchnik, C., Rubinstein, M. and Hildesheimer, M. Chronic labyrinthine ischemia. *Orig. Art.*, 496
- Murray, J. A. M. and Keay, D. G. Malignant otitis externa due to *Staphylococcus* infection. *Clin. Rec.*, 926
- Murty, P. S., Hazarika, P., Rajsekhar, B. and Hebbar, G. K. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
- Myssiorek, D. J., Silver, C. E. and Valdes, M. E. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962
- Nachiappan, M., Banerjee, Subba Rao, K. S. V. K., A., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C. and Rajarathinan, C. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Nakashima, T., Tomita, K., Uemura, T., Matsushima, T. and Fukui, M. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
- Nandy, T., Das, S., Ghosh, L. M. and Samanta, A. Haemangioma of the maxilla. *Clin. Rec.*, 725
- Nar, P., Egan, M. and Crocker, J. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
- Nar, P., Egan, M., Newman, J., Crocker, J. and Wake, M. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
- Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K. and Khanna, S. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Narula, A. A., Padfield, C. J., Morgan, D. A. L., MacLennan, K. A. and Bradley, P. J. NED survival in head and neck cancer. *Clin. Rec.*, 194
- Neame, J. H. Mobility of the tragus. *Clin. Rec.*, 252
- Nehru, V. I., Dubey, S. P., Mehra, Y. N., Banerjee, A. K., Mann, S. B. S. and Garge, K. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
- Nesher, G., Sonnenblick, M. and Kramer, M. R. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
- Newbegin, C. J. R., Terry, R. M. and Lannigan, F. J. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
- Newman, J., Crocker, J., Wake, M., Nar, P. and Egan, M. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
- Newman, P., Lesser, T. J. N., Thomas, P. L., Kasanzew, M. and John, D. G. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
- Newton, C. G., Tolley, N. S., Eccles, R. and Griffiths, D. H. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
- Nicholaides, A., McFerran, D. J. and Croxson, G. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
- Nirodi, N., Scally, C. M. and Irwin, S. T. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284
- Noor Akmal, S., Lokman, S., Said, H. and Razi Hadi, A. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
- Nuorviita, J., Poukkula, A., Ruotsalainen, E.-M., Jokinen, K. and Palva, A. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
- Oates, J., Proops, D. W. and Smallman, L. A. Young's syndrome. *Clin. Rec.*, 460
- Oates, J., Proops, D. W., Johnson, A. P., Smallman, L. A. and Young, J. A. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
- O'Donoghue, G. M. and Curley, J. W. A. Some complications of tracheo-oesophageal puncture for voice restoration. *Clin. Rec.*, 558
- O'Dwyer, T. P., Lee, R. J., Kaye, J. and Fennell, G. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
- O'Dwyer, T. P., Sleeman, D., Walsh, M. and Lee, R. J. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
- Odetoyinbo, O. Early diagnosis of tuberculosis otitis media. *Orig. Art.*, 133

- Ogale, S. B., Desouza, C., Sheode, J. and Shah, K. L. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
- Ogale, S. B., Shah, A., Rao, S. C. and Shah, K. L. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
- Ogisi, F. O. Impedance screening for otitis media with effusion in Nigerian children. *Orig. Art.*, 986
- Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K. and Harada, H. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Oliver, S. P. and Mathews, T. J. Bacteriology of mastoiditis. *Orig. Art.*, 397
- O'Reilly, B. J. Middle ear effusions and myasthenia gravis. *Clin. Rec.*, 169
- Ordonez, N. G., Sevidal, P. A., Baker, J. R. and Batsakis, J. G. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
- Osborne, J. and Barr, G. S. Weight gain in children following tonsillectomy. *Orig. Art.*, 595
- Osborne, J. E., Blair, R. L., Christmas, H. E. and McKenzie, H. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
- Osborne, J., Simpson, J. R. M. and Barr, G. S. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
- Oswal, V., Flood, L. M. and Ruckley, R. W. Use of bronchoscopic CO₂ laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
- Outzen, K. E., Kristensen, S., Tveteras, K., Hein, P. and Poulsen, M. B. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
- Pace Balzan, A., Timms, M. S. and Sloan, P. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
- Pace-Balzan, A. and Moriarty, B. Bilateral chylothorax following left radical neck dissection. *Clin. Rec.*, 288
- Pace-Balzan, A. and Ramsden, R. T. Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium). *Clin. Rec.*, 57
- Pace-Balzan, A., Ramsden, R. T., Lye, R. H. and Jenkins, J. P. R. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
- Pacini, P., Gulisano, M., Polli, G. and Biondi, G. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
- Padfield, C. J., Morgan, D. A. L., MacLennan, K. A., Bradley, P. J. and Narula, A. A. NED survival in head and neck cancer. *Clin. Rec.*, 194
- Padgham, N. D. Hyperextension fracture of the hyoid bone. *Clin. Rec.*, 1062
- Pagliaro, G., Poli, P., Ralza, G. and Grandi, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
- Palva, A., Nuorviita, J., Poukkula, A., Ruotsalainen, E.-M. and Jokinen, K. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
- Palva, T. Surgery related to histopathology in chronic inflammatory middle-ear disease. *Orig. Art.*, 851
- Pareschi, R., Calabrese, V. and Mazzoni, A. Intratemporal vascular tumours. *Clin. Rec.*, 353
- Parker, A. J. and Hawthorn, M. R. Perforations of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes. *Orig. Art.*, 997
- Parker, D. A., Woodhead, J. and Das Gupta, A. R. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
- Parsons, D. S. and Benjamin, B. Recurrent respiratory papillomatosis. *Orig. Art.*, 1022
- Patawari, P. H., Esa, R., Said, H., Phang, K. S., Razi, A. and Khuzaiyah, R. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
- Patel, P. and Phillipps, J. J. Swallowed foreign bodies. *Orig. Art.*, 235
- Paulose, K. O., Al Khalifa, S., Sharma, R. K. and Shenoy, P. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
- Paulose, K. O., Al Khalifa, S., Shenoy, P. K., Harris, S. and Sharma, R. K. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
- Paulose, K. O., Shenoy, P., Sharma, R. K. and Al-Khalifa, S. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
- Pearman, K., Campbell, J. B. and Wake, M. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
- Pedersen, S., Fjeredmedal, O. and Saunte, C. Septoplasty and/or submucous resection? *Orig. Art.*, 796
- Pedersen, U. and Viborg Jensen, O. Fractures in polyvinyl chloride tracheostomy tubes. *Clin. Rec.*, 380
- Peel, R. N., Terry, R. M. and Bellini, M. J. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
- Penter, G., Farndon, P. A., Buckley, J. G. and Hinton, A. E. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
- Pett, A., Scarlett, A., Teh, W., Zeigler, E., Canter, R. J. and Megarry, S. The activity against yeasts of human cerumen. *Orig. Art.*, 671
- Phang, K. S., Gibb, A. G. and Said, H. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
- Phang, K. S., Razi, A., Khuzaiyah, R., Patawari, P. H., Esa, R. and Said, H. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
- Phelps, P. D. and Stansbie, J. M. Glomus jugulare or tympanicum? *Orig. Art.*, 766
- Phillipps, J. J. and Patel, P. Swallowed foreign bodies. *Orig. Art.*, 235
- Phillips, D. E. and Rogers, J. H. Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea. *Clin. Rec.*, 1054
- Phillips, J. J. Spontaneous perforation of the cervical oesophagus. *Clin. Rec.*, 69
- Pia, F., Bussi, M., Lucisano, S., Mortara, P. and Albera, R. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
- Pickles, J. M. Retropharyngeal abscess complicating a neck wound. *Clin. Rec.*, 552
- Podoshin, L., Fradis, M., Mislevitch, I., Boss, J. and Gertner, R. Liposarcoma of the larynx. *Clin. Rec.*, 838
- Poggio, E., Cerrato, M., Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P. and Macario, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
- Poli, P., Ralza, G., Grandi, G. and Pagliaro, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
- Polli, G., Biondi, G., Pacini, P. and Gulisano, M. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
- Poukkula, A., Ruotsalainen, E.-M., Jokinen, K., Palva, A. and Nuorviita, J. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
- Poulsen, M. B., Outzen, K. E., Kristensen, S., Tveteras, K. and Hein, P. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
- Pouwels, A. B. P. M. and Cremers, C. W. R. J. Fibrous dysplasia of the temporal bone. *Clin. Rec.*, 171
- Povey, L., Shenoi, P. M., Campbell, J. B. and Watson, M. G. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
- Powell, J. S. and Doan, H. T. Exostosis of the internal auditory canal. *Clin. Rec.*, 173
- Pradhan, K. A. and Baser, B. Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery. *Orig. Art.*, 601
- Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E. and Cerrato, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
- Preece, J. M., Kearns, D. B., Wickersham, J. K., Grace, A. R. and Bailey, C. M. Nasal lipoma. *Clin. Rec.*, 1044
- Prellner, K. and Stjernquist-Desatnik, A. Antibody response to Pneumococcal vaccination as related to tonsillectomy. *Orig. Art.*, 883
- Prendergast, K. and Leggett, J. M. Malignant external otitis. *Clin. Rec.*, 53
- Prescott, C. A. J. An unusual complication of epistaxis. *Clin. Rec.*, 176

- Prescott, C. A. J. Idiopathic facial nerve palsy. *Orig. Art.*, 403
Proctor, H. M. and Wallace, C. E. Head and neck oncology service—one year's work. *Orig. Art.*, 428
Proops, D. W., Johnson, A. P., Smallman, L. A., Young, J. A. and Oates, J. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
Proops, D. W., Smallman, L. A. and Oates, J. Young's syndrome. *Clin. Rec.*, 460
Puhakka, H. J. and Aitsalo, K. Oesophageal carcinoma: endoscopic and clinical findings in 258 patients. *Orig. Art.*, 1137
Puhakka, H. J. and Kirveskari, P. Globus hystericus; globus syndrome? *Orig. Art.*, 231
Purmessur, M. N. S. and Singh, R. S. BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital. *Orig. Art.*, 981
Puterman, M., Fliss, D. M., Sidi, J. and Zirkin, H. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
Puterman, M., Leiberman, A. and Fliss, D. M. Cervicomedastinal emphysema due to oral blast. *Clin. Rec.*, 105

Quiney, R. E. and Whittet, H. B. Middle turbinate osteoma; an unusual cause of nasal obstruction. *Clin. Rec.*, 359
Quiney, R. E. and Whittet, H. B. Nasal manifestations of yaws. *Clin. Rec.*, 1147
Quiney, R. E., Rogers, M. J. C. and Veitch, D. Y. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
Quiney, R. E., Rogers, M. J. C., Davidson, R. N. and Cheesman, A. D. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Quiney, R. E., Wallace, C. and Ramsey, A. D. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914

Ragaie, A., El-Ot-eify, M. A. and Mokhtar Farag, M. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
Raghaven, R., Job, A., Bhani, T. S. and Mathai, R. Pseudocyst of the auricle. *Clin. Rec.*, 344
Rainer, E. H. and Buchanan, G. Tuberculous mastoiditis. *Clin. Rec.*, 440
Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K. and Sekar, J. C. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Rajrantnam, K. and Desai, S. Kaposi's sarcoma of the trachea. *Clin. Rec.*, 951
Rajrantnam, K. and Desai, S. D. Laryngeal granuloma—an unusual presentation of AIDS. *Clin. Rec.*, 372
Rajshekhar, B., Hebbar, G. K., Murty, P. S. and Hazarika, P. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
Raju, G., Kakar, P. K., Das, D. K., Dhingra, P. L. and Bhamhani, S. Role of fine needle aspiration biopsy in head and neck tumours. *Orig. Art.*, 248
Ralza, G., Grandi, G., Pagliaro, G. and Poli, P. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
Ramadan, M. F., Bark-Jones, N., Willatt, D. J. and Durham, L. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Raman, R. Middle ear effusion—A theoretical neuro mechanical hypothesis. *Orig. Art.*, 10
Ramesar, K. and Albizzati, C. Laryngeal cysts: clinical relevance of a modified working classification. *Orig. Art.*, 923
Ramesar, K. C. R. B., Davis, B. C. and Albizzati, C. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Ramsden, R. T. and Pace-Balzan, A. Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium). *Clin. Rec.*, 57
Ramsden, R. T. and Williamson, I. G. Angiosarcoma of maxillary antrum—association with vinyl chloride exposure. *Clin. Rec.*, 464
Ramsden, R. T., Lye, R. H., Jenkins, J. P. R. and Pace-Balzan, A. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
Ramsey, A. D., Quiney, R. E. and Wallace, C. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914
Rao, S. C., Shah, K. L., Ogale, S. B. and Shah, A. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
Rask-Anderson, H., Bagger-Sjöbäck, D. and Barbara, M. The surface morphology of the endolymphatic sac of the Mongolian gerbil (*Meriones unguiculatus*). *Orig. Art.*, 308
Rask-Anderson, H., Takumida, M. and Bagger-Sjöbäck, D. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
Raspino, M., Tarantino, V., Moni, L., Verrina, E., Ciardi, M. R. and Gusmano, R. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Razi, A., Khuzaiyah, R., Patawari, P. H., Esa, R., Said, H. and Phang, K. S. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Razi Hadi, A., Noor Akmal, S., Lokman, S. and Said, H. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
Reid, R., Bradley, C. and McClymont, L. G. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
Remacle, M., Hamoir, M., Marbaix, E., Deggouj, N. and Frederickx, Y. Interest in frozen section examination of margins and lymph nodes in laryngeal surgery. *Orig. Art.*, 818
Rhys Evans, P. H., Basu, M. K. and Frame, J. W. Wound healing following partial glossectomy using the CO₂ laser, diathermy and scalpel. *Orig. Art.*, 322
Richards, S. H. and Skinner, D. W. Acromegaly—the mucosal changes within the nose and paranasal sinuses. *Orig. Art.*, 1107
Rivron, R. P. and Evans, E. G. V. Enlarged cervical lymph node due to African histoplasmosis. *Clin. Rec.*, 945
Roberto, M. and Zito, F. Scar formation following impulse noise-induced mechanical damage to the organ of Corti. *Orig. Art.*, 2
Robinson, J. M. and Solomons, N. B. Obliteration of mastoid cavities using bone pâté. *Orig. Art.*, 783
Robinson, P. J. and Woodhead, P. Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus. *Clin. Rec.*, 1164
Robinson, P. M. Contact sensitivity to gentamicin-hydrocortisone ear drops. *Orig. Art.*, 577
Robinson, P. M. Nasopharyngeal cyst. *Clin. Rec.*, 182
Robinson, P. M. Prognostic factors in otitis media with effusion. *Orig. Art.*, 989
Robinson, R. A. and Dale, J. C. Malakoplakia of the parotid gland. *Clin. Rec.*, 737
Robson, W. G. and Walsh, S. S. Spontaneous passage of a submandibular salivary calculus in a child. *Clin. Rec.*, 1052
Rogers, J. H. and Phillips, D. E. Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea. *Clin. Rec.*, 1054
Rogers, M. J. C., Davidson, R. N., Cheesman, A. D. and Quiney, R. E. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Rogers, M. J. C., Veitch, D. Y. and Quiney, R. E. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
Roig, J. A. and Dempster, J. H. Stoma buttons—an unreported hazard. *Clin. Rec.*, 556
Rosen, G., Kedar, A. and Cantrel, G. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
Rosenhall, U., Johansson, E. and Gillberg, C. Oculomotor findings in autistic children. *Orig. Art.*, 435
Rubinstein, M., Hildesheimer, M. and Muchnik, C. Chronic labyrinthine ischemia. *Orig. Art.*, 496
Ruckley, R. W. and Blair, R. L. Thermal myringotomy. *Orig. Art.*, 125

- Ruckley, R. W. and Martin, F. W. Fluctuating hearing loss in presbyacusis. *Orig. Art.*, 25
- Ruckley, R. W., Oswal, V. and Flood, L. M. Use of bronchoscopic CO₂ laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
- Ruddy, J. Bacterial tracheitis in a young adult. *Clin. Rec.*, 656
- Ruotsalainen, E.-M., Jokinen, K., Palva, A., Nuorviita, J. and Poukkula, A. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
- Rybak, L. P. Ototoxicity of ethacrynic acid. *Clin. Rec.*, 518
- Ryka, A. F., Seifert, R. W., Batsakis, J. G. and Mackay, B. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
- Saad, E. F. Antroscleroma. *Clin. Rec.*, 362
- Sabater, F., Mensa, J., Doménech, J., Loncá, M. and Carulla, M. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
- Sadeh, M., Martinovits, G., Leventon, G. and Goldhammer, Y. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
- Sadé, J. and Luntz, M. The value of Politzerization in the treatment of atelectatic ears. *Orig. Art.*, 779
- Sadé, J. and Shatz, A. Cholesteatoma in children. *Orig. Art.*, 1003
- Sador, R., Dulitzky, F., Finkelstein, Y., Zohar, Y. and Talmi, Y. P. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
- Said, H., Phang, K. S. and Gibb, A. G. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
- Said, H., Phang, K. S., Razi, A., Khuzaiyah, R., Patawari, P. H. and Esa, R. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
- Said, H., Razi Hadi, A., Noor Akmal, S. and Lokman, S. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
- Saini, A. S., Lal, H., Singh, B. and Wig, U. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
- Sakurada, T., Sasaki, Y., Takasaka, T., Furukawa, Y. and Ikeda, K. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
- Samanta, A., Nandy, T., Das, S. and Ghosh, L. M. Haemangioma of the maxilla. *Clin. Rec.*, 725
- Samara, N. S., Al-Lozi, M. T. A.-L. and Jamal, M. N. Moebius' syndrome. *Clin. Rec.*, 350
- Samuel, P. and Babu, S. The effect of inhaled steroids on the upper respiratory tract. *Orig. Art.*, 592
- Sasaki, Y., Takasaka, T., Furukawa, Y., Ikeda, K. and Sakurada, T. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
- Saunte, C., Pedersen, S. and Fjeremedal, O. Septoplasty and/or submucous resection? *Orig. Art.*, 796
- Savant, R. A., Uppal, P. K., Bhargava, K. B. and Shirali, G. N. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
- Savant, R., Gadre, K. C., Bhargava, K. B., Juvekar, R. V. and Gadre, A. K. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
- Saxena, S., Dhingra, P. L. and Verma, S. K. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
- Scally, C. M., Irwin, S. T. and Nirodi, N. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284
- Scarlett, A., Teh, W., Zeigler, E., Canter, R. J., Megarry, S. and Pett, A. The activity against yeasts of human cerumen. *Orig. Art.*, 671
- Schrader, M. and Laberke, H. G. Differential diagnosis of verrucous carcinoma in the oral cavity and larynx. *Orig. Art.*, 700
- Scott, H., Hoving, T., Wetteland, J., Kolbenstvedt, A. and Boysen, M. Y. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
- Searle, A., Fagg, N. L. K. and Watkinson, J. C. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
- Seifert, R. W., Batsakis, J. G., Mackay, B. and Ryka, A. F. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
- Sekar, J. C., Rajarathinam, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S. and Gupta, B. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Semeraro, D., John, D. G. and Thomas, P. L. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
- Sen Gupta, S. K., Dev, A. and Ghosh, P. Congenital cholesteatoma. *Clin. Rec.*, 612
- Sevidal, P. A., Baker, J. R., Batsakis, J. G. and Ordonez, N. G. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
- Shah, A., Rao, S. C., Shah, K. L. and Ogale, S. B. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
- Shah, K. L., Ogale, S. B., Desouza, C. and Sheode, J. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
- Shah, K. L., Ogale, S. B., Shah, A. and Rao, S. C. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
- Sharma, P. L. and Coulldery, A. D. Necrotizing otitis externa. *Clin. Rec.*, 713
- Sharma, R. K., Al-Khalifa, S., Paulose, K. O. and Shenoy, P. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
- Sharma, R. K., Paulose, K. O., Al Khalifa, S., Shenoy, P. K. and Harris, S. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
- Sharma, R. K., Shenoy, P., Paulose, K. O. and Al Khalifa, S. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
- Shatz, A. and Sadé, J. Cholesteatoma in children. *Orig. Art.*, 1003
- Shaw, H. J. A modification of the MacFee incisions for neck dissection. *Orig. Art.*, 1124
- Shaw, H. J. and Morrison, G. A. J. Squamous carcinoma arising within a Warthin's tumour of the parotid gland. *Clin. Rec.*, 1189
- Shaw, H. J. Induction cytotoxic chemotherapy: The significance of apparent clinical regression after using the Price Hill schedule A protocol for squamous carcinoma of the head and neck. *Orig. Art.*, 1133
- Shaw, H. J., Mclean, N. R. and Trott, P. A. Fine needle aspiration of the larynx. *Orig. Art.*, 815
- Shaw, H. J. Surgical salvage for squamous cancer involving the supraglottic larynx. *Orig. Art.*, 704
- Shaw, J. D., Wight, R. G., Harris, S. C. and Shortland, J. R. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
- Shea, J. J. Thirty years of stapes surgery. *Orig. Art.*, 14
- Shem Tov, Y., Talmi, Y., Zohar, Y. and Laurian, N. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
- Shem Tov, Y., Zohar, Y., Laurian, N., Talmi, Y. P. and Finkelstein, Y. Scrofula revisited. *Clin. Rec.*, 387
- Shenoi, P. M., Campbell, J. B. and Crocker, J. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
- Shenoi, P. M., Campbell, J. B., Watson, M. G. and Povey, L. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
- Shenoy, P. K., Harris, S., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
- Shenoy, P., Paulose, K. O., Al Khalifa, S. and Sharma, R. K. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
- Shenoy, P., Sharma, R. K., Al-Khalifa, S. and Paulose, K. O. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
- Sheode, J., Shah, K. L., Ogale, S. B. and Desouza, C. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
- Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M. and Ebihara, H. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Shirali, G. N., Savant, R. A., Uppal, P. K. and Bhargava, K. B. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
- Shortland, J. R., Shaw, J. D., Wight, R. G. and Harris, S. C. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182

- Shum, J., Engzell, U. C. G., Lau, S. K., Wei, W. I. and Choy, D. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
- Shvili, Y., Laurian, N., Laurian, L., Zohar, Y. and Buller, N. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
- Sidebotham, P. Balance through the ages of man. *Orig. Art.*, 203
- Sidi, J., Zirkin, H., Puterman, M. and Fliss, D. M. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
- Silver, C. E., Valdes, M. E. and Myssiorek, D. J. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962
- Silvestri, F., Ferlito, A. and Giarelli, L. Intratracheal thyroid. *Clin. Rec.*, 95
- Sim, D. W. and Crowther, J. A. Primary nasal tuberculosis masquerading as a malignant tumour. *Clin. Rec.*, 1150
- Sim, D. W. Wax plugs and cotton buds. *Orig. Art.*, 575
- Simpson, J. R. M., Barr, G. S. and Osborne, J. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
- Singh, B., Wig, U., Saini, A. S. and Lal, H. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
- Singh, R., Brandrick, J. T. and Das Gupta, A. R. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
- Singh, R. S. and Purmessur, M. N. S. BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital. *Orig. Art.*, 981
- Singh, S. D. and Swift, A. C. Hearing impairment and the Kearns-Sayre syndrome. *Clin. Rec.*, 626
- Singh, W. A simple surgical technique and a new prosthesis for voice rehabilitation after laryngectomy. *Orig. Art.*, 332
- Singh, W. Clinical application of electrolaryngograph for speech rehabilitation in near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 335
- Skinner, D. W. and Richards, S. H. Acromegaly—the mucosal changes within the nose and paranasal sinuses. *Orig. Art.*, 1107
- Sleeman, D., Walsh, M., Lee, R. J. and O'Dwyer, T. P. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
- Sloan, P., Pace Balzan, A. and Timms, M. S. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
- Small, M., Kerr, A. I. G., McLaren, K. and Keay, D. G. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
- Smallman, L. A., Oates, J. and Proops, D. W. Young's syndrome. *Clin. Rec.*, 460
- Smallman, L. A., Young, J. A., Oates, J., Proops, D. W. and Johnson, A. P. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
- Smith, M. C. F. and Cable, H. R. Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings. *Orig. Art.*, 1086
- Sneige, N., Batsakis, J. G., Hawkins, R. A. and Doble II, H. P. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
- Soliman, A. M. An improved technique for the study of immunofluorescence using non-decalcified frozen guinea pig cochlea. *Orig. Art.*, 215
- Soliman, A. M. and Wah Yung, M. Changes in the brainstem evoked responses following jugular vein ligation. *Orig. Art.*, 861
- Soliman, S. M. Thyroid cartilage at the suprasternal notch with low situated thyroid gland. *Clin. Rec.*, 476
- Solomons, N. B. and Blumgart, R. Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization. *Clin. Rec.*, 260
- Solomons, N. B. and Robinson, J. M. Obliteration of mastoid cavities using bone pâté. *Orig. Art.*, 783
- Solomons, N. B. Extensive granular cell tumour of the larynx and trachea. *Clin. Rec.*, 658
- Somjee, S. and Mackenzie, I. J. Intracranial aerocoel due to micropaque barium. *Clin. Rec.*, 267
- Sonnenblick, M., Kramer, M. R. and Nesher, G. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
- Spandow, O., Emgård, P., Krouthén, B. and Wennmo, C. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
- Spencer, M. G. Chlorine and the eustachian tube. *Clin. Rec.*, 55
- Stafford, N. D. and Matthew, R. N. Reconstruction of the pharynx after laryngectomy and partial pharyngectomy. *Orig. Art.*, 45
- Stahl, N. and Leiberman, A. Acute upper airway obstruction due to myxoedema and upper airway abnormalities. *Clin. Rec.*, 733
- Stanley, P. J., Mackay, I. S., Cole, P. J. and Greenstone, M. A. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
- Stanley, R. E. and Liang, T. S. Acute epiglottitis in adults. *Orig. Art.*, 1017
- Stansbie, J. M. and Phelps, P. D. Glomus jugulare or tympanicum? *Orig. Art.*, 766
- Stansbie, J. M., Bleach, N. R. and Stanworth, P. A. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
- Stanworth, P. A., Stansbie, J. M. and Bleach, N. R. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
- Stevens, D. J. and Kirkham, N. Neurofibromas of the paranasal sinuses. *Clin. Rec.*, 256
- Stevens, D. J. Cushing's syndrome due to the abuse of betamethasone nasal drops. *Orig. Art.*, 219
- Stevens, D. J. Papillary endothelial hyperplasia in the nose. *Clin. Rec.*, 935
- Stevens, J. C., Beckingham, E., Jones, A. S. and Wright, R. G. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
- Stewart Flemming, A. F., Brough, M. D. and East, C. A. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
- Stewart, I. A. and Mills, D. A. J. A unique presentation of giant cell arteritis. *Clin. Rec.*, 636
- Stewart, T. J., Kwok, O., Campbell, J. B., Hunter, J., McIlwain, J. C. and Toner, J. G. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
- Stjernquist-Desatnik, A. and Prellner, K. Antibody response to Pneumococcal vaccination as related to tonsillectomy. *Orig. Art.*, 883
- Strome, M. and Liu, F.-C. Staging in the treatment of maxillary carcinoma revisited. *Orig. Art.*, 224
- Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinam, C., Nachiappan, M. and Banerjee, A. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
- Swift, A. C. and Singh, S. D. Hearing impairment and the Kearns-Sayre syndrome. *Clin. Rec.*, 626
- Swift, A. C. Upper airway obstruction, sleep disturbance and adeno-tonsillectomy in children. *Orig. Art.*, 419
- Syder, D., Jones, A. S., Le Boutillier, A. and Lancer, J. M. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
- Symonds, R. P., Evans, R. A., Liu, K. C. and Azhar, T. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
- Szepesi, S., Ilberg, C. V., Klima, A., Klippstein, T. and Bergmann, L. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
- Takasaki, T., Furukawa, Y., Ikeda, K., Sakurada, T. and Sasaki, Y. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
- Takumida, M., Bagger-Sjöbäck, D. and Rask-Anderson, H. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
- Talaat, F., Abdel-Baki, F., Moghazi, H. and Eassa, A. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
- Talmi, Y., Kalmanovitch, M. and Zohar, Y. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91

- Talmy, Y. P., Finkelstein, Y., Shem Tov, Y., Zohar, Y. and Laurian, N. Scrofula revisited. *Clin. Rec.*, 387
- Talmy, Y. P., Sador, R., Dulitzky, F., Finkelstein, Y. and Zohar, Y. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
- Talmy, Y., Zohar, Y., Laurian, N. and Shem Tov, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
- Tanda, F., Ghiselli, F., Manunta, V., Massarelli, G. and Gandolfo, L. Maxillary chondrosarcoma. *Clin. Rec.*, 177
- Tandon, D. A., Bahadur, S., Kacker, S. K. and Goulartia, R. K. Nasopharyngeal angiomyoma. *Orig. Art.*, 805
- Tandon, D. A., Deka, R. C., Chaudhary, C. and Misra, N. K. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
- Tandon, D. A., Ghosh, P., Tickoo, S. K. and Bhargava, D. K. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
- Tang, S. O. and Tse, C. H. Leiomyoma of the nasal cavity. *Clin. Rec.*, 831
- Tarantino, V., Moni, L., Verrina, E., Ciardi, M. R., Gusmano, R. and Raspino, M. The branchio-oto-renal syndrome. *Orig. Art.*, 138
- Teh, W., Zeigler, E., Canter, R. J., Megarry, S., Pett, A. and Scarlett, A. The activity against yeasts of human cerumen. *Orig. Art.*, 671
- Terry, R. M. and Lannigan, F. J. Pericarditis and peritonitis secondary to otitis media. *Clin. Rec.*, 717
- Terry, R. M., Bellini, M. J. and Peel, R. N. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
- Terry, R. M., Lannigan, F. J. and Newbegin, C. J. R. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
- Thijssen, H. O. M., Manni, J. J., Merx, J. L. and van den Broek, P. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
- Thomas, P. L., John, D. G. and Carlin, W. V. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
- Thomas, P. L., Kasanew, M., John, D. G., Newman, P. and Lesser, T. J. N. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
- Thomas, P. L., Semeraro, D. and John, D. G. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
- Tickoo, S. K., Bhargava, D. K., Tandon, D. A. and Ghosh, P. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
- Timms, M., Canty, P. and Williamson, I. G. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
- Timms, M. S., Farrington, W. T. and Keith, A. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
- Timms, M. S., Sloan, P. and Pace Balzan, A. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
- Tiwari, R., Cervico-occipital flap for replacement of neck skin. *Orig. Art.*, 341
- Tolley, N. S., Eccles, R., Griffiths, D. H. and Newton, C. G. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
- Tomita, K., Uemura, T., Matsushima, T., Fukui, M. and Nakashima, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
- Toner, J. G., Stewart, T. J., Kwok, O., Campbell, J. B., Hunter, J. and McIlwain, J. C. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
- Toppazada, H. The human nasal mucosa in the menopause. *Orig. Art.*, 314
- Toppozada, H. Chronic Streptococcus pyogenes tonsillitis, with rheumatic arthritis and myocarditis. *Orig. Art.*, 697
- Toppozada, H. Haemolytic streptococcus infection of chronic maxillary sinusitis: An immunological study using the skin window test. *Orig. Art.*, 890
- Tovi, F., Hirsch, M. and Gatot, A. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
- Traub, P. and Yaniv, E. Traumatic perilymphatic fistulae of the lateral semicircular canal. *Clin. Rec.*, 521
- Trott, P. A., Shaw, H. J. and McLean, N. R. Fine needle aspiration of the larynx. *Orig. Art.*, 815
- Tse, C. H. and Tang, S. O. Leiomyoma of the nasal cavity. *Clin. Rec.*, 831
- Tveterås, K., Hein, P., Poulsen, M. B., Outzen, K. E. and Kristensen, S. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
- Tveterås, K., Kristensen, S. and Dommerby, H. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
- Tyrrell, C. J., Daniel, F., Mancero, F. S. M. and Conrad, J. G. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
- Uemura, T., Matsushima, T., Fukui, M., Nakashima, T. and Tomita, K. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
- Uppal, P. K., Bhargava, K. B., Shirali, G. N. and Savant, R. A. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
- Valdes, M. E., Myssiorek, D. J. and Silver, C. E. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962
- Vallis, R. C. and Garfield Davies, D. Angiolymphoid hyperplasia of the head and neck. *Clin. Rec.*, 100
- Vargö, A.-K., Lindqvist, N., Hartwig, S., Lindén, M. and Laurent, C. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
- Variend, S. and Lyons, T. J. Posterior cleft larynx associated with hamartoma. *Clin. Rec.*, 471
- Veitch, D. Y., Quiney, R. E. and Rogers, M. J. C. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
- Verma, S. K., Saxena, S. and Dhingra, P. L. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
- Verrina, E., Ciardi, M. R., Gusmano, R., Raspino, M., Tarantino, V. and Moni, L. The branchio-oto-renal syndrome. *Orig. Art.*, 138
- Viborg Jensen, O. and Pedersen, U. Fractures in polyvinyl chloride tracheostomy tubes. *Clin. Rec.*, 380
- Violaris, N. S. and Bridger, M. The use of sputum-trap in the collection of antral washout specimen during antroscopy. *Clin. Rec.*, 540
- Violaris, N. S. and Jonathan, D. A. Comparison of cocaine and lignocaine as intranasal local anaesthetics. *Clin. Rec.*, 628
- Violaris, N. S. Intractable aspiration in a young child and its surgical management. *Clin. Rec.*, 1060
- van den Broek, P., Thijssen, H. O. M., Manni, J. J. and Merx, J. L. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
- van Olphen, A. F., Lubsen, H. and van 'T. Verlaat, J. W. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
- van 'T. Verlaat, J. W., van Olphen, A. F. and Lubsen, H. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
- von Arx, D. and Carr, R. J. Displaced tooth mimicking a tonsillolith. *Clin. Rec.*, 652
- Wackym, P. A. and Abdul-Rasool, I. H. Prospective management of malignant hyperthermia in the otolaryngological patient. *Orig. Art.*, 513
- Wah Yung, M. and Soliman, A. M. Changes in the brainstem evoked responses following jugular vein ligation. *Orig. Art.*, 861
- Wake, M., Nar, P., Egan, M., Newman, J. and Crocker, J. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
- Wake, M., Pearman, K. and Campbell, J. B. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
- Walby, Peter A. Cerebrospinal otorrhoea—a temporal bone report. *Orig. Art.*, 399
- Waldron, J. and Mitchell, D. B. Unusual presentations of extramedullary plasmacytoma in the head and neck. *Clin. Rec.*, 102
- Wallace, C. E. and Proctor, H. M. Head and neck oncology service—one year's work. *Orig. Art.*, 428
- Wallace, C., Ramsey, A. D. and Quiney, R. E. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914
- Walsh, M. A. and McShane, D. P. Nasal granuloma gravidarum. *Clin. Rec.*, 828
- Walsh, M., Lee, R. J., O'Dwyer, T. P. and Sleeman, D. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
- Walsh, S. S. and Robson, W. G. Spontaneous passage of a submandibular salivary calculus in a child. *Clin. Rec.*, 1052

- Walter, C. The evolution of rhinoplasty. *Orig. Art.*, 1079
- Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H. and Oku, T. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H. and Shibusawa, M. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
- Watkinson, J. C., Hornung, E. A. and Fagg, N. L. K. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
- Watkinson, J. C., Searle, A. and Fagg, N. L. K. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
- Watson, C. and Mangat, K. S. A comparison of audiometric performance and complications of T tubes and Shepard grommets. *Orig. Art.*, 677
- Watson, C. Ischaemic necrosis of the tongue. *Clin. Rec.*, 368
- Watson, C. Laryngeal oedema complicating thyroid lymphoma. *Clin. Rec.*, 947
- Watson, D. J. and Griffiths, M. V. The safety and efficacy of intra-nasal ethmoidectomy. *Orig. Art.*, 802
- Watson, D. J. Nasal paraganglioma. *Clin. Rec.*, 526
- Watson, M. G., Povey, L., Shenoi, P. M. and Campbell, J. B. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
- Wei, W. I., Choy, D., Shum, J., Engzell, U. C. G. and Lau, S. K. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
- Wei, W. I., Lund, V. J. and Howard, D. J. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
- Wennmo, C., Spandow, O., Emgård, P. and Krothén, B. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
- West, P. D. B. Relapsing polychondritis. *Clin. Rec.*, 254
- Wettestad, J., Kolbenstvedt, A., Boysen, M. Y., Scott, H. and Hovig, T. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
- Whittet, H. B. and Quiney, R. E. Middle turbinate osteoma; an unusual cause of nasal obstruction. *Clin. Rec.*, 359
- Whittet, H. B. and Quiney, R. E. Nasal manifestations of yaws. *Clin. Rec.*, 1147
- Wickersham, J. K., Grace, A. R., Bailey, C. M., Preece, J. M. and Kearns, D. B. Nasal lipoma. *Clin. Rec.*, 1044
- Wickham, M. H. and Barton, R. P. E. Nasal regurgitation as the presenting symptom of rhinolithiasis. *Clin. Rec.*, 59
- Wickham, M. H., Barton, R. P. E. and Forrest, A. W. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328
- Wickstead, M., Choa, D. I., Leitch, R. N., Bailey, C. M., Evans, J. N. G. and Kearns, D. B. Computed tomography in choanal atresia. *Orig. Art.*, 414
- Wickstead, M., Eykyn, S. J. and Grandsen, N. R. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33
- Wig, U., Saini, A. S., Lal, H. and Singh, B. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
- Wight, R. G., Harris, S. C., Shortland, J. R. and Shaw, J. D. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
- Wight, R. G., Jones, A. S. and Beckingham, E. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
- Willat, D. J. and Yung, M. W. Prognostic factors in labyrinthectomy. *Orig. Art.*, 785
- Willatt, D. J., Durham, L., Ramadan, M. F. and Bark-Jones, N. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
- Williams, K. R. and Lesser, T. H. J. The tympanic membrane in cross section. *Orig. Art.*, 209
- Williams, S. R. and Carruth, J. A. S. The role of the carbon dioxide laser in treatment of carcinoma of the tongue. *Orig. Art.*, 1122
- Williamson, I. G. and Ramsden, R. T. Angiosarcoma of maxillary antrum—association with vinyl chloride exposure. *Clin. Rec.*, 464
- Williamson, I. G., Timms, M. and Carty, P. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
- Wood, C. and Miettinen, I. Why you should have a hearing therapist. *Orig. Art.*, 142
- Woodhead, C. J. Recurrent facial palsy at high altitude. *Clin. Rec.*, 718
- Woodhead, J., Das Gupta, A. R. and Parker, D. A. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
- Woodhead, P. and Robinson, P. J. Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus. *Clin. Rec.*, 1164
- Wright, J. L. W. and Herdman, R. Grommets and cholesteatoma in children. *Orig. Art.*, 1000
- Wright, R. G., Stevens, J. C., Beckingham, E. and Jones, A. S. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
- Xie, Y., Chan, X. and Med, M. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184
- Yaniv, E. and Traub, P. Traumatic perilymphatic fistulae of the lateral semicircular canal. *Clin. Rec.*, 521
- Ylikoski, J. Facial palsy after temporal bone fracture. *Orig. Art.*, 298
- Young, J. A., Oates, J., Proops, D. W., Johnson, A. P. and Smallman, L. A. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
- Youngs, R. P., Gatland, D. and Brookes, J. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
- Younos, M. and Chang, R. W. S. Chyle fistulae. *Clin. Rec.*, 384
- Yung, M. W. and Willat, D. J. Prognostic factors in labyrinthectomy. *Orig. Art.*, 785
- Zaman, K. and Borah, K. Myringoplasty with three meatal flaps. *Orig. Art.*, 777
- Zeigler, E., Canter, R. J., Megarry, S., Pett, A., Scarlett, A. and Teh, W. The activity against yeasts of human cerumen. *Orig. Art.*, 671
- Zirkin, H., Puterman, M., Fliss, D. M. and Sidi, J. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
- Zito, F. and Roberto, M. Scar formation following impulse noise-induced mechanical damage to the organ of Corti. *Orig. Art.*, 2
- Zohar, Y., Buller, N., Shvili, Y., Laurian, N. and Laurian, L. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
- Zohar, Y., Laurian, N., Shem Tov, Y. and Talmi, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
- Zohar, Y., Laurian, N., Talmi, Y. P., Finkelstein, Y. and Shem Tov, Y. Scrofula revisited. *Clin. Rec.*, 387
- Zohar, Y., Talmi, Y. and Kalmanovich, M. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91
- Zohar, Y., Talmi, Y. P., Sador, R., Dulitzky, F. and Finkelstein, Y. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033

GENERAL

- Accessory nerve schwannoma extending extracranially to the second cervical level vertebra—T. Nakashima, K. Tomita, T. Uemura, T. Matsushima and M. Fukui. *Clin. Rec.*, 959
- Acquired tracheo-oesophageal fistula—A. Dev, P. Ghosh and R. C. Deka. *Clin. Rec.*, 378

- Acromegaly—the mucosal changes within the nose and paranasal sinuses—D. W. Skinner and S. H. Richards. *Orig. Art.*, 1107
 Actinomycosis of the nasopharynx: a complication of nasal surgery—J. E. Osborne, R. L. Blair, H. E. Christmas and H. McKenzie. *Clin. Rec.*, 639
 Activity against yeasts of human cerumen, The—S. Megarry, A. Pett, A. Scarlett, W. Teh, E. Zeigler and R. J. Canter. *Orig. Art.*, 671
 Acute and acute-on-chronic mastoiditis—T. J. Mathews. *Orig. Art.*, 115
 Acute epiglottitis in adults—R. E. Stanley and T. S. Liang. *Orig. Art.*, 1017
 Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia—H. Arndal and U. K. Andreassen. *Orig. Art.*, 1012
 Acute upper airway obstruction due to myxoedema and upper airway abnormalities—N. Stahl and A. Leiberman. *Clin. Rec.*, 733
 Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck—A. Klima, T. Klippstein, L. Bergmann, S. Szepesi and C. V. Ilberg. *Orig. Art.*, 337
 Aetiology of bilateral sensorineural deafness in children—V. K. Das. *Orig. Art.*, 975
 Age, sex, ethnic origin and tonsillectomy—J. R. Moloney, D. G. John and C. Jagger. *Clin. Rec.*, 649
 Ameloblastoma presenting as nasal obstruction—D. G. Keay, M. Small, A. I. G. Kerr and K. McLaren. *Clin. Rec.*, 530
 Aneurysm of the internal carotid artery presenting as a parapharyngeal mass—P. L. Dhingra, S. K. Verma and S. Saxena. *Clin. Rec.*, 654
 Angiolymphoid hyperplasia of the head and neck—R. C. Vallis and D. Garfield Davies. *Clin. Rec.*, 100
 Angiomyolipoma of the nasal cavity—E. E. Dawlatly, J. T. Anim and A. Y. El-Hassan. *Clin. Rec.*, 1156
 Angiosarcoma of maxillary antrum—association with vinyl chloride exposure—I. G. Williamson and R. T. Ramsden. *Clin. Rec.*, 464
 Anhidrotic ectodermal dysplasia: an ENT presentation in infancy—S. T. Baer, I. H. Coulson and D. Elliman. *Clin. Rec.*, 458
 Antibody response to Pneumococcal vaccination as related to tonsillectomy—A. Stjernquist-Desatnik and K. Prellner. *Orig. Art.*, 883
 Antroscleroma—E. F. Saad. *Clin. Rec.*, 362
 Assessment of permanent hearing impairment following radical megavoltage radiotherapy—R. A. Evans, K. C. Liu, T. Azhar and R. P. Symonds. *Orig. Art.*, 588
 Asymptomatic venous anomaly of the parotid gland—J. J. Manni, J. L. Merx, P. van den Broek and H. O. M. Thijssen. *Clin. Rec.*, 565
 Atypical histiocytic granuloma with eosinophilia—O. Ankjaergaard, K. D. Lawaetz and U. K. Andreassen. *Clin. Rec.*, 543
 Auditory brain stem responses (ABR) in patients with acute severe closed head injuries—S. Elwany. *Orig. Art.*, 755
 Bacterial tracheitis in a young adult—J. Ruddy. *Clin. Rec.*, 656
 Bacteriology of mastoiditis—T. J. Mathews and S. P. Oliver. *Orig. Art.*, 397
 Balance through the ages of man—P. Sidebotham. *Orig. Art.*, 203
 Basal cell carcinoma of the middle-ear—a natural history—H. Z. Joachims and Y. Ben Arieh. *Clin. Rec.*, 932
 BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital—M. N. S. Purmessur and R. S. Singh. *Orig. Art.*, 981
 Benign metastatic mixed tumours or unrecognized salivary carcinomas?—A. El-Naggar, J. G. Batsakis and S. Kessler. *Orig. Art.*, 810
 Bilateral chylothorax following left radical neck dissection—A. Pace-Balzan and B. Moriarty. *Clin. Rec.*, 288
 Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery—B. Baser and K. A. Pradhan. *Orig. Art.*, 601
 Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma—S. K. Lau, W. I. Wei, D. Choy, J. Shum and U. C. G. Engzell. *Clin. Rec.*, 1142
 Branchio-oto-renal syndrome, The—M. Raspino, V. Tarantino, L. Moni, E. Verrina, M. R. Ciardi and R. Gusmano. *Orig. Art.*, 138
 Budesonide nasal spray as prophylactic treatment after polypectomy—S. Hartwig, M. Lindén, C. Laurent, A.-K. Vargö and N. Lindqvist. *Orig. Art.*, 148
 Castleman's disease—an unusual neck mass—M. J. Gleeson, M. Cassidy and J. P. McMullin. *Clin. Rec.*, 661
 Cat scratch disease: An unusual cause of acute parotid pain—J. C. Watkinson, E. A. Hornung and N. L. K. Fagg. *Clin. Rec.*, 562
 Cerebrospinal otorrhoea—a temporal bone report—A. Peter Walby. *Orig. Art.*, 399
 Ceruminous gland tumour—G. M. S. Ahmed and D. K. Deb Nath. *Clin. Rec.*, 346
 Cervicomediastinal emphysema due to oral blast—D. M. Fliss, M. Puterman and A. Leiberman. *Clin. Rec.*, 105
 Cervico-occipital flap for replacement of neck skin—R. Tiwari. *Orig. Art.*, 341
 Changes in the brainstem evoked responses following jugular vein ligation—M. Wah Yung and A. M. Soliman. *Orig. Art.*, 861
 Cherubism—M. C. Khalifa and R. A. Ibrahim. *Clin. Rec.*, 568
 Chlamydia: Its influence in chronic secretory otitis media—M. J. Bellini, R. N. Peel and R. M. Terry. *Orig. Art.*, 673
 Chlorine and the eustachian tube—M. G. Spencer. *Clin. Rec.*, 55
 Cholesteatoma in children—J. Sadé and A. Shatz. *Orig. Art.*, 1003
 Cholesterol granuloma of the maxillary antrum—H. Aker Gunes, A. Almac and E. Canbay. *Clin. Rec.*, 630
 Chondrosarcoma of the epiglottis—M. Kasanzew, D. G. John, P. Newman, T. J. N. Lesser and P. L. Thomas. *Clin. Rec.*, 374
 Chondrosarcoma of the sphenoid—G. J. E. M. Bates and R. C. D. Herdman. *Clin. Rec.*, 727
 Chronic labyrinthine ischemia—M. Rubinstein, M. Hildesheimer and C. Muchnik. *Orig. Art.*, 496
 Chronic muco-cutaneous candidiasis and oral neoplasia—M. McGurk and M. Holmes. *Clin. Rec.*, 643
 Chronic Streptococcus pyogenes tonsillitis, with rheumatic arthritis and myocarditis—H. Toppozada. *Orig. Art.*, 697
 Chyle fistulae—M. Younos and R. W. S. Chang. *Clin. Rec.*, 384
 Clinical application of electrolaryngograph for speech rehabilitation in near-total laryngectomy with myo-mucosal valved neoglottis—W. Singh. *Orig. Art.*, 335
 Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system—K. Ikeda, T. Sakurada, Y. Sasaki, T. Takasaka and Y. Furukawa. *Orig. Art.*, 1111
 Comparison of audiometric performance and complications of T tubes and Shepard grommets, A—C. Watson and K. S. Mangat. *Orig. Art.*, 677
 Comparison of cocaine and lignocaine as intranasal local anaesthetics—D. A. Jonathan and N. S. Violaris. *Clin. Rec.*, 628
 Computed tomography in choanal atresia—D. B. Kearns, M. Wickstead, D. I. Choa, R. N. Leitch, C. Martin Bailey and J. N. G. Evans. *Orig. Art.*, 414
 Congenital cholesteatoma—S. K. Sen Gupta, A. Dev and P. Ghosh. *Clin. Rec.*, 612
 Congenital nasal stenosis in neonates—K. J. Knegt-Junk, C. E. Bos and R. N. P. Berkovits. *Orig. Art.*, 500
 Contact sensitivity to gentamicin-hydrocortisone ear drops—P. M. Robinson. *Orig. Art.*, 577
 Coronal CT examination in the evaluation of small fronto-ethmoidal encephaloceles—E. Lunndorf, A. Kjeldgaard and H. Halaburt. *Orig. Art.*, 1119
 Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings—M. C. F. Smith and H. R. Cable. *Orig. Art.*, 1086
 Craniofacial resection for extensive paranasal sinus aspergilloma—R. E. Quiney, M. J. C. Rogers, R. N. Davidson and A. D. Cheesman. *Clin. Rec.*, 1172

- Cranioplasty with Palacos R® in reconstruction of frontal sinus defects—W. Mann and A. A. El-Khatib. *Clin. Rec.*, 824
 Cricoid necrosis in laryngeal rheumatoid arthritis—D. J. Gatland, M. H. Keene and J. D. Brookes. *Clin. Rec.*, 271
 CT sialography and conventional sialography in the evaluation of parotid gland neoplasms—L.-G. Hansson, C. C. Johansen and A. Björklund. *Orig. Art.*, 163
 Cushing's syndrome due to the abuse of betamethasone nasal drops—D. J. Stevens. *Orig. Art.*, 219
 Delayed brainstem auditory evoked responses in diabetic patients—N. Buller, Y. Shvili, N. Laurian, L. Laurian and Y. Zohar. *Orig. Art.*, 857
 Dental disease, acute sinusitis and the orthopantomogram—R. J. Lee, T. P. O'Dwyer, D. Sleeman and M. Walsh. *Orig. Art.*, 222
 Differential diagnosis of verrucous carcinoma in the oral cavity and larynx—M. Schrader and H. G. Laberke. *Orig. Art.*, 700
 Displaced tooth mimicking a tonsillolith—D. von Arx and R. J. Carr. *Clin. Rec.*, 652
 Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea—D. E. Phillips and J. H. Rogers. *Clin. Rec.*, 1054
 Early diagnosis of tuberculosis otitis media—O. Odetoyinbo. *Orig. Art.*, 133
 Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose—M. Egan, J. Newman, J. Crocker, M. Wake and P. Nar. *Orig. Art.*, 29
 Ectopic thyroid malignancy in the midline of the neck—M. R. Laing and K. A. McLay. *Clin. Rec.*, 93
 Effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry, The—P. L. Thomas, D. G. John and W. V. Carlin. *Orig. Art.*, 144
 Effect of inhaled steroids on the upper respiratory tract, The—S. Babu and P. Samuel. *Orig. Art.*, 592
 Effect of vidian neurectomy on nasal mucociliary clearance, The—M. A. Greenstone, P. J. Stanley, I. S. Mackay and P. J. Cole. *Orig. Art.*, 894
 Effects of D and L Isomers of Menthol upon nasal sensation of airflow, The—R. Eccles, D. H. Griffiths, C. G. Newton and N. S. Tolley. *Orig. Art.*, 506
 Effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps, The—A. B. Drake-Lee, E. Chevreton and D. Lowe. *Orig. Art.*, 1099
 Embryonal rhabdomyosarcoma of the sphenoid sinus—L. Durham, I. J. Mackenzie and P. Foy. *Clin. Rec.*, 836
 Enlarged cervical lymph node due to African histoplasmosis—R. P. Rivron and E. G. V. Evans. *Clin. Rec.*, 945
 Evolution of rhinoplasty, The—C. Walter. *Orig. Art.*, 1079
 Exostosis of the internal auditory canal—H. T. Doan and J. S. Powell. *Clin. Rec.*, 173
 Extensive granular cell tumour of the larynx and trachea—N. B. Solomons. *Clin. Rec.*, 658
 Facial cutaneous fistula due to a foreign body in Wharton's duct—Y. Shem Tov, Y. Talmi, Y. Zohar and N. Laurian. *Clin. Rec.*, 370
 Facial palsy after temporal bone fracture—J. Ylikoski. *Orig. Art.*, 298
 Familial Treacher-Collins syndrome—P. S. Murty, P. Hazarika, B. Rajsekhar and G. K. Hebbar. *Clin. Rec.*, 620
 Fibrous dysplasia of the temporal bone—A. B. P. M. Pouwels and C. W. R. J. Cremers. *Clin. Rec.*, 171
 Fine needle aspiration cytology in the management ENT of patients—L. A. Smallman, J. A. Young, J. Oates, D. W. Proops and A. P. Johnson. *Orig. Art.*, 909
 Fine needle aspiration of the larynx—H. J. Shaw, N. R. McLean and P. A. Trott. *Orig. Art.*, 815
 Flora of the tonsil and post-operative fossa in adult tonsillectomy patients, The—J. C. McIlwain, J. G. Toner, T. J. Stewart, O. Kwok, J. B. Campbell and J. Hunter. *Orig. Art.*, 598
 Fluctuating hearing loss in presbyacusis—F. W. Martin and R. W. Ruckley. *Orig. Art.*, 25
 Fractures in polyvinyl chloride tracheostomy tubes—O. Viborg Jensen and U. Pedersen. *Clin. Rec.*, 380
 Gardner's syndrome presenting with proptosis—D. A. Tandon, P. Ghosh, S. K. Tickoo and D. K. Bhargava. *Clin. Rec.*, 1036
 Giant cell tumour of the temporosphenoidal region—D. A. Tandon, R. C. Deka, C. Chaudhary and N. K. Misra. *Clin. Rec.*, 449
 Giant cementoblastoma simulating a peridental infection—M. Puterman, D. M. Fliss, J. Sidi and H. Zirkin. *Clin. Rec.*, 264
 Giant radicular cyst in the maxillary antrum presenting with chronic epiphora—S. T. Baer, A. Drysdale and V. Moore-Gillon. *Clin. Rec.*, 365
 Globus hystericus; globus syndrome?—H. J. Puhakka and P. Kirveskari. *Orig. Art.*, 231
 Globus pharyngeus—A. J. G. Batch. *Orig. Art.*, 152
 Globus pharyngeus: (Part II), Discussion—A. J. G. Batch. *Orig. Art.*, 227
 Glomus jugulare or tympanicum?—P. D. Phelps and J. M. Stansbie. *Orig. Art.*, 766
 Grommets and cholesteatoma in children—R. Herdman and J. L. W. Wright. *Orig. Art.*, 1000
 Haemangioma of the maxilla—L. M. Ghosh, A. Samanta, T. Nandy and S. Das. *Clin. Rec.*, 725
 Haemangiopericytoma of the nasal septum—S. Al-Khalifa, K. O. Paulose, P. Shenoy and R. K. Sharma. *Clin. Rec.*, 1161
 Haemangiopericytoma of the submandibular gland—G. Pagliaro, P. Poli, G. Ralza and G. Grandi. *Clin. Rec.*, 97
 Haemolytic streptococcus infection of chronic maxillary sinusitis: An immunological study using the skin window test—H. Toppozada. *Orig. Art.*, 890
 Head and neck oncology service—one year's work—H. M. Proctor and C. E. Wallace. *Orig. Art.*, 428
 Hearing impairment and the Kearns-Sayre syndrome—A. C. Swift and S. D. Singh. *Clin. Rec.*, 626
 Human nasal mucosa in the menopause, The—H. Toppazada. *Orig. Art.*, 314
 Hyperextension fracture of the hyoid bone—N. D. Padgham. *Clin. Rec.*, 1062
 Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula—J. C. Watkinson, A. Searle and N. L. K. Fagg. *Clin. Rec.*, 67
 Idiopathic facial nerve palsy—C. A. J. Prescott. *Orig. Art.*, 403
 Idiopathic plasmacytosis of the oral and supraglottic mucosa—M. S. Timms, P. Sloan and A. Pace Balzan. *Clin. Rec.*, 646
 Impedance screening for otitis media with effusion in Nigerian children—F. O. Ogisi. *Orig. Art.*, 986
 Improved stent for use in the surgical management of congenital posterior choanal atresia, An—N. Bartal. *Orig. Art.*, 146
 Improved technique for the study of immunofluorescence using non-decalcified frozen guinea pig cochlea, An—A. M. Soliman. *Orig. Art.*, 215
 Indian contribution to rhinoplasty, The—D. J. Brain. *Orig. Art.*, 689
 Induction cytotoxic chemotherapy: The significance of apparent clinical regression after using the Price Hill schedule A protocol for squamous carcinoma of the head and neck—H. J. Shaw. *Orig. Art.*, 1133
 Inferior turbinectomy—P. J. D. Dawes. *Orig. Art.*, 590
 Influence of spinal puncture and injection on VIIth nerve function—P. A. J. Hardy. *Clin. Rec.*, 452

- Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose—K. Holmberg and M. Bende. *Orig. Art.*, 408
- Ingenious mucus trap, An—K. Harrop-Griffiths and N. R. McLean. *Clin. Rec.*, 291
- Interest in frozen section examination of margins and lymph nodes in laryngeal surgery—M. Remacle, M. Hamoir, E. Marbaix, N. Deggouj and Y. Frederickx. *Orig. Art.*, 818
- Intracranial aerocele due to micropaque barium—S. Somjee and I. J. Mackenzie. *Clin. Rec.*, 267
- Intractable aspiration in a young child and its surgical management—N. S. Violaris. *Clin. Rec.*, 1060
- Intraorbital dermoid: An ophthalmological problem solved by an ENT approach—M. J. C. Rogers, D. Y. Veitch and R. E. Quiney. *Clin. Rec.*, 541
- Intratemporal vascular tumours—A. Mazzoni, R. Pareschi and V. Calabrese. *Clin. Rec.*, 353
- Intratracheal thyroid—A. Ferlito, L. Giarelli and F. Silvestri. *Clin. Rec.*, 95
- Intubation trauma—J. E. Davies, T. H. J. Lesser and M. A. Cobley. *Orig. Art.*, 822
- Inverted papilloma with intracranial extension, An—A. F. van Olphen, H. Lubsen and J. W. van Verlaat. *Clin. Rec.*, 534
- Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'—T. P. O'Dwyer, R. J. Lee, J. Kaye and G. Fennell. *Orig. Art.*, 799
- Ischaemic necrosis of the tongue—C. Watson. *Clin. Rec.*, 368
- Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm—J. T. Brandrick, A. R. Das Gupta and R. Singh. *Clin. Rec.*, 741
- Kaposi's sarcoma of the trachea—K. Rajaratnam and S. Desai. *Clin. Rec.*, 951
- Kikuchi's disease—Apparent malignancy of a neck mass—J. G. Buckley, A. Hinton and C. Allen. *Clin. Rec.*, 941
- Laryngeal cysts: clinical relevance of a modified working classification—K. Ramesar and C. Albizzati. *Orig. Art.*, 923
- Laryngeal granuloma—an unusual presentation of AIDS—S. D. Desai and K. Rajaratnam. *Clin. Rec.*, 372
- Laryngeal oedema complicating thyroid lymphoma—C. Watson. *Clin. Rec.*, 947
- Laryngeal stridor due to odontoid peg subluxation—D. S. Brooker. *Clin. Rec.*, 473
- Laryngoplasty: results and problems after the creation of a neoglottis—A. Klima and C. V. Ilberg. *Orig. Art.*, 43
- Laryngo-tracheal stenosis in frontometaphyseal dysplasia—J. M. Leggett. *Clin. Rec.*, 74
- Laryngo-tracheo-bronchial foreign bodies in children—A. Banerjee, K. S. V. K. Subba Rao, S. K. Khanna, P. S. Narayanan, B. K. Gupta, J. C. Sekar, C. Rajarathinan and M. Nachiappan. *Orig. Art.*, 1029
- Late response of verrucous carcinoma of the larynx to radiotherapy—G. S. Barr, J. Osborne and J. R. M. Simpson. *Clin. Rec.*, 276
- Lateral sinus pathology—T. J. Mathews. *Orig. Art.*, 118
- Leiomyoma of the nasal cavity—S. O. Tang and C. H. Tse. *Clin. Rec.*, 831
- Liposarcoma of the larynx—R. Gertner, L. Podoshin, M. Fradis, I. Mislevitch and J. Boss. *Clin. Rec.*, 838
- Local anaesthetic with vasoconstrictor combinations in septal surgery—L. G. McClymont and J. A. Crowther. *Orig. Art.*, 793
- Local iatrogenic complications in nasopharyngeal rhinoscleroma—E. E. Dawlatly, J. T. Anim and M. E. Baraka. *Orig. Art.*, 1115
- Local rifampicin in treatment of rhinoscleroma—A. M. Gamea. *Orig. Art.*, 319
- Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques—M. Egan, J. Crocker and P. Nar. *Orig. Art.*, 242
- Long-term ototoxic effects of neomycin applied topically in the middle ear—D. Morais, M. González, R. Del Villar and M. J. Gayoso. *Orig. Art.*, 304
- Long-term presence of a denture fragment in the airway—A. Poukkula, E.-M. Ruotsalainen, K. Jokinen, A. Palva and J. Nuorviita. *Clin. Rec.*, 190
- Low grade polymorphous adenocarcinoma of a minor salivary gland—C. M. Scally, S. T. Irwin and N. Nirodi. *Clin. Rec.*, 284
- Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity—R. C. Bickerton and M. J. Brockbank. *Clin. Rec.*, 468
- Malakoplakia of the parotid gland—J. C. Dale and R. A. Robinson. *Clin. Rec.*, 737
- Malignant external otitis—J. M. Leggett and K. Prendergast. *Clin. Rec.*, 53
- Malignant otitis externa due to Staphylococcus infection—D. G. Keay and J. A. M. Murray. *Clin. Rec.*, 926
- Mandibular pathology presenting as a parotid tumour—J. Ling and D. Barnard. *Orig. Art.*, 896
- Maxillary chondrosarcoma—G. Massarelli, L. Gandolfo, F. Tanda, F. Ghiselli and V. Manunta. *Clin. Rec.*, 177
- Medical management of active chronic otitis media—G. G. Browning, S. Gatehouse and I. T. Calder. *Orig. Art.*, 491
- Melanoma metastatic to the head and neck—M. L. L. Harries. *Clin. Rec.*, 842
- Meningitis after trans-sphenoidal excision of pituitary tumours—N. R. Grandson, M. Wickstead and S. J. Eykyn. *Orig. Art.*, 33
- Merkel-cell carcinoma of the pinna—G. S. Hanna, M. H. Ali, A. B. Akosa and E. J. Maher. *Clin. Rec.*, 608
- Middle ear effusion—A theoretical neuro mechanical hypothesis—R. Raman. *Orig. Art.*, 10
- Middle ear effusions and myasthenia gravis—B. J. O'Reilly. *Clin. Rec.*, 169
- Middle turbinate osteoma: an unusual cause of nasal obstruction—H. B. Whittet and R. E. Quiney. *Clin. Rec.*, 359
- Middle-ear damage caused by a defective portable headphone—H. Arndal and A. Bomholt. *Clin. Rec.*, 715
- Minitracheotomy and laryngeal function—J. B. Campbell, M. G. Watson, L. Povey and P. M. Sheno. *Orig. Art.*, 49
- Mobility of the tragus—J. H. Neame. *Clin. Rec.*, 252
- Modification of the MacFee incisions for neck dissection, A—H. J. Shaw. *Orig. Art.*, 1124
- Moebius' syndrome—M. N. Jamal, N. S. Samara and M. T. A. Al-Lozi. *Clin. Rec.*, 350
- Monoclonal antibodies against epithelial antigens in laryngeal carcinomas—G. Cortesina, G. P. Cavallo, M. Macario, E. Poggio, M. Cerrato, M. Prat and G. Bussolati. *Orig. Art.*, 709
- Mucoepidermoid carcinoma of the trachea—H. Said, K. S. Phang and A. G. Gibb. *Clin. Rec.*, 83
- Myringoplasty with three meatal flaps—K. Zaman and K. Borah. *Orig. Art.*, 777
- Nasal granuloma gravidarum—D. P. McShane and M. A. Walsh. *Clin. Rec.*, 828
- Nasal involvement in systemic amyloidosis—S. P. Dubey, Y. N. Mehra, A. K. Banerjee, S. B. S. Mann, K. Garge and V. I. Nehru. *Clin. Rec.*, 1153
- Nasal lipoma—J. M. Preece, D. B. Kearns, J. K. Wickersham, A. R. Grace and C. M. Bailey. *Clin. Rec.*, 1044
- Nasal manifestations of yaws—H. B. Whittet and R. E. Quiney. *Clin. Rec.*, 1147
- Nasal mucosal blood flow in patients with diabetes mellitus—S. Löth, A. Löth and M. Bende. *Orig. Art.*, 791
- Nasal paraganglioma—D. J. Watson. *Clin. Rec.*, 526
- Nasal regurgitation as the presenting symptom of rhinolithiasis—M. H. Wickham and R. P. E. Barton. *Clin. Rec.*, 59
- Nasal septal carcinoma: initial symptom of nasal septal perforation—M. Echeverria-Zumarraga, C. Kaiser and C. Gavilan. *Clin. Rec.*, 834
- Nasal valve: A physiological and clinical study, The—A. S. Jones, R. G. Wright, J. C. Stevens and E. Beckingham. *Orig. Art.*, 1089

- Nasopharyngeal angiofibroma—D. A. Tandon, S. Bahadur, S. K. Kacker and R. K. Goulatia. *Orig. Art.*, 805
Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy—X. Chan, M. Med and Y. Xie. *Clin. Rec.*, 184
Nasopharyngeal cyst—P. M. Robinson. *Clin. Rec.*, 182
NED survival in head and neck cancer—A. A. Narula, C. J. Padfield, D. A. L. Morgan, K. A. MacLennan and P. J. Bradley. *Clin. Rec.*, 194
Necrotizing external otitis treated with ciprofloxacin—F. Sabater, J. Mensa, J. Doménech, M. Loncá and M. Carulla. *Clin. Rec.*, 606
Necrotizing otitis externa—A. D. Couldry and P. L. Sharma. *Clin. Rec.*, 713
Neurofibromas of the paranasal sinuses—D. J. Stevens and N. Kirkham. *Clin. Rec.*, 256
New cryoprobe with advantages in turbinate freezing, A—I. G. Williamson, M. Timms and P. Canty. *Orig. Art.*, 503
New laryngeal instrument for laser microsurgery, A—A. Keith, M. S. Timms and W. T. Farrington. *Clin. Rec.*, 554
Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites—C. Wallace, A. D. Ramsey and R. E. Quiney. *Orig. Art.*, 914
Non-Hodgkins lymphoma of the temporal bone—A. Nicholaides, D. J. McFerran and G. Croxson. *Clin. Rec.*, 928
- Obliteration of mastoid cavities using bone pâté—N. B. Solomons and J. M. Robinson. *Orig. Art.*, 783
Oculomotor findings in autistic children—U. Rosenhall, E. Johansson and C. Gillberg. *Orig. Art.*, 435
Odontogenic keratocyst involving the maxillary antrum—P. Shenoy, K. O. Paulose, S. Al Khalifa and R. K. Sharma. *Clin. Rec.*, 1168
Oesophageal carcinoma: endoscopic and clinical findings in 258 patients—H. J. Puhakka and K. Aitsalo. *Orig. Art.*, 1137
Osteoclast-type giant cell neoplasms of the parotid gland—J. G. Batsakis, N. G. Ordóñez, P. A. Sevidal and J. R. Baker. *Orig. Art.*, 901
Osteogenic sarcoma of the ethmoid sinus—C. Bradley, L. G. McClymont and R. Reid. *Clin. Rec.*, 1176
Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses—K. O. Paulose, S. Al Khalifa, P. K. Shenoy, S. Harris and R. K. Sharma. *Clin. Rec.*, 1047
Otogenic intradural complications—T. J. Mathews and G. Marus. *Orig. Art.*, 121
Otology at the crossroads—A. W. Morrison. *Orig. Art.*, 751
Otoneurological aspects of pontine hematoma—R. Albera, F. Pia, M. Bussi, S. Lucisano and P. Mortara. *Clin. Rec.*, 453
Otopathology of Egyptian mummy Pum II—J. P. Benitez. *Orig. Art.*, 485
Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology—W. Arnold and I. Friedmann. *Orig. Art.*, 865
Ototoxicity of ethacrynic acid—L. P. Rybak. *Clin. Rec.*, 518
Outcome of different management patterns for vocal cord nodules, The—J. M. Lancer, D. Syder, A. S. Jones and A. Le Boutillier. *Orig. Art.*, 423
- Papillary endothelial hyperplasia in the nose—D. J. Stevens. *Clin. Rec.*, 935
Parental smoking and middle ear effusions in children—A. E. Hinton and G. Buckley. *Orig. Art.*, 992
Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections—D. A. Parker, J. Woodhead and A. R. Das Gupta. *Orig. Art.*, 509
Perforation of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes—M. R. Hawthorn and A. J. Parker. *Orig. Art.*, 997
Pericarditis and peritonitis secondary to otitis media—F. J. Lannigan and R. M. Terry. *Clin. Rec.*, 717
Perinatal salivary gland tumours (Embryomas)—J. G. Batsakis, B. Mackay, A. F. Ryka and R. W. Seifert. *Orig. Art.*, 1007
Peripheral nerve involvement in acute Bell's palsy—F. Abdel-Baki, H. Moghazi, A. Eassa and F. Talaat. *Clin. Rec.*, 447
Plasma cell granuloma of the larynx—C. Albizzati, K. C. R. B. Ramesar and B. C. Davis. *Clin. Rec.*, 187
Plasmacytoma of the nose with intracranial extension—J. N. Chaudhuri, B. B. Khatri and P. Chatterji. *Clin. Rec.*, 538
Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct—J. Kronenberg, A. Horowitz and D. Creter. *Clin. Rec.*, 382
Pleomorphic adenoma of the trachea—M. Hasegawa, H. Ebihara, M. Shibusawa, K. Watanabe, H. Harada, T. Oku, I. Watanabe and R. Ichinohasama. *Clin. Rec.*, 560
Pleomorphic adenomas of the parotid gland—C. Wenmbo, O. Spandow, P. Emgård and B. Krouthén. *Orig. Art.*, 603
Posterior cleft larynx associated with hamartoma—T. J. Lyons and S. Varied. *Clin. Rec.*, 471
Post-tonsillectomy analgesia: The use of benzocaine lozenges—J. H. Dempster. *Orig. Art.*, 813
Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus—P. J. Robinson and P. Woodhead. *Clin. Rec.*, 1164
Primary nasal tuberculosis masquerading as a malignant tumour—D. W. Sim and J. A. Crowther. *Clin. Rec.*, 1150
Pritt Tak: Another hazard of grommets and swimming—D. R. Clark. *Clin. Rec.*, 1039
Prognostic factors in labyrinthectomy—D. J. Willatt and M. W. Yung. *Orig. Art.*, 785
Prognostic factors in otitis media with effusion—P. M. Robinson. *Orig. Art.*, 989
Prospective management of malignant hyperthermia in the otolaryngological patient—P. A. Wackym and I. H. Abdul-Rasool. *Orig. Art.*, 513
Prospective randomized trial of suture material in aural wound closure, A—D. J. Willatt, L. Durham, M. F. Ramadan and N. Bark-Jones. *Orig. Art.*, 788
Pseudocyst of the auricle—A. Job, T. S. Bhani, R. Mathai and R. Raghavan. *Clin. Rec.*, 344
Pseudomonas vaccination in chronic ear disease—S. K. Kent and R. Jones. *Orig. Art.*, 579
Pseudoparasitic (Liesegang) bodies in paranasal sinus—N. Sneege, J. G. Batsakis, R. A. Hawkins and H. P. Doble II. *Clin. Rec.*, 730
Pseudosarcoma of the oesophagus—D. G. John, S. S. Cross and M. S. Lewis. *Clin. Rec.*, 954
- Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow—R. G. Wight, A. S. Jones and E. Beckingham. *Orig. Art.*, 694
Rare mid-line congenital anomalies of the face—M. Mokhtar Farag, A. Ragaie and M. A. El-Ot-eify. *Clin. Rec.*, 1040
Rationalization of peritonsillar abscess as an indication for tonsillectomy—J. W. A. Curley and G. J. Bates. *Orig. Art.*, 37
Reconstruction of the pharynx after laryngectomy and partial pharyngectomy—N. D. Stafford and R. N. Matthew. *Orig. Art.*, 45
Recurrent facial palsy at high altitude—C. J. Woodhead. *Clin. Rec.*, 718
Recurrent respiratory papillomatosis—B. Benjamin and D. S. Parsons. *Orig. Art.*, 1022
Relapsing malignant otitis externa successfully treated with ciprofloxacin—G. A. J. Morrison and C. M. Bailey. *Orig. Art.*, 872
Relapsing polychondritis—P. D. B. West. *Clin. Rec.*, 254
Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy—S. Kristensen, K. Tveteraas, P. Hein, M. B. Poulsen and K. E. Outzen. *Orig. Art.*, 39
Reopening of the closed nostril in atrophic rhinitis—A. K. Gadre, R. Savant, K. C. Gadre, K. B. Bhargava and R. V. Juvekar. *Orig. Art.*, 411
Repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap, The—C. R. Choudhury, N. R. McLean, K. Harrop-Griffiths and N. M. Breach. *Orig. Art.*, 1127
Retropharyngeal abscess complicating a neck wound—J. M. Pickles. *Clin. Rec.*, 552
Revision stapes surgery—B. K. Bhandwaj and S. K. Kacker. *Orig. Art.*, 20

- Rhabdomyoma of the tongue—M. Y. Boysen, H. Scott, T. Hovig, J. Wetteland and A. Kolbenstvedt. *Clin. Rec.*, 1185
 Rhabdomyosarcoma of the middle ear and mastoid in children—H. Said, K. S. Phang, A. Razi, R. Khuzaiyah, P. H. Patawari and R. Esa. *Clin. Rec.*, 614
 Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years—R. G. Wight, S. C. Harris, J. R. Shortland and J. D. Shaw. *Clin. Rec.*, 1182
 Rhabdomyosarcoma of the trachea—A. Kedar, G. Cantrel and G. Rosen. *Clin. Rec.*, 735
 Role of fine needle aspiration biopsy in head and neck tumours—G. Raju, P. K. Kakar, D. K. Das, P. L. Dhingra and S. Bhamhani. *Orig. Art.*, 248
 Role of the carbon dioxide laser in treatment of carcinoma of the tongue, The—S. Rhys Williams and J. A. S. Carruth. *Orig. Art.*, 1122
 Ruthenium red staining of the endolymphatic sac in the guinea pig—M. Takumida, D. Bagger-Sjöback and H. Rask-Anderson. *Orig. Art.*, 760
- Safety and efficacy of intra-nasal ethmoidectomy, The—D. J. Watson and M. V. Griffiths. *Orig. Art.*, 802
 Scar formation following impulse noise-induced mechanical damage to the organ of Corti—M. Roberto and F. Zito. *Orig. Art.*, 2
 Schwannoma of the cervical sympathetic chain—D. J. Myssiorek, C. E. Silver and M. E. Valdes. *Clin. Rec.*, 962
 Scrofula revisited—Y. P. Talmi, Y. Finkelstein, Y. Shem Tov, Y. Zohar and N. Laurian. *Clin. Rec.*, 387
 Septic cavernous and lateral sinus thrombosis—K. Tveteras, S. Kristensen and H. Dommerby. *Orig. Art.*, 877
 Septoplasty and/or submucous resection?—O. Fjermedal, C. Saunte and S. Pedersen. *Orig. Art.*, 796
 Serous otitis media in malignancies of the nasopharynx and maxilla—W. I. Wei, V. J. Lund and D. J. Howard. *Orig. Art.*, 129
 Serum immunoglobulin E levels in patients with head and neck cancer—H. Lal, B. Singh, U. Wig and A. S. Saini. *Orig. Art.*, 432
 Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization—N. B. Solomons and R. Blumgart. *Clin. Rec.*, 260
 Simple surgical technique and a new prosthesis for voice rehabilitation after laryngectomy, A—W. Singh. *Orig. Art.*, 332
 Some complications of tracheo-oesophageal puncture for voice restoration—J. W. A. Curley and G. M. O'Donoghue. *Clin. Rec.*, 558
 Spontaneous cerebrospinal fluid rhinorrhoea—N. R. Bleach, P. A. Stanworth and J. M. Stansbie. *Clin. Rec.*, 633
 Spontaneous passage of a submandibular salivary calculus in a child—S. S. Walsh and W. G. Robson. *Clin. Rec.*, 1052
 Spontaneous perforation of the cervical oesophagus—J. J. Phillips. *Clin. Rec.*, 69
 Spontaneous perforation of the pharynx/oesophagus—M. Wake, K. Pearman and J. B. Campbell. *Clin. Rec.*, 549
 Squamous carcinoma arising within a Warthin's tumour of the parotid gland—G. A. J. Morrison and H. J. Shaw. *Clin. Rec.*, 1189
 Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis—J. H. Dempster and K. Mackenzie. *Clin. Rec.*, 938
 Stage I Hodgkin's disease of the nasopharynx—F. Daniel, F. S. M. Mancero, J. G. Conrad and C. J. Tyrrell. *Clin. Rec.*, 1179
 Staging in the treatment of maxillary carcinoma revisited—F.-C. Liu and M. Strome. *Orig. Art.*, 224
 Steroid-responsive hearing loss in temporal arteritis—M. R. Kramer, G. Nesher and M. Sonnenblick. *Clin. Rec.*, 524
 Stoma buttons—an unreported hazard—J. H. Dempster and J. A. Roig. *Clin. Rec.*, 556
 Study of the nasopharynx in man by scanning electron microscopy—M. Gulisano, G. Polli, G. Biondi and P. Pacini. *Orig. Art.*, 1102
 Styloid process in ossicular chain reconstruction, The—S. B. Ogale, C. Desouza, J. Sheode and K. L. Shah. *Orig. Art.*, 136
 Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium)—A. Pace-Balzan and R. T. Ramsden. *Clin. Rec.*, 57
 Superior vena cava syndrome: presenting symptoms of silent otitis media—F. Tovi, M. Hirsch and A. Gatot. *Clin. Rec.*, 623
 Surface morphology of the endolymphatic sac of the Mongolian gerbil (*Meriones unguiculatus*), The—M. Barbara, H. Rask-Anderson and D. Bagger-Sjöback. *Orig. Art.*, 308
 Surgery of cholesteatoma in children—R. Charachon. *Orig. Art.*, 680
 Surgery related to histopathology in chronic inflammatory middle-ear disease—T. Palva. *Orig. Art.*, 851
 Surgical anatomy for multiple-electrode extracochlear implant operations, The—B. K-H. G. Franz and G. M. Clark. *Orig. Art.*, 685
 Surgical salvage for squamous cancer involving the supraglottic larynx—H. J. Shaw. *Orig. Art.*, 704
 Swallowed foreign bodies—J. J. Phillips and P. Patel. *Orig. Art.*, 235
 Swallowed radiolucent dental prosthesis—R. P. Youngs, D. Gatland and J. Brookes. *Clin. Rec.*, 71
 S-100 protein localization in minor salivary gland tumours: an aid to diagnosis—J. B. Campbell, J. Crocker and P. M. Shenoi. *Orig. Art.*, 905
 Teratoma of the mastoid region in a newborn—Y. P. Talmi, R. Sador, F. Dulitzky, Y. Finkelstein and Y. Zohar. *Clin. Rec.*, 1033
 The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests—A. B. Drake-Lee and P. McLoughlan. *Orig. Art.*, 886
 Thermal myringotomy—R. W. Ruckley and R. L. Blair. *Orig. Art.*, 125
 Thermoplastic splint, The—D. W. Morgan and M. Deadman. *Clin. Rec.*, 724
 Thirty years of stapes surgery—J. J. Shea. *Orig. Art.*, 14
 Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma—Y. Talmi, M. Kalmanovitch and Y. Zohar. *Clin. Rec.*, 91
 Thyroid cartilage at the suprasternal notch with low situated thyroid gland—S. M. Soliman. *Clin. Rec.*, 476
 Tonsillar haemorrhage and measles—D. G. John, P. L. Thomas and D. Semeraro. *Clin. Rec.*, 64
 Toothbrush: an unusual foreign body in ENT practice—G. N. Shirali, R. A. Savant, P. K. Uppal and K. B. Bhargava. *Clin. Rec.*, 1068
 Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry—N. S. Jones and G. S. Kenyon. *Orig. Art.*, 1095
 Total bilateral hearing loss as a complication of myeloma—D. Keay. *Clin. Rec.*, 357
 Total laryngotracheal hypoplasia in a case of G syndrome—J. G. Buckley, A. E. Hinton, G. Penter and P. A. Farndon. *Clin. Rec.*, 1056
 Tracheostomal reconstruction using a fenestrated deltopectoral skin flap—C. A. East, A. F. Stewart Flemming and M. D. Brough. *Clin. Rec.*, 282
 Traumatic perilymphatic fistulae of the lateral semicircular canal—E. Yaniv and P. Traub. *Clin. Rec.*, 521
 Treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate, The—Y. Anavi, G. Har-El and S. Mintz. *Clin. Rec.*, 87
 Tuberculous mastoiditis—G. Buchanan and E. H. Rainer. *Clin. Rec.*, 440
 Tumefactive fibroinflammatory lesion of the head and neck—H. Said, A. Razi Hadi, S. Noor Akmal and S. Lokman. *Clin. Rec.*, 1064
 Tumours of the mastoid temporal bone—S. K. De and D. D. Dey. *Orig. Art.*, 582
 Tympanic membrane in cross section, The—T. H. J. Lesser and K. R. Williams. *Orig. Art.*, 209
 Unique presentation of giant cell arteritis, A—D. A. J. Mills and I. A. Stewart. *Clin. Rec.*, 636
 Unusual complication of epistaxis, An—C. A. J. Prescott. *Clin. Rec.*, 176
 Unusual foreign body presenting in the nasopharynx, An—B. S. Gendeh and A. G. Gibb. *Clin. Rec.*, 641

- Unusual posterior cranial fossa tumour causing hearing loss, An—A. Pace-Balzan, R. T. Ramsden, R. H. Lye and J. P. R. Jenkins. *Clin. Rec.*, 720
- Unusual presentations of extramedullary plasmacytoma in the head and neck—J. Waldron and D. B. Mitchell. *Clin. Rec.*, 102
- Unusual subcutaneous neck lump, An—F. J. Lannigan, C. J. R. Newbegin and R. M. Terry. *Clin. Rec.*, 385
- Upper airway obstruction, sleep disturbance and adeno-tonsillectomy in children—A. C. Swift. *Orig. Art.*, 419
- Use of anaesthetic EMLA cream in minor otological surgery, The—B. Bingham and M. Hawthorne. *Clin. Rec.*, 517
- Use of bronchoscopic CO₂ laser in palliation of obstruction tracheobronchial malignancy—V. Oswal, L. M. Flood and R. W. Ruckley. *Orig. Art.*, 159
- Use of sputum-trap in the collection of antral washout specimen during antroscopy, The—N. S. Violaris and M. Bridger. *Clin. Rec.*, 540
- Use of the fibreoptic laryngoscope in pharyngeal pouch surgery—R. P. E. Barton, A. W. Forrest and M. H. Wickham. *Orig. Art.*, 328
- Use of Walkman mini-stereo system as a tinnitus masker, The—A. H. H. Al-Jassim. *Orig. Art.*, 27
- Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea—M. H. Abdu and J. G. Feghali. *Clin. Rec.*, 546
- Value of Politzerization in the treatment of atelectatic ears, The—M. Luntz and J. Sadé. *Orig. Art.*, 779
- Vascular leiomyoma of the inferior turbinate—G. S. Hanna, A. B. Akosa and M. H. Ali. *Clin. Rec.*, 1159
- Verrucous carcinoma of the larynx: problems of diagnosis and treatment—A. O. Ibekwe and E. Duvall. *Clin. Rec.*, 79
- Vidian neurectomy worthwhile?, Is—S. B. Ogale, A. Shah, S. C. Rao and K. L. Shah. *Clin. Rec.*, 62
- Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome—G. Martinovits, G. Leventon, Y. Goldhammer and M. Sadeh. *Clin. Rec.*, 280
- Wax plugs and cotton buds—D. W. Sim. *Orig. Art.*, 575
- Weight gain in children following tonsillectomy—G. S. Barr and J. Osborne. *Orig. Art.*, 595
- Why you should have a hearing therapist—C. Wood and I. Miettinen. *Orig. Art.*, 142
- Wound healing following partial glossectomy using the CO₂ laser, diathermy and scalpel—M. K. Basu, J. W. Frame and P. H. Rhys Evans. *Orig. Art.*, 322
- Young's syndrome—L. A. Smallman, J. Oates and D. W. Proops. *Clin. Rec.*, 460

ARE YOU A SUBSCRIBER TO THE J.L.O?

TEN good reasons why you should:

Each issue now contains 40 per cent more material (since January, 1988).

Each issue contains approximately 100 pages per month.

More than 1,000 pages of the best in current ENT literature—each year.

Main Articles and Case Reports from all over the world.

Quarterly Book Review Service.

Subscribers receive all supplements produced in that year (three published in 1988).

Every 10 years, complete index issue published— included in the subscription (next issue will appear at the end of 1989).

Binder available at cost price to hold each year's issues (recommenced 1988).

Reduced subscription rates for those in training (Registrars/Residents/Interns). (From January 1989.)


Subscription normally tax deductible. (Those in training should submit a certificate from the Head of the Department giving details of their appointment; those who qualify must supply their *home* address for mailing direct.)

The J.L.O. has now been published for more than a century and remains excellent value for money—so why not have your own individual copy and give yourself everyday access!

The Journal of Laryngology and Otology

Edited by JOHN B. BOOTH

(founded in 1887 by MORELL MACKENZIE
and NORRIS WOLFENDEN)



Monthly Journal

Assistant Editors DAVID WRIGHT, NEIL WEIR, PATRICK BEASLEY & CAROL WENGRAF

Adviser in Pathology IMRICH FRIEDMANN

Adviser in Audiology LINDA LUXON

Advisers in Radiology GLYN LLOYD and PETER PHELPS

Subscription Order— The Journal of Laryngology and Otology

To: The Journal of Laryngology and Otology
Headley Brothers Limited
The Invicta Press
Ashford Kent TN24 8HH

Subscription Rates:
per year £60.00
USA \$150 including postage
Reduced Rate for those in-training
(Residents/Registrars) £35 (\$90)

Please send a subscription to: _____ NAME (please print) _____

ADDRESS (please print) _____

I enclose a cheque payable to Headley Brothers Ltd.

for £

Date

Instructions to Authors

Historical Articles. Articles of this type are generally encouraged, but it is obvious that they have to provide some new information or interpretation, whether it be about a well-known person or for example an instrument associated with him, but those from within a Hospital's own department who have made a hitherto less well-known contribution would be welcome.

Letters to the Editor. This feature is to be re-introduced to give those who wish to comment about a paper previously published within the Journal, an opportunity to express their views. Wherever possible, we shall ask the original author to add his further comment, thereby adding to the value of the contribution. Such letters should be sent as soon as possible after publication of each month's issue of the Journal in the hope of including them as soon as possible thereafter.

'Mini-papers, such as those which appear in the British Medical Journal, Lancet, or New England Journal of Medicine, will not be acceptable except on the rare occasion that they bring information of immediate interest to the reader.'

Pathology. It is proposed to present on a monthly or bi-monthly basis, articles which are pathological interest with particular emphasis on the way the diagnosis was achieved, the techniques involved, etc. It is hoped that clinicians will involve their pathologists in these reports, and all illustrations must be of first-class quality. Where a department, particularly those overseas, may not have such specialized facilities, it may be possible, if a block or several unstained sections are provided for our Adviser to produce or supplement the illustration submitted. Only contributions of particular pathological interest will be accepted.

Radiology. It is proposed to introduce on a monthly or bi-monthly basis, short reports on cases in which the radiology has been crucial in the making of the diagnosis or the management of a particular case. This spot is to encourage clinicians and radiologists to produce material of particular interest in the specialty and to encourage co-operation in this field. Only presentations with first-class illustrations can be accepted and these must emphasise a problem of unusual clinical interest.

Check List for Authors/Secretaries

1. Title page—Titles should be short with names of the authors, higher degrees only and the city/country. Details of the departments in which the authors work should be put lower down.
An address for correspondence should be supplied together with the author who should receive this and this will ultimately appear beneath the list of references. If the paper was presented at a meeting, the details of this must be given and will be inserted at the bottom of the first page of the printed script.
2. Abstract—No paper will be accepted without this and it adds considerably to the Editor's time to have to write and request this if the paper is accepted.
3. To follow the Instructions to Authors with the way in which the paper is set out. It is preferred that each section should start on a fresh page with double spacing and wide margins.
4. References must be in the Harvard system; to submit a paper using the Vancouver system is automatically to have it returned or rejected.
5. Two sets of illustrations must be included, one of half-plate size and the other with the width of 80 mm. Illustrations must be clearly labelled with the author's name on the reverse side and where appropriate with an arrow to give orientation.
6. Authors to check manuscript and references to see that these match up particularly for dates and spelling.
7. Titles of Journals must be given in full with the date, volume number and first and last pages.
8. Consent to be obtained from a patient if a photograph of their face is to be reproduced.
9. If the author to whom correspondence is to be directed changes his address, he should let the Editorial Office know as soon as possible.
10. Page proofs will normally be sent out three months in advance and must be returned as soon as possible.

The Journal of Laryngology and Otology

Vol 102

December 1988

Instructions to Authors

Inside Front Cover

Editorial

Main Articles

The evolution of rhinoplasty: <i>C. Walter</i>	1079
Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings: <i>M. C. F. Smith and H. R. Cable</i>	1086
The nasal valve: A physiological and clinical study: <i>A. S. Jones, R. G. Wright, J. C. Stevens and E. Beckingham</i>	1089
Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry: <i>N. S. Jones and G. S. Kenyon</i>	1095
The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps: <i>A. B. Drak-Lee, E. Chevreton and D. Lowe</i>	1099
Study of the nasopharynx in man by scanning electron microscopy: <i>M. Gulisano, G. Polli, G. Biondi and P. Pacini</i>	1102
Acromegaly—the mucosal changes within the nose and paranasal sinuses: <i>D. W. Skinner and S. H. Richards</i>	1107
Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system: <i>K. Ikeda, T. Sakurada, Y. Sasaki, T. Takasaka and Y. Furukawa</i>	1111
Local iatrogenic complications in nasopharyngeal rhinoscleroma: <i>E. E. Dawlatly, J. T. Anim and M. E. Baraka</i>	1115
Coronal CT examination in the evaluation of small fronto-ethmoidal encephaloceles: <i>E. Lunndorf, A. Kjeldgaard and H. Halaburt</i>	1119
The role of the carbon dioxide laser in treatment of carcinoma of the tongue: <i>S. Rhys Williams and J. A. S. Carruth</i>	1122
A modification of the Mac Fee incisions for neck dissection: <i>H. J. Shaw</i>	1124
The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap: <i>C. R. Choudhury, N. R. McLean, K. Harrop-Griffiths and N. M. Breach</i>	1127
Induction cytotoxic chemotherapy: The significance of apparent clinical regression after using the Price Hill schedule A protocol for squamous carcinoma of the head and neck: <i>H. J. Shaw</i>	1133
Oesophageal carcinoma: endoscopic and clinical findings in 258 patients: <i>H. J. Puhalka and K. Aitsalo</i>	1137

Clinical Records

Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma: <i>S. K. Lau, W. I. Wei, D. Choy, J. Shum and U. C. G. Engzell</i>	1142
Nasal manifestations of yaws: <i>H. B. Whittet and R. E. Quiney</i>	1147
Primary nasal tuberculosis masquerading as a malignant tumour: <i>D. W. Sim and J. A. Crowther</i>	1150
Nasal involvement in systemic amyloidosis: <i>S. P. Dubey, Y. N. Mehra, A. K. Banerjee, S. B. S. Mann, K. Garge and V. I. Nehru</i>	1153
Angiomyolipoma of the nasal cavity: <i>E. E. Dawlatly, J. T. Anim and A. Y. El-Hassan</i>	1156
Vascular leiomyoma of the inferior turbinate: <i>G. S. Hanna, A. B. Akosa and M. H. Ali</i>	1159
Haemangiopericytoma of the nasal septum: <i>S. Al-Khalifa, K. O. Paulose, P. Shenoy and R. K. Sharma</i>	1161
Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus: <i>P. J. Robinson and P. Woodhead</i>	1164
Odotogenic keratocyst involving the maxillary antrum: <i>P. Shenoy, K. O. Paulose, S. Al Khalifa and R. K. Sharma</i>	1168
Craniofacial resection for extensive paranasal sinus aspergilloma: <i>R. E. Quiney, M. J. C. Rogers, R. N. Davidson and A. D. Cheesman</i>	1172
Osteogenic sarcoma of the ethmoid sinus: <i>C. Bradley, L. G. McClymont and R. Reid</i>	1176
Stage I Hodgkin's disease of the nasopharynx: <i>F. Daniel, F. S. M. Mancero, J. G. Conrad and C. J. Tyrrell</i>	1179
Rhabdomyosarcoma of the nasopharynx a case with recurrence of tumour after 20 years: <i>R. G. Wight, S. C. Harris, J. R. Shortland and J. D. Shaw</i>	1182
Rhabdomyoma of the tongue: <i>M. Y. Boysen, H. Scott, T. Hovig, J. Wetteland and A. Kolbenstvedt</i>	1185
Squamous carcinoma arising within a Warthin's tumour of the parotid gland: <i>G. A. J. Morrison and H. J. Shaw</i>	1189
General Notes	1192
Index	1195