VOLUME 29 / NUMBER 2 / 1987

Radinea

Published by THE AMERICAN JOURNAL OF SCIENCE

Editor MINZE STUIVER

Associate Editors

To serve until January 1, 1989 STEPHEN C PORTER Seattle, Washington

To serve until January 1, 1988 W G MOOK Groningen, The Netherlands HANS OESCHGER Bern, Switzerland

To serve until January 1, 1990 ANDREW MOORE New Haven, Connecticut

To serve until January 1, 1992 CALVIN J HEUSSER Tuxedo, New York

Managing Editor RENEE S KRA

Kline Geology Laboratory Yale University New Haven, Connecticut 06511

ISSN: 0033-8222

NOTICE TO READERS AND CONTRIBUTORS

Since its inception, the basic purpose of *RADIOCARBON* has been the publication of compilations of ¹⁴C dates produced by various laboratories. These lists are extremely useful for the dissemination of basic ¹⁴C information.

In recent years, *RADIOCARBON* has also been publishing technical and interpretative articles on all aspects of ¹⁴C. We would like to encourage this type of publication on a regular basis. In addition, we will be publishing compilations of published *and unpublished* dates along with interpretative text for these dates on a regional basis. Authors who would like to compose such an article for his/her area of interest should contact the Managing Editor for information.

Another section is added to our regular issues, "Notes and Comments." Authors are invited to extend discussions or raise pertinent questions to the results of scientific investigations that have appeared on our pages. The section includes short, technical notes to relay information concerning innovative sample preparation procedures. Laboratories may also seek assistance in technical aspects of radiocarbon dating. Book reviews will also be included for special editions.

Manuscripts of radiocarbon papers should follow the recommendations in Suggestions to Authors* and RADIOCARBON Style Guide (R, 1984, v 26, p 152–158). Our deadline schedule for submitting manuscripts is:

For	Date
Vol 30, No. 1, 1988	Sept 1, 1987
Vol 30, No. 2, 1988	Jan 1, 1988
Vol 30, No. 3, 1988	May 1, 1988

Half life of ¹⁴C. In accordance with the decision of the Fifth Radiocarbon Dating Conference, Cambridge, 1962, all dates published in this volume (as in previous volumes) are based on the Libby value, $55'/0 \pm 30$ yr, for the half life. This decision was reaffirmed at the 11th International Radiocarbon Conference in Seattle, Washington, 1982. Because of various uncertainties, when ¹⁴C measurements are expressed as dates in years BP the accuracy of the dates is limited, and refinements that take some but not all uncertainties into account may be misleading. The mean of three recent determinations of the half life, 5730 ± 40 yr, (Nature, v 195, no. 4845, p 984, 1962), is regarded as the best value presently available. Published dates in years BP can be converted to this basis by multiplying them by 1.03.

AD/BC Dates. In accordance with the decision of the Ninth International Radiocarbon Conference, Los Angelés and San Diego, 1976, the designation of AD/BC, obtained by subtracting AD 1950 from conventional BP determinations is discontinued in Radiocarbon. Authors or submitters may include calendar estimates as a comment, and report these estimates as cal AD/BC, citing the specific calibration curve used to obtain the estimate. Calibrated dates will now be reported as "cal BP' or "cal AD/BC" according to the consensus of the Twelfth International Radiocarbon Conference, Trondheim, Norway, 1985,

Meaning of δ^{14} C. In Volume 3, 1961, we endorsed the notation Δ (Lamont VIII, 1961) for geochemical measurements of ¹⁴C activity, corrected for isotopic fractionation in samples and in the NBS oxalic-acid standard. The value of δ^{14} C that entered the calculation of Δ was defined by reference to Lamont VI, 1959, and was corrected for age. This fact has been lost sight of, by editors as well as by authors, and recent papers have used δ^{14} C as the observed deviation from the standard. At the New Zealand Radiocarbon Dating Conference it was recommended to use δ^{14} C only for age-corrected samples. Without an age correction, the value should then be reported as percent of modern relative to 0.95 NBS oxalic acid (Proceedings 8th Conference on Radiocarbon Dating, Wellington, New Zealand, 1972). The Ninth International Radiocarbon Conference, Los Angelés and San Diego, 1976, recommended that the reference standard, 0.95 times NBS oxalic acid activity, be normalized to δ^{13} C = -19%.

In several fields, however, age corrections are not possible. $\delta^{14}C$ and Δ , uncorrected for age, have been used extensively in oceanography, and are an integral part of models and theories. For the present, therefore, we continue the editorial policy of using Δ notations for samples not corrected for age.

*Suggestions to Authors of the Reports of the United States Geological Survey, 6th ed, 1978, Supt of Documents, U.S. Govt Printing Office, Washington, DC 20402.

CONTENTS

	Radiocarbon Age Anomalies in Shell Carbonate of Land Snails from Semi-Arid Areas Glenn A Goodfriend	159
	The Impact of Bioturbation on AMS ¹⁴ C Dates on Handpicked Foraminifera: A Statistical Model <i>Michael Andrée</i>	169
	DATE LISTS	
ВМ	Janet Ambers, Keith Matthews, and Sheridan Bowman British Museum Natural Radiocarbon Measurements XX	177
IRPA	Michèle Dauchot-Dehon and Mark Van Strydonck Institut Royal du Patrimoine Artistique Radiocarbon Dates XII	197
SMU	Herbert Haas Southern Methodist University Radiocarbon Date List III	209
ТВ	AA Burchuladze and GI Togonidze Tbilisi Radiocarbon Dates IV	239
Wk	Alan G Hogg, David J Lowe and Chris H Hendy University of Waikato Radiocarbon Dates 1	263
	NOTES AND COMMENTS	
	Preparation of Small Samples for ¹⁴ C Accelerator Targets by Catalytic Reduction of CO PJ Slota, Jr, AJT Jull, TW Linick, and LJ Toolin	303
	Discussion: The Question of Diffuse Secondary Growth of Palm Trees: A Comment Julian Ash	307
	Reply LHG Weisberg and TW Linick	309