

VOL. III.—1889.

^c
THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.

AND

R. NORRIS WOLFENDEN, M.D. Cantab.

WITH THE CO-OPERATION OF

DR. JOHN N. MACKENZIE (BALTIMORE)
DR. BRYSON DELAVAN (NEW YORK)
DR. W. PORTER (ST. LOUIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI (WARSAW)
DR. BARCLAY J. BARON (BRISTOL)

DR. VALERIUS IDELSON (BERNE)
DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. G. HUNTER MACKENZIE (Edinburgh).

Published Monthly.

LONDON:
R. ANDERSON & CO.,
14, COCKSPUR STREET,
CHARING CROSS, S.W.

PHILADELPHIA:
P. BLAKISTON, SON & CO.,
1012, WALNUT STREET.

^c

CONTENTS.

Original Articles :—Dr. MIDDLEMASS HUNT : Lupus of the Throat and Nose, p. 359 (illustrated). Dr. NORRIS WOLFENDEN : Note on a Case of Syphilis imitating Lupus, p. 366. Dr. SOKOLOWSKI : A Case of Fracture of the Larynx, p. 367.

Therapeutics, Diphtheria, &c., p. 374.—HINDE : New Palate Retractor. OSBORNE : Tongue Depressor and Insufflator. SENATOR : Dilator for Oesophageal Strictures. BABER : Improvement in Posterior Rhinoscopy. DROZ : On Cocaine. MERMOD : Larynx and Cocaine. KOEHLER : Creolin. YEO : Grasse as a Health Resort. SQUIRE, PÜTTATIN : Prevention of Phthisis. VYSOKOVITCH : Treatment of Phthisis. GUYER, RANKE, EICBERG : Intubation. ROUGE : Treatment of Diphtheria by Arrac. HOLT : Laryngeal Diphtheria. SCHÜTZE : Mania cured by Diphtheria. SCHÖNFELDT : Multiple Sclerosis and Diphtheria. SCHILLING : Treatment of Whooping Cough. COOPER : Scarlatina and Cow's Milk.

Mouth, Tongue, Pharynx &c, p. 379.—PARKER : Cheiloplasty. WHEELER : Lingual Tumour. CORLEY : Epithelioma of Tongue. BARLING : Nævus of Tongue. BULL : Primary Tuberculosis of Tongue. LEVISEUR : Black Tongue. LANZ : Mercurial Salivation and Stomatitis. DOBSON : Cases of Oral Surgery. BAKER : Pyæmia of Dental Origin. CARY : Epithelioma of Soft Palate. BARLING : Adenoma of Soft Palate. WILLIAMSON : Cleft Palate. HARTMANN : Adhesion of Soft Palate, &c. "BRITISH MEDICAL JOURNAL" : Paralysis after Typhoid. HIRSCHLER and IRSAI : Pemphigus Vulgaris of Skin and Mucous Membranes. "BRITISH MEDICAL JOURNAL" : Chance of Tonsils. MIKHAILOFF : Chronic Tonsillitis and Bicarbonate of Soda. CHEEVER : Sarcoma of Tonsil. CHURTON : Tuberculosis of Pharynx. DINSMORE : Coins in Gullet. ALEXANDER : Cancer of Oesophagus. WEAVER : Gastrostomy for Stricture. SAVITZKY : Imaginary Swallowing of False Teeth.

Nose and Naso-Pharynx, p. 387.—POTTER : Mechanical Nasal Saw. WINDLE : Hay Fever. BARLING : Lupus Erythematosus. BARK : Naso-Pharyngeal Polyp. PARKER : Rhinoplasty. MCWEENEY : Rhinolith. JIRMÜNSKY : Atrophic Rhinitis. THORNER : Tinnitus Aurium and Nasal Obstruction. POKRASOFF : Larvæ of *Sarcophila Wohlfahrti* in the Nose.

Larynx, p. 391 : BOWLES, HEWITT : Raising the Epiglottis. RETHI, FAVITZKY : Hæmorrhagica Laryngitis. PITT : Compression Lesions. BATEMAN : Obscure Case of Stenosis. PITT : Laryngeal Syphilis. KIDD : Obstructive Form of Tuberculosis. HANDFORD, RINGK : Laryngeal Phthisis. ANTONOFF : Laryngeal Ulcers in Typhoid Fever. FAVITZKY : Functional Disturbances of the Vocal Apparatus in Puberty. BARON : Treatment of Laryngeal Growths. BROWNE, CREW : Growths of the Larynx. SEMON, BUTLIN, NEWMAN : Carcinoma of the Larynx. WILLIAMS : Tracheotomy Tube worn for Thirty-six Years. MONEY : Functional Infantile Palsy. LOOMIS : Sudden Asphyxia from Obstruction of Glottis. HEYMANN : Formation of Bone in Trachea and Bronchi. THELEN, MAY : Foreign Bodies in Air Passages.

Neck, &c., p. 399.—NEAL : Enlarged Thyroid and Epilepsy. GRIFFITH, FLYNN : Myxœdema. KOCHER : Extirpations of Goitre. KÖHN : Foreign Bodies in Neck. GREEN : Angina Ludovici. WYETH : Lymphomata of Neck.

New Preparations, p. 401.—Hypodermic Pocket Case (Burroughes, Wellcome & Co.) The Nebuliser (A. E. Holt).

A Correction, p. 402.

Notes, p. 402.

NEW APPLIANCES.

LONDON.]

SEPTEMBER.

1889.

Improved Instruments.

For the Self-application of topical remedies to the Anus and Rectum, as recommended by Dr. WARD COUSINS, Senior Surgeon to the Royal Portsmouth Hospital, and to the Portsmouth and South Hants Eye and Ear Infirmary. (Vide report—BRITISH MEDICAL JOURNAL).

Fig. 1. *Rectal Injector.*—The Anal Tube is made of vulcanite or elastic gum, and the syringe is capable of holding either 3 drs. or 6 drs. of fluid.

Fig. 2. *New Ointment Introducer.*—The Instrument is charged by unscrewing the neck and filling the barrel. The Ointment is projected through the tube by pressing upon the piston-plate with the finger.




Fig. I.



Fig II.

Price to the medical profession, 3s. each.

A Circular with formulæ, etc., will be sent post free to any physician on request.

PINOL-EUCALYPTIA DRY INHALER.

A NEW ANTISEPTIC POCKET INHALER.

On account of the injurious effects of moist inhalations in many cases of chronic disease of the pulmonary organs, and as medicaments administered with a hand spray seldom penetrate further than the larynx at most, we have arranged the simplest device it is possible to imagine, which fulfils every needful requirement, and is within the reach of the poorest. It is known as the Pinol-Eucalyptia Dry Inhaler, and is designed for impregnating the air inhaled with any volatile substances desired. It supersedes all other apparatus for "dry Inhalation" and appears to be perfect.



The Pinol-Eucalyptia Dry Inhaler is light, sub-

stantial, presentable, and easily cleaned—a great point. It is thoroughly efficient in every way, and perfectly adapted for the very weakest of lungs, rendering the air antiseptic, bracing and healing.

Dr. Sinclair Coghill of the Chest Hospital, Ventnor, said in an address, that out of all the multitude of Inhalers that had been submitted to his notice not one of them seemed to him a perfect instrument. Such has been the experience of medical men generally, but we believe all that will now change for the better. From the milder catarrhal troubles to cases of pulmonary gangrene this new Inhaler gives medical promise of great and very wide usefulness.

Price to the medical profession, 1s. 2d. each. Retail 1s. 6d. each.

VEREKER'S CHLORIDE OF AMMONIUM INHALER.

"The neutral vapour of Chloride of Ammonium removes unhealthy and offensive secretions, and restores the long diseased or weakened nasal and respiratory mucous membrane to a healthy state, so

that in cases of catarrh, where thickening, induration and irritation exist, a most decided improvement is brought about in a short time." In "throat-cough," pharyngeal irritation, and relaxation and weakness of the throat, it acts as a most effective alterative and tonic to the mucous membrane.

Dr. FRANKS, Dublin University, says:—"It is the best I have ever used, and I think I have tried all."

Dr. SMYLY, Ex-Pres. Royal College of Surgeons, Ireland, says:—"It is the best Inhaler for Chloride of Ammonium I have met with."

Supplied to the medical profession at 7s. 6d. each. Retail, 10s. each.

GLYCERINE SUPPOSITORIES (B. W. & Co.) IN CHRONIC CONSTIPATION.

The Suppositories are an improved form for the administration of Glycerine in the uncombined state. Defecation will generally result in from two to fifteen minutes after the Suppository has dissolved in the rectum.

The shells of the Suppositories are made of pure cocoa butter and Lanoline (Liebreich), are therefore readily melted by the heat of the body, and will not excite irritation as do injections of glycerine.

Supplied to the medical profession at 1s. 10d. per box, containing 1 doz.

BURROUGHS, WELLCOME & CO., Snow Hill Buildings, London, E.C.

Will be happy to supply trial Specimens to medical men free on request.