lodged at the level of the cricoid cartilage than when lower down, as in the former position the presence of the tube invariably caused reflex movements, which are absent when this region has been passed. No bad after-effects were seen in any case from the use of the œsophagoscope, and unless the wall of the œsophagus had been damaged the patient was able to swallow solid food immediately after the removal of the foreign body. Œsophagoscopy is, therefore, not only the safest method that exists for diagnosing the presence of foreign bodies in the œsophagus, but also, under the guidance of the œsophagoscope, in by far the majority of cases a satisfactory removal of the foreign body may be secured.

Knowles Renshaw.

#### EAR.

#### Hammond, P.—Brain Abscess, Operation, Recovery. "Boston Med. and Surg. Journ.," January 25, 1906.

Male, aged forty. A straightforward case of temporo-sphenoidal abscess of otitic origin. Operation was carried out through the ear, and the abscess was drained by means of gauze by that route.

Macleod Yearsley.

#### Crockett, E. A.—A Case of Acute Meningitis, Operation, Recovery. "Boston Med. and Surg. Journ.," January 25, 1906.

Female, age not stated. Right discharge from childhood. Nine months previous to consultation severe head pain, with mastoid tenderness. Second attack three months later, with nausea, vomiting, and vertigo. Nine weeks before consultation pain in ear and paracentesis attempted. Two days before admission severe headache and loss of consciousness, lasting twenty minutes. On admission she was semi-comatose, with nausea, vomiting, and severe occipital, frontal, and right parietal headache. Temperature 102° F. Double optic neuritis. Foul pus coming from right ear, which contained a large polypus. Operation was at once undertaken. Communication between middle ear and middle fossa was found, and on opening the dura mater pus could be seen on the vessels on the brain surface. Nothing was found on probing the brain. The cranial cavity was drained through the ear with gauze, and the patient made a rapid and uneventful recovery. Macleod Yearsley.

#### Hitz, H. B. (Milwaukee).—Double Mastoiditis complicated by an Intercommunicating suboccipital Abscess. "Arch. of Otol.," vol. xxxiv, No. 6.

Acute otitis in one ear called for the Schwartze operation, and pus disappeared, except from one spot on the floor of the tympanum. Stiffness of the neck appeared, and deep pressure caused the pus in the tympanum to well up. A suboccipital abscess of the Bezold variety was discovered and opened. During manipulation in the suboccipital region a discharge appeared in the opposite ear, and the abscess was found to communicate with both ears, the onset of the inflammation in the second ear having occurred without any of the classical symptoms. *Dundas Grant.* 

#### THERAPEUTIC PREPARATIONS.

BURROUGHS WELLCOME & Co., London, Sydney, and Cape Town.

"Tabloid" "Xaxa" gr. 5 (0·324 gm.). "Xaxa" is a trade-mark name to designate acetyl-salicylic acid, issued by Burroughs Wellcome & Co. Acetyl-salicylic acid appears to possess all the valuable therapeutic properties of salicylic acid and its salts, without unpleasant after-effects. Acetyl-salicylic acid is insoluble in the stomach, but readily soluble in the intestine, and therefore causes no gastric irritation. It may be used in any conditions in which salicylic acid or sodium salicylate is usually employed.

It has been found to be of great service in gout and rheumatism, especially in connection with the ear affections associated with these conditions. It is also of value in some forms of headache and neuralgia. It has been administered with success in chorea, pleurisy, glycosuria, eye diseases, and for pains of tabes dorsalis and disseminated sclerosis. It has also been given for the relief of pain following abdominal operations, and may be employed generally as an analgesic. Acetyl salicylic acid, presented as "Tabloid" "Xaxa," readily disintegrates, and its therapeutic effect is promptly manifested. "Xaxa" contains no free salicylic acid. One to three "Tabloid" "Xaxa" may be directed to be swallowed

One to three "Tabloid" "Xaxa" may be directed to be swallowed with water, plain or acidulated, twice or thrice daily, after food. For the relief of pain 15 grains may be prescribed as a first dose, with further doses, if necessary, of 10 grains at intervals of one hour to one hour and a half, until three or four doses in all have been taken.

"Tabloid" "Sodium Citrate" gr. 2 (0.13 gm.). Difficulties associated with the digestion of artificially prepared foods by infants frequently come under the notice of the medical practitioner. The necessary modification of cow's milk by dilution and sweetening to approximate human milk, is often inefficiently carried out by the mother or nurse. Consequently the infant may develop gastro-intestinal symptoms as a result of its inability to digest the food administered. The digestibility of cow's milk is greatly assisted by the addition of "Sodium Citrate." The explanation of the action which is commonly given is that the acid caseinogen and the calcium salts of milk in presence of the gastric juice form a thick casein clot. If "Sodium Citrate" be added to the milk, it combines with the caseinogen to form a sodium compound, less dense and more absorbable than the calcium caseinogen compound in the normal milk-clot. The calcium salts in the milk unite with the citric acid of the sodium citrate, and the resultant calcium citrate is diluted by the stomach contents and absorbed. Thus the introduction of sodium citrate increases the digestibility of cow's milk in a remarkable manner, allows the absorption of the calcium salts, and greatly enhances the food value of the milk. This method of treating milk is employed in all cases where there is reason to believe that the nourishment of the infant is unsatisfactory, and is of great value in cases of poor patients who cannot carry out more complicated instructions regarding the modification of cow's milk. It is indicated when the mother's milk does not suit the child, and also in the process of weaning. It is used to enable the amount of milk given in twenty-four hours to be increased. It is valuable in arresting or avoiding milk dyspepsia, and the rickety condition seen in many hand-fed children. The cheapness of this method of milk modification is a feature to be emphasised. It is directed that 1 to 2 grains or more of sodium citrate be given in each ounce of milk. One "Tabloid" product should be dissolved in about one drachm of water, and added as required to the milk. The product should not be added directly to the milk,

https://doi.org/10.1017/S1755146300177406 Published online by Cambridge University Press

#### JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.



Barraud.]

The late W. R. H. STEWART, F.R.C.S.Ed.

# INDEX TO VOLUME XXI, 1906.

Abductor paralysis, supplementary report on case of (G. L. Richards) . ————————————————————————————————————	радк 569 495
ABERCROMBIE (Peter H.), case of new growth (? sarcoma) in the region of the right tonsil and anterior faucial pillar in a man	104
	104
Abscess (dissecting) in region of mastoid process, but not invading it,	291
(otitic, extra-dural) with paralysis of sixth cranial nerve and	
double optic neuritis (J. S. Barr) ———— (retropharyngeal) caused by middle-ear suppuration (E. M.	151
Holmes)	335
(subdural) with chronic mastoid disease (H. S. Walker)	347
(subglottic) followed by laryngeal stenosis (Dr. Fallas)	398
	211
(sub-periosteal) of forehead, with thrombo-phlebitis of superior	- 10
longitudinal sinus (V. Delsaux)	542
Acetozone inhalant	167
Adeno-carcinoma invading posterior fossa (H. Neumann)	290
Adenoid vegetations, removal of, through nasal passages by a new method (O. T. Freer)	384
Adenoids, diminution of dyslalia by, shown in case of cleft palate	
(W. Stuart-Low)	297
Adrenalin inhalant	168
injection of, in sarcoma of larynx (J. E. Rhodes)	382
Ague, functional aphonia following (E. A. Peters)	294
Air-passages (upper), leukæmic changes in mucous membrane of (K. M.	105
$\mathbf{M}$ enzel)	437
tuberculosis of, treatment (W. C. Bane)	340
climatic (W. Freudenthal)	341
surgical (R. Levy)	340
X-ray therapy in (L. Mader)	436
ALEXANDER (Dr.), four cases [of chronic suppurative otitis media treated	222
by operation and followed by recovery]	226
ALT (F.), anatomical preparation, showing cure of thrombosis of sinus .	224
a histological preparation from a specimen showing closure of	000
the sinus with connective tissue	289
American Laryngological Association Congress: presidential address .	319
proceedings	380
Laryngological, Rhinological, and Otological Society; officers	201
elected 1906 $\cdot \cdot \cdot$	284
proceedings	333
Anæsthesia (artificial), radical mastoid operation performed painlessly	000
without (Dr. Jaumenne)	396
(local) antrotomy and radical operations under (H. Neumann) .	402
vapour method of (J. T. Gwathmey)	112
Anæsthetic, injection of solid paraffin into nose without (A. Wylie)	19
49	

	Anæsthetics (administration of) for operations on nose and throat	PAGE
		308
	Angeio-fibroma, microscopical section of (E. A. Peters)	78
		$192 \\ 000$
		$\frac{202}{134}$
	Antitoxin in treatment of diphtheria, nine years' experience (J. H.	101
		109
	Antrotomy and radical operations under local anæsthesia (H. Neumann)	402
		209
		294
	ARMSTRONG (G. E.), carcinoma of the tongue	$\frac{54}{167}$
	Aryepiglottic fold (left), swelling of (J. B. Ball)	571
	Arytenoid region (left), large sessile tumour in (H. W. Carson)	183
		184
-	ASHBY (Henry), a discussion on congenital stridor (laryngeal and	450
	tracheal)	457
	Bronner)	99
	niger, case of ; specimens and drawings (R. Lake)	<b>99</b>
	Atresia (congenital, complete osseous) of right nasal fossa (R. Botey)	302
	Attic, discharge from, with headache for eighteen months (E.	~~~
		223 109
-	Auricle, angeioma of (H. E. Jones)         .	$\frac{192}{23}$
	granuloma of (V. W. Wingrave)	191
-		187
-		105
-	Auricles: inducated swelling of both auricles accompanying swelling	236
	below anterior commissure of vocal cords (C. A. Parker)	
	· · · · · · · · · · · · · · · ·	-
		572
	()))	338
1	BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?	483
/ ]	BALL (J. B.), case of ulceration of the pharynx and larynx .	77
-	tumour of the pharynx	570
		571
-	papillomata in the nose	572 994
		$334\\626$
-		
	<b>BANE</b> (W. C.), treatment of tuberculosis of the upper air passages and	020
1	BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear	340
]	the ear	340 439
] ]	the ear	340
] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means	340 439 361
] ] ]	the ear	340 439
] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with	340 439 361 336
] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions. BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis.	340 439 361
] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905	340 439 361 336 151 46
] ] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 . introductory paper to discussion on "Fixation of the Stapes"	$340 \\ 439 \\ 361 \\ 336 \\ 151 \\ 46 \\ 242$
1 1 1 1 1 1 1	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 ————————————————————————————————————	$340 \\ 439 \\ 361 \\ 336 \\ 151 \\ 46 \\ 242 \\ 37 \\ 37 \\ 100 \\ 1$
] ] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 ————————————————————————————————————	$340 \\ 439 \\ 361 \\ 336 \\ 151 \\ 46 \\ 242 \\ 37 \\ 38 $
] ] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 ————————————————————————————————————	$\begin{array}{c} 340 \\ 439 \\ 361 \\ 336 \\ 151 \\ 46 \\ 242 \\ 37 \\ 38 \\ 121 \end{array}$
] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 ————————————————————————————————————	$340 \\ 439 \\ 361 \\ 336 \\ 151 \\ 46 \\ 242 \\ 37 \\ 38 $
] ] ] ]	the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions . BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis . BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 — introductory paper to discussion on "Fixation of the Stapes" BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed — case of lupus of the larynx and uvula, healed . — case of tuberculous laryngitis; removal of epiglottis; cure — case of tuberculous laryngitis; active local treatment; cure	$\begin{array}{c} 340\\ 439\\ 361\\ 336\\ 151\\ 46\\ 242\\ 37\\ 38\\ 121\\ 122\\ \end{array}$

BARWELL (Harold S.), a case of infiltration of the left vocal cord	292
BAUMANN (Walther), the pharyngeal reflex	$\frac{292}{301}$
	901
BAUMGARTEN (Egmont), acute affections of the eyes following acute	400
nasal disease	
BECK (Jos. C.), the submucous resection operation on the nasal septum	335
BECO (Dr.), naso-pharyngeal polypus; extirpation; death by collapse .	433
Belgian Society of Otology, Laryngology, and Rhinology: proceedings	
	431
BELLIN (L.), a case of dermoid cyst of the dorsum of the nose	285
and LEROUX (R.), congenital membranous occlusion of choanæ.	438
BERNSTEIN (Edward J.), discussion on conservative methods in treat-	
ment of aural diseases	481
BIRKETT (H. S.), two cases of bony occlusion of the right posterior	
naris	55
BLAKE (C. J.), therapeutic effect of sound-waves .	402
the value of the blood-clot as a primary dressing in mastoid	
operations .	545
BLOCH (Maurice), on the employment of borate of soda in ear cases	166
Blood-clot as primary dressing in mastoid operations (C. J. Blake)	545
	040
as dressing in acute suppurative inflammation of middle ear, with	501
acute mastoiditis (F. L. Jack)	584
(modified) in mastoid surgery (W. S. Bryant)	339
Blood-supply of inner ear (G. E. Shambaugh)	364
Blood-vessels in membranous labyrinth and the endosteum, and those	
in bony capsule of labyrinth, communications between (G. E.	
Shambaugh)	166
BOENNINGHAUS (G.), on a peculiar condition of sensory irritability of	
the superior and inferior laryngeal nerves	653
BOND (J. W.), a case of palatal tumour of twenty years' duration	293
Bone impacted in larynx (J. M. Ingersoll)	382
Bony occlusion of right posterior naris (H. S. Birkett)	55
Borate of soda in ear cases (M. Bloch)	166
BOSVIEL (Dr.), a case of perichondritis of the thyroid cartilage	284
BOTEY (Ricardo), a case of congenital complete osseous atresia of the	-01
right nasal fossa	302
BOULAY (Dr.), exhibition of young girl aged seventeen who had recovered	004
from diseased hip-joint and was affected with old-standing otorrhea	287
BOURGUET (Julien), surgery of the labyrinth	305
BOUYER (Dr.), hyperæsthesia and paræsthesia of the pharynx .	435
Bôval (Dr.), radiograph of a coin lodged in esophagus of a child aged	400
	909
four, at the level of second dorsal vertebra	392
radiograph of a patient wearing a tracheotomy tube, and with a	000
revolver bullet lodged in the left side of the neck	392
BRADY (A. J.), fibromata of the naso-pharynx and their removal by	015
enucleation .	315
Brain, abscess, cases of (S. Walker) 157, (P. Hammond) 211, (A. L.	
Whitehead) 349, (Dr. Trétrôp)	391
(hind), continuity of the fibres of auditory nerve with the auditory	
sense epithelium and with the nuclei in (J. Cameron and W.	
	354
(right temporal lobe) : abscess of temporal lobe and cerebellum	
(H. Neumann)	289
British Laryngological, Rhinological, and Otological Association: pro-	
ceedings	297
British Medical Association, Annual Meeting, Toronto, 1906, combined	
sections of Laryngology and Pediatrics : proceedings	441
section of Laryngology and Otology .	107
proceedings	
BROECKAERT (Dr.), ozena cured by submucous injections of paraffin	396
	434
- case of heering seminary so-caned mixing so-caned mixing subsease.	TOT

			PAGI
BROECKAERT (Dr.), normal and pathological inclu	ision of sof	t and hard	
paraffin in the tissues	•		43
—— presentation of instruments .		· ·	393
the etiology of ozæna	•		431
Bronchoscopy (direct), new instruments for remo	oval of fore	eign bodies	
Bronchoscopy (direct), new instruments for remo- from bronchi by (W. C. Morton)			12
Bronchus, foreign body extracted from, by th	acheotomy	' (Dr. van	
Swieten) .		• •	- 398
BRONNER (Adolph), notes on a case of severe verti	igo, due to	aspergillus	
of the external auditory meatus			- 99
BRYAN (J. H.), malignant disease of tongue			380
BRYANT (Alice G.), the use of the cold wire sna	re in the	removal of	
hypertrophied tonsils			6, 56;
BRYANT (W. S.), obstruction of the Eustachian tul	he and its t		16
—— modified blood-clot in mastoid surgery	oo unu 105 .	nourinoine i	339
Buccal pouch, lipoma of, congenital (V. W. Wingr	970)	• •	2
Bullet (revolver) in left side of neck (Dr. Bôval)	avc)	• •	$-3\overline{9}$
BULETTE (W.), a case of epileptiform hysteria	nrohahla	nonlt of	00
	, probable	result of	33
necrosing ethmoiditis	•	• •	99,
			00
Calculi of unusual size from Wharton's duct (Koer		÷ n 1 ·	28
Calomel (injections of) in syphilitic ulceration in	pharynx (	J. Dundas	~
Grant)		•	80
CAMERON (John) and MILLIGAN (William), the n	node of co	ntinuity of	
the fibres of the auditory nerve with the audit	ory sense e	epithelium,	
and with the nuclei in the hind brain .			3, <b>35</b> 4
Cancer (inoperable) of fauces treated with a	bacterial	vaccine of	
Micrococcus neoformans (S. Spicer) .	•		571
Cannula, laryngotomy performed without (A. Cast	ex)		66
(tracheal) worn for nearly twenty-seven	years on a	account of	
incomplete bilateral paralysis of posterior cri	ico-aryteno	id muscles	
(Sir F. Semon)			70
CAPART (A.), diverticulum of the entrance of the œ	sophagus		16
naso-pharyngeal fibromata .			396
the indications for operation in the treatme	nt of sinus	sitis	51]
Carbonic-acid gas at Spa in treatment of affections			• • •
and eyes (E. Delneuville)	or unour,	1000, curs,	167
Carcinoma, total resection of superior maxilla for (	Dr. Goris)	• •	396
CARSON (H. W.), large sessile tumour in left aryter			183
			100
a man with an ulcerated swelling in the mic			í10/
pharynx, and ulceration of the left posterior fo			184
Cartilage, piece of, impacted in pyriform fossa (R. ]			264
CASSELBERRY (W. E.), a discussion on laryngeal di	isturbances	s produced	
by voice use. Introductory paper	•	. 528	3, 536
CASTEX (A.), laryngotomy without cannula.	<u>.</u> .	· ·	- 66
CATHCART (G. C.), a case of tertiary syphilis of the		• •	<b>4</b> 4
report on Dr. E. Law's case of incrustations i	n trachea te	erminating	
fatally		· ·	45
CAUTLEY (E.), discussion on congenital stridor, lar	yngeal and	tracheal .	454
Cerebellum, abscess of (A. L. Whitehead) 63, 146	, 348, (D. O	Frant) 113.	
(H. Neumann)	•		289
Cervical glands : cancer (inoperable) of fauces, j	oharynx. to	ongue. and	
cervical glands; amelioration after treatment			
of neoformans (R. H. Scanes Spicer and Sir A.			299
CHEATLE (Arthur H.), the prevention of ear affect	ions due +		, 204
to loud noises and to explosives	ione due d	o exposure	48
to loud noises and to explosives $\dots$	•	• •	- <b>3</b> 00
Cheek, nævus of (M. Collier)	· · · · · · · · · · · · · · · · · · ·		000
Children, laryngeal papillomata in; treatment l	by operation	on $(\mathbf{D}, \mathbf{R})$	511
Paterson)			่อม

	PAGE
Chin, sinus of (W. H. Kelson)	69
CHISHOLM (W. A.), skiagraphy in diagnosis of frontal sinusitis	338
Choana (right), absence of (E. B. Waggett)	172
Choanæ, congenital membranous occlusion of (L. Bellin and R. Leroux)	438
——— mucous polypi of, origin (G. Killian)	437
Cholesteatomatous lining, retention in operation for acute mastoiditis	
(W. Stuart-Low)	20
Circulation in labyrinth of ear (G. E. Shambaugh)	555
Circulatory disturbances following ligation of internal jugular vein in	
sinus thrombosis (W. P. Eagleton)	654
Cleft palate, case showing that adenoids diminish the dyslalia (W.	
Stuart-Low)	297
Climatic treatment of tuberculosis of upper air-tract (W. Freudenthal).	341
COAKLEY (Cornelius G.), nasal skiagraphy	323
skiagraphy as an aid in the diagnosis and treatment of diseases	
of the accessory sinuses of the nose	537
Cochlea, partial necrosis of, and sigmoid sinus thrombosis (H. S. Walker)	343
COFFIN (Rockwell), a new gouge for submucous operations in the nose	263
Coin lodged in æsophagus at level of second dorsal vertebræ (Dr. Bôval)	392
COLLET (Dr.), a series of patients operated upon by evacuation of the	
ethmoid from the nostril	395
COLLIER (Mayo), a case of syphilitic disease of larynx .	188
case of nævus of the cheek	300
Connective-tissue, closure of sinus by (F. Alt)	289
COOLIDGE (A., jun.), a foreign body in the cosphagus	55
foreign bodies and tracheoscopy	330
Cranium (human, embryonic), models of (O. Grosser)	289
(osteomyelitis of, diffused), following acute frontal sinusitis of	000
staphylococcic origin (Luc)	288
Crico-arytenoid joint (right), fixation of, due to infiltration (E. F.	or
Potter)	85
muscles, posterior; incomplete bilateral paralysis of (Sir F.	70
Semon) CROCKETT (E. A.), a case of acute meningitis; operation; recovery	211
CUMBERBATCH (A. E.), presidential address (Otological Society of the	211
United Kingdom)	136
discussion on fixation of the stapes .	262
Cyst (air-containing), connected with left ventricle of Morgagni (Dr.	202
Labarre)	392
D'AIUTOLO (G.), a very simple and efficacious aural masseur (abstract) .	111
DAVIS (H. J.), case of atrophic rhinitis	125
a case of sudden loss of voice	171
a case of nasal obstruction	172
case of fixation of the right arytenoid in a woman aged forty; for	
diagnosis (shown for Dr. E. F. Potter)	184
three cases of syphilis in one family, (?) oral infection .	227
case of stenosis of the larynx	576
a case of papillomata of the larynx	582
Deaf and Dumb School, patient from ; case presenting points of interest	
(Dr. v. Hammerschlag)	223
Deafness : pathological conditions found in subject of deafness during	
life (A. A. Gray)	56
(progressive), influence of pregnancy and parturition on certain	0 F F
forms of (W. Milligan)	355
DELAVAN (D. Bryson), the ultimate results of radical operations upon	000
	323
DELNEUVILLE (E.), the treatment of affections of the throat, the nose,	10-
the ears, and the eyes by carbonic acid gas at Spa	167
a case of sphenoidal sinusitis with ocular complication .	263

# Index,

	PAGI
DELSAUX (Charles Emile), microscopic sections-tuberculosis of the	
septum and lupus of the nose	392
DELSAUX (V.), stereoscopic photographs of Killian's rhino-phantom	- 391
subperiosteal abscess of the forehead complicated with thrombo-	
phlebitis of the superior longitudinal sinus	542
DELSTANCHE (E.), mastoiditis and furunculosis	264
	435
DENKER (Alfred), a new mode of access in the operation for nasal	100
	302
malignant tumours .	
	1,162
Denture removed by cosphagotomy (W. Downie)	-129
Dermoid cyst of dorsum of nose (L. Bellin).	285
of neck (V. W. Wingrave)	23
Digestive tract, leukæmic changes in (K. M. Menzel)	437
Diphtheria, treatment by antitoxin, nine years' experience (J. H.	
McCollom)	-109
DIXON (G. Sloan), report of a case of panotitis resulting in meningitis	166
DONELAN (J.), chronic thickening and deformity of epiglottis and vocal	200
	32
cords of four years' duration in a girl aged sixteen; for diagnosis .	$-\frac{52}{79}$
case of laryngeal ulceration in a man aged fifty-four .	13
a woman aged twenty four with a swelling on the upper part of	104
the septum nasi; for diagnosis	184
DONOVAN (John A.), discussion on cold wire snare in removal of hyper-	~ ~ ~
trophied tonsils	563
DOWNIE (Walker), photographs of some cases of paraffin injection for	
nasal deformity	-126
description of two cases where asophagotomy was performed for	
removal of a denture impacted in the gullet	129
Dressings, methods for carrying and keeping aseptic (Prof. Pollak)	226
DUPUY (Homer), acute affections of the pharyngeal tonsil in early life	$\bar{202}$
Dura of posterior fossa displaced inwards; sinus compressed by neo-	
	290
plasm (H. Neumann)	200
Dyslalia, diminution of, by adenoids, shown in case of cleft palate (W.	207
Stuart-Low)	297
Dysphagia, case of (W. Chichele Nourse)	17
for liquids in case of fixation of right vocal cord (W. Stuart-Low)	578
Dysphonia, without tubercular or other lesions (Koenig)	287
Dyspnœa due to swelling below anterior commissure of vocal cords	
(C. A. Parker)	-236
EAGLETON (P. Wells), infective arthritis complicating otitis media	
(abstract) .	167
	101
circulatory disturbances following ligation of the internal	654
jugular vein in sinus thrombosis	
Ear, circulation in labyrinth of (G. E. Shambaugh)	555
(diseases), pathogenic influence of aural lesions in systemic	
disease (S. MacCuen Smith)	457
statistical report of department of oto-rhino-laryngology	
at Hospital Saint-Jean, Brussels (A. Fallas)	512
	167
by conservative methods (G. Bacon) .	469
use of borate of soda in (M. Bloch)	166
and injuries due to loud noises and to explosives, pre-	200
	<b>48</b>
vention of (A. H. Cheatle)	340
herpes zoster of (D. T. Vail)	
(inner), blood-supply of (G. E. Shambaugh) .	364
mechanico-therapeutics of (C. J. Blake)	402
(middle, disease of) associated with left recurrent paralysis,	
paralysis of soft palate and facial palsy on same side (D. R.	
Paterson) .	230

	PAGE
Ear (middle, disease of) inflammation, acute suppurative, with acute	224
mastoiditis, blod-clot dressing in (F. L. Jack)	<b>584</b>
their main still and the spect with reference to	005
their various etiology (Scheibe)	307
and new lysis of the abducene news (H. Hestinge)	206
and paralysis of the abducens nerve (H. Hastings)	306
Holmes)	335
dangerous sequelæ of (J. Dundas Grant)	$\frac{555}{57}$
	193
pain in (great), with loud subjective noises (H. Neumann)	$\frac{100}{225}$
(right), hæmatoma of, in Swiss wrestlers (Valentin)	401
——————————————————————————————————————	$\overline{324}$
tuberculosis of, treatment (W. C. Bane)	340
surgical (R. Levy)	<b>340</b>
Electro-cautery, in treatment of sarcoma of nose (J. Price-Brown)	593
Electrolysis in treatment of chronic Eustachian stenosis (F. T. Hopkins)	363
Elevators, newly-designed, exhibition of (R. H. Woods)	301
ELLIS (H. Bert), infective sigmoid sinus thrombosis; resection of internal	
jugular, report of a case, recovery	335
Empyema (frontal, chronic), four cases operated on by simplified Killian	
operation (H. Tilley).	232
right frontal, with subacute osteomyelitis of frontal bone (R. H.	05
Scanes Spicer)	35
Encephalocele (fronto-nasal) (F. E. Hopkins)	327
Endosteum, blood-vessels in, and in membranous labyrinth, communi-	166
cating with those in bony capsule of labyrinth (G. E. Shambaugh).	$100 \\ 191$
Endothelioma of pharynx (V. W. Wingrave) Epiglottis: chronic thickening and deformity of epiglottis and vocal	101
cords (J. Donelan)	32
deformity of, accompanying swelling below anterior commissure	02
of vocal cords (C. A. Parker)	236
removal of, for tuberculous laryngitis (H. Barwell)	121
tuberculosis of soft palate, pharynx and epiglottis (C. Fox)	234
ulceration (V. W. Wingrave) 17, (H. Barwell)	124
Epileptiform hysteria probable result of necrosing ethmoiditis (E. Bulette)	334
Epithelioma : villous papillomatous growths in larynx, probably epi-	
thelioma (J. Dundas Grant)	237
Epithelium (auditory sense), mode of continuity of fibres of auditory	
	,354
ESCAT (Dr.), indications for the use of the galvano-cautery in the various	400
forms of laryngeal tuberculosis and its value	433
Ether narcosis by rectum (J. A. Stucky)	341
Ethmoid, evacuation of, from nostril (Dr. Collet)	395
and superior maxilla, osteomyelitis of, with suppuration in sinuses	394
and in orbit (Dr. van der Wildenberg). Ethmoiditis (necrosing) probable cause of epileptiform hysteria	004
Ethmoiditis (necrosing) probable cause of epileptiform hysteria (W. Bulette)	334
(w. Diffette) ——— (suppurative, chronic) result of Killian's operation in four cases	001
(F. L. Jack)	583
Ethmo-turbinal cells, clinically considered (J. O. Roe)	326
Eustachian cartilages, great enlargement of (W. Stuart-Low) .	186
eminences projecting into naso-pharynx (E. F. Potter).	149
	363
obstruction of, with treatment (W. S. Bryant) .	166
Explosives, prevention of ear affections due to exposure to (A. H. Cheatle)	<b>48</b>
Eye, diseases of, treated by carbonic acid gas at Spa (E. Delneuville)	167
(acute), following acute nasal disease (E. Baumgarten)	400
ocular complication of sphenoidal sinusitis (E. Delneuville)	263
symptoms of nasal origin (H. Hastings)	334

Face, tumour of left half of, originating in roof of pharynx (K. Jager) .	ради 301
FALLAS (A.), some cases of laryngeal stenosis	398
statistical report of the department of oto-rhino-laryngology at the Hospital Saint-Jean at Brussels	512
a case of laryngeal stenosis (abstract)	653
and PARMENTIER (Dr.), papillomata of the vocal cords	397
Fauces, cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands; amelioration after treatment with bacterial vaccine of	
	292
infection through (septic) (G. A. Leland)	583
(systemic) (J. N. Goodale) .	582
Faucial pillar (right), new growth (? sarcoma) in region of right tonsil and anterior faucial pillar (P. H. Abercrombie)	104
<b>FERRERI</b> (G.), a contribution to the treatment of laryngeal tumours	110
Fibro-angeioma of nasal septum (H. B. Robinson)	130
Fibro-sarcoma arising from the thyro-hyoid membrane (K. Renshaw) .	169
FIOCRE (Dr.), a case of primary hæmorrhage from the naso-pharynx .	285
Fish-hook removed from cosophagus (D. R. Paterson)	229
Fistula between mouth and nose, closure of (Luc)	$\frac{288}{380}$
Flames, inhalation of, causing papilloma of larynx (A. B. Thrasher) . Forceps (Lubet-Barbon's) used in operation for voluminous naso-pharyn-	000
geal polypus (Lubet-Barbon).	287
newly-designed, exhibition of (R. H. Woods) .	301
Foreign bodies and tracheoscopy (A. Coolidge, jun.)	330
foreign body extracted from bronchus by tracheotomy	
(Dr. van Swieten)	398
	005
(Koenig) . $(\mathbf{N}, \mathbf{Z}_{i})$	285
in geophegue (A. Coolidge jun)	$     165 \\     55   $
in œsophagus (A. Coolidge, jun.)	00
(H. Neumayer)	210
new instruments for removal from bronchi by direct	
bronchoscopy (W. C. Morton)	12
Formawn	56
FORSTELLES (Arthur), on the resection of the inferior turbinal bone	202
Fossa (nasal, right), congenital complete osseous atresia of (R. Botey).	302
(posterior), displacement of dura inwards, and compression of	290
sinus by neoplasm (H. Neumann) FOSTER (E. E.), description of Killian's frontal sinus operation (abstract)	209
Fox (Clayton), a case of tuberculosis of the soft palate, the pharynx, and	200
the epiglottis	234
FREER (Otto T.), the removal of adenoid vegetations through the nasal	
passages by a new method	384
the problem of the correction of deflections of the nasal septum	0.0.1
solved by the submucous resection	631
FREUDENTHAL (Wolff), the climatic treatment of tuberculosis of the	941
upper air-tract	341 291
Frontal bone, osteitis of (chronic), with chronic sinusitis (E. A. Peters).	295
osteomyelitis of, subacute, with empyema of right frontal	200
sinus (R. H. Scanes Spicer)	35
sinus, inflammation of (H. P. Mosher)	363
Killian's operation on (E. E. Foster) .	209
(bilateral) (StC. Thomson)	576
suppuration of, unusual cases (P. G. Goldsmith)	484
(left) suppuration of left frontal and left maxillary sinuses,	92
closure of wound and irrigation (C. J. Symonds)	94
frontal bone (R. H. Scanes Spicer)	35

Thursdall . '	PAGE
Frontal sinuses, sarcoma of, further notes on case previously exhibited twice (P. H. Abercrombie)	104
Grant	74, 82
treated by irrigation only (C. J. Symonds)	7 <b>-</b> , 82
Fruit pastilles, laxative (tabloid)	440
FURET (Dr.), a woman aged forty, with syphilis in naso-pharynx	287
Furunculosis : diagnosis from mastoiditis (E. Delstanche)	264
	100
Galvano-cautery in laryngeal tuberculosis (Dr. Escat)	433
GAVAZZENI (S.) and LIMONTA (G.), the treatment of Ménière's disease.	111 110
GAVELLO (G.), on the laryngeal disturbances in syringomyelia	110
Glaseptic nebuliser	168
Glass, syringe for intra-tracheal injections made entirely of (Koenig)	$\frac{100}{285}$
GLEITSMANN (Joseph W.), presidential address, American Laryngological	-00
Association	319
Glosso-epiglottidean lympho-sarcoma (J. Dundas Grant) .	-580
Glottis, stenosis of (StC. Thomson)	176
requiring tracheotomy, caused by complete healing of	
extensive tuberculous laryngitis (StC. Thomson)	573
Goitre (exophthalmic), medical treatment of (R. D. Rudolf) .	55
GOLDSMITH (Perry E.), inflammation of the nasal mucous membrane	55
some unusual cases of frontal sinus suppuration .	484
GOLDSTEIN (M. A.), the treatment of perforations of nasal septum.	- 337 - 386
GOODALE (J. L.), examination of the throat in chronic systemic infections ————————————————————————————————————	$580 \\ 582$
GORDON (A. Knyvett), some further experiences of the operative treat-	004
ment of scarlatinal otitis	275
some further experience of the radical mastoid operation in	
scarlatinal otitis	353
GORIS (Dr.), disturbances of the recurrent nerves following thyroidectomy	-395
total resection of the superior maxilla for carcinoma	396
Gouge (new) for submucous operations in nose (R. Coffin)	263
Granuloma of auricle (V. W. Wingrave)	191
GRANT (J. Dundas), case of swelling over the left superior maxilla in a	40
middle-aged woman (formerly shown)	43
	57
case of ulceration of the pharynx (probably specific) presenting unusual features	71
extensive syphilitic ulceration in the pharynx of a man aged	11
twenty-eight, treated by calomel injections; rapid improvement	80
Sondermann's suction apparatus	81
case of suppuration in both frontal sinuses treated by intra-nasal	
methods	74, 82
case of injection of cold paraffin for nasal deformity	89
a case of thrombo-phlebitis of jugular bulb and cerebellar abscess;	
ligature of vein, later evacuation of sinus and bulb, drainage of	110
cerebellar abscess, recovery .	113
case of lateral sinus thrombosis treated by operation without	148
ligature of jugular vein ; recovery	140
aged forty-six	185
villous papillomatous growth, probably epithelioma	237
preparations illustrating Dr. Dundas Grant's case of laryngeal	-01
growth, shown by Dr. Wyatt Wingrave	237
case of epithelioma of the palate in a male patient aged sixty .	238
address on some practical problems in otology and rhinology .	405
introductory remarks at Annual Meeting of British Medical	<b>.</b>
Association, Section of Laryngology and Otology (1906) .	517

	PAGE
GRANT (J. Dundas) and NOURSE (W. Chichele), retrospect of otology,	
1905	7
GRAY (Albert A.), the pathological conditions found in the case of an	
individual who had suffered from deafness during life (abstract)	56
demonstration illustrating pathological conditions found in the	7 / 7
human labyrinth	141
demonstration illustrating the comparative anatomy of the laby-	140
rinth of the mammalia	142
introductory paper to discussion on fixation of the stapes .	$\frac{247}{365}$
GREEN (D. Crosby), a study of the larynx in tabes	-209
	$\frac{200}{362}$
GROSSER (Otto), models of the human embryonic skull	289
GUISEZ: concerning paraffin endonasally as supplementary treatment	-00
of sinusites.	164
Gullet : see <i>Œsophagus</i> .	
GWATHMEY (James T.), the vapour method of anæsthesia (abstract)	112
Gynæcological operation curing case of Ménière's symptom-complex	
(E. Urbantschitsch)	224
Hæmatoma of right ear in Swiss wrestlers (Valentin)	401
Hæmorrhage from tonsil during morcellement (Heckel)	287
(primary), from naso-pharynx (Fiocre)	285
HALSTED (T. H.), mixed tumour of the soft palate	-389
HAMAIDE (Dr.), stenosis of the larynx consecutive to intubation	392
von HAMMERSCHLAG (Dr.), a pupil of the Deaf and Dumb School whose	223
case presented some points of interest	$\frac{223}{211}$
HARRIS (Thomas J.), fibroma of the larynx in a child aged five; apparent	411
cure; recurrence as a papilloma; laryngo-fissure; cure	331
HASTINGS (Hill), a case of acute middle-ear suppuration complicated by	001
labyrinthine fistula and paralysis of the abducens nerve (abstract).	306
ocular symptoms of nasal origin	334
Headache: pathological conditions of middle turbinal a causal factor	
(H. Smurthwaite)	565
(persistent, unilateral) due to nævoid changes in the anterior	
extremity of the middle turbinal bone (V. W. Wingrave) .	375
with discharge from attic (E. Urbantschitsch)	223
Hearing (defective) from childhood; considerable recovery (H. S.	010
Walker)	342
organ of, histo-pathological examination of (Wittmaarck)	402
(organs of) in lower animals (L. Miall)	351
HECKEL (Dr.), exhibition of patient in whom severe hæmorrhage from	287
the tonsil took place during morcellement HEINE (B.), isoform in the after-treatment of the radical operation	201
(abstract)	402
HENRICI on tuberculosis of the mastoid in childhood	401
——— the indications for "curative" tracheotomy in laryngeal tuber-	
culosis	653
Herpes zoster auris (D. T. Vail)	-340
HILL (William), recent nasal polypus and sinusitis in a patient with	
long-standing atrophic rhinitis	44
Hip-joint (disease of), case of recovery from, old-standing otorrhœa	
persisting (Boulay)	286
HITZ (H. B.), double mastoiditis complicated by an intercommunicating	011
suboccipital abscess .	211
HOLMES (Edgar M.), middle-ear suppuration as a cause of retropharyn-	335
geal abscess	- 335 - 327
HOPKINS (Frederic E.), fronto-nasal encephalocele	041

HOWEVER $\mathbf{F}$ $(\mathbf{T})$ electrolysis in the treatment of abronic Fustachian	PAGE
HOPKINS (F. T.), electrolysis in the treatment of chronic Eustachian stenosis (abstract)	363
HORNE (W. Jobson), a point in the differential diagnosis of excressences in the interarytenoid space	33
report on Dr. E. Law's case of incrustations in trachea, termi-	
nating fatally	$15, 46 \\ 389$
HUNT (J. Middlemass), a discussion on laryngeal disturbances produced	
	), 536 435
Hyperæsthesia of pharynx (Dr. Bouyer)	$\frac{435}{387}$
Hysteria (epileptiform), probable result of necrosing ethnoiditis (W.	334
Bulette)	332
Incrustations in trachea, fatal termination of case (E. Law, G. C. Cathcart and W. Jobson Horne)	14, 45
Infection (septic) through fauces (G. A. Leland)	583
(systemic) through fauces (J. N. Goodale) .	582
Infections (systemic, chronic), examination of throat in (J. L. Goodale).	387
INGERSOLL (J. M.), the function of the accessory cavities of the nose	$\frac{337}{382}$
Instruments, presentation of (Dr. Broeckaert, Dr. Trétrôp)	393
(new) for removal of foreign bodies from bronchi by direct	000
bronchoscopy (W. C. Morton)	12
(small) methods for carrying and keeping aseptic (Prof. Pollak)	226
——————————————————————————————————————	$\frac{334}{31}$
space, excrescences in: point in differential diagnosis of (W.	
Jobson Horne)	33
International Laryngo-Rhinological Congress (1908) Intra-nasal methods in treatment of suppuration in both frontal sinuses	107
	4.82
Intra-tracheal injections, syringe for, made entirely of glass (Koenig)	285
Intubation in laryngeal stenosis, necessity for early use (E. W. Saunders)	264
stenosis of larynx consecutive to (Dr. Hamaide)	393
Iodides, in treatment of tertiary syphilis of nose (Dr. Mahu) Irrigation in treatment of suppuration of left frontal and left maxillary	432
sinuses (C. J. Symonds)	92
only, in treatment of suppuration of frontal sinuses (C. J.	~~~
Symonds)	$\frac{82}{402}$
Isoform in the after-treatment of radical operation (B. Heine) Italian Laryngological, Otological, and Rhinological Society, date of	402
tenth Congress (1905)	283
JACK (F. L.), report of four cases showing the results of Killian's operation	583
the blood-clot dressing	584
JACKSON (Chevalier) submucous resection of the nasal septum	336
	, 651
JACOBI (A.), the tonsil as a portal of microbic and toxic invasion (abstract).	399
JAGER (Karl), tumour of the left half of the face originating in the	000
roof of the pharynx	301
JAUMENNE (Dr.), a case of radical mastoid operation performed pain-	90.0
lessly without artificial anæsthesia Jaw, sinusitis and osteomyelitis of (Dr. Trétrôp)	$\frac{396}{435}$
JONES (Buckland), case of paralysis of the larynx and soft palate	103
JONES (Hugh E.), angeioma of the auricle (with photographs, macro-	
scopic and microscopic specimens and plaster casts from a case) .	192

Towns (Duckland) some complications of communities discover of the	PAG
JONES (Buckland), some complications of suppurative disease of the	19
middle ear.	19.
introductory paper to a discussion on the indications for the	100
ligation of the internal jugular vein in otitic pyæmia	49
Jugular vein, internal; ligation in otitic pyæmia (H. E. Jones)	498
(J. F. McKernon)	$50^{\circ}$
ligation of, in sinus thrombosis, followed by cir-	
culatory disturbances (W. P. Eagleton)	65
resection of, in sigmoid sinus thrombosis (H. B.	
Ellis)	33
	000
KELLY (A. Brown), sclerotic hyperplasia of the pharynx and naso-	
	4
pharynx	4
sketch of larynx and microscopic section of uvula from case of	19/
hyperplastic congenital syphilis	130
KELSON (W. H.), a case of sinus of the chin	6
a case of ulceration of the left vocal cord	7
a pedunculated growth of uvula in a man aged nineteen .	8
case of chronic inflammation of the external auditory meatus on	
both sides, with marked stenosis	- 99
case of ulceration of the nasal septum	10
——— microscopic section from a case of nasal angeioma (bleeding	20
polypus) removed from floor of inferior meatus in a girl aged fifteen	13
	17
	-30
case of laryngeal disease	
a case of ulceration (? malignant disease) of the base of the tongue	58
KILLIAN (G.), origin of mucous polypi of the choanæ (abstract)	43
Killian's operation in chronic suppurative ethmoiditis; result in four	
cases (F. L. Jack)	58
result of, in four cases of chronic suppurative ethmoiditis (F. L.	
Jack)	583
(bilateral) on frontal sinus (StC. Thomson) .	576
(simplified) in treatment of four cases of chronic frontal empyema	
(H. Tilley)	232
	39
Killian's rhino-phantom, stereoscopic photographs of (V. Delsaux)	164
KING (Gordon), a voluminous papilloma of nasal cavity	
a lymphoid tumour of the larynx removed by partial laryngectomy	209
some reflex neuroses of nasal origin .	363
KIRKPATRICK (A. B.), the subcutaneous injection of paraffin for nasal	
and other deformities and the submucous injection for atrophic	
rhinitis	164
KNAPP (Arnold), serous meningitis	- 30
KOENIG (Dr.), exhibition of (1) a syringe for intra-tracheal injections	
made entirely of glass; (2) an unusual foreign body of the auditory	
made entriety of glass, (2) an units at long body of the authory	
meatus, resembling a fibrous polypus; (3) two calculi of unusual	28
size from Wharton's duct	20
exhibition of (1) a man aged fifty, with dysphonia without tuber-	
cular or other lesions; (2) a woman aged forty with a cold abscess	
of the left false cord	287
KOPLIK (H.), congenital laryngeal stridor, a contribution to the patho-	
logy of the affection, with report of an autopsy on a case .	16
Koplik spots: relation and interest to laryngologists (H. G. Langworthy)	583
KUTTNER (A.), critical observations on the present position of the	200
"recurrent" question	439
recurrent question	TUi
LABARRE (Dr.), laryngocele of the ventricle; an air-containing cyst con-	
nected with the left ventricle of Morgagni	392
Labyrinth, circulation in (G. E. Shambaugh)	553
(fistula of) complicating acute middle-ear suppuration (H.	
Hastings)	306

	• • •	PAGE
Labyrinth (human), demonstration of pathological conditions	m (A.	
Gray)	•	. 141
(membranous), blood-vessels in, and in endosteum, cor	nmunica	at-
ing with those in bony capsule of labyrinth (G. E. Shamba		. 166
of certain animals (A. A. Gray)	ugn/	365
	•	
of mammalia, comparative anatomy of (A. A. Gray)	•	. 142
suppuration of; histological preparation (A. Politzer)	•	. 222
surgery of (J. Borguet)		. 305
Labyrinthitis (suppurative), clinical and anatomo-pathologica	l study	of
case (P. Laurens)	2 Study	. 286
LAKE (Richard), skulls showing the different stages of an ope	eration 1	
opening the vestibule	•	. 94
specimens and drawings of a case of aspergillus niger		. 99
fixation of stapes.		. 357
LANDESBERG (Rudolf), a piece of cartilage impacted in the	nyrifor	
fossa	PJIIIOI	264
	•	
LANGMAID (S. W.), the effects of tobacco upon the throat	• _	. 109
LANGWORTHY (H. Glover), a case of primary erysipelas of th	e phary:	nx 582
Koplik spots; their relation and interest to laryngolog	ists	. 583
Laryngectomy in treatment of malignant disease of larynx (C	Jackso	n) 632
		209
(partial), lymphoid tumour of larynx removed by (G. K		
Laryngitis (tubercular), treatment of cases in public sanato	ria (G.	
Richards)		. 583
treatment, active local (H. Barwell)		. 122
by removal of epiglottis (H. Barwell)		. 121
(extensive); no local treatment; complete healin	na annair	
stenosis of glottis, requiring tracheotomy (StC. Thomson)	•	. 573
Laryngocele of ventricle (Dr. Labarre) .	•	. 392
Laryngo-fissure for recurrence of fibroma of larynx as papille	oma (T.	J.
Harris)		. 331
Laryngological Society of London, annual meeting and dinner		. 107
——————————————————————————————————————		.283
	1 005 0	
proceedings		292 570
	<b>1</b> , <b>2</b> , ,	
report of Morbid Growths Committee .	•	35, 292
	•	35, 292
Laryngologists, relation and interest of Koplik spots to (H.	•	35, 292 g-
Laryngologists, relation and interest of Koplik spots to (H. worthy)	•	35, 292 g- 583
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre)	•	35, 292 g- . 583 . 1
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex)	•	35, 292 g- 583 1 66
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave)	•	35, 292 
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex)	•	35, 292 g- 583 1 66
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) ——— bone impacted in (J. M. Ingersoll)	•	35, 292 .g- . 583 . 1 . 66 . 160 . 382
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) ————————————————————————————————————	•	$\begin{array}{c} 35,292\\ {\rm g}^{-}\\ 583\\ .&1\\ .&66\\ .&160\\ .&382\\ .&165\\ \end{array}$
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) ————————————————————————————————————	G. Lan	35, 292 g- 583 1 66 160 382 165 300
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) ————————————————————————————————————	G. Lan	35, 292 g- 583 1 66 160 382 165 300 le-
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) ————————————————————————————————————	G. Lan	35, 292 g- 583 1 66 160 382 165 300 le- 528
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhino</li> </ul>	G. Lan	35, 292 g- 583 1 66 160 382 165 300 le- 528
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhino</li> </ul>	G. Lan	35, 292 g- 583 1 66 160 382 165 300 le- 528 50-
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) — bone impacted in (J. M. Ingersoll) — congenital laryngeal stridor (H. Koplik) — (disease of) case of (W. H. Kelson) — laryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry) — statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)	G. Lan	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Laryngologists, relation and interest of Koplik spots to (H. worthy) Laryngology, retrospect of 1905 (J. Macintyre) Laryngotomy performed without cannula (A. Castex) Larynx, angeioma of (V. W. Wingrave) — bone impacted in (J. M. Ingersoll) — congenital laryngeal stridor (H. Koplik) — (disease of) case of (W. H. Kelson) — laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry) — statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas) — (disturbances of) in syringomyelia (G. Gavello)	G. Lan J. Midd	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer</li> </ul>	G. Lan J. Midd	35, 292 g- 583 1 66 160 382 165 300 le- 528 yo- 512 110 P.
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>aryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> </ul>	G. Lan J. Midd o-laryng s) 396,	35, 292 g- 583 1 66 160 382 165 300 le- 528 512 110 P. 580
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>aryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn</li> </ul>	G. Lan J. Midd o-laryng s) 396,	35, 292 g- 583 1 66 160 382 382 165 300 le- 528 512 110 P. 580 re
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (amount of the strike of the str</li></ul>	G. Lan J. Midd o-laryng s) 396,	35, 292 g- 583 1 66 160 382 165 300 le- 528 512 110 P. 580
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (amount of the strike of the str</li></ul>	G. Lan J. Midd o-laryng s) 396,	35, 292 g- 583 1 66 160 382 382 165 300 le- 528 512 110 P. 580 re
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu	35, 292 g- 583 1 660 382 165 300 le- 528 528 528 528 528 528 528 528
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu	35, 292 g- 583 1 660 382 165 300 le- 528 528 50- 512 110 P. 580 re 331 165 165 100 215 100 215 100 215 100 215 100 215 100 215 215 215 215 215 215 215 215
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>aryngeal disturbances produced by voice use (mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent : pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>upus of larynx, palate, and pharynx (H. Barwell)</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Laryng, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>aryngeal disturbances produced by voice use (amass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>Lymphoid tumour of, removed by partial laryngeetomy</li> </ul>	G. Lan J. Middl p-laryng s) 396, go-fissu ingrave) (G. Kin	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Laryng, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>aryngeal disturbances produced by voice use (amass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhine logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>Lymphoid tumour of, removed by partial laryngeetomy</li> </ul>	G. Lan J. Middl p-laryng s) 396, go-fissu ingrave) (G. Kin	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>lymphoid tumour of, removed by partial laryngectomy (C. Jacl</li> <li>malignant disease, treatment by laryngectomy (C. Jacl</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu ingrave) (G. Kin cson)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>lymphoid tumour of, removed by partial laryngectomy (C. Jacl</li> <li>malignant disease, treatment by laryngectomy (C. Jacl</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu ingrave) (G. Kin cson)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent : pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>lymphoid tumour of, removed by partial laryngectomy (C. Jackson)</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu ingrave) (G. Kin cson)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Laryngologists, relation and interest of Koplik spots to (H. worthy)</li> <li>Laryngology, retrospect of 1905 (J. Macintyre)</li> <li>Laryngotomy performed without cannula (A. Castex)</li> <li>Larynx, angeioma of (V. W. Wingrave)</li> <li>bone impacted in (J. M. Ingersoll)</li> <li>congenital laryngeal stridor (H. Koplik)</li> <li>(disease of) case of (W. H. Kelson)</li> <li>laryngeal disturbances produced by voice use (a mass Hunt), 519; (W. E. Casselberry)</li> <li>statistical report of department of oto-rhind logy at Hospital Saint-Jean, Brussels (A. Fallas)</li> <li>(disturbances of) in syringomyelia (G. Gavello)</li> <li>epithelioma of (V. W. Wingrave) 191, (Dr. Schiffer Watson Williams)</li> <li>fibroma of, recurrence as papilloma treated by laryn (T. J. Harris)</li> <li>foreign body in rare case of (N. Zia)</li> <li>growths of, innocent: pathology of 50 cases (V. W. W</li> <li>in tabes (D. C. Green)</li> <li>lupus of larynx, palate, and pharynx (H. Barwell)</li> <li>lymphoid tumour of, removed by partial laryngectomy (C. Jacl</li> <li>malignant disease, treatment by laryngectomy (C. Jacl</li> </ul>	G. Lan J. Middl o-laryng s) 396, go-fissu ingrave) (G. Kin cson)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Larynx, neoplasm, intrinsic; case previously shown (R. H. Scanes	PAGE
Spicer)	86
three cases (C. W. Richardson)	338
	582
papilloma of, from inhaling flames (A. B. Thrasher)	380
in children, treatment by operation (D. R. Paterson) .	511
(multiple), recurrence after treatment fifteen years ago	
(R. H. Scanes Spicer)	- 33
—— paralysis of larynx and soft palate (B. Jones)	103
pharyngo-laryngeal unilateral (Avellis' syndrome) (C. Poli)	-303
association with paralysis of other muscles on same	
side (C. Poli)	303
scleroma of (E. Mayer)	381
section of, from case of hyperplastic congenital syphilis	
(A. Brown Kelly)	130
stenosis of (Å. Fallas) 397, 398, 653, (H. J. Davis) .	576
consecutive to intubation (Dr. Hamaide)	393
following subglottic abscess (A. Fallas)	398
necessity for early use of intubation in (E. W. Saunders)	264
with paralysis of left vocal cord (A. Fallas) .	397
syphilis of, tertiary (G. C. Cathcart)	44
	188
granulomata and stenosis : thyrotomy (H. S. Barwell) .	39
	653
(Henrici)	- 655 - 573
galvano-cautery in (Dr. Escat)	433
	-110
(tumours of), treatment (G. Ferreri)       .       .         ulceration of (J. Donelan)       .       .	79
pharynx and larynx (J. B. Ball)	77
villous papillomatous growth, probably epithelioma (J. Dundas	•••
Grant)	237
preparations illustrating cases (V. W. Wingrave)	237
and uvula, lupus of (H. S. Barwell)	-38
Lateral sinus, latent thrombosis of (Dr. van den Wildenberg) .	436
LAURENS (Paul), a clinical and anatomo-pathological study of a case of	
suppurative labyrinthitis	286
LAW (Édward), report on the fatal termination of the case of incrusta-	
tions in the trachea, with at times well-marked stenosis; shown by	
Dr. Edward Law at the meetings of the Society on November 4 and	
December 2, 1904, and March 17, 1905 (with reports by Drs. G. C.	
Cathcart and Jobson Horne)	4, 45
LAWRENCE (L. A.), a case of almost complete occlusion of the meatus,	
the result of an accident	144
LECOCQ (Dr.), gigantic polypus removed from a female aged sixty	391
LELAND (G. A.), septic infection through fauces	583
LEROUX (R.) and BELLIN (L.), congenital membranous occlusion of the	400
choanæ	438
LEVY (Robert), surgical treatment of tuberculosis of the upper air-	340
passages and the ear Leukæmia of mucous membrane of upper air-passages and digestive	340
tract (K. M. Menzel)	437
"Lichenoids" (V. W. Wingrave)	108
LIMONTA (G.) and GAVAZZENI (S.), the treatment of Ménière's disease	111
LINCOLN (William), mouth-breathing	385
Lip (upper), lymphangitis of (A. Wylie)	299
Lipoma of buccal pouch (congenital) (V. W. Wingrave)	23
Liquids, dysphagia for, in case of fixation of right vocal cord (W. Stuart-	
Low)	578
Lobule (auricular), ulceration of (W. Stuart-Low)	187

	PAGR
LOEB (Hanau W.), a study of the anatomy of the accessory sinuses of	F 11
the nose, based upon reconstructions of two heads	541
LOGAN (James E.), endothelioma of the throat; tonsillar disease	333
presidential address at Kansas City	333
Longitudinal sinus (superior), thrombo-phlebitis of (V. Delsaux)	542
LOVE (J. Kerr), stereograms illustrating five cases of the radical mastoid	
operation, and one of a polypus attached to a diseased malleus	94
LUBET-BARBON (Dr.), a patient who had been operated on recently for	
a voluminous naso-pharyngeal polypus by means of the author's	<b>207</b>
forceps	287
Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteo-	
myelitis of the cranium following an acute frontal sinusitis of	
staphylococcic origin, complicated with extra- and intra-dural	
abscess; (2) a complicated deviation of the nasal septum; (3) a case	000
of closure of fistula between mouth and nose	288
Lymphangitis of upper lip (A. Wylie)	299
Lymphoid tonsillar circle (G. Wishart)	54
Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)	580
McCollom (J. H.), the experience of nine years in the treatment of	100
diphtheria with antitoxin	109
McDONAGH (George R.), a discussion on the treatment of deviations of	015
the nasal septum; introductory paper .	615
MACFARLANE (Murray), discussion on pathogenic influence of aural	100
lesions in systemic disease	468
MACINTYRE (John), retrospect of laryngology, 1905.	T
MACKENZIE (Dan): auricle removed for epithelioma of posterior surface	105
with microscopic sections (prepared by Dr. Wyatt Wingrave)	105
case of epithelioma of posterior surface of auricle	301
McKERNON (J. F.), introductory paper to a discussion on the indications	507
for the ligation of the internal jugular vein in otitic pyzemia $(\mathbf{I}_{i})$	$\begin{array}{r} 507 \\ 436 \end{array}$
MADER (L.), on X-ray therapy in upper air-passages. MAHU (Dr.): the efficiency of treatment of tertiary syphilis of the nose	430
	490
by iodides	$\frac{432}{332}$
MAKUEN (G. Hudson), hysterical mutism .	<b>5</b> 52
	339
treatment . ————————————————————————————————————	455
discussion on laryngeal disturbances produced by voice use	534
Malignant disease : infiltration, probably malignant disease, causing	004
fixation of right crico-arytenoid joint (E. F. Potter)	85
Malignant growth, originating in skin over mastoid process (W. Milligan)	145
Malleus (diseased), polypus attached to (J. K. Love)	94
	- 93
Mammalia, labyrinth of, comparative anatomy of (A. A. Gray)	142
Masseur (aural), simple and efficacious (G. D'Aiutolo)	111
Mastoid disease, cases of (A. L. Whitehead)	349
(hronic); subdural abscess (H. S. Walker)	347
	401
operation (radical), isoform in after-treatment of (B. Heine)	$\tilde{402}$
in scarlatinal otitis (A. K. Gordon)	353
performed painlessly without artificial anæsthesia	000
(Dr. Jaumenne)	396
results of (W. Chichele Nourse)	189
stereograms illustrating five cases of (J. K.	
Love)	94
operations, blood-clot as a primary dressing in (C. J. Blake)	545
process, dissecting abscess in region of, but not invading it; deep	
penetration into neck (E. Urbantschitsch)	), 291
malignant growth originating in skin over (W. Milligan)	145

	PAGE
Mastoid surgery, modified blood-clot in (W. S. Bryant)	339
Mastoiditis: diagnosis from furunculosis (E. Delstanche)	264
and temporo-sphenoidal abscess (S. Oppenheimer)	340
(L. Bar)	439
(acute) : prevention, diagnosis, and treatment (I. I. Thomson)	584
retention of cholesteatomatous lining in operation for	001
(W. Stuart-Low)	20
with acute suppurative inflammation of middle ear, blood-	
clot dressing in (F. L. Jack) .	584
(double), complicated by an intercommunicating sub-occipital	011
abscess (H. B. Hitz).	211
Maxilla (superior) and ethmoid, osteomyelitis of, with suppuration in sinuses and in orbit (Dr. van der Wildenberg)	394
total resection of, for carcinoma (Dr. Goris)	396
(left superior), swelling over (J. Dundas Grant)	43
Maxillary sinus, cyst of (Dr. van der Wildenberg)	394
(left): suppuration of left frontal and left maxillary	
sinuses, closure of wound, and irrigation (C. J. Symonds) .	92
sinusitis (caseous): symptoms and diagnosis (Dr. Texier)	432
MAYER (Emil), scleroma of the larynx	381
Meat, piece of, impacted in gullet, skiagram showing (D. R. Paterson)	229
Meatus (auditory), foreign body in, resembling fibrous polypus	005
(Koenig)	285
Bronner) (external), aspergillus of, causing severe vertigo (A.	99
chronic inflammation on both sides, with marked	00
stenosis (W. H. Kelson)	99
epithelioma of (H. S. Walker).	347
(inferior), nasal angeioma removed from (W. R. Kelson)	134
occlusion of, almost complete (L. A. Lawrence) .	144
Mechanico-therapeutics of ear (C. J. Blake).	402
Ménière's disease : see Vertigo (aural).	
symptom-complex : see Vertigo (aural).	100
Meningitis following panotitis (G. S. Dixon)	$\frac{166}{433}$
removal of a polypus from middle turbinal (J. Merckx) . (acute); operation; recovery (E. A. Crockett)	455 211
(acute), operation, recovery (E. A. Crockett)	306
Menthol and eucalyptus pastilles (tabloid)	440
Mentholated throat tablets (modified)	168
MENZEL (K. M.), the symptoms of empyema of the maxillary antrum	
	209
a contribution to our knowledge of leukæmic changes in the	
mucous membrane of the upper air-passages and the digestive tract	105
	437
<b>MERCKX</b> (J.), meningitis following removal of a polypus from the middle turbinal	433
	351
	399
Micrococcus neoformans, bacterial vaccine of, in treatment of inoperable	
	577
pharynx, tongue, and cervical glands; ameliora-	
tion (R. H. Scanes Spicer and Sir A. E. Wright) 265,	
	434
	337
MILLIGAN (William), retrospect of rhinology, 1905 .	5
a case of malignant growth originating in the skin over the	145
mastoid process ———————————————————————————————————	L TU
progressive deafness	355
Propressive detailed at the second se	

Index.	

MILLIGAN (William), remarks (communicated for him in his absence) at	PAGE
discussion on fixation of the stapes .	261
and CAMERON (John), the mode of continuity of the fibres of the	
auditory nerve, with the auditory sense epithelium and with the nuclei in the hind brain	354
Mitral affections, paralyses of vocal cords in (G. Gavello)	110
MOLE (Harold), a case of acute otitis media suppurativa, with prolonged	
high temperature, but without other serious symptoms	96
Morbid Growths Committee, Laryngological Society of London, report of 35.	000
of	$\frac{292}{287}$
Morgagni, ventricle of, laryngocele of ventricle connected with (Dr.	-01
Labarre)	392
MORTON (William Cuthbert), some new instruments for removing	10
foreign bodies from the bronchi by direct bronchoscopy	$\frac{12}{363}$
a speculum for the examination of the pyriform sinuses and the	000
upper end of the œsophagus (exhibited at Brit. Med. Assoc., Annual	
Meeting, 1906)	542
discussion on sinus suppuration	$\frac{493}{628}$
MOUNIER (Dr.), nasal syphilis with a progressive destructive course;	020
death of the patient .	68
MOURE (E. J.), suppurative phlebitis of the sinuses .	431
Mouth, obscure lesion of (de la Sota Ramon)	163
	288
Mouth-breathing (W. Lincoln)	$\frac{385}{332}$
mutism (nysterical) (G. 11. makuen)	004
Nævoid changes in anterior extremity of middle turbinal bone, causing	
persistent unilateral headache (V. W. Wingrave)	378
Nævus of cheek (Mayo Collier)	300
Nasal cavity, voluminous papilloma of (S. King)	164
guards, exhibition of (A. Wylie)         .         <	$\frac{301}{168}$
	172
passages, malignant tumour of : new mode of access in operation	<b></b>
for (A. Denker)	302
reflex, photophobia as (E. D. Spear).	263
	149
Naso-pharynx, carcinoma of (C. J. Symonds)	$149 \\ 183$
epithelioma of, microscopic section (W. Stuart-Low) 87, (V. W.	100
Wingrave)	88
Eustachian eminences projecting into, interfering with free nasal	1 40
respiration (E. F. Potter)	$\frac{149}{396}$
removal by enucleation (A. J. Brady)	315
hæmorrhage (primary) from (Fiocre)	285
malignant growth in (P. R. W. de Santi)	182
sarcoma of, treatment by injections of adrenalin (J. E. Rhodes).	382
—— polypus of, extirpation, death by collapse (Dr. Beco)	433
(Lubet-Barbon) (Lubet-Barbon's forceps	287
	287
ulcerated swelling in middle line of (H. W. Carson) .	$\overline{184}$
——————————————————————————————————————	40
Neck: deep penetration of dissecting abscess in neighbourhood of mas-	001
toid into neck (E. Urbantschitsch)	$\frac{291}{23}$
dermoid cyst of (V. W. Wingrave)	40
30	

Neck : radiograph of revolver bullet in left side of (Dr. Bôval).	PAGE
Nerve (abducens), paralysis of, complicating acute middle-ear suppuration	392
(H. Hastings)	306
(auditory), fibres of, mode of continuity with auditory sense	000
epithelium and with nuclei in hind brain (J. Cameron and W.	
Milligan)	354
(laryngeal, recurrent), adhesions fixing and dragging on, most	
probable cause of case of fixation of left vocal cord in cadaveric	
position (W. Stuart-Low)	296
critical observations on present position of "recurrent"	
question (A. Kuttner)	439
(sixth cranial) paralysis of, and double optic neuritis in case of	1 - 1
otitic extra-dural abscess (J. T. Barr) .	$151 \\ 364$
Nerves (auditory) experimental degenerative neuritis of (Wittmaack) . ——— (laryngeal, superior and inferior) peculiar condition of sensory	304
irritability of (G. Boenninghaus)	653
(laryngeal, recurrent) disturbances of, following thyroidectomy	000
(Dr. Goris)	395
NEUMANN (Heinrich), a child, aged eleven months, who suffered from	
transitory facial paralysis after a radical operation	225
a patient who was attacked by an acute otitis after a nasal	
operation	225
a patient, aged sixty, who for four months had suffered from	
great pain in the ear and loud subjective noises .	225
preparation of abscess of both the temporal lobes and cerebellum	289
a preparation in which the dura of the posterior fossa was dis-	
placed inwards, and the sinus compressed by a neoplasm the size of a small apple	290
a small apple	200
	402
NEUMAYER (H.), the use of the œsophagoscope in diagnosis and treat-	
ment of foreign bodies in the cosphague	210
Neuritis (double optic), with paralysis of sixth nerve, in case of otitic	
extra-dural abscess (J. S. Barr)	151
(experimental, degenerative) of auditory nerves (Wittmaack)	364
(retro-bulbar) complicating sphenoidal sinusitis (E. Delneuville).	263
Neuroses (reflex) of nasal origin (G. King)	$\frac{363}{327}$
NEWCOMB (James E.), diseases of the trachea	337
Noises (loud), prevention of ear affections due to (A. H. Cheatle)	48
(subjective, loud), with great pain in ear (H. Neumann)	225
Nose : accessory sinuses, anatomy of (Van den Wildenberg) 263, (H. W.	
	541
diseases, diagnosis and treatment : skiagraphy as	
an aid to (C. G. Coakley)	537
	337
	404
(H Tiller) suppurative lesions, diagnosis and treatment	487
	407 323-
deformity : injection of cold paraffin for (J. Dundas Grant)	89
	126
diseases of, acute), followed by acute affections of eyes (E.	•
Baumgarten)	<b>4</b> 00 <sup>,</sup>
statistical report of department of oto-rhino-laryngology	
	512
	167
(dorsum of), dermoid cyst of (Bellin)	285
floor of, angeio-myxoma of (V. W. Wingrave) .	$160^{\circ}$

None information of an en stick star in an dusting	PAGE
Nose: inflammatory obstruction of, as an etiologic factor in production	r.e9
of sputa (W. P. Porcher)	563
injection of solid paraffin into, without anæsthetic (A. Wylie)	19
(malfunction of), how far are abnormalities of nasal septum	000
responsible for (H. L. Swain)	320
(mucous membrane of), inflammation of (P. E. Goldsmith)	55
ocular symptoms of nasal origin (H. Hastings)	334
operation on, followed by acute otitis (H. Neumann) .	225
(operations on), anæsthetic technique for (A. de Prenderville)	308
– papillomata of (J. B. Ball)	572
pathological conditions of, specimens and drawings (L. Turner)	177
(polypus of), "Polypus of the Nose" (1906), by Eugene S.	
Yonge	655
reflex neuroses of nasal origin (G. King)	363
removal of adenoid vegetations through the nasal passages by a	
new method (O. T. Freer)	384
rodent ulcer (A. Wylie) 102, (V. W. Wingrave)	160
(Roman), subcutaneous correction of (D. C. Green) .	362
sarcoma of (J. Price-Brown)	555
operation results, statistical report (J. Price-Brown) .	593
treatment by electro-cautery (J. Price-Brown).	593
skiagraphy (nasal) (C. G. Coakley) .	323
submucous operations in, new gouge for (R. Coffin) .	263
death (Mounier)	-68
treatment by iodides (Dr. Mahu) .	432
tuberculous ulceration of (H. S. Barwell)	37
and mouth, fistula between, closure of (Luc).	288
Nostril, evacuation of ethmoid from (Dr. Collet)	395
(right posterior), bony occlusion of (H. S. Birkett)	55
NOURSE (W. Chichele), a case of dysphagia	17
a case of laryngeal neoplasm	17
two cases showing the results of the radical mastoid operation .	189
and GRANT (J. Dundas), retrospect of otology, 1905	7
Obituary : Stewart, William Robert Henry	213
Watson, William Spencer	585
Esophagoscope in diagnosis and treatment of foreign bodies in œsophagus	
(H. Neumayer)	210
Esophagotomy, removal of denture by (W. Downie).	129
Esophagus, coin lodged in, at level of second dorsal vertebra (Dr.	
$\mathbf{B}$ ôval)	392
distortion of, produced by vertebral ecchondrosis (Zahn)	<b>304</b>
diverticulum of entrance of ; operation (Capart)	165
fish-hook removed from (D. R. Paterson)	229
foreign body in (A. Coolidge, Jun.) .	55
impaction of piece of meat in, skiagram showing (D. R. Paterson)	229
obstruction of (J. Stewart).	110
esophagoscope in diagnosis and treatment of foreign bodies in	
(H. Neumayer)	210
speculum for examination of upper end of (H. P. Mosher)	542
tooth-plate removed from (D. R. Paterson)	229
ONODI (A.) "Die Nebenhöhlen der Nase" (review) .	404
OPPENHEIMER (Seymour) report of a case of mastoiditis and temporo-	
sphenoidal abscess; operation; recovery	340
Oral infection, question of mutual communication of syphilis in three	
cases by (H. J. Davis)	227
Orbit, suppuration in, in a case of osteomyelitis of superior maxilla and	
of ethmoid (Dr. van den Wildenberg)	394
Osteitis of frontal bone (chronic). with chronic sinusitis (E. A. Peters) .	295

Osteomyelitis of cranium (diffused) following acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; cure (Luc)	PAGE
	000
	288
of jaw (Dr. Trétrôp)	435
of superior maxilla and ethmoid, with suppuration in sinuses and	
in orbit (Dr. van den Wildenberg)	394
	001
(subacute) of frontal bone with empyema of right frontal sinus	25
$(\mathbf{R}, \mathbf{H}, \mathbf{Scanes Spicer})$	-35
Othæmatoma, treatment of (Dr. Delstanche)	435
Otitis (acute) following nasal operation (H. Neumann)	225
madin complicated by infecting outbuilting ( <b>D</b> W Fordeten)	167
media complicated by infective arthritis (P. W. Eagleton)	
(purulent), abscess of brain following (Dr. Trétrôp) .	391
(chronic purulent) results of radical operation for	
(S. MacCuen Smith).	339
	000
(suppurative acute) : case with prolonged high temper-	0.0
ature; no other serious symptoms (H. Mole)	96
(chronic), four cases; recovery after operation	
(Dr. Alexander)	226
	$\bar{2}\bar{7}\bar{5}$
(scarlatinal), operative treatment of (A. K. Gordon)	
radical mastoid operation in (A. K. Gordon)	353
Otological Society of the United Kingdom: annual meeting and	
dinner	3, 54
	044
Otology, retrospect of, 1905 (J. Dundas Grant and W. Chichele Nourse)	- 7
——————————————————————————————————————	405
Otorrhœa (chronic), cases of (A. L. Whitehead)	349
	439
mastoiditis without (L. Bar)	459
(old-standing), persisting after recovery from hip-joint disease	
(Boulay)	286
Ozæna cured by submucous injections of paraffin (Dr. Broeckaert)	396
	431
etiology of (Dr. Broeckaert)	401
Palate, epithelioma of (J. Dundas Grant) .	238
Palate, epithelioma of (J. Dundas Grant)	238 188
lupus of larynx, palate, and pharynx (H. Barwell)	188
	$\begin{array}{c} 188 \\ 101 \end{array}$
	188
	$188 \\ 101 \\ 389$
	$188 \\ 101 \\ 389 \\ 239$
	$188 \\ 101 \\ 389$
	188 101 389 239 103
	$188 \\ 101 \\ 389 \\ 239$
	188 101 389 239 103
Image: Second state of the second s	188 101 389 239 103 230
	188 101 389 239 103 230 234
	188 101 389 239 103 230 230 234 293
	188 101 389 239 103 230 234
	188 101 389 239 103 230 230 234 293
	188 101 389 239 103 230 230 234 293 184
	$188 \\ 101 \\ 389 \\ 239 \\ 103 \\ 230 \\ 234 \\ 293 \\ 184 \\ 166 \\ 166 \\ 100 $
Impus of larynx, palate, and pharynx (H. Barwell)          (soft) ? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mycosis of (H. Tilley)          mycosis of the tumour of t	188 101 389 239 103 230 234 293 184 166 331
Image: Solution of Constraints       Image: Solution of Constraint       Image: Solution of Constraints	$188 \\ 101 \\ 389 \\ 239 \\ 103 \\ 230 \\ 234 \\ 293 \\ 184 \\ 166 \\ 166 \\ 100 $
Image: Solution of Constraints       Image: Solution of Constraint       Image: Solution of Constraints	188 101 389 239 103 230 234 293 184 166 331
Impus of larynx, palate, and pharynx (H. Barwell)          (soft) ? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mycosis of (H. Tilley)          mycosis of the tumour of tumour of the tumour of the tumour of the tumour of	$188 \\ 101 \\ 389 \\ 239 \\ 103 \\ 230 \\ 234 \\ 293 \\ 184 \\ 166 \\ 331 \\ 435 \\ $
Impus of larynx, palate, and pharynx (H. Barwell)          (soft) ? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mixed tumour of (T. H. Halsted)          mycosis of arynx and soft palate (B. Jones)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          mitour of; twenty years' duration (J. W. Bond)          ulceration of left posterior fold of (H. W. Carson)          papilloma, fibroma of larynx recurring as, treated by laryngo-fissure          (T. J. Harris)           Parasthesia of pharynx (Dr. Bouyer)	188 101 389 239 103 230 234 293 184 166 331 435
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of soft palate (B. Jones)</li> <li>mixed tumour of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>panotitis resulting in meningitis (G. S. Dixon)</li> <li>Papilloma, fibroma of larynx recurring as, treated by laryngo-fissure</li> <li>(T. J. Harris)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Paraffin injection, endonasal, as supplementary treatment of sinusites</li> <li>(Guisez)</li> <li>for nasal deformity (W. Downie)</li> </ul>	$188 \\ 101 \\ 389 \\ 239 \\ 103 \\ 230 \\ 234 \\ 293 \\ 184 \\ 166 \\ 331 \\ 435 \\ $
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of real paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tumour of; twenty years' duration (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Paraffin injection, endonasal, as supplementary treatment of sinusites</li> <li>(Guisez)</li> <li>minet of the posterior (W. Downie)</li> <li>subcutaneous, for nasal and other deformities (A. B.</li> </ul>	188 101 389 239 103 230 234 293 184 166 331 435 164 126
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of real paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Paraffin injection, endonasal, as supplementary treatment of sinusites</li> <li>(Guisez)</li> <li>for nasal deformity (W. Downie)</li> <li>subcutaneous, for nasal and other deformities (A. B.</li> <li>Kirkpatrick)</li> </ul>	188 101 389 239 103 230 234 293 184 166 331 435
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of real paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Paraffin injection, endonasal, as supplementary treatment of sinusites</li> <li>(Guisez)</li> <li>for nasal deformity (W. Downie)</li> <li>subcutaneous, for nasal and other deformities (A. B.</li> <li>Kirkpatrick)</li> </ul>	188 101 389 239 103 230 234 293 184 166 331 435 164 126
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of real paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of Soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tumour of; twenty years' duration (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Paræsthesia of pharynx (Dr. Bouyer)</li> <li>Paraffin injection, endonasal, as supplementary treatment of sinusites</li> <li>(Guisez)</li> <li>for nasal deformity (W. Downie)</li> <li>subcutaneous, for nasal and other deformities (A. B.</li> <li>Kirkpatrick)</li> <li>submucous, in treatment of atrophic rhinitis (A. B.</li> </ul>	188 101 389 239 103 230 234 293 184 166 331 435 164 126
Impus of larynx, palate, and pharynx (H. Barwell)          (soft) ? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mycosis of (H. Tilley)          mycosis of (H. Tilley)          mycosis of the tumour of (T. H. Halsted)          mycosis of (H. Tilley)          model       paralysis of larynx and soft palate (B. Jones)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         mumour of; twenty years' duration (J. W. Bond)         mulceration of left posterior fold of (H. W. Carson)         mappilloma, fibroma of larynx recurring as, treated by laryngo-fissure (T. J. Harris)         Parasthesia of pharynx (Dr. Bouyer)         Parasthesia of pharynx (Dr. Bouyer)         mumour of rom asal deformity (W. Downie)         mumour of rom asal deformity (W. Downie)         mumour of rom asal deformity (M. Downie)         mumour of rom asal and other deformities (A. B.         Kirkpatrick)	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ \end{array}$
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of recurrent paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tumour of; twenty years' duration (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>garasthesia of p</li></ul>	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396 \end{array}$
<ul> <li>hupus of larynx, palate, and pharynx (H. Barwell)</li> <li>(soft) ? congenital malformation of (F. Spicer)</li> <li>mixed tumour of (T. H. Halsted)</li> <li>mycosis of (H. Tilley)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>paralysis of larynx and soft palate (B. Jones)</li> <li>mixed tumour of recurrent paralysis associated with</li> <li>middle-ear disease and facial palsy on same side (D. R. Paterson)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tuberculosis of soft palate, pharynx, and epiglottis</li> <li>(Clayton Fox)</li> <li>tumour of; twenty years' duration (J. W. Bond)</li> <li>ulceration of left posterior fold of (H. W. Carson)</li> <li>Panotitis resulting in meningitis (G. S. Dixon)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>Parasthesia of pharynx (Dr. Bouyer)</li> <li>garasthesia of p</li></ul>	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ \end{array}$
Impus of larynx, palate, and pharynx (H. Barwell)          (soft)? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mixed tumour of (T. H. Halsted)          mycosis of arynx and soft palate (B. Jones)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (J. W. Bond)          miceration of left posterior fold of (H. W. Carson)          Panotitis resulting in meningitis (G. S. Dixon)          Parasthesia of pharynx (Dr. Bouyer) <tr< td=""><td><math display="block">\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396 \end{array}</math></td></tr<>	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396 \end{array}$
Impus of larynx, palate, and pharynx (H. Barwell)         (soft)? congenital malformation of (F. Spicer)         mixed tumour of (T. H. Halsted)         mycosis of (H. Tilley)         mycosis of arynx and soft palate (B. Jones)         mixed tumour of reaction of the first recurrent paralysis associated with         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (D. R. Paterson)         middle-ear disease and facial palsy on same side (J. W. Bond)         mice tumour of; twenty years' duration (J. W. Bond)         muceration of left posterior fold of (H. W. Carson)         Panotitis resulting in meningitis (G. S. Dixon)         Parasthesia of pharynx (Dr. Bouyer)         Parasthesia of pharynx (Dr. Bouyer)         muceratin injection, endonasal, as supplementary tr	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396\\ 89\\ \end{array}$
Impus of larynx, palate, and pharynx (H. Barwell)          (soft)? congenital malformation of (F. Spicer)          mixed tumour of (T. H. Halsted)          mycosis of (H. Tilley)          mixed tumour of (T. H. Halsted)          mycosis of arynx and soft palate (B. Jones)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (D. R. Paterson)          middle-ear disease and facial palsy on same side (J. W. Bond)          miceration of left posterior fold of (H. W. Carson)          Panotitis resulting in meningitis (G. S. Dixon)          Parasthesia of pharynx (Dr. Bouyer) <tr< td=""><td><math display="block">\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396 \end{array}</math></td></tr<>	$\begin{array}{c} 188\\ 101\\ 389\\ 239\\ 103\\ 230\\ 234\\ 293\\ 184\\ 166\\ 331\\ 435\\ 164\\ 126\\ 164\\ 164\\ 396 \end{array}$

Paralysis (abductor) : paralysis of abducens nerve complicating acute	
middle-ear suppuration (H. Hastings) .	
supplementary report of case of (G. L. Richards)	
two cases (G. L. Richards)	
(facial, transitory) following radical operation in child of eleven	
months (H. Neumann)	
(left recurrent) and paralysis of soft palate, associated with	
middle-ear disease and facial palsy on same side (D. R. Paterson) .	
——— of larynx and soft palate (B. Jones).	
of posterior crico-arytenoid muscles, incomplete bilateral, tracheal	
cannula worn on account of, nearly twenty-seven years (Sir F.	
Semon)	
—— paralyses of vocal cords in mitral affections (G. Gavello) .	
(pharyngo-laryngeal, unilateral) (Avellis' syndrome) (C. Poli)	
association with paralysis of other muscles on same side	
(C. Poli)	
Parisian Society of Laryngology, Otology, and Rhinology: proceedings	
66, 120	),
PARKER (Charles A.), a case of swelling below the anterior commissure	
of the vocal cords, causing some dyspnœa, with deformity of the	
epiglottis and indurated swelling of both auricles, in a woman aged	
fifty-five	
PARMENTIER (Dr.) and FALLAS (Dr.), papillomata of the vocal cords .	
Parturition and pregnancy, influence on certain forms of progressive	
deafness (W. Milligan)	),
PATERSON (D. R.), fish-hook removed from the cosphagus .	
skiagram of the neck in a case where a piece of meat was impacted	
in a structure in the gullet	
tooth-plate removed from the œsophagus	
left recurrent paralysis and paralysis of the soft palate associated	
with middle-ear disease and facial palsy on the same side .	
the operative treatment of laryngeal papillomata in children	
(abstract)	
Pathological conditions found in subject of deafness during life (A. A.	
Gray)	
PEGLER (L. Hemington), case of secondary syphilitic lesions of the vocal	
cords in a girl aged twenty	
polypus (discrete angeioma) of the septum (abstract)	
bilateral ulceration of the posterior segments of the vocal cords	
in a man	
<b>Perichandritis of thyroid cartilage (Bosviel)</b> $\cdot$ $\cdot$	
<b>PETERS</b> (E. A.), case of chronic pharyngitis with polypi of uvula .	
a microscopic section of an angeio-fibroma	
a new masar saw	
a case of epithenomia of the tonship	
chronic ostelitis of the frontal bone with chronic sinusitis	
Pharyngeal reflex (W. Baumann) .	
Pharyngitis, chronic, with polypi of uvula (E. A. Peters)	
	,
Pharynx : abstracts of literature on	,
glands: amelioration after treatment with bacterial vaccine of	
neoformans (R. H. Scanes Spicer and Sir A. E. Wright) . 265	
	',
endothelioma of (V. W. Wingrave)	
——— erysipelas of, primary (H. G. Langworthy)	
paralysis, pharyngo-laryngeal unilateral (Avellis' syndrome) (C.	
Poli)	

Pharynx: paralysis, association with paralysis of other muscles on same	PAGE
side (C. Poli)	303
(roof of), tumour of left half of face originating in (K. Jager) . 	301
calomel injections (J. Dundas Grant) .	_80
	234
	570 77
ulceration of pharynx and larynx (J. B. Ball)	"
Grant)	71
and naso-pharynx, sclerotic hyperplasia of (A. Brown Kelly)	40
PHILIPS (Wendell C.), discussion on treatment of deviations of nasal septum	628
Phlebitis (suppurative) of sinuses (Dr. Moure)	431
Photophobia as a nasal reflex (E. D. Spear)	263
Pinna, epithelioma of (M. Yearsley)	137
(H. S. Walker)	348
Poli (C.), Avellis' syndrome (abstract)	303
POLITZER (A.), histological preparation from a case of suppuration of	
the labyrinth	222
POLLAK (Professor), instrument for vibration massage of ear-drum	226
methods for carrying and keeping aseptic dressings and small	
instruments	226
Polypi (mucous) of choanæ, origin of (G. Killian)	437
of uvula, with chronic pharyngitis (E. A. Peters)	<b>42</b>
Polypus attached to diseased malleus, stereogram illustrating (J. K.	
Love)	94
(bleeding): see Septum (nasal, angeioma, discrete.	
(fibrous), foreign body in auditory meatus resembling (Koenig) .	285
(gigantic) removal (Dr. Lecocq)	391
meningitis following removal of, from middle turbinal (J. Merckx)	433
(masal) and sinusitis, recent, with long-standing atrophic rhinitis (W. Hill)	44
(maso-pharyngeal): extirpation; death by collapse (Dr. Beco)	433
(Lubet-Barbon) (Voluminous): operation by Lubet-Barbon's forceps	287
DE PONTHIÈRE (Dr.), pseudo-membranous rhinitis	436
PORCHER (W. Peyre), discussion on congenital stridor, laryngeal and tracheal	456
discussion on conservative methods in treatment of aural diseases	480
discussion on conservative methods in treatment of aural diseases discussion on laryngeal disturbances produced by voice use	400 535
inflammatory nasal obstruction as an etiologic factor in the pro-	000
duction of sputa	563
POTTER (E. Furniss), case of fixation of right crico-arytenoid joint due	000
to infiltration, probably malignant disease, in a woman aged fifty .	85
case of swelling projecting from left tonsil (retention cyst) in a	00
girl aged twenty-three	134
case of abnormally large Eustachian eminences projecting into	101
the naso-pharynx to the extent of interfering with free nasal respira- tion	149
Pregnancy and parturition : influence on certain forms of progressive	140
	355
deafness (W. Milligan)	000
nose and throat (review)	308
PRICE-BROWN (J.), a new operation for extreme cases of septal deflection,	300
with presentation of a successful result in an adult case . 309,	324
nasal sarcoma	555
a statistical report of the results of operation in sarcoma of the	550
nose by methods generally adopted, with a plea for the more extended	
use of the electro-cautery in suitable cases	593

PRICE-BROWN (J.), discussion on treatment of deviations of nasal septum PRITCHARD (Urban), introductory paper to discussion on fixation of the	раде 627
stapes Pseudo-leukæmia simulating so-called Mikulicz's disease (Dr. Broeckaert) Pyæmia (otitic), ligation of internal jugular vein in (H. E. Jones) (J. F. McKernon)	240 434 498 507
Pyriform fossa, piece of cartilage impacted in (R. Landesberg)	$\begin{array}{c} 264 \\ 542 \end{array}$
RAMON (de la Sota), obscure lesion of mouth (abstract) Rectum, ether narcosis by (J. A. Stucky) "Recurrent" question, present position of (A. Kuttner)	$163 \\ 341 \\ 439$
RENSHAW (Knowles), a case of fibro-sarcoma arising from the thyro-hyoid membrane	$\begin{array}{c} 169 \\ 125 \end{array}$
(W. Hill)	44
Kirkpatrick)	$\begin{array}{c} 164 \\ 436 \end{array}$
Rhinolith, specimen of (P. Watson Williams)       .         Rhinology, retrospect of, 1905 (W. Milligan)       .         —— and otology, practical problems in (J. Dundas Grant)       .	$\begin{array}{r} 36 \\ 5 \\ 405 \end{array}$
Rhino-phantom (Killian's), stereoscopic photographs of (V. Delsaux) . RHODES (J. E.), sarcoma of the naso-pharynx; treatment by injections	391
of adrenalin RICHARDS (George L.), discussion on conservative methods in treatment of aural diseases	382 480
<ul> <li>discussion on sinus suppuration</li> <li>two cases of abductor paralysis (Brit. Med. Assoc., Annual Meeting, Toronto, 1906)</li> </ul>	494 495
	493 569
what should be the attitude of public sanatoria towards cases of tubercular laryngitis, with suggestions as to the general plan of treatment of such cases in sanatoria	583
RICHARDSON (Charles W.), some observations on non-traumatic per- forations of the septum	321 338
ROBINSON (H. Betham), case of fibro-angeioma of nasal septum	130
Rodent ulcer on nose, excision of (A. Wylie)	102
ROE (John O.), the ethmo-turbinal cells clinically considered .	326
discussion on the treatment of deviations of the nasal septum; introductory paper (Brit. Med. Assoc., Annual Meeting, 1906)	610
RUDOLF (R. D.), the medical treatment of exophthalmic goitre	55
Saliva ejector (dental) as surgical instrument (R. H. Woods) . 61 Sanatoria (public), treatment of cases of tubercular laryngitis in (G. L. Richards) .	, 162 583
DE SANTI (Philip R. W.), case of syphilitic granulomata and stenosis of the larynx; thyrotomy performed	39
a woman with immobile right vocal cord; previously shown May 5, 1905	135
woman aged fifty with malignant growth in naso-pharynx; question of operation	182
	$\frac{185}{389}$
SAUNDERS (E. W.), a plea for the more timely use of intubation in laryngeal stenosis, and for the use of tracheotomy in certain	
neglected cases	264

Saw (nasal) (E. A. Peters)		page 231
Scarlatina : see Otitis (scarlatinal).	•	-01
SCHEIBE : the therapeutical aspect of acute inflammations of the	e middle	
ear, with reference to their various etiology		307
SCHIFFERS (Dr.), epithelioma of larynx		396
Semicircular canals, theory of function of (Dr. Barany)		361
SEMON (Sir Felix), a case of tumour in the interarytenoid fold, p	robably	01
tuberculous		31
a case in which a tracheal cannula had been worn for		
twenty-seven years on account of incomplete bilateral para the posterior crico-arytenoid muscles, which had remain		
changed all that time	ieu un-	70
Septum (nasal), abnormalities of, are they responsible for mal-f	unction	••
of nose ? (H. L. Swain)		320
angeions of discrete (I. H. Pegler)		202
deviations of (editorial)		586
		288
treatment (StC. Thomson) .	•	604
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	•	610
(G. R. McDonagh)		615
by submucous excision; drawing	gs illus-	roa
trating method of operation for (P. Watson Williams)	· ·	$\frac{582}{335}$
by submucous resection (J. C. Bed (C. Jackson)	ск) .	336
$ (0. \text{ Jackson}) \cdot \cdot$	•	619
(O. T. Freer)                instruments for (H. Smurther)	thwaite)	175
	of de-	110
flection (J. Price-Brown)	309.	324
discass of a size for diagnosis (F. Spicov)		100
fibro-angeioma of (H. B. Robinson) .		130
perforations of treatment (M. A. Goldstein)		337
non tranmatic (C W Swein)		
non-traumatic (C. W. Swain) .		321
non-traumatic (C. W. Swain)	F. Barn-	
hill) results of operations on, by various incisions (J. F	F. Barn-	<b>3</b> 36
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> </ul>	. Barn-	$\frac{336}{184}$
results of operations on, by various incisions (J. F         hill)           swelling on upper part of (J. Donelan)          tuberculosis of (C. F. Delsaux)	F. Barn- · ·	336 184 392
results of operations on, by various incisions (J. F         hill)       .          swelling on upper part of (J. Donelan)          tuberculosis of (C. E. Delsaux)          ulceration of (W. H. Kelson)	F. Barn-	$\frac{336}{184}$
results of operations on, by various incisions (J. F         hill)       .          swelling on upper part of (J. Donelan)          tuberculosis of (C. E. Delsaux)          ulceration of (W. H. Kelson)         SHAMBAUGH (G. E.), communications between the blood-vessels	F. Barn-	336 184 392
	F. Barn-	$336 \\ 184 \\ 392 \\ 102$
<ul> <li>results of operations on, by various incisions (J. F</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> </ul>	F. Barn-	336 184 392
	F. Barn-	336 184 392 102 166
<ul> <li>results of operations on, by various incisions (J. F</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> </ul>	P. Barn- s in the he bony n have a	$336 \\ 184 \\ 392 \\ 102$
	P. Barn- s in the he bony n have a Annual	336 184 392 102 166
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> </ul>	P. Barn- s in the he bony n have a Annual	336 184 392 102 166 364 555
<ul> <li>results of operations on, by various incisions (J. F</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> </ul>	F. Barn- is in the ne bony n have a Annual 348,	336 184 392 102 166 364 555
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>matual necrosis of cochlea and (H. S. Walker)</li> </ul>	r. Barn- s in the ne bony n have a Annual 348, lis)	336 184 392 102 166 364 555 349
	r. Barn- 	336 184 392 102 166 364 555 349 335 343 351
	F. Barn- is in the ne bony n have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 351 329
	r. Barn- is in the ne bony n have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 351 329 337
	F. Barn- is in the ne bony n have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 351 329 337 289
<ul> <li>results of operations on, by various incisions (J. F</li> <li>milli</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>matched practical necrosis of cochlea and (H. S. Walker)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>SIMPSON (William K.), tracheal stenosis</li> <li>Singer's nodes: cause of vocal nodules (F. E. Miller)</li> <li>Sinus, closure with connective tissue (F. Alt)</li> </ul>	F. Barn- is in the bony in have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 351 329 337 289 69
<ul> <li>results of operations on, by various incisions (J. F</li> <li>mill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>membranow (infective), resection of internal jugular (H. B. Ell)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>pathological preparations of (H. S. Walker)</li> <li>Simpson (William K.), tracheal stenosis</li> <li>Singer's nodes: cause of vocal nodules (F. E. Miller)</li> <li>Sinus, closure with connective tissue (F. Alt)</li> <li>thrombosis, anatomical preparation showing cure of (F. A.</li> </ul>	F. Barn- is in the he bony in have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 351 329 337 289
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>mathematical preparations of (H. S. Walker)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>SIMPSON (William K.), tracheal stenosis</li> <li>Sinus, closure with connective tissue (F. Alt)</li> <li>of chin (W. H. Kelson)</li> <li>thrombosis, anatomical preparation showing cure of (F. A.</li> </ul>	r. Barn- is in the he bony h have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 329 337 224
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>pathological preparations of (H. S. Walker)</li> <li>Simpson (William K.), tracheal stenosis</li> <li>Sinus, closure with connective tissue (F. Alt)</li> <li>thrombosis, anatomical preparation showing cure of (F. A</li> <li>thrombosis, anatomical preparation showing ligation of i jugular vein in (W. P. Eagleton)</li> </ul>	r. Barn- is in the ne bony n have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 351 329 337 289 69
	r. Barn- is in the he bony in have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 335 335 335 335 329 337 289 69 224 654
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>pathological preparations of (H. S. Walker)</li> <li>Simger's nodes: cause of vocal nodules (F. E. Miller)</li> <li>Sinus, closure with connective tissue (F. Alt)</li> <li>of chin (W. H. Kelson)</li> <li>thrombosis, anatomical preparation showing cure of (F. A</li> <li>(Interval) treated by operation, without ligature (J. Dundas Grant)</li> </ul>	F. Barn- is in the he bony in have a Annual 348, lis)	336 184 392 102 166 364 555 349 335 343 329 337 224
<ul> <li>results of operations on, by various incisions (J. F</li> <li>milli</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>membranow (infective), resection of internal jugular (H. B. El)</li> <li>pattal necrosis of cochlea and (H. S. Walker)</li> <li>pathological preparations of (H. S. Walker)</li> <li>SimPson (William K.), tracheal stenosis</li> <li>thrombosis, anatomical preparation showing cure of (F. A)</li> <li>thrombosis, anatomical preparation, without ligature</li> <li>(J. Dundas Grant)</li> <li>Sinuses, suppuration in, in case of osteomyelitis of superior maximum sectors.</li> </ul>	F. Barn- is in the behavior in have a Annual 348, lis) ilt) internal of vein illa and	336 184 392 102 166 364 555 349 335 335 335 335 335 329 337 289 69 224 654
<ul> <li>results of operations on, by various incisions (J. F</li> <li>hill)</li> <li>swelling on upper part of (J. Donelan)</li> <li>tuberculosis of (C. E. Delsaux)</li> <li>ulceration of (W. H. Kelson)</li> <li>SHAMBAUGH (G. E.), communications between the blood-vessels membranous labyrinth and the endosteum and those in the capsule of the labyrinth (abstract)</li> <li>some relations of the blood-supply of the inner ear, which practical bearing on the clinical study of otology (abstract)</li> <li>circulation in the labyrinth of the ear (Brit. Med. Assoc., Meeting, 1906)</li> <li>Sigmoid sinus thrombosis, cases of (A. L. Whitehead)</li> <li>partial necrosis of cochlea and (H. S. Walker)</li> <li>pathological preparations of (H. S. Walker)</li> <li>Simger's nodes: cause of vocal nodules (F. E. Miller)</li> <li>Sinus, closure with connective tissue (F. Alt)</li> <li>of chin (W. H. Kelson)</li> <li>thrombosis, anatomical preparation showing cure of (F. A</li> <li>(Interval) treated by operation, without ligature (J. Dundas Grant)</li> </ul>	F. Barn- is in the he bony in have a Annual 348, lis)	$\begin{array}{c} 336\\ 184\\ 392\\ 102\\ 166\\ 364\\ 555\\ 349\\ 335\\ 343\\ 351\\ 329\\ 69\\ 224\\ 654\\ 148\\ \end{array}$

Cimultin (alugatic) with alugatic actaiting of fugated have (E. A. Datava)	раде 295
Sinusitis (chronic), with chronic osteitis of frontal bone (E. A. Peters) (frontal) (H. P. Mosher)	$\frac{235}{363}$
skiagraphy in diagnosis of (W. A. Chisholm)	338
	000
intra-dural abscess, followed by diffuse osteomyelitis of cranium (Luc)	288
(maxillary) (Dr. Trétrôp)	435
(caseous), symptoms and diagnosis (Dr. Texier)	432
paraffin endonasally as supplementary treatment of (Guisez)	164
recent, and recent nasal polypus, with long-standing atrophic	
rhinitis (W. Hill)	<b>44</b>
(sphenoidal) with ocular complication (E. Delneuville) .	263
treatment by operation, indications for (A. Capart, jun.)	511
Skiagraphy as aid in diagnosis and treatment of diseases of accessory	
sinuses of nose (C. G. Coakley)	537
in diagnosis of frontal sinusitis (W. A. Chisholm)	338
(nasal) (C. G. Coakley) .	323
Skulls showing different stages of operation for opening vestibule (R.	
$Lake) \qquad . \qquad $	94
SMITH (M. C.), discussion on treatment of deviation of nasal septum .	628
SMITH (S. MacCuen), the results obtained from the radical operation	990
for chronic purulent otitis media	339
	457
(Brit. Med. Assoc., Annual Meeting, Toronto, 1906)	$\begin{array}{c} 457 \\ 480 \end{array}$
discussion on conservative methods in treatment of aural diseases <b>SMURTHWAITE</b> (H.), a patient shown in June, 1905, with thickening of	400
right cord thought to be malignant; exhibited again for further	
diagnosis .	131
instruments for submucous resection operation	175
discussion on conservative methods in treatment of aural diseases	481
discussion on laryngeal disturbances produced by voice use	535
discussion on cold wire snare in removal of hypertrophied tonsils	563
headache: pathological conditions of the middle turbinal a	000
causal factor, 565. Discussion, Dundas Grant (President) (Brit.	
Med. Assoc., Annual Meeting, 1906)	569
discussion on treatment of deviations of nasal septum .	627
Snare (cold wire) in removal of hypertrophied tonsils (A.S. Bryant)	556
Sodium citrate tabloid	212
"Soloid "eosin-azur	656
Sondermann's suction apparatus (J. Dundas Grant) .	81
Sound-waves, therapeutic effect of (C. J. Blake)	<b>402</b>
Spa: treatment of affections of throat, nose, ears, and eyes by carbonic	
acid gas at (E. Delneuville)	167
SPEAR (Edmund D.), photophobia : a nasal reflex (abstract)	263
Speculum for examination of pyriform sinuses and upper end of œso-	~ 10
phagus (H. P. Mosher)	542
SPICER (Frederick), case of disease of the septum, for diagnosis	100
$\frac{1}{2} \operatorname{case of (P) congenital malformation of the soft palate} $	101
SPICER (R. H. Scanes), multiple papillomata of the larynx in a man	
aged forty-one, which had recurred after three years' treatment	99
ending fifteen years ago	33
of right frontal sinus, shown on May 5, 1905	35
case of intrinsic laryngeal neoplasm in a man aged seventy-three,	00
shown June, 1905	86
case of inoperable cancer of fauces treated with a bacterial	00
vaccine of Micrococcus neoformans	577
and WRIGHT (Sir A. E.), case of inoperable cancer of the	~
fauces, the pharynx, the tongue, and the cervical glands that has	
shown marked amelioration after treatment for ten weeks with a	
bacterial vaccine of neoformans	292

	PAGE
SPILSBURY (B.), description of microscopical appearances in Dr. Scanes	
Spicer's case of inoperable cancer of fauces treated with bacterial	
vaccine of Micrococcus neoformans	577
Sputa, production of, inflammatory nasal obstruction as an etiologic	563
factor in (W. P. Porcher)	339
Stapes, fixation of (R. Lake)	357
discussion on (Otological Society of United Kingdom) 240	
STEWART (John), obstruction of the esophagus (abstract)	110
STEWART (William Robert Henry), obituary	213
Stridor, laryngeal and tracheal, congenital: discussion (Annual Meeting,	
Brit. Med. Assoc., Toronto, 1906)	-457
(laryngeal, congenital) (H. Koplik) .	165
STUART-LOW (W.), two cases illustrating the retention of the chole-	
steatomatous lining in the operation for acute mastoiditis, a sequel	
of chronic suppurative disease.	20
case of epithelioma of the naso-pharynx, with microscopic	
section	87
with report by Dr. Wyatt Wingrave	88
a case with greatly enlarged Eustachian cartilages	186
a case of ulceration of the auricular lobule of fifteen years'	107
standing .	187
fixation of the left vocal cord in the cadaveric position, most	
probably due to adhesions fixing and dragging on the recurrent laryngeal nerve	296
case of cleft palate, showing that adenoids diminish the dyslalia	297
	201
liquids	578
STUCKY (J. A.), presentation of pathologic exhibit	334
ether narcosis by rectum .	341
discussion on conservative methods in treatment of aural	•
diseases	480
discussion on ligation of internal jugular vein in otitic pyæmia.	510
discussion on treatment of deviations of nasal septum.	628
thyrotomy and laryngectomy for malignant disease of	
larynx	651
	, 162
SUTHERLAND (G. A.), discussion on congenital stridor, laryngeal and	
tracheal	456
Swiss wrestlers, hæmatoma of right ear in (Valentin)	401
Suction apparatus (Sondermann's) (J. Dundas Grant)	81
SWAIN (Henry L.), how far are abnormalities of the nasal septum respon-	320
sible for malfunction of the nose?	540
only	82
	04
closure of the wound and irrigation	92
carcinoma of the naso-pharynx	183
Syphilis, congenital, case of (A. Wylie)	18
(hyperplastic, congenital), section of larynx and uvula from case	
of (A. Brown-Kelly)	130
malignant disease of right side of larynx in syphilitic man	
(StC. Thomson)	580
of naso-pharynx (Furet)	287
three cases in one family (?) communicated mutually by oral	
infection (H. J. Davis)	227
(secondary), secondary lesions of vocal cord (L. H. Pegler)	133
(tertiary) extensive syphilitic ulceration in pharynx; rapid	00
improvement under calomel injections (J. Dundas Grant).	80
of larynx (G. C. Cathcart)	44

		PAGE
Syphilis (tertiary) of nose: case with progressive destructive course	);	00
death (Mounier)	·	68
treatment by iodides (Dr. Mahu)		432
ulceration of pharynx probably specific (J. Dundas Gran	τ)	71
Syphilitic disease of larynx (M. Collier)	n.	188
granulomata and stenosis of larynx; thyrotomy (H. S. Barwel	1)	39
Syringe, aseptic (V. W. Wingrave)	·	108
for intra-tracheal injections, made entirely of glass (Koenig)	•	$\frac{285}{110}$
Syringomyelia, laryngeal disturbances in (G. Gavello)	•	110
Tabes, larynx in (D. C. Green)		209
Temporal bone, anatomy of (H. Frey)	·	291
disease, diagnosis of complications of (A. L. Whitehead	т.	351
based on study of 135 fatal cases (A. I	, ,	001
Whitehead)		269
pathological preparations of (H. S. Walker)	•	350
Temporo-sphenoidal abscess and mastoiditis (S. Oppenheimer)	ż	340
TEXIER (Dr.), the symptoms and diagnosis of caseous maxillary sinusit	is	432
		167
Therapeutic preparations		
THEISEN (Clement F.), tracheal tumours .	•	328
Thimbles for making aseptic wool mops (E. C. Baber)		572
THOMSON (J. J.), acute mastoiditis, its prevention, diagnosis, and trea	t-	
ment (abstract)		584
THOMSON (StClair), a case of glottic stenosis		176
——— discussion on sinus suppuration		494
——— discussion on laryngeal disturbances produced by voice use		535
discussion on cold wire snare in removal of hypertrophied tonsi	$\mathbf{ls}$	563
case of bilateral tuberculous laryngitis, completely healed for	) <b>r</b>	
three years, without local treatment, in a man aged fifty-five	•	573
case of extensive tuberculous laryngitis, no local treatment, con		
plete healing causing stenosis of glottis, and requiring tracheotom	y,	-
healing maintained since one year, in a woman aged forty	•	573
case of bilateral frontal sinus operation (Killian)	· ·	576
malignant disease of the right side of the larynx in a syphilit	ıc	500
man aged sixty	•	580
introductory paper (Brit. Med. Assoc., Annual Meeting, 1906) 6		630
discussion on thyrotomy and laryngectomy for malignant diseas	10 <del>4</del> ,	000
of larynx	se	651
THRASHER (A. B.), papilloma of larynx from inhaling flames .	•	380
Throat, diseases of, treated by carbonic acid gas at Spa (E. Delneuville	•)	167
	0)	109
endothelioma of; tonsillar disease (J. A. Logan)	,	333
examination of, in chronic systemic infections (J. L. Goodsale)		386
(operation on), anæsthetic technique for (A. de Prenderville)	÷	308
pathological conditions, specimens and drawings of (L. Turner)	÷	177
tablets, mentholated (modified)		168
Thrombo-phlebitis of jugular bulb with cerebellar abscess (J. Dunda	ıs	
Grant		113
of superior longitudinal sinus complicating subperiosteal absces	38	
of forehead (V. Delsaux)	•	542
Thrombosis (infective sigmoid sinus), resection of internal jugular (H. I	3.	225
Ellis) $\cdot$	·	335
(latent) of lateral sinus (Dr. van den Wildenberg)	•	436
	ır	140
vein (J. Dundas Grant)	in	148
	48,	349
	·	351
and partial necrosis of cochlea (H. S. Walker) .	·	343

Thyro-hyoid membrane, fibro-sarcoma arising from (K. Renshaw)	раде 169
Thyroid cartilage, perichondritis of (Bosviel)	284
revolver bullet in left side of neck opposite lower part of	
(Dr. Bôval).	392
gland, abstracts of literature on	55
Thyroidectomy, disturbances of recurrent nerves following (Dr. Goris).	395
Thyrotomy for syphilitic granulomata and stenosis of larynx (H. S.	
Barwell)	39
in treatment of malignant disease of larynx (C. Jackson)	632
TILLEY (Herbert), four cases of chronic frontal empyemata operated on	090
by a simplified Killian operation	$\frac{232}{239}$
case of mycosis of the soft palate	409
treatment of suppurative lesions in the nasal accessory sinuses (Brit.	
Med. Assoc., Annual Meeting, Toronto, 1906)	487
———— discussion on cold wire snare in removal of hypertrophied tonsil	$\overline{562}$
discussion on conservative methods in treatment of aural diseases	481
discussion on thyrotomy and laryngectomy for malignant	
disease of larynx	650
discussion on treatment of deviations of nasal septum .	627
Tobacco, effects upon throat (S. W. Langmaid)	109
Tongue: cancer (inoperable) of fauces, pharynx, tongue, and cervical glands; amelioration after treatment with bacterial vaccine of neo-	
	292
carcinoma of (G. E. Armstrong)	54
carcinoma of (G. E. Armstrong)	23
growth on left side of (P. R. W. de Santi)	185
—— malignant disease of (J. H. Bryan) .	386
ulceration (? malignant disease) of base of (W. H. Kelson)	581
Tongue clip, exhibition of (P. Watson Williams)	582
Tonsil, hæmorrhage (severe) from, during morcellement (Heckel)	$\frac{287}{134}$
(left), retention cyst of (E. F. Potter)	202
	399
(right): new growth (? sarcoma) in region of right tonsil and	
anterior faucial pillar (P. H. Abercrombie)	104
Tonsillar circle, lymphoid (G. Wishart)	54
Tonsils, epithelioma of (E. A. Peters)	294
endothelioma of throat; tonsillar disease (J. A. Logan)	333
hyperkeratosis of, etiology (G. B. Wood)	$\frac{387}{556}$
(hypertrophied), cold wire snare in removal of (A. G. Bryant) . Tooth-plate removed from the œsophagus (D. R. Paterson) .	$\frac{550}{229}$
Toxic and microbic invasion, tonsil at portal of (A. Jacobi)	399
Trachea, diseases of (J. E. Newcombe)	327
incrustations in, fatal termination of case (E. Law, G. C. Cath-	
	4, 45
stenosis of (W. K. Simpson)	329
tumours of (C. F. Theisen)	328
Tracheotomy, "curative," in laryngeal tuberculosis (Henrici)	653 200
foreign body extracted from bronchus by (Dr. van Swieten)	$\frac{398}{264}$
—— importance of, in certain neglected cases (E. W. Saunders) . —— required for stenosis of glottis following complete healing of	404
extensive tuberculous laryngitis (StC. Thomson)	573
tube, radiograph of patient wearing, with revolver bullet lodged	
in left side of neck (Dr. Bôval)	392
Tracheoscopy and foreign bodies (A. Coolidge, jun.) .	330
Tragus (accessory), case of (A. Wylie)	301
TRÉTRÔP (Dr.), large abscess of the brain following purulent otitis media	$\frac{391}{202}$
presentation of instruments	$\frac{393}{435}$
simulation and obviount of the Jaw	100

.

TROW (C.), discussion on cold wire snare in removal of hypertrophied	PAGE
tonsils Tuberculosis (laryngeal), galvano-cautery in (Dr. Escat) ————————————————————————————————————	$562 \\ 433 \\ 573 \\ 234 \\ 31 \\ 31$
Tuberculous ulceration of nose (H. S. Barwell)	$\frac{37}{287}$
Merckx)	433
(H. Smurthwaite) . bone (inferior), resection of (A. Forstelles) . 	$\frac{565}{202}$
persistent unilateral headache (V. W. Wingrave)	$\frac{378}{338}$
TURNER (A. Logan), specimens and drawings illustrating various patho- logical conditions of the nose and throat ————————————————————————————————————	177
troductory paper (Annual Meeting, Brit. Med. Assoc., Toronto, 1906)	456
discussion on sinus suppuration	494
Tympanic membrane, abnormal colour of (M. Yearsley)	138
Tympanum, vibration-massage of, instrument for (Professor Pollak)	226
URBANTSCHITSCH (E.), a case in which Ménière's symptom complex was	
cured by a gynæcological operation	224
	291
URBANTSCHITSCH (Professor E.), a patient who had suffered from a	
discharge from the attic and headache for eighteen months	223
Uvula and larynx, lupus of (H. S. Barwell) .	38
pedunculated growth in (W. H. Kelson)	87
—— polypi of, with chronic pharyngitis (E. A. Peters)	42
section of, from case of hyperplastic congenital syphilis (A.	
Brown Kelly)	130
Vaccine (bacterial) of Micrococcus neoformans in treatment of inoperable	
cancer of fauces, pharynx, tongue, and cervical glands; ameliora-	
tion (R. H. Scanes Spicer and Sir A. E. Wright)	292
inoperable cancer of fauces treated by (S. Spicer)	577
VAIL (Derrick T.), herpes zoster auris	340
VALENTIN: on hæmatoma of the right ear in Swiss wrestlers (abstract)	401
VAN DEN WILDENBERG: a contribution to the anatomy of the accessory	
sinuses of the nose (abstract).	263
cyst of the maxillary sinus	394
osteomyelitis of superior maxilla and of the ethmoid, with	
suppuration in the sinuses and in the orbit	394
a case of latent thrombosis of the lateral sinus	436
Vapour method of anæsthesia (J. T. Gwathmey)	112
Vasomotor index, nasal turbinate as (J. A. Babitt) .	338
Ventricle, laryngocele of, air-containing cyst connected with left ventricle	
of Morgagni (Dr. Labarre)	392
Vertebra (second dorsal), coin in œsophagus at level of (Dr. Bôval)	392
Vertebral ecchondrosis producing distortion of esophagus (Zahn)	304
Vertigo (aural) : case of Ménière's symptom complex cured by gynæco-	
logical operation (E. Urbantschitsch)	224
severe case due to aspergillus invading external auditory	
meatus (A. Bronner)	- 99
treatment of Ménière's disease (G. Simonta and S.	
Gavazzeni)	111

Vibra	or (R. Lake) tion massage of ear drum, instrument for (Prof. Pollak)
	cord (left), fixation in cadaveric position, probably due to adhesion
h:	xing and dragging on recurrent laryngeal nerve (W. Stuart-Low)
	<ul> <li>infiltration of (H. S. Barwell)</li> <li>paralysis of, with narrowing of larynx (Dr. Fallas)</li> <li>ulceration of (W. H. Kelson)</li> </ul>
•••••	- — paralysis of, with narrowing of larynx (Dr. Fallas)
	ulceration of (W. H. Kelson)
	- (false, left), cold abscess of (Koenig)
	- (right), fixation of (V. W. Wingrave)
	fixation, with dysphagia for liquids (W. Stuart-Low)
B	- —— immobile (P. R. W. de Santi)
	- — infiltration of, with fixation (J. Dundas Grant)
	thickening of, thought to be malignant (H. Smurthwaite
Vocal	cords, chronic thickening and deformity of epiglottis and voca
	ords (J. Donelan)
	- papillomata of (Dr. Parmentier and Dr. Fallas)
	- paralyses in mitral affections (G. Gavello)
	- secondary syphilitic lesions of (L. H. Pegler).
	- swelling below anterior commissure of, causing dyspnœa, wit
de	eformity of epiglottis, and indurated swelling of both auricle
((	C. A. Parker)
	- ulceration (bilateral) of posterior segments (L. H. Pegler)
Voice	, sudden loss of (H. J. Davis)
	- use of, producing laryngeal disturbances (J. Middlemass Hunt)
	, F (W. É. Casselberry) .
von S	WIETEN (Dr.), extraction of a foreign body from the bronchus b
$\mathbf{t}$	acheotomy
WAGO	ETT (E. B.) a boy, aged seventeen, with absence of right choana
	- a case of absence of the right choana
<u></u>	- a case of absence of the right choana
WALK	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra
WALF	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra bscess
WALF	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra bscess - case of defective hearing from childhood; considerable recover
WALF	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra bscess - - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis
WALF	- a case of absence of the right choana <b>XER</b> (H. Secker), notes of an unusual and fatal case of cerebra becess - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis - chronic mastoid disease; subdural abscess
WALF	- a case of absence of the right choana XER (H. Secker), notes of an unusual and fatal case of cerebra basess - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis - chronic mastoid disease; subdural abscess - epithelioma of the external auditory meatus
WALF al	- a case of absence of the right choana XER (H. Secker), notes of an unusual and fatal case of cerebra basess - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis - chronic mastoid disease; subdural abscess - epithelioma of the external anditory meatus - epithelioma of the pinna; amputation
	- a case of absence of the right choana <b>EER</b> (H. Secker), notes of an unusual and fatal case of cerebra bscess - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis - chronic mastoid disease; subdural abscess - epithelioma of the external auditory meatus - epithelioma of the pinna; amputation - pathological preparations of the temporal bone
	<ul> <li>a case of absence of the right choana</li> <li>KER (H. Secker), notes of an unusual and fatal case of cerebrations</li> <li>a case of defective hearing from childhood; considerable recover</li> <li>partial necrosis of cochlea and sigmoid sinus thrombosis</li> <li>chronic mastoid disease; subdural abscess</li> <li>epithelioma of the external auditory meatus</li> <li>epithelioma of the pinna; amputation</li> <li>pathological preparations of the temporal bone</li> <li>pathological preparations of sigmoid sinus thrombosis</li> </ul>
WALF al	- a case of absence of the right choana <b>HER</b> (H. Secker), notes of an unusual and fatal case of cerebra bscess - case of defective hearing from childhood; considerable recover - partial necrosis of cochlea and sigmoid sinus thrombosis - chronic mastoid disease; subdural abscess - epithelioma of the external auditory meatus - epithelioma of the pinna; amputation - pathological preparations of the temporal bone - pathological preparations of sigmoid sinus thrombosis - son (W. Spencer) obituary
WALE al	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALF al WATS WEST Whar	- a case of absence of the right choana <b>EER</b> (H. Secker), notes of an unusual and fatal case of cerebra- bacess
WALF al WATS WEST Whar WHIT	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALH al	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra basess
WALH al	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra basess
WALE al WALE WATS WEST Whar WHIT	- a case of absence of the right choana KER (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALE al WATS WEST Whar WHIT b	- a case of absence of the right choana <b>EER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALE al WATS WEST Whar WHIT Do	- a case of absence of the right choana <b>EER</b> (H. Secker), notes of an unusual and fatal case of cerebra- bacess
WALE al WALE WATS WEST WhATS WHIT WHIT D	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra basess
WALH al WATS WEST Whar WHIT	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALH al WATS WEST WhATS WHIT b MHIT WHIT	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra basess
WALH al WATS WEST WhATS WHIT b MHIT WHIT	- a case of absence of the right choana <b>FER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALK al WATS WEST Whar WHIT b WHIT	- a case of absence of the right choana <b>EXER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALK al WATS WEST Whar WHIT b WHIT WILL	- a case of absence of the right choana <b>EER</b> (H. Secker), notes of an unusual and fatal case of cerebra- bacess
WALH al WATS WEST Whar WHIT b WHIT	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALK al WALK WATS WEST Whar WHIT D WILL C C C C C C C C C C C C C C C C C C	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra bacess
WALK al WATS WEST Whar WHIT b WHIT WILL C C C C C C C C C C C C C C C C C C	- a case of absence of the right choana <b>CER</b> (H. Secker), notes of an unusual and fatal case of cerebra- bacess

Weren (W. Wratt) fration of right receiption of which	PAGE
WINGRAVE (V. Wyatt), fixation of right vocal cord in a male aged fifty- six	16
ulceration of epiglottis in a female aged twenty-two	17
pathological specimens shown $-(a)$ Lipoma of buccal pouch	11
(congenital); (b) Squamous epithelioma of tongue from a woman	
aged forty-two; (c) Dermoid cyst of neck; (d) Cyst of auricle	23
microscopical report on Mr. Stuart-Low's case of epithelioma of	
the naso-pharynx	- 88
——— microscopic sections of Dr. D. Mackenzie's specimen of auricle	
removed for epithelioma of posterior surface .	105
an aseptic syringe	$108 \\ 100$
"lichenoids "	108
— microscopic specimens, with notes, of (1) angeio-myxoma of floor of nose; (2) angeioma of larynx; (3) rodent ulcer of nose	160
——— microscopic specimens of endothelioma of pharynx, granuloma of	100
auricle, epithelioma of larynx .	191
notes on the pathology of fifty cases of innocent laryngeal growths	215
preparations illustrating Dr. Dundas Grant's case of laryngeal	
growth shown by	237
persistent unilateral headache due to nævoid changes in the	
anterior extremity of the middle turbinal bone	375
WISHART (Gibb), the lymphoid tonsillar circle	54
discussion on congenital stridor, laryngeal and tracheal	454
WITTMAACK: on experimental degenerative neuritis of the auditory	001
nerves (abstract)	364
on the histo-pathological examination of the organ of hearing, with a special reference to the administration of fat and myelin	
substances (abstract)	402
<b>WOOD</b> (George B.), etiology of hyperkeratosis of the tonsils	387
WOODS (Robert H.), on the dental saliva-ejector as a surgical instrument	61
the dental saliva-ejector as a surgical instrument	162
exhibition of newly-designed forceps and elevators .	301
Presidential Address at Annual General Meeting of British	
Laryngological, Rhinological, and Otological Association.	24
Wool mops (aseptic), thimbles for making (C. Baber)	572
WRIGHT (Sir A. E.) and SPICER (R. H. Scanes), case of inoperable	
cancer of the fauces, the pharynx, the tongue, and the cervical glands that has shown marked amelioration after treatment for ten	
	,292
Wrestlers (Swiss), hæmatoma of right ear in (Valentin)	$\frac{202}{401}$
WYLIE (Andrew), congenital specific disease	18
injection of solid paraffin into the nose without an anæsthetic .	19
case of excision of rodent ulcer on the nose	102
case of lymphangitis of the upper lip	299
case of accessory tragus	301
exhibition of nasal guards	301
<b>V</b> (11)	011
Xaxa tabloid	211
X-ray therapy in upper air-passages (L. Mader)	436
YEARSLEY (P. Macleod), sketch and specimen of a case of necrosis of	
the handle of the malleus	93
patient, drawing, macroscopic and microscopic specimens of a	
case of epithelioma of the pinna	137
case of abnormal colour of membrana tympani, shown for diag-	105
nosis	138
discussion on fixation of the stapes.	260
YONGE (Eugene S.), polypus of the nose (review)	655

688

	,	PAGE
ZAHN: a second case of distortion of the æsophagus produced	by	
vertebral ecchondrosis (abstract)		-304
ZIA (Noury), a rare case of foreign body in larynx (abstract).		165

PRINTED BY ADLARD AND SON, LONDON AND DORKING.

https://doi.org/10.1017/S1755146300177406 Published online by Cambridge University Press