

AUTHOR INDEX

- Akabane, K., Morimoto, M., Nagane, K., and Kaifu, Norio. Observations of the $J=6$ to 5 Line of OCS in Sgr B2, p. 537.
- Aller, L. H., see Milne, D. K. and Aller, L. H. Measurements on Planetary Nebulae, p. 411.
- Baars, J. W. M. and Wendker, H. J. High-Resolution Radio Observations of a Giant H II Region in Cygnus, p. 219.
- Ball, J. A., see Zuckerman, B. and Ball, J. A. On Microwave Recombination Lines from H I Regions, p. 79.
- Bechis, D., see Westerhout, G. and Bechis, D. A High-Resolution Polarization Survey of the North Polar Spur, p. 151.
- Borgman, J. Infrared Radiation from the Galactic Center, p. 465.
- Bowers, P. F., see Kerr, F. J. and Bowers, P. F. Some High-Velocity Sources of 1612 MHz OH Emission, p. 459.
- Braes, L. L. E. Radio Continuum Observations of Stellar Sources, p. 377.
- Brown, R. D. Interstellar Molecules – Theory, p. 129.
- Brown, R. L., see Kerr, F. J., Jackson, P. D., Knapp, G. R., and Brown, R. L. Two New Recombination-Line Results, p. 81.
- Burke, B. F. Maser Sources in H II Regions, p. 267.
- Burke, B. F., see Spencer, J. H. and Burke, B. F. The H II Regions of M31, p. 229.
- Burton, W. B. Current Problems in 21 cm Line Studies of the Large-Scale Structure of the Galaxy, p. 551.
- Caswell, J. L. Radio Observations of IR/OH/H₂O Stars, p. 423.
- Churchwell, E. B. Recent Radio Observations of Galactic H II Regions, p. 195.
- Churchwell, E. B., see Mezger, P. G., Churchwell, E. B., and Smith, L. F. Absorption Characteristics of Dust in the Lyman Continuum Region, p. 183.
- Cleary, M. N., see Mathewson, D. S., Cleary, M. N., and Murray, J. D. The Magellanic Stream, p. 617.
- Davies, R. D. Magnetic Fields in OH Maser Clouds, p. 275.
- Davies, R. D. High Velocity Neutral Hydrogen Clouds, p. 599.
- Day, G. A., see Huchtmeier, W. K. and Day, G. A. Large-Scale Expansion in the Carina Nebula, p. 239.
- Dickel, J. R., see Milne, D. K. and Dickel, J. R. Polarization Observations of Supernova Remnants, p. 335.
- Duin, R. M., Strom, R. G., and van der Laan, H. (read by H. J. Habing) Westerbork Observations of the Galactic Supernova Remnants IC 443 and Tycho, p. 355.
- Dulk, G. A., see Slee, O. B. and Dulk, G. A. High-Resolution Observations of Galactic Nonthermal Sources at 160 MHz, p. 347.
- Elldér, J., see Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Fogarty, W. G., see Kaufmann, P., Fogarty, W. G., Scalise, E., Jr., and Schaal, R. E. On the First Southern-Sky H₂O Masers Observed at Itapetinga, Brazil, p. 293.
- Goldsmith, D. W. Theoretical Calculations of Interstellar Cloud Formation, p. 111.
- Gopal-Krishna, see Swarup, G., Gopal-Krishna, and Sarma, N. V. G. Occultation Observations of the Galactic Center Region at 327 MHz, p. 499.
- Gordon, M. A. Radio Continuum and Recombination-Line Studies of the Galactic Center, p. 477.
- Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Goss, W. M., see Johansson, L. E. B., Höglund, B., Winnberg, A., Nguyen-Q-Rieu, and Goss, W. M. OH Observations Near the Reflection Nebulae NGC 2068 and NGC 2071, p. 301.
- Graham, D. A., see Haslam, C. G. T., Wilson, W. E., Graham, D. A., and Hunt, G. C. The Bonn 408 MHz Survey, p. 649.
- Greenberg, J. M. and Hong, S.-S. The Chemical Composition and Distribution of Interstellar Grains, p. 155.
- Grewing, M. Heating and Ionization of the Interstellar Medium, p. 97.
- Guélin, M. Free Electrons Outside H II Regions, p. 51.

- Habing, H. J. (reader), see Israel, F. P. and van der Kruit, P. C. Radio Observations of H II Regions in M33, p. 227.
- Habing, H. J. (reader), see Duin, R. M., Strom, R. G., and van der Laan, H. Westerbork Observations of the Galactic Supernova Remnants IC 443 and Tycho, p. 355.
- Haslam, C. G. T., Wilson, W. E., Graham, D. A., and Hunt, G. C. The Bonn 408 MHz Survey, p. 649.
- Heiles, C. A Modern Look at 'Interstellar Clouds', p. 13.
- Heiles, C. The Large-Scale Structure of Local H I, Dust, and Galactic Radio Continuum, p. 625.
- Hirabayashi, H. Galactic Background Radiation at 2 cm and Thermal Electrons in the Galaxy, p. 187.
- Hirabayashi, H. A 160 MHz Map of Cas A, p. 353.
- Höglund, B., see Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Höglund, B., see Johansson, L. E. B., Höglund, B., Winnberg, A., Nguyen-Q-Rieu, and Goss, W. M. OH Observations Near the Reflection Nebulae 2068 and NGC 2071, p. 301.
- Hong, S.-S., see Greenberg, J. M. and Hong, S.-S. The Chemical Composition of Distribution of Interstellar Grains, p. 155.
- Huchtmeier, W. K. and Day, G. A. Large-Scale Expansion in the Carina Nebula, p. 239.
- Hughes, V. A., Viner, M. R., and Woodsworth, A. Radio Outbursts from Cygnus X-3, p. 401.
- Hunt, G. C., see Haslam, C. G. T., Wilson, W. E., Graham, D. A., and Hunt, G. C. The Bonn 408 MHz Survey, p. 649.
- Hyland, A. R. The Infrared Properties of Circumstellar OH/IR and H₂O/IR Sources, p. 439.
- Iguchi, T., see Kaifu, N., Iguchi, T., and Morimoto, M. The Brightness of Ori A at 4.1 mm in the $l_{01} - 0_{00}$ Line of Para-Formaldehyde and in the Continuum, p. 233.
- Israel, F. P. and van der Kruit, P. C. (read by H. J. Habing) Radio Observations of H II Regions in M33, p. 227.
- Jackson, P. D., see Kerr, F. J., Jackson, P. D., Knapp, G. R., and Brown, R. L. Two New Recombination-Line Results, p. 81.
- Jenkins, E. B. Line Absorption Studies of the Interstellar Gas Near 10¹⁵ Hz, p. 65.
- Johansson, L. E. B., Höglund, B., Winnberg, A., Nguyen-Q-Rieu, and Goss, W. M. OH Observations Near the Reflection Nebulae NGC 2068 and NGC 2071, p. 301.
- Johansson, L. E. B., see Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Kahn, F. D. H II Regions: Some Theoretical Developments, p. 303.
- Kahn, F. D. Supernova Remnants: Can a Fossil H II Region Be Formed As the Result of a Supernova Explosion?, p. 329.
- Kaifu, N., Iguchi, T., and Morimoto, M. The Brightness of Ori A at 4.1 mm in the $l_{01} - 0_{00}$ Line of Para-Formaldehyde and in the Continuum, p. 233.
- Kaifu, N., see Akabane, K., Morimoto, M., Nagane, K., and Kaifu, N. Observations of the $J=6$ to 5 Line of OCS in SGR B2, p. 537.
- Kaufmann, P., Fogarty, W. G., Scalise, E., Jr., and Schaal, R. E. On the First Southern-Sky H₂O Masers Observed at Itapetinga, Brazil, p. 293.
- Kerr, F. J. and Bowers, P. F. Some High-Velocity Sources of 1612 MHz OH Emission, p. 459.
- Kerr, F. J., Jackson, P. D., Knapp, G. R., and Brown, R. L. Two New Recombination-Line Results, p. 81.
- Kerr, F. J. and Knapp, G. R. The Gas-to-Dust Ratio in the Galaxy, p. 179.
- Knapp, G. R., see Kerr, F. J., Jackson, P. D., Knapp, G. R., and Brown, R. L. Two New Recombination-Line Results, p. 81.
- Knapp, G. R., see Kerr, F. J. and Knapp, G. R. The Gas-to-Dust Ratio in the Galaxy, p. 179.
- Kruit, P. C. van der, see Israel, F. P. and van der Kruit, P. C. (read by H. J. Habing) Radio Observations of H II Regions in M33, p. 227.
- Laan, H. van der, see Duin, R. M., Strom, R. G., and van der Laan, H. (read by H. J. Habing) Westerbork Observations of the Galactic Supernova Remnant IC 443 and Tycho, p. 355.
- Little, A. G. The Galactic Center at 408 MHz, p. 491.
- Lyne, A. G. The Galactic Electron Distribution from a Pulsar Survey, p. 87.
- Lyne, A. G. The Birthplaces of Pulsars, p. 369.
- Mathewson, D. S., Cleary, M. N., and Murray, J. D. The Magellanic Stream, p. 617.
- Menon, T. K. Time Scales and Masses of OH-Emission Regions, p. 299.
- Mezger, P. G., Churchwell, E. B., and Smith, L. F. Absorption Characteristics of Dust in the Lyman Continuum Region, p. 183.

- Mills, B. Y. Observational Aspects of Supernova Remnants, p. 311.
- Milne, D. K. and Aller, L. H. Measurements on Planetary Nebulae, p. 411.
- Milne, D. K. and Dickel, J. R. Polarization Observations of Supernova Remnants, p. 335.
- Monnet, G. Optical Observations of Ionized Gas in External Galaxies, p. 249.
- Morimoto, M., see Akabane, K., Morimoto, M., Nagane, K., and Kaifu, N. Observations of the $J=6$ to 5 Line of OCS in SGR B2, p. 537.
- Morimoto, M., see Kaifu, N., Iguchi, T., and Morimoto, M. The Brightness of Ori A at 4.1 mm in the $1_{01} - 0_{00}$ Line of Para-Formaldehyde and in the Continuum, p. 233.
- Murray, J. D., see Mathewson, D. S., Cleary, M. N., and Murray, J. D. The Magellanic Stream, p. 617.
- Nagane, K., see Akabane, K., Morimoto, M., Nagane, K., and Kaifu, N. Observations of the $J=6$ to 5 Line of OCS in SGR B2, p. 537.
- Nguyen-Q-Rieu, see Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Nguyen-Q-Rieu, see Johansson, L. E. B., Höglund, B., Winnberg, A., Nguyen-Q-Rieu, and Goss, W. M. OH Observations Near the Reflection Nebulae NGC 2068 and NGC 2071, p. 301.
- Oort, J. H. The Galactic Centre, p. 539.
- Palmer, P. Thermal and Maser Phenomena in Rotationally Excited OH, p. 191.
- Pankonin, V., see Terzian, Y. and Pankonin, V. Decimeter-Wavelength Studies of Recombination Lines, p. 241.
- Parijskij, Yu. (reader), see Shklovskii, I. S. New Results on Supernova Remnants, p. 373.
- Price, R. M. Continuum Radio Emission and Galactic Structure, p. 637.
- Radhakrishnan, V. The Observational Evidence for an Intercloud Medium, p. 3.
- Robinson, B. J. Kinematics of Molecules at the Galactic Center, p. 521.
- Sancisi, R. Expanding Shells of Neutral Hydrogen as Birthplaces of Stellar Associations, p. 115.
- Sarma, N. V. G., see Swarup, G., Gopal-Krishna, and Sarma, N. V. G. Occultation Observations of the Galactic Center Region at 327 MHz, p. 499.
- Sato, F. 21-cm Line Absorption Study of Extended Supernova Remnants, p. 363.
- Scalise, E., Jr., see Kaufmann, P., Fogarty, W. G., Scalise, E., Jr., and Schaal, R. E. On the First Southern-Sky H₂O Masers Observed at Itapetinga, Brazil, p. 293.
- Schaal, R. E., see Kaufmann, P., Fogarty, W. G., Scalise, E., Jr., and Schaal, R. E. On the First Southern-Sky H₂O Masers Observed at Itapetinga, Brazil, p. 293.
- Schwarz, U. J. and van Woerden, H. Properties of Neutral Hydrogen Clouds, p. 45.
- Shakeshaft, J. R. Spectrum of Galactic Background Radiation, p. 185.
- Shklovskii, I. S. (read by Yu. Parijskij) New Results on Supernova Remnants, p. 373.
- Simonson, S. C., III. 21-cm Line Studies of the Galactic Center Region, p. 511.
- Slee, O. B. and Dulk, G. A. High-Resolution Observations of Galactic Nonthermal Sources at 160 MHz, p. 347.
- Smith, L. F. Distribution of Dust in the Orion Nebula, p. 257.
- Smith, L. F., see Mezger, P. G., Churchwell, E. B., and Smith, L. F. Absorption Characteristics of Dust in the Lyman Continuum Region, p. 183.
- Spencer, J. H. and Burke, B. F. The H_{II} Regions of M31, p. 229.
- Strom, R. G., see Duin, R. M., Strom, R. G., and van der Laan, H. Westerbork Observations of the Galactic Supernova Remnant IC 443 and Tycho, p. 355.
- Swarup, G., Gopal-Krishna, and Sarma, N. V. G. Occultation Observations of the Galactic Center Region at 327 MHz, p. 499.
- Takakubo, K. Low- and Intermediate-Velocity Hydrogen at Positive Galactic Latitudes, p. 631.
- Tananbaum, H. D. Stellar X-Ray Sources, p. 383.
- Terzian, Y. Fine Structure in Planetary Nebulae, p. 417.
- Terzian, Y. and Pankonin, V. Decimeter-Wavelength Studies of Recombination Lines, p. 241.
- Van der Kruit, P. C., see Israel, F. P. and van der Kruit, P. C. (read by H. J. Habing) Radio Observations of H_{II} Regions in M33, p. 227.
- Van der Laan, H., see Duin, R. M., Strom, R. G., and van der Laan, H. (read by H. J. Habing) Westerbork Observations of the Galactic Supernova Remnant IC 443 and Tycho, p. 355.
- Van Woerden, H., see Schwarz, U. J. and van Woerden, H. Properties of Neutral Hydrogen Clouds, p. 45.
- Viner, M. R., see Hughes, V. A., Viner, M. R., and Woodsworth, A. Radio Outbursts from Cygnus X-3, p. 401.

- Wallace, L., see Yuan, C. and Wallace, L. A Simple Interpretation of the 'Rolling Motions', p. 591.
- Weaver, H. F. Some Aspects of Galactic Structure Derived from the Berkeley Low Latitude Survey of Neutral Hydrogen, p. 573.
- Wendker, H. J., see Baars, J. W. M. and Wendker, H. J. High-Resolution Ratio Observations of a Giant H_{II} Region in Cygnus, p. 219.
- Westerhout, G. Progress Report on the Maryland-Green Bank Galactic 21-cm Survey, p. 587.
- Westerhout, G. and Bechis, D. A High-Resolution Polarization Survey of the North Polar Spur, p. 151.
- Whiteoak, J. B. The Observed Characteristics of the Local Magnetic Field, p. 137.
- Wilson, W. E., see Haslam, C. G. T., Wilson, W. E., Graham, D. A., and Hunt, G. C. The Bonn 408 MHz Survey, p. 649.
- Winnberg, A., see Goss, W. M., Johansson, L. E. B., Elldér, J., Höglund, B., Nguyen-Q-Rieu, and Winnberg, A. Extended OH Emission at 1720 MHz, p. 135.
- Winnberg, A., see Johansson, L. E. B., Höglund, B., Winnberg, A., Nguyen-Q-Rieu, and Goss, W. M. OH Observations Near the Reflection Nebulae NGC 2068 and NGC 2071, p. 301.
- Woerden, H. van, see Schwarz, U. J. and van Woerden, H. Properties of Neutral Hydrogen Clouds, p. 45.
- Woodsworth, A., see Hughes, V. A., Viner, M. R., and Woodsworth, A. Radio Outbursts from Cygnus X-3, p. 401.
- Wynn-Williams, C. G. Infrared Emission from H_{II} Regions, p. 259.
- Wynn-Williams, C. G. Infrared and X-Ray Variability of Cyg X-3, p. 407.
- Yuan, C. and Wallace, L. A Simple Interpretation of the 'Rolling Motions', p. 591.
- Zuckerman, B. and Ball, J. A. On Microwave Recombination Lines from H_I Regions, p. 79.