

# Parasitology

## EDITORS

F. E. G. COX *and* C. ARME

## EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

## ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.

J. R. BAKER

D. C. BARKER

J. BARRETT

D. A. P. BUNDY

E. U. CANNING

L. H. CHAPPELL\*

D. W. T. CROMPTON

D. I. GIBSON

D. W. HALTON

R. E. HOWELLS

C. R. KENNEDY

M. W. KENNEDY

D. L. LEE

D. J. McLAREN

D. P. McMANUS

D. H. MOLYNEUX

P. W. PAPPAS

D. ROLLINSON

M. E. SCOTT

A. SHER

V. R. SOUTHGATE\*

R. C. TINSLEY

K. VICKERMAN, F.R.S.

D. WAKELIN

P. J. WHITFIELD

R. A. WILSON

M. E. J. WOOLHOUSE

\* Representing the British Society for Parasitology.



**CAMBRIDGE**  
**UNIVERSITY PRESS**

Published by the Press Syndicate of the University of Cambridge  
The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
40 West 20th Street, New York, NY 10011-4211, USA  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1994

Printed in Great Britain by the  
University Press Cambridge

# CONTENTS

## PART 1 JULY 1994

- JOHNSON, D., GÜNTHER, K., ANSORGE, I., BENTING, J., KENT, A., BANNISTER, L., RIDLEY, R. and LINGELBACH, K. Characterization of membrane proteins exported from *Plasmodium falciparum* into the host erythrocyte 1
- RANAWAKA, G. R. R., ALEJO-BLANCO, A. R. and SINDEN, R. E. Characterization of the effector mechanisms of a transmission-blocking antibody upon differentiation of *Plasmodium berghei* gametocytes into ookinetes *in vitro* 11
- AWAD-EL-KARIEEM, F. M., WARHURST, D. C. and McDONALD, V. Detection and species identification of *Cryptosporidium* oocysts using a system based on PCR and endonuclease restriction 19
- SCHLEIN, Y. and JACOBSON, R. L. Haemoglobin inhibits the development of infective promastigotes and chitinase secretion in *Leishmania major* cultures 23
- TENTER, A. M., VIETMEYER, C., JOHNSON, A. M., JANITSCHKE, K., ROMMEL, M. and LEHMACHER, W. ELISAs based on recombinant antigens for sero-epidemiological studies on *Toxoplasma gondii* infections in cats 29
- WEBSTER, J. P., BRUNTON, C. F. A. and MACDONALD, D. W. Effect of *Toxoplasma gondii* upon neophobic behaviour in wild brown rats, *Rattus norvegicus* 37
- GUYATT, H. L., SMITH, T., GRYSEELS, B., LENGELER, C., MSHINDA, H., SIZIYA, S., SALANAVE, B., MOHOME, N., MAKWALA, J., NGIMBI, K. P. and TANNER, M. Aggregation in schistosomiasis: comparison of the relationships between prevalence and intensity in different endemic areas 45
- LIMA, S. F., VIEIRA, L. Q., HARDER, A. and KUSEL, J. R. Effects of culture and praziquantel on membrane fluidity parameters of adult *Schistosoma mansoni* 57
- LOWENBERGER, C. A. and RAU, M. E. *Plagiorchis elegans*: emergence, longevity and infectivity of cercariae, and host behavioural modifications during cercarial emergence 65
- SCHARES, G., SCHÜTZLE, B., ZAHNER, H. and CONRATHS, F. J. Surface antigens of *Litomosomoides carinii* microfilariae: agglutinating antibodies react with sheath components of 40 and 120 kiloDalton molecular mass 73
- SCHWEIZER, J., POSPICHAL, H., HIDE, G., BUCHANAN, N., TAIT, A. and JENNI, L. Analysis of a new genetic cross between two East African *Trypanosoma brucei* clones 83
- HIDE, G., WELBURN, S. C., TAIT, A. and MAUDLIN, I. Epidemiological relationships of *Trypanosoma brucei* stocks from South East Uganda: evidence for different population structures in human infective and non-human infective isolates 95
- CARMONA, C., MCCONIGLE, S., DOWD, A. J., SMITH, A. M., COUGHLAN, S., MCGOWRAN, E. and DALTON, J. P. A dipeptidylpeptidase secreted by *Fasciola hepatica* 113
- NOROZIAN-AMIRI, S. M. B. and BEHNKE, J. M. Density-dependent regulation of the growth of the hookworms *Necator americanus* and *Ancylostoma ceylanicum* 119
- WINTER, M. D., BALL, M. L., ALTRINGHAM, J. D. and LEE, D. L. The effect of *Trichinella spiralis* and *Trichinella pseudospiralis* on the mechanical properties of mammalian diaphragm muscle 129

## PART 2 AUGUST 1994

- MACHADO, M. I., MILDER, R. V., PACHECO, R. S., SILVA, M., BRAGA, R. R. and LAINSON, R. Naturally acquired infections with *Leishmania enriettii* Muniz and Medina 1948 in guinea-pigs from São Paulo, Brazil 135
- DUTTA, M., BANDYOPADHYAY, R. and BASU, M. K. Neoglycosylated liposomes as efficient ligands for the evaluation of specific sugar receptors on macrophages in health and in experimental leishmaniasis 139

WACHER, T. J., MILLIGAN, P. J. M., RAWLINGS, P. and SNOW, W. F. Tsetse–trypanosomiasis challenge to village N'Dama cattle in The Gambia: field assessments of spatial and temporal patterns of tsetse–cattle contact and the risk of trypanosomiasis infection	149
BOULANGÉ, A. and AUTHIÉ, E. A 69 kDa immunodominant antigen of <i>Trypanosoma (Nannomonas) congolense</i> is homologous to immunoglobulin heavy chain binding protein (BiP)	163
KENNEDY, C. R. and GUÉGAN, J.-F. Regional versus local helminth parasite richness in British freshwater fish: saturated or unsaturated parasite communities?	175
KENNEDY, C. R. and BUSH, A. O. The relationship between pattern and scale in parasite communities: a stranger in a strange land	187
NEEDHAM, C. S., LILLYWHITE, J. E., DIDIER, J. M., BIANCO, A. E. and BUNDY, D. A. P. Temporal changes in <i>Trichuris trichiura</i> infection intensity and serum isotype responses in children	197
WENK, P., KELLERMANN, E. and HAFNER, C. Turnover of microfilariae in small mammals. 2. Disintegration of microfilariae ( <i>Acanthocheilonema viteae</i> ) (Filarioidea: Nematoda) after intravenous injection into the jird, <i>Meriones unguiculatus</i>	201
POLZER, M., OVERSTREET, R. M. and TARASCHEWSKI, H. Proteinase activity in the plerocercoid of <i>Proteocephalus ambloplitis</i> (Cestoda)	209
BOWLES, J., BLAIR, D. and MCMANUS, D. P. Molecular genetic characterization of the cervid strain ('northern form') of <i>Echinococcus granulosus</i>	215
FELLEISEN, R. and GOTTSTEIN, B. Comparative analysis of full-length antigen II/3 from <i>Echinococcus multilocularis</i> and <i>E. granulosus</i>	223
BROWNLEE, D. J. A., FAIRWEATHER, I., JOHNSTON, C. F. and ROGAN, M. T. Immunocytochemical localization of serotonin (5-HT) in the nervous system of the hydatid organism, <i>Echinococcus granulosus</i> (Cestoda, Cyclophyllidea)	233
HOOLE, D., ANDREASSEN, J. and BIRKLUND, D. Microscopical observations on immune precipitates formed <i>in vitro</i> on the surface of hymenolepid tapeworms	243
BÖCKENHOFF, A. and GRUNDLER, F. M. W. Studies on the nutrient uptake by the beet cyst nematode <i>Heterodera schachtii</i> by <i>in situ</i> microinjection of fluorescent probes into the feeding structures in <i>Arabidopsis thaliana</i>	249
BRITTON, C., KNOX, D. P. and KENNEDY, M. W. Superoxide dismutase (SOD) activity in <i>Dictyocaulus viviparus</i> and its inhibition by antibody from infected and vaccinated bovine hosts	257
 PART 3 SEPTEMBER 1994	
ELLIS, J. T., MORRISON, D. A., AVERY, D. and JOHNSON, A. M. Codon usage and bias among individual genes of the coccidia and piroplasms	265
COURTENAY, O., MACDONALD, D. W., LAINSON, R., SHAW, J. J. and DYE, C. Epidemiology of canine leishmaniasis: a comparative serological study of dogs and foxes in Amazon Brazil	273
VAN GOOL, T., CANNING, E. U., GILIS, H., VAN DEN BERGH WEERMAN, M. A., EEFTINCK SCHATTENKERK, J. K. M. and DANKERT, J. <i>Septata intestinalis</i> frequently isolated from stool of AIDS patients with a new cultivation method	281
RILEY, S. L. and CHERNIN, J. The effect of the tetrathyridia of <i>Mesocostoides corti</i> on the livers and peripheral blood of three different strains of mice	291
NÚÑEZ, P. E., ADEMA, C. M. and DE JONG-BRINK, M. Modulation of the bacterial clearance activity of haemocytes from the freshwater mollusc, <i>Lymnaea stagnalis</i> , by the avian schistosome, <i>Trichobilharzia ocellata</i>	299
ADLARD, R. D. and LESTER, R. J. G. Dynamics of the interaction between the parasitic isopod, <i>Anilocra pomacentri</i> , and the coral reef fish, <i>Chromis nitida</i>	311
BLAIR, K. L. and ANDERSON, P. A. V. Physiological and pharmacological properties of muscle cells isolated from the flatworm <i>Bdelloura candida</i> (Tricladia)	325

RENSHAW, M. and HURD, H. The effects of <i>Onchocerca lienalis</i> infection on vitellogenesis in the British blackfly, <i>Simulium ornatum</i>	337
CALLAGHAN, M. J. and BEH, K. J. A middle-repetitive DNA sequence element in the sheep parasitic nematode, <i>Trichostrongylus colubriformis</i>	345
MAULE, A. G., SHAW, C., BOWMAN, J. W., HALTON, D. W., THOMPSON, D. P., GEARY, T. G. and THIM, L. The FMRF amide-like neuropeptide AF2 ( <i>Ascaris suum</i> ) is present in the free-living nematode, <i>Panagrellus redivivus</i> (Nematoda, Rhabditida)	351
KORITSAS, V. M. and ATKINSON, H. J. Proteinases of females of the phytoparasite <i>Globodera pallida</i> (potato cyst nematode)	357
TYRRELL, C., WHARTON, D. A., RAMLØV, H. and MOLLER, H. Cold tolerance of an endoparasitic nematode within a freezing-tolerant orthopteran host	367
CHAN, M. S., MEDLEY, G. F., JAMISON, D. and BUNDY, D. A. P. The evaluation of potential global morbidity attributable to intestinal nematode infections	373
CHAN, M. S., GUYATT, H. L., BUNDY, D. A. P. and MEDLEY, G. F. The development and validation of an age-structured model for the evaluation of disease control strategies for intestinal helminths	389
 PART 4 NOVEMBER 1994	
ASAHI, H. and KANAZAWA, T. Continuous cultivation of intraerythrocytic <i>Plasmodium falciparum</i> in a serum-free medium with the use of a growth-promoting factor	397
RANAWAKA, G. R. R., FLECK, S. L., ALEJO BLANCO, A. R. and SINDEN, R. E. Characterization of the modes of action of anti-Pbs21 malaria transmission-blocking immunity: ookinete to oocyst differentiation <i>in vivo</i>	403
BABIKER, H. A., RANFORD-CARTWRIGHT, L. C., CURRIE, D., CHARLWOOD, J. D., BILLINGSLEY, P., TEUSCHER, T. and WALLIKER, D. Random mating in a natural population of the malaria parasite <i>Plasmodium falciparum</i>	413
ERESH, S., MCCALLUM, S. M. and BARKER, D. C. Identification and diagnosis of <i>Leishmania mexicana</i> complex isolates by polymerase chain reaction	423
BELLI, A. A., MILES, M. A. and KELLY, J. M. A putative <i>Leishmania panamensis</i> / <i>Leishmania braziliensis</i> hybrid is a causative agent of human cutaneous leishmaniasis in Nicaragua	435
STURROCK, R. F., KLUMPP, R. K., OUMA, J. H., BÜTTERWORTH, A. E., FULFORD, A. J. C., KARIUKI, H. C., THIONGO, F. W. and KOECH, D. Observations on the effects of different chemotherapy strategies on the transmission of <i>Schistosoma mansoni</i> in Machakos District, Kenya, measured by long-term snail sampling and cercariometry	443
DAY, T. A., MAULE, A. G., SHAW, C., HALTON, D. W., MOORE, S., BENNETT, J. L. and PAX, R. A. Platyhelminth FMRFamide-related peptides (FaRPs) contract <i>Schistosoma mansoni</i> (Trematoda: Digenea) muscle fibres <i>in vitro</i>	455
WIEST, P. M., KUNZ, S. S. and MILLER, K. R. Activation of protein kinase C by phorbol esters disrupts the tegument of <i>Schistosoma mansoni</i>	461
LIMA, S. F., VIEIRA, L. Q., HARDER, A. and KUSEL, J. R. Altered behaviour of carbohydrate-bound molecules and lipids in areas of the tegument of adult <i>Schistosoma mansoni</i> worms damaged by praziquantel	469
ADEMA, C. M., VAN DEUTEKOM-MULDER, E. C., VAN DER KNAAP, W. P. W. and SMINIA, T. Schistosomicidal activities of <i>Lymnaea stagnalis</i> haemocytes: the role of oxygen radicals	479
MODHA, J. and DOENHOFF, M. J. <i>Schistosoma mansoni</i> host-parasite relationship: interaction of contrapsin with adult worms	487
MCNAMARA, J. J., MOHAMMED, G. and GIBSON, W. C. <i>Trypanosoma (Nannomonas) godfreyi</i> sp. nov. from tsetse flies in The Gambia: biological and biochemical characterization	497
VINEY, M. E. A genetic analysis of reproduction in <i>Strongyloides ratti</i>	511
WANG, H. and NUTTALL, P. A. Comparison of the proteins in salivary glands, saliva and haemolymph of <i>Rhipicephalus appendiculatus</i> female ticks during feeding	517

- WANG, H. and NUTTALL, P. A. Excretion of host immunoglobulin in tick saliva and detection of IgG-binding proteins in tick haemolymph and salivary glands 525
- MODHA, J., ROBERTSON, W. M., KENNEDY, M. W. and KUSEL, J. R. Characterization of a major surface-associated excretory–secretory antigen of *Trichinella spiralis* larvae with antibodies to keyhole limpet haemocyanin 531

#### PART 5 DECEMBER 1994

- SMITH, T., GENTON, B., BAEA, K., GIBSON, N., TAIME, J., NARARA, A., AL-YAMAN, F., BECK, H.-P., HII, J. and ALPERS, M. Relationships between *Plasmodium falciparum* infection and morbidity in a highly endemic area 539
- SMITH, N. C., WALLACH, M., PETRACCA, M., BRAUN, R. and ECKERT, J. Maternal transfer of antibodies induced by infection with *Eimeria maxima* partially protects chickens against challenge with *Eimeria tenella* 551
- PERRETT, S., WHITFIELD, P. J., BARTLETT, A. and SANDERSON, L. Attenuation of *Schistosoma mansoni* cercariae with a molluscicide derived from *Millettia thonningii* 559
- PORCHET, E., McNAIR, A., CARON, A., KUSNIERZ, J. P., ZEMZOUMI, K. and CAPRON, A. Tissue expression of the *Schistosoma mansoni* 28 kDa glutathione S-transferase 565
- BISHOP, R. P., SPOONER, P. R., KANHAI, G. K., KIARIE, J., LATIF, A. A., HOVE, T., MASAKA, S. and DOLAN, T. T. Molecular characterization of *Theileria* parasites: application to the epidemiology of theileriosis in Zimbabwe 573
- WEBSTER, J. P. The effect of *Toxoplasma gondii* and other parasites on activity levels in wild and hybrid *Rattus norvegicus* 583
- KADIAN, S. K., DIXON, J. B., GREEN, J. R., CARTER, S. D. and JENKINS, P. Modification of macrophage–T cell interaction during infection of mice with *Mesocostoides corti* (Cestoda) 591
- GUSTAFSSON, M. K. S., HALTON, D. W., MAULE, A. G., REUTER, M. and SHAW, C. The gull-tapeworm, *Diphyllobothrium dendriticum* and neuropeptide F: an immunocytochemical study 599
- KONG, Y., CHUNG, Y.-B., CHO, S.-Y. and KANG, S.-Y. Cleavage of immunoglobulin G by excretory–secretory cathepsin S-like protease of *Spirometra mansoni* plerocercoid 611
- DRAKE, L. J., BIANCO, A. E., BUNDY, D. A. P. and ASHALL, F. Characterization of peptidases of adult *Trichuris muris* 623
- HEMPHILL, A., FRAME, I. and ROSS, C. A. The interaction of *Trypanosoma congolense* with endothelial cells 631
- TSUJI, N. and FUJISAKI, K. Development *in vitro* of free-living infective larvae to the parasitic stage of *Strongyloides venezuelensis* by temperature shift 643
- HAGEN, H.-E., GRUNEWALD, J. and HAM, P. J. Induction of the prophenoloxidase-activating system of *Simulium* (Diptera: Simuliidae) following *Onchocerca* (Nematoda: Filarioidea) infection 649

## Parasitology

**Back volumes.** Vols. 1–71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

**Copying.** This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/94 \$5.00 + .00.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions.

**ISI Tear Sheet Service.** 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

**For all other use,** permission should be sought from Cambridge or the American Branch of Cambridge University Press.

**Claims** for missing issues can only be considered if made immediately after receipt of the subsequent issue.

**Advertising.** Details of advertising in *Parasitology* may be obtained from the publisher.

© Cambridge University Press 1994

The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
40 West 20th Street, New York, NY 10011–4211, USA  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

*Printed in Great Britain by the University Press, Cambridge*



# Parasitology

## CONTENTS

	PAGE
Smith, T., Genton, B., Baea, K., Gibson, N., Taime, J., Narara, A., Al-Yaman, F., Beck, H.-P., Hii, J. and Alpers, M. Relationships between <i>Plasmodium falciparum</i> infection and morbidity in a highly endemic area	539
Smith, N. C., Wallach, M., Petracca, M., Braun, R. and Eckert, J. Maternal transfer of antibodies induced by infection with <i>Eimeria maxima</i> partially protects chickens against challenge with <i>Eimeria tenella</i>	551
Perrett, S., Whitfield, P. J., Bartlett, A. and Sanderson, L. Attenuation of <i>Schistosoma mansoni</i> cercariae with a molluscicide derived from <i>Millettia thonningii</i>	559
Porchet, E., McNair, A., Caron, A., Kusnierz, J. P., Zenzoumi, K. and Capron, A. Tissue expression of the <i>Schistosoma mansoni</i> 28 kDa glutathione S-transferase	565
Bishop, R. P., Spooner, P. R., Kanhai, G. K., Kiarie, J., Latif, A. A., Hove, T., Masaka, S. and Dolan, T. T. Molecular characterization of <i>Theileria</i> parasites: application to the epidemiology of theileriosis in Zimbabwe	573
Webster, J. P. The effect of <i>Toxoplasma gondii</i> and other parasites on activity levels in wild and hybrid <i>Rattus norvegicus</i>	583
Kadian, S. K., Dixon, J. B., Green, J. R., Carter, S. D. and Jenkins, P. Modification of macrophage-T cell interaction during infection of mice with <i>Mesocestoides corti</i> (Cestoda)	591
Gustafsson, M. K. S., Halton, D. W., Maule, A. G., Reuter, M. and Shaw, C. The gull-tapeworm, <i>Diphyllobothrium dendriticum</i> and neuropeptide F: an immunocytochemical study	599
Kong, Y., Chung, Y.-B., Cho, S.-Y. and Kang, S.-Y. Cleavage of immunoglobulin G by excretory-secretory cathepsin S-like protease of <i>Spirometra mansoni</i> plerocercoid	611
Drake, L. J., Bianco, A. E., Bundy, D. A. P. and Ashall, F. Characterization of peptidases of adult <i>Trichuris muris</i>	623
Hemphill, A., Frame, I. and Ross, C. A. The interaction of <i>Trypanosoma congolense</i> with endothelial cells	631
Tsuji, N. and Fujisaki, K. Development <i>in vitro</i> of free-living infective larvae to the parasitic stage of <i>Strongyloides venezuelensis</i> by temperature shift	643
Hagen, H.-E., Grunewald, J. and Ham, P. J. Induction of the prophenoloxidase-activating system of <i>Simulium</i> (Diptera: Simuliidae) following <i>Onchocerca</i> (Nematoda: Filarioidea) infection	649

