


THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF

G. W. T. H. FLEMING

WITH THE ASSISTANCE OF

Alexander Walk (Co-Editor)

L. C. Cook

F. L. Golla

T. F. Main

P. K. McCowan

A. Meyer

R. M. Norman

M. Partridge

W. Linford Rees

B. W. Richards

W. Warren

(The above constitute the Journal Committee)

LONDON

H. K. LEWIS & CO. LTD

Published Six times Yearly Twenty Shillings net

DISIPAL (Regd.)

ORPHENADRINE HYDROCHLORIDE



1. Correction of Drug Induced Extra Pyramidal Symptoms
2. Parkinsonism
3. Senile and Presenile Depressions
4. Vertiginous and Post-Traumatic Dizziness

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

CAMDEN CHEMICAL CO. LTD
LONDON · WC1

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V H BROCADES · STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND
U.K. Patent Nos. 607258 and 743495



STELAZINE in schizophrenia

'Best results were seen in paranoid and hebephrenic patients; catatonic patients also were improved.'¹

'... not only can excited, disturbed, schizophrenic and manic patients be rendered calm and composed by Stelazine, but ... a considerable number of inert, vegetative schizophrenics can be stimulated to take an interest in their surroundings, to develop initiative and become more accessible.'²

'... "Stelazine" in chronic schizophrenia may yield better results than other phenothiazines.'³

'On ["Stelazine"], patients became more cooperative and seemed more communicative and interested in the ward routine. ["Stelazine"] did not seem to produce drowsiness or lethargy; on the contrary, it had an awakening effect on these chronic patients, who had previously been lacking ambition, initiative, or interest in their surroundings.'⁴

'... ["Stelazine"] has succeeded where other treatment has failed, particularly in chronic schizophrenics, and provides even greater hope for the rehabilitation of patients who until now have been considered hopeless cases.'⁵

A NEW STANDARD AMONG TRANQUILLIZERS

- 1 EXT, H., (1960) *Dis. nerv. Syst.*, **21**, 154-7
- 2 MILLIGAN, W. L., *et al.* (1960) *Med. Proc.*, **6**, 109-12
- 3 BATT, J. C. (1959) *Postgrad. med. J.*, **35**, 571-4
- 4 ALLEN, V. S. (1959) *J. clin. exp. Psychopath.*, **20**, 247-50
- 5 PHILLIPSON, R., (1960) *Irish J. med. Sci.*, **6**, 453-9

'Stelazine' is available as tablets of 5 mg., and 1 mg., as 'Spansule' sustained-release capsules of 2 mg., as a liquid Concentrate, and in ampoules for intramuscular injection. Please write for full information.

SMITH KLINE & FRENCH LABORATORIES LTD
Welwyn Garden City, Herts

'Stelazine' (brand of trifluoperazine) and 'Spansule' are trade marks.
Brit. Pat. No. 742007

SZ:PA111(Col)

FORTHCOMING

CLINICAL ELECTROENCEPHALOGRAPHY

L. G. Kiloh and J. W. Osselton

price 50s.

1961

Demy 8vo

145 pages

Dr. Kiloh and Mr. Osselton have produced a book mainly for the clinician. It is brief, modest but lucid, cogent and surprisingly comprehensive as a survey of existing knowledge. Doubtless it will encourage more clinicians to seek to acquire expertise in this field and its qualities are such as to commend it to some neurophysiologists and to encourage them to become more familiar with, and to enquire into, the problems of the neuropsychiatric clinic and the EEG laboratory.

BUTTERWORTHS— 4-5 Bell Yard, London, W.C.2

Enquiries regarding advertising in

JOURNAL OF MENTAL SCIENCE

should be addressed to:—

Advertisement Manager

ALDRIDGE PRESS LTD

27 Chancery Lane London WC2

Telephone: HOLborn 8655/6

Telegrams: Presreps, Holb. London

35

'LIBRIUM' and the tranquilizers



'LIBRIUM'


*the successor to
the tranquilizers*

The era of tranquilizers that preceded 'Librium' therapy saw a long succession of drugs—thirty-five by the latest count. And yet today, 'Librium' has attained a clinical stature which may well establish it as the successor to this entire group.



ROCHE
PRODUCTS LTD

for the tense and anxious patient



MODITEN
Squibb Fluphenazine Dihydrochloride

1 mg
once a day

for **EMOTIONAL
EQUILIBRIUM**

Squibb Fluphenazine Dihydrochloride

SQUIBB



A Century of Experience Builds Faith
'MODITEN' is a trademark

E R SQUIBB & SONS LIMITED

Edwards Lane Speke Liverpool 24

DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 mg. is rarely necessary, and when employed should be used with caution.

SUPPLY: Coated 1 mg. and 0.25 mg. tablets, bottles of 25, 100 and 500. Also as an Elixir containing 0.5 mg. per cc.

Tofranil[®] Geigy

N-(γ -Dimethylaminopropyl)-iminodibenzyl hydrochloride

**Thymoleptic
Specific therapeutic
measure in the treatment
of depression**

H M S O

Area of Residence of Mental Hospital Patients

Admissions to mental hospitals in England and Wales in 1957, analysed by area of residence, diagnosis, sex and age, published for research workers, Medical Officers of Health and others studying the pattern of the incidence of disease. (*Studies on Medical and Population Subjects No. 16.*) 15s. 6d. (post 9d.)

Earlier statistics can be found in the following supplements to the Registrar General's Statistical Review of England and Wales:

Supplement on Mental Health, 1952-3 Supplement on Mental Health, 1954-6	}	Each 11s. 6d. (post 8d.)
--	---	--------------------------

From the Government Bookshops or through any bookseller

H M S O

‘ECTONUSTIM’

**E.C.T. APPARATUS and
CEREBRAL STIMULATOR**
(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

- ‘ECTONUS’
—E.C.T. apparatus
- ‘ECTRON’
—E.C.T. apparatus
- ‘ECTRON’
—Rubber Mouth Gag
- ‘ECTRONOLYTE’
—Electrolyte Powder

Write for full details to:

ECTRON LTD

39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND

Telephone: LETCHWORTH 2124

$2 \times 2 = 4$
 $3 \times 2 = 6$
 $4 \times 2 = 8$



CAT



four
months
ago
depressed
morose
unhappy...

today—back on the job

Niamid[†] *shortens the depressive phase*

brand of nialamide

Recent publications emphasize the value of Niamid in the treatment of reactive depression. It has also been found of particular benefit in treating long-standing depression, especially where this affects older people. Smooth, gentle and sustained in action, Niamid has been singled out among monoamine oxidase inhibitors as 'a very safe drug'¹

¹ *Med. Press*, 1960, **244**, 546.



is marketed in the United Kingdom by

HARVEY PHARMACEUTICALS

a department of Pfizer Ltd · Sandwich · Kent

[†]Trade Mark

HM123/11127

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of LADIES and GENTLEMEN suffering from NERVOUS and MENTAL DISORDERS. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for treatment. Special accommodation is also provided in a villa residence, which stands in its own grounds and is entirely separate from the main Hospital. All the most modern methods of treatment, including electric shock and prefrontal leucotomy, are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

WYKE HOUSE, ISLEWORTH MIDDLESEX

Tel. ISLeworth 7000

A Private Home established in 1826,
for the individual treatment and care
of all forms of Nervous and Mental
Illness, including Addiction.

Further particulars from the Resident Physicians:

H. PULLAR-STRECKER,
M.D.,

G. W. SMITH,
O.B.E., M.B.



La Métairie NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: *Apply to Dr. W. SEMADENI, Chief Doctor*
Telephone 9.65.91

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. Telephone: Burnham 624

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Nursing Home two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 12 Guineas per week

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER.

INDEX TO ADVERTISERS

Butterworth & Co. Ltd.	ii
Camden Chemical Co. Ltd.	Cover 2
Ectron Ltd.	vi
Geigy Ltd.	v
Harvey Pharmaceuticals	vii
H.M.S.O.	vi
Lederle Laboratories	xiv
Eli Lilly & Co. Ltd	Cover 3
Merck Sharp & Dohme Ltd.	xi
Roche Products Ltd	iii
G. D. Searle & Co., Ltd.	xii
Smith Kline & French Laboratories Ltd.	i
E. R. Squibb & Sons Ltd.	iv
Vitamins Ltd.	xvi

Nursing Homes:

Barnwood House, Gloucester	viii
Hitcham Place Burnham	x
Hume Towers, Bournemouth	viii
La Métairie	ix
Springfield House, Bedford	x
Wyke House, Isleworth	ix



New...

a tranquilliser that *really* meets the case

Striatran

EMYL CAMATE

Regd.

for Alert Tranquillity

'STRIATRAN' offers an entirely new approach to the treatment of the tense and anxious, in which tranquillity without drowsiness is achieved. In recommended dosage normal composure is re-established, while natural alertness and skilled performance remain unimpaired.

Troublesome side-effects such as jaundice, parkinsonism or ataxia have not been reported. Dosage* is simple and uncomplicated.

'Striatran' calms without dulling the mind

*Usual adult dosage: 1 tablet (200 mg.) t.i.d. before meals.

United Kingdom N.H.S. basic cost—4s. 6d. per 25 tablets (ex dispensing pack), plus p.t.

NOTE: *Detailed information on request.*



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS



Dartalan

Brand of Thiopropazate Dihydrochloride

*safe and
effective in
psychoses,
neuroses,
geriatrics
and general
medicine*

SEARLE

THE JOURNAL OF MENTAL SCIENCE

© 1961

Communications on general editorial matters, including MSS. for publication, printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, and books for review should be sent to **The Editor-in-Chief, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From MESSRS. H. K. LEWIS & CO. LTD.,
136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 20/-. Postage extra.

From MESSRS. J. & A. CHURCHILL, LTD.,
104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From THE SECRETARY, 11 Chandos Street, W.1

The Charter and By-Laws of the Association. Price 2/-. Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }

ANOTHER RICH HARVEST

Since MILTOWN meprobamate was introduced in 1956, each successive year has yielded its crop of published reports on the outstanding calmative and muscle relaxant properties of the drug. Last year was no exception. The 1960 'harvest' shows the unabated interest of doctors everywhere in the value of MILTOWN in anxiety and tension states, and throws light on yet newer applications of the drug. These include the use of MILTOWN in controlling the syncopal attacks of heart block, in improving sedation and comfort during labour and delivery and in the management of habit spasm, enuresis and sleep disorders in children. A fruitful harvest indeed and one that clearly demonstrates the remarkable versatility of MILTOWN.


AVAILABILITY:

Capsules 200 mg. Bottles of 50 and 250
Tablets 400 mg. Bottles of 50 and 250

Miltown*

MEPROBAMATE

*REGD. TRADEMARK OF CARTER PRODUCTS INC.



LEDERLE LABORATORIES

a division of

CYANAMID OF GREAT BRITAIN LTD. London W.C.2

INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) **For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.**

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent **direct** to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must **not** be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



DIABETIC NEUROPATHY

Neuropathy complicates diabetes to a variable extent, estimated at about 14% of cases. The commonest symptom is pain in the limbs. Reflexes may be absent.

Recently, treatment by the whole B complex in the form of Parentrovite has been employed with encouraging results. 10 ml. given twice weekly for four to six weeks produced impressive effects both in respect of relief of pain and rate of recovery.

It is now acknowledged that there is seldom, if ever, a need for large doses of a single vitamin of the B complex, since these factors interact in enzyme symptoms. Inadequacy of vitamin reserves, i.e. "Vitamin insufficiency" may occur apart from nutritional deficiency, and may manifest as symptoms and signs of peripheral neuropathy.

PARENTROVITE

is a high potency injectable preparation of the Vitamin B complex with Vitamin C. Packs: in boxes of 3 and 12 pairs. Hospital packs also available.

OROVITE

Treatment may be continued with OROVITE—high dosage Vitamin B complex for oral use—for rapid restoration of intracellular metabolism.

Available in tablets and elixir form.

NATIONAL HEALTH SERVICE

In no case is the cost of a V.L. preparation greater than, and in some it is less than, that of the official equivalent preparation. There is no official equivalent of some V.L. specialities.



PARENTROVITE AND OROVITE two products of
VITAMINS LIMITED, UPPER MALL, LONDON, W6