

May 1953 ✓

J. O. Hunt
Vol. LXVII. No. 5

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

WITH THE COLLABORATION OF
G. H. BATEMAN V. E. NEGUS R. G. MACBETH

Contents

| | |
|---|---------------------------------------|
| A COMPARISON BETWEEN HEARING FOR PURE TONES AND FOR SPEECH | TERENCE CAWTHORNE and R. M. HARVEY |
| THE TECHNIQUE OF SPEECH AUDIOMETRY AND A SIMPLE SPEECH AUDIOMETER WITH MASKING GENERATOR FOR CLINICAL USE | J. J. KNIGHT and T. S. LITTLER |
| ENDOSCOPIC DIAGNOSIS OF EARLY BRONCHIAL CARCI- NOMA | FERNAND EEMAN |
| SOME OBSERVATIONS ON THE SURGERY OF THE MAXIL- LARY ANTRUM | A. R. DINGLEY |
| LIGATION OF THE CAROTID VESSELS | PHILIP H. GOLDING WOOD |
| CLINICAL RECORDS— | |
| A CASE OF GLOMUS JUGULARE TUMOUR | C. R. SALKELD |
| GLOMUS JUGULARE TUMOUR—REPORT OF A CASE | J. CHALMERS BALLANTYNE |
| NON-SPECIFIC TONSILLAR INFECTION WITH PER- FORATION OF THE FAUCIAL PILLAR IN A CHILD | H. S. SHARP |
| GENERAL NOTES | |

London
Headley Brothers Ltd
109 Kingsway WC2

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

WITH THE COLLABORATION OF
G. H. BATEMAN V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added.

4. Authors will be expected to pay for the cost of illustration blocks. An estimate of the cost will be provided.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD, 109 Kingsway London WC 2.

8. The annual subscription is three guineas sterling (U.S.A. \$10,) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC 2.

United States of America

Orders for this *Journal* may be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC 2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable and English-made Harvard Spondee records also available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology


ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)


Please mention *The Journal of Laryngology* when replying to advertisements

ENDOSCOPIC INSTRUMENTS


as designed for V. E. NEGUS, M.S., F.R.C.S.



Tracheoscope



Bronchoscope, with combined distal and proximal lighting. (9 sizes)



Esophagoscope with detachable Suction Tube and Proximal Lighting. (5 sizes)

MADE BY

THE GENITO-UBINARY MFG. CO. LTD.

28a DEVONSHIRE STREET, LONDON, W.1

Telephone:
WELBECK 2835 (3 lines)


Telegrams:
CYSTOSCOPE. WESDO, LONDON

Please mention *The Journal of Laryngology* when replying to advertisements

THE ARDENTE

"Phoenix"
AURAL AID

SOME UNIQUE
FEATURES No. 3



An important feature of the 'Phoenix'—Arden's Master Aural Aid—is its unique system of Automatic Volume Limitation, which assures that sound levels higher than the critical recruitment level of a perceptive deaf ear are heard in comfort and at a tolerable level.

As the point at which recruitment begins is different in different perceptive deaf cases, a pre-set control has been incorporated in the 'Phoenix' to limit the maximum output at 4 different levels, namely:
130 db., 122 db., 116 db. and 109 db.

Arden technicians will be pleased to limit the maximum output as recommended by the patient's Otologist, or assess the recruitment level of individual patients upon request by the 'Loudness Balance' and 'Difference Limen' methods.

The 'Phoenix' embodies many new features in aural aid technique, including:

Exceptional suppression of 'clothes-rubbing' and all unwanted background sounds.

Variation of Frequency Characteristics in accordance with the Medical Research Council's recommendations.

Unique printed wiring for stable characteristics over long periods of use.

Immediate servicing, by the simple interchange of plugged parts.

For further particulars of the Arden's 'Phoenix' and of our well-known "7-Days Home Trial" scheme, please apply to:



THE ARDENTE HEARING REHABILITATION UNIT

Arden House, 309 Oxford Street, London, W.1.

Telephone MAYfair 7917

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

| | PAGE | |
|--|------|---|
| A COMPARISON BETWEEN HEARING FOR PURE TONES AND FOR SPEECH. Terence Cawthorne and R. M. Harvey (London) | 233 | ✓ |
| THE TECHNIQUE OF SPEECH AUDIOMETRY AND A SIMPLE SPEECH AUDIOMETER WITH MASKING GENERATOR FOR CLINICAL USE. J. J. Knight and T. S. Littler (London) | 248 | ✓ |
| ENDOSCOPIC DIAGNOSIS OF EARLY BRONCHIAL CARCINOMA. Fernand Eeman (Ghent) | 266 | ✓ |
| SOME OBSERVATIONS ON THE SURGERY OF THE MAXILLARY ANTRUM. A. R. Dingley (London) | 277 | ✓ |
| LIGATION OF THE CAROTID VESSELS. Philip H. Golding Wood (Chatham) | 284 | ✓ |
| CLINICAL RECORDS— | | |
| A Case of Glomus Jugulare Tumour. C. R. Salkeld (Bournemouth) | 291 | ✓ |
| Glomus Jugulare Tumour—Report of a Case. J. Chalmers Ballantyne (London) | 293 | ✓ |
| Non-specific Tonsillar Infection with Perforation of the Faucial Pillar in a Child. H. S. Sharp (London) | 297 | ✓ |
| GENERAL NOTES | 299 | |

BINDING

Journal of Laryngology & Otology

Subscribers wishing to have their Journals bound can do so by sending them to the Publishers.

Volumes are strongly bound in whole dark blue buckram cases, with gold lettering on spine. The cost of binding is 25s. per volume, including postage.

Some missing parts can be supplied at 7s. 6d. each, or the whole volume, complete in the above binding, for 88s.

Publishers' cases can be supplied for 10s., including postage.

HEADLEY BROTHERS LTD, 109 KINGSWAY LONDON WC2

Please mention *The Journal of Laryngology* when replying to advertisements