

Cambridge Core

Access
leading
journals in
your subject




Explore today at cambridge.org/core

Cambridge **Core**



CAMBRIDGE
UNIVERSITY PRESS

The background of the advertisement features a black and white photograph of several glowing jellyfish swimming against a dark background. The jellyfish have translucent bell shapes with numerous small, bright spots (nematocysts) and long, flowing tentacles.

Life Sciences

Books and Journals from
Cambridge University Press

Cambridge is one of the leading publishers in ecology and conservation biology and publishes high quality texts and research across the breadth of the life sciences, focusing particularly on animal behaviour, biological anthropology, evolutionary biology, computational and systems biology, as well as statistics and professional development titles for biologists.

We also have an extensive portfolio of established journals in agriculture, ecology and conservation, and animal science.

For further details visit:
cambridge.org/core-life-sciences

Cambridge
Core



THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2019

MBA MEMBERSHIP (prices per annum)	Price from 1st March 2019
Young Marine Biologist (YMB)	£12.50
Student Member	£25.00
Associate Member	£40.00 (direct debit discount £5)
Professional Member, Mem.MBA	£45.00 (direct debit discount £5)
MBA Fellow, FMBA	£120.00 (direct debit discount £5)
Institutional Member	£340.00

JOURNAL SUBSCRIPTION

(MBA price added to the above membership fees, with the exception of YMB as no Journal option for this category)

Online Journal	£20.00
Print & Online Journal	£80.00

The Association is a learned society founded in 1884 and incorporated by Royal Charter in 2013. The Marine Biological Association (MBA) provides a unified, clear, independent voice on behalf of the marine biological community. In 1888, the MBA opened the Plymouth laboratory at Citadel Hill.

The MBA is also a registered charity with its key aims being to promote scientific research into all aspects of life in the sea, including the environment on which it depends, and to disseminate to the public the knowledge gained. The Patron of the Association is His Royal Highness the Duke of Edinburgh, who is also an Honorary Fellow. The other Honorary Fellows are His Serene Highness Prince Albert of Monaco, Dr Sylvia Earle, Sir Tim Hunt and Professor James Lovelock.

The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465).

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations

from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Marine Biological Association is a very active scientific learned society with a large international membership. The MBA also manages an internationally renowned research programme.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have a wide range of rights and privileges including the use of post-nominals (FMBA for MBA Fellows, Mem.MBA for Professional Members) and being entitled to receive The Marine Biologist Magazine. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel. +44 (0) 1752 426493; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

ARTICLES

Guarini, J.-M., Coston-Guarini, J., Deprez, T. and Chauvaud, L. An inference procedure for behavioural studies combining numerical simulations, statistics and experimental results	1
Silva, F.B., Silva, J.F., Bezerra, R.S. and Santos, P.J.P. Are biochemical composition parameters of sediment good tools for assessing the environmental quality of estuarine areas in tropical systems?	9
Pita, P. and Freire, J. Trophic ecology of an Atlantic kelp forest fish assemblage (NW Spain) targeted by recreational fishers and implications for coastal management	19
Vargas, S.M., Lins, L.S.F., Molfetti, É., Ho, S.Y.W., Monteiro, D., Barreto, J., Colman, L., Vila-Verde, L., Baptista, C., Alciati Thome, J.C. and Santos, F.R. Revisiting the genetic diversity and population structure of the critically endangered leatherback turtles in the South-west Atlantic Ocean: insights for species conservation	31
Abdullah Al, M., Gao, Y., Xu, G., Wang, Z., Xu, H. and Warren, A. Variations in the community structure of biofilm-dwelling protozoa at different depths in coastal waters of the Yellow Sea, northern China	43
Bonecker, A.C.T., Dias, C.D.O., De Castro, M.S., De Carvalho, P.F., Araujo, A.V., Paranhos, R., Cabral, A.S. and Bonecker, S.L.C. Vertical distribution of mesozooplankton and ichthyoplankton communities in the South-western Atlantic Ocean ($23^{\circ}14'1''S$ $40^{\circ}42'19''W$)	51
Uribe-Palomino, J., López, R., Gibbons, M.J., Gusmão, F. and Richardson, A.J. Siphonophores from surface waters of the Colombian Pacific Ocean	67
Da Silva, S.L.R., De Carvalho Santos, R., Caetano Costa, R. and Luis Hirose, G. Growth and population structure of the seabob shrimp <i>Xiphopenaeus kroyeri</i> (Decapoda: Penaeidae) on the continental shelf of Sergipe, Brazil	81
Benjamin, D., Harikrishnan, M., Rozario, J.V., Jose, D., Kurup, B.M., Sreedhar, U. and Cubelio, S.S. Reproductive traits of deep-sea armoured shrimp, <i>Glypocrangon investigatoris</i> from Bay of Bengal, Indian Ocean	93
Kornienko, E.S., Selin, N.I. and Korn, O.M. Population and reproductive characteristics of the hermit crab <i>Pagurus proximus</i> Komai, 2000 (Decapoda: Paguridae) in the northern part of the species range	101
Shinozaki-Mendes, R.A. and Lessa, R. Ontogenetic trajectories in <i>Callinectes danae</i> (Crustacea: Brachyura): sex and age polymorphism	111
Öndes, F., Emmerson, J.A., Kaiser, M.J., Murray, L.G. and Kennington, K. The catch characteristics and population structure of the brown crab (<i>Cancer pagurus</i>) fishery in the Isle of Man, Irish Sea	119
Alcaraz, G. and Kruesi, K. Niche overlap and resource partitioning between two intertidal hermit crab species	135
Do Carmo Reis JR, J.J., Felizola Freire, K.M., Da Rosa, L.C., Da Rocha Barreto, T.M. and Pauly, D. Population dynamics of Atlantic seabob <i>Xiphopenaeus kroyeri</i> (Decapoda: Penaeidae) off the state of Sergipe, north-eastern Brazil	143
Torroglosa, M.E. and Giménez, J. Reproductive strategy of <i>Brachidontes rodiguezii</i> (Bivalvia: Mytilidae) in the South-western Atlantic Ocean	155
Sarkar, D., Bhattacherjee, M. and Chattopadhyay, D. Influence of regional environment in guiding the spatial distribution of marine bivalves along the Indian coast	163
Yahagi, T., Fukumori, H., Warén, A. and Kano, Y. Population connectivity of hydrothermal-vent limpets along the northern Mid-Atlantic Ridge (Gastropoda: Neritimorpha: Phenacolepadidae)	179
Giri, K. and Gorfine, H. Application of a mixed modelling approach to standardize catch-per-unit-effort data for an abalone dive fishery in Western Victoria, Australia	187
Lobo-Da-Cunha, A., Oliveira, E., Alves, Á. and Calado, G. Giant peroxisomes revealed by a comparative microscopy study of digestive gland cells of cephalaspidean sea slugs (Gastropoda, Euopisthobranchia)	197
Ching, T.-Y., Chen, C.-H. and Wang, C.-H. Spatiotemporal variations in life-history traits and statolith trace elements of <i>Sepioteuthis lessoniana</i> populations around northern Taiwan	203
Castellini, D.L., Brown, D., Lajud, N.A., Diaz de Astarloa, J.M. and González-Castro, M. Juveniles recruitment and daily growth of the southern stock of <i>Mugil liza</i> (Actinopterygii; Fam. Mugilidae): new evidence for the current life-history model	215
Ibáñez, A.L. and Montero, D.Y. Observation of the presence of crypsis in white mullet <i>Mugil curema</i> (Pisces: Mugilidae) juveniles under artificial rearing conditions	223
Kunishima, T., Iwamoto, R., Iida, M. and Tachihara, K. Life history and instream distribution of the endangered estuarine goby <i>Acanthogobius insularis</i> from Okinawa-jima Island, Japan	229
Meera, K.M., Hashim, M., Sanjeevan, V.N., Jayasankar, J., Ambrose, T.V. and Sudhakar, M. Systematics and biology of the blue lanternfish, <i>Diaphus coerulescens</i> from the south-eastern Arabian Sea	239
Bolzan, M.S., Andrade, R., Spach, H.L. and Hostim-Silva, M. The influence of selected environmental parameters and habitat mosaics on fish assemblages in a South American estuary	249
Anastasopoulou, A., Mytilineou, C., Smith, C.J. and Papadopoulou, K.N. Crustacean prey in the diet of fishes from deep waters of the Eastern Ionian Sea	259