

General Notes

SEVENTH SHAMBAUGH-SHEA OTOTOLOGY WORKSHOP

1-4 MARCH 1984

MARRIOTT HOTEL, CHICAGO

THIS well-established Workshop will be held, for the seventh time, in Chicago. An exciting and exhaustive programme will be conducted by an imposing international group of experts.

For further information, please write to:

Dr. George E. Shambaugh, Jr., M.D.,
Shambaugh Ear and Allergy Institute,
40 South Clay Street,
Hinsdale,
Illinois 60521,
U.S.A.

THE FOURTH CAMBRIDGE COURSE IN ADVANCED OTOLARYNGOLOGY

8-13 JULY 1984

SPEAKERS INCLUDE:

T. R. Bull, J. A. S. Carruth, J. D. K. Dawes, P. D. M. Ellis, J. N. G. Evans, A. P. Freeland, R. F. Gray, J. Hibbert, A. Levene, I. S. Mackay, D. A. Moffat, P. D. Phelps, A. E. S. Richards, R. A. Williams, G. P. Walsh Waring, J. L. W. Wright.

THE Fourth Course will be held at Addenbrooke's Hospital, Cambridge, from 8-13 July 1984. Once again, the aim is to provide an up-to-date account of Otolaryngology as practised in the United Kingdom at the present time. All major areas of the speciality will be included in the programme which, it is hoped, will appeal to those in training and to more senior surgeons both from the United Kingdom and from abroad.

Accommodation and meals have been arranged at Peterhouse and at Corpus Christi College, two of the oldest Cambridge Colleges.

Course fee (includes registration, accommodation and all meals):

Consultants and foreign graduates: £295
United Kingdom junior medical staff: £195

(Final F.R.C.S. candidates especially welcome.)

Further details may be obtained from the Course Secretary:

P. D. M. Ellis, F.R.C.S.,
Ear, Nose and Throat Department,
Addenbrooke's Hospital,
Hills Road,
Cambridge CB2 2QQ.

THE TRUSTEES OF THE TWJ FOUNDATION
INVITE APPLICATIONS FOR
AN OTOLOGICAL RESEARCH AND CLINICAL FELLOWSHIP
AT
THE UNIVERSITY OF CALIFORNIA, SAN FRANCISCO
FOR SIX MONTHS FROM JUNE 1984

THE appointment has the approval of Dr. Boles and Dr. Dedo. The holder will have an opportunity to attend the clinical work of the Department of Otolaryngology but the main emphasis will be on Research Projects in the Coleman Laboratory under the direction of Dr. Merzenich.

Applicants must be Fellows of one of the Royal Colleges of Surgeons and be a Senior Registrar in Otolaryngology in an appointment recognized for Higher Surgical Training.

Further details concerning applications should be obtained *now* from:

The Trustees of the TWJ Foundation,
Rustlings, Grayshott,
Hindhead, Surrey GU26 6DP.

The closing date for formal applications will be Saturday, 7 January 1984.

INSTRUCTIONAL COURSE ON 'TINNITUS AND ITS MANAGEMENT'
NOTTINGHAM
2-4 APRIL 1984

IN association with the MRC Institute of Hearing Research, the third 2½-day course of lectures with discussions, demonstration and practical sessions will be held on the causes, scientific background, investigation and management of tinnitus. The course fee (including accommodation for three nights, lunches and a course dinner) will be £130. Numbers will be limited to 24. The course is suitable for otologists, audiological physicians, scientists and technicians, hearing therapists.

Further enquiries and place reservations to Dr. R. R. A. Coles or Mrs. J. P. Willoughby, MRC Institute of Hearing Research, University of Nottingham, University Park, Nottingham NG7 2RD.

UNIVERSITY OF BRISTOL
SOUTH WESTERN LARYNGOLOGICAL ASSOCIATION
16TH PATRICK WATSON-WILLIAMS MEMORIAL LECTURE
SATURDAY, 28 JANUARY 1984
AT 11.15 A.M.
AT
BRISTOL UNIVERSITY
(Chemistry Lecture Theatre 4)
'A Physiologist's View of Deafness and Tinnitus'
by
Professor E. F. Evans, Keele University

GLASGOW TEMPORAL BONE COURSE

THE nineteenth course will take place in Glasgow over the weekend 10, 11, 12 February 1984.

The course comprises dissection of the temporal bone integrated with lectures on the indications, techniques and results of otological surgery together with the histopathology of the temporal bone.

The course is primarily designed for surgeons in training and is approved by the Postgraduate Medical Education Committee and therefore study leave and expenses can be claimed.

The course tutors are: Mr. Andrew Baxter, F.R.C.S., Consultant ENT Surgeon, Stobhill Hospital, Glasgow; Mr. G. G. Browning, M.D., F.R.C.S., Senior Lecturer, Glasgow University Department of Otorhinolaryngology and Mr. Alastair M. Pettigrew, F.R.C.S.

Further details and application forms can be obtained from:

Mr. Alastair M. Pettigrew, F.R.C.S.,
Consultant ENT Surgeon,
Stirling Royal Infirmary,
Stirling FK8 2AU.
Tel.: 0786 3151 Extension 112.

PERSPECTIVES IN HEAD AND NECK TUMOUR SURGERY

6-7 FEBRUARY 1984

AT THE ROYAL COLLEGE OF SURGEONS, LONDON

THE first of three courses designed to cover all the principal areas of tumour surgery in ENT. Intended for post-Fellowship trainees and consultants in ENT.

This course includes: Postcricoid carcinoma
Advanced laryngeal carcinoma
Rhabdomyosarcoma
Acoustic neuroma
Reconstruction techniques

Course tutors: H. R. Grant A. D. Cheesman
C. M. Bailey C. B. Croft

Course fee: £100 (meals and refreshments included)
Accommodation available at the Nuffield College of Surgical Sciences.

Application forms to be returned to: The Dean's Secretary,
Institute of Laryngology and Otology,
330/336 Gray's Inn Road,
London WC1X 8EE.
Tel.: 01-837 8855.

TEMPORAL BONE SURGICAL DISSECTION COURSES

OFFERED BY

THE DEPARTMENT OF OTORHINOLARYNGOLOGY

THE UNIVERSITY OF MICHIGAN MEDICAL SCHOOL, ANN ARBOR, MICHIGAN

MALCOLM D. GRAHAM, M.D.—COURSE DIRECTOR

9-14 JANUARY 1984

24-28 SEPTEMBER 1984

9-13 APRIL 1984

15-19 OCTOBER 1984

11-15 JUNE 1984

12-16 NOVEMBER 1984

INTENSIVE one-week courses emphasize the surgical and anatomical approaches to the temporal bone, and are presented in a manner relevant for the otologic surgeon, utilizing lectures, videotapes, and dissection.

Mornings and afternoons are spent in the dissection laboratory, giving extensive drilling experience in temporal bone anatomy and surgical techniques. All instruments and high-speed handpieces will be provided.

Course fee is \$1,000.00.

For further information write: Malcolm D. Graham, M.D.,
Department of Otorhinolaryngology,
University of Michigan,
Ann Arbor,
Michigan 48109,
U.S.A.

Index

Orig. Art. Original Article

Clin. Rec. Clinical Record

AUTHORS

- Adams, D. A., Kerr, A. G., Smyth, G. D. L. and Cinnamond, M. J. Congenital syphilitic deafness—a further review. *Orig. Art.*, 399.
- Adeloye, A., Aghadiuno, P. U., Thomas, S. M., Ogan, O. and Martinson, F. D. Olfactory neuroblastoma. *Clin. Rec.*, 261.
- Aghadiuno, P. U., Thomas, S. M., Ogan, O., Martinson, F. D. and Adeloye, A. Olfactory neuroblastoma. *Clin. Rec.*, 261.
- Aird, D. W., Bihari, J. and Ali, S. Pain-inducing laryngeal paragangliomas (non-chromaffin). *Clin. Rec.*, 181.
- Al-Hussani, A. and English, J. S. C. Recurrent suppurative thyroiditis due to pyriform fossa—thyroid fistula. *Clin. Rec.*, 557.
- Ali, S., Aird, D. W. and Bihari, J. Pain-inducing laryngeal paragangliomas (non-chromaffin). *Clin. Rec.*, 181.
- Amen, A., Lee, R. J., Maguire, A. J. and Mullaney, J. Chondroma of the skull base. *Clin. Rec.*, 73.
- Amery, W., Towse, G. and Wouters, L. Flunarizine in the treatment of vertigo. *Orig. Art.*, 697.
- Anastassiades, O., Coyas, A. and Eliadellis, E. Kaposi's Sarcoma of the larynx. *Clin. Rec.*, 647.
- Ashoor, A. Hearing levels of school children in Dammam. *Orig. Art.*, 37.
- Aterman, K., Hutton, C., Idikio, H. A. and Vaze, P. Monomorphic adenoma of the nasal septum in a newborn. *Clin. Rec.*, 251.
- Aviel, A., Segal, M., Ostfeld, E. and Marshak, G. Cholesterol granuloma in a thyroglossal duct cyst. *Clin. Rec.*, 379.
- Bahadur, S., Ghosh, P., Chopra, P. and Rai, G. Rhinocerebral phycomycosis. *Clin. Rec.*, 267.
- Bahadur, S., Kacker, S. K., D'souza, B. and Chopra, P. Paranasal sinus aspergillosis. *Clin. Rec.*, 863.
- Bailey, C. M. and Graham, M. D. Intratemporal facial nerve neuroma. *Clin. Rec.*, 65.
- Bannister, L. H., Douek, E. E. and Dodson, H. C. The effects of sodium salicylate on the cochlea of guinea pigs. *Orig. Art.*, 793.
- Batsakis, J. G., Jacobs, J. B. and Templeton, A. C. Hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 361.
- Batsakis, J. G., Pinkston, G. R., Luna, M. A., Byers, R. M., Sciubba, J. J. and Tillery, G. W. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Beighton, P. and Sellars, S. Childhood deafness in southern Africa. *Orig. Art.*, 885.
- Belal, A. Pathology as it relates to ear surgery. Part III. *Orig. Art.*, 101.
- Belal, A. and Ylikoski, J. Pathology as it relates to ear surgery. Part II. *Orig. Art.*, 1.
- Ben-Ami, M., Rosen, G., Shlezinger, T., Konack, S. and Ben-Ami, M. Otitis media with effusion—complications after treatment. *Orig. Art.*, 1091.
- Bergholm, A.-M., Ekedahl, C., Lundin, K. and Holm, S. E. Distribution of lymecycline in interstitial fluid and paranasal sinus mucosa. *Orig. Art.*, 59.
- Bergholtz, L. M. and Gimsing, S. Otoscopy compared with tympanometry. *Orig. Art.*, 587.
- Berzon, D. B. Ear disease in a group general practice. *Orig. Art.*, 817.
- Bianchi, P. M., Camaioni, A., Corradini, C., de Campora, E. and Calabrese, V. Malignant hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 963.
- Bihari, J., Ali, S. and Aird, D. W. Pain-inducing laryngeal paragangliomas (non-chromaffin). *Clin. Rec.*, 181.
- Black, R. C., Patrick, J. F., Shepherd, R. K. and Clark, G. M. The histopathological effects of chronic electrical stimulation of the cat cochlea. *Orig. Art.*, 333.
- Bonding, P., Poulsen, G. and Tos, M. Tympanosclerosis of the drum in secretory otitis after insertion of grommets. *Orig. Art.*, 489.
- Borge, P. Atopy and secretory otitis media. *Orig. Art.*, 117.
- Bose, P. K. and Penrhyn Jones, G. Choanal atresia. *Orig. Art.*, 711.
- Bradley, P. J. Wegener's Granulomatosis of the ear. *Clin. Rec.*, 623.
- Brain, D. J. and Rock, W. P. The influence of nasal trauma during childhood on growth of the facial skeleton. *Orig. Art.*, 917.
- Bretlau, P., Hastrup, N. and Krogdahl, A. S. Multiple tumours of the parotid gland. *Orig. Art.*, 1035.

- Bridger, M. W. M. and Epstein, R. Functional voice disorders. *Orig. Art.*, 1145.
- Brightwell, A. P. A complication of the use of the laser in ENT surgery. *Clin. Rec.*, 671.
- Brookes, G. B. Vitamin D deficiency—a new cause of cochlear deafness. *Orig. Art.*, 405.
- Brookes, G. B. and Marks, P. V. Malignant paraganglioma of the larynx. *Clin. Rec.*, 1183.
- Brookes, G. B. and Rose, P. E. Malignant fibrous histiocytoma of the ethmoid sinus. *Clin. Rec.*, 279.
- Broughton, S. J., Rampling, A., Lancer, J. M., Moffat, D. A. and Drake-Lee, A. B. Necrotizing fasciitis. *Clin. Rec.*, 193.
- Bull, T. R. Rhinoplasty: aesthetics, ethics and airway. *Orig. Art.*, 901.
- Bull, T. R. and Mackay, I. S. The fate of silastic in the management of saddle deformity in the nose. *Orig. Art.*, 43.
- Burns, H. and Shamboul, K. Malignant external otitis in a young diabetic patient. *Clin. Rec.*, 247.
- Byers, R. M., Sciubba, J. J., Tillery, G. W., Batsakis, J. G., Pinkston, G. R. and Luna, M. A. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Cable, H. R., Maw, A. R. and Jeans, W. D. Adenoidectomy. *Orig. Art.*, 511.
- Calabrese, V., Bianchi, P. M., Camaioni, A., Corradini, C. and de Campora, E. Malignant hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 963.
- Camaioni, A., Corradini, C., de Campora, E., Calabrese, V. and Bianchi, P. M. Malignant hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 963.
- Canale, V. C., Volpe, R., Carbone, A. and Grigoletto, E. Botryoid rhabdomyosarcoma of the nasopharynx. *Clin. Rec.*, 553.
- Cantekin, E. I., Lildholdt, T. and Clausen, J. Ultrastructure of the tympanic membrane in the Rhesus monkey. *Orig. Art.*, 785.
- Carberry, J. N., Ward, P. P., Friedmann, I., Galey, F. R. and House, W. F. A mixed carcinoid tumour of the middle ear. *Clin. Rec.*, 465.
- Carbone, A., Grigoletto, E., Canale, V. C. and Volpe, R. Botryoid rhabdomyosarcoma of the nasopharynx. *Clin. Rec.*, 553.
- Chauhan, R. S., Gill, R. S., Lal, M., Gill, J. K. and Misra, U. C. Traumatic oesophageal perforation treated with Mousseau Barbin tube. *Clin. Rec.*, 561.
- Chen, K. T. K. Intraductal carcinoma of the minor salivary gland. *Clin. Rec.*, 189.
- Chisin, R., Gay, I. and Elidan, J. Lingual thyroid, sensorineural hearing loss and mental retardation: A coincidental association? *Clin. Rec.*, 539.
- Chopra, P., Bahadur, S., Kacker, S. K. and D'souza, B. Paranasal sinus aspergillosis. *Clin. Rec.*, 863.
- Chopra, P., Rai, G., Bahadur, S. and Ghosh, P. Rhinocerebral phycomycosis. *Clin. Rec.*, 267.
- Christensen, P.-H. and Schønsted-Madsen, U. Unilateral immediate tonsillectomy as the treatment of peritonsillar abscess. *Orig. Art.*, 1105.
- Chrystal, V., Cook, M. R. B., McCormick, M. V. and Hogg, D. S. Melanotic neuro-ectodermal tumour of infancy. *Clin. Rec.*, 755.
- Cinnamon, M. J., Adams, D. A., Kerr, A. G. and Smyth, G. D. L. Congenital syphilitic deafness—a further review. *Orig. Art.*, 399.
- Clark, G. M., Black, R. C., Patrick, J. F. and Shepherd, R. K. The histopathological effects of chronic electrical stimulation of the cat cochlea. *Orig. Art.*, 333.
- Clark, G. M., Seligman, P. M., Tong, Y. C. and Martin, L. F. A. A lip-reading assessment for profoundly deaf patients. *Orig. Art.*, 343.
- Clausen, J., Cantekin, E. I. and Lildholdt, T. Ultrastructure of the tympanic membrane in the Rhesus monkey. *Orig. Art.*, 785.
- Cole, P., Mackay, I., Stanley, P., Greenstone, M. and Holmes, P. A nose clinic: initial results. *Orig. Art.*, 925.
- Conley, J. Trends in minimizing deformity in head and neck resections. *Orig. Art.*, 1047.
- Cook, M. R. B., McCormick, M. V., Hogg, D. S. and Chrystal, V. Melanotic neuro-ectodermal tumour of infancy. *Clin. Rec.*, 755.
- Corradini, C., de Campora, E., Calabrese, V., Bianchi, P. M. and Camaioni, A. Malignant hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 963.
- Coyas, A., Eliadellis, E. and Anastassiades, O. Kaposi's Sarcoma of the larynx. *Clin. Rec.*, 647.
- Cremers, C. W. R. J. Congenital pre-auricular fistula communicating with the tympanic cavity. *Clin. Rec.*, 749.
- Crowther, J. and Majumdar, B. Hearing loss in sarcoidosis. *Clin. Rec.*, 635.
- Dale, B. A. B. and Mackenzie, I. J. The complications of sphenoid sinusitis. *Clin. Rec.*, 661.
- Davey, P. G., Jabeen, F. J., Harpur, E. S., Shenoi, P. M. and Geddes, A. M. A controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity. *Orig. Art.*, 27.
- Dawes, J. D. K., Pearman, K. and Kochilas, X. Patent fissula ante fenestram. *Clin. Rec.*, 357.
- de Campora, E., Calabrese, V., Bianchi, P. M., Camaioni, A. and Corradini, C. Malignant hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 963.

- de Jong, J. M. A. and Hordijk, G. J. Synchronous and metachronous tumours in patients with head and neck cancer. *Orig. Art.*, 619.
- De Vel, E., Vanderstock, L. and Vermeersch, H. Traumatic luxation of the stapes. *Clin. Rec.*, 533.
- Deutsch, G. P., Spencer, M. G., Elliott, R. I. K. and Wadsworth, P. V. Pseudosarcoma of the pharynx and larynx. *Clin. Rec.*, 85.
- Dixon, N. W., Hardcastle, P. F. and Sadek, S. A. A. Metastatic carcinoma of the external auditory meatus secondary to carcinoma of the rectum. *Clin. Rec.*, 459.
- Dodson, H. C., Bannister, L. H. and Douek, E. E. The effects of sodium salicylate on the cochlea of guinea pigs. *Orig. Art.*, 793.
- Douek, E. E., Dodson, H. C. and Bannister, L. H. The effects of sodium salicylate on the cochlea of guinea pigs. *Orig. Art.*, 793.
- Drake-Lee, A. B., Broughton, S. J., Rampling, A., Lancer, J. M. and Moffat, D. A. Necrotizing fasciitis. *Clin. Rec.*, 193.
- Drake-Lee, A. B., Moffat, D. A., Swanston, A. R. and Grace, A. R. H. Anaerobic infection in acute mastoiditis. *Clin. Rec.*, 633.
- D'souza, B., Chopra, P., Bahadur, S. and Kacker, S. K. Paranasal sinus aspergillosis. *Clin. Rec.*, 863.
- Duguid, K. P., Staughton, R. C. D., Moffat, D. A. and Harper, J. I. Oropharyngeal and laryngeal lesions in lipoid proteinosis. *Clin. Rec.*, 877.
- Duvall, E., Johnston, A., McLay, K. and Piris, J. Carcinoid tumour of the larynx. *Clin. Rec.*, 1073.
- Eccles, R. and Jones, A. S. The effect of menthol on nasal resistance to air flow. *Orig. Art.*, 705.
- Ekedahl, C., Lundin, K., Holm, S. E. and Bergholm, A.-M. Distribution of lymecycline in interstitial fluid and paranasal sinus mucosa. *Orig. Art.*, 59.
- El Ghazali, A. M. S. Chondrosarcoma of the paranasal sinuses and nasal septum. *Clin. Rec.*, 543.
- El-Ghazali, A. M. S. Spontaneous emphysema of the neck. *Clin. Rec.*, 383.
- El-Nahass, M., Gunied, A., Talaat, M., Elwany, S., Yacout, Y. M. and Talaat, M. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- El-Sawy, M., Malaty, R., Yakout, Y., Topozada, H. and Mazloun, H. The complement fixation test in rhinoscleroma. *Orig. Art.*, 55.
- Elbrønd, O., Moesgaard Nielsen, V. and Løvgreen, N. A. Intrathoracic goitre. *Orig. Art.*, 1039.
- Elbrønd, O., Pedersen, U., Madsen, M. and Lamm, L. U. HLA-A, -B, -C antigens in otosclerosis. *Orig. Art.*, 1095.
- Eliachar, I., Joachims, Z., Golz, A. and Goldsher, M. Primary hydatid cyst of the maxillary sinus. *Clin. Rec.*, 869.
- Eliadellis, E., Anastassiades, O. and Coyas, A. Kaposi's Sarcoma of the larynx. *Clin. Rec.*, 647.
- Elidan, J., Chisin, R. and Gay, I. Lingual thyroid, sensorineural hearing loss and mental retardation: a coincidental association? *Clin. Rec.*, 539.
- Elidan, J., Gordon, R. and Gay, I. Oronasal fistula—a possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma. *Clin. Rec.*, 651.
- Elies, W. and Pusalkar, A. Histological findings in arytenoid cartilages after long-lasting recurrent nerve paralysis. *Orig. Art.*, 949.
- Elliott, R. I. K., Wadsworth, P. V., Deutsch, G. P. and Spencer, M. G. Pseudosarcoma of the pharynx and larynx. *Clin. Rec.*, 85.
- Elwany, S., Talaat, M., Talaat, M. and Helmy, A. Allergic nasal mucosa following topical treatment with beclomethasone dipropionate (Bdp) aerosol. *Orig. Art.*, 165.
- Elwany, S., Yacout, Y. M., Talaat, M., El-Nahass, M., Gunied, A. and Talaat, M. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- Emery, P. J., Gibson, W. R., Lloyd, G. A. S. and Phelps, P. D. Polytomography of the vestibular aqueduct in patients with Menière's disease. *Orig. Art.*, 1007.
- English, J. S. C. and Al-Hussani, A. Recurrent suppurative thyroiditis due to pyriform fossa—thyroid fistula. *Clin. Rec.*, 557.
- Epstein, R. and Bridger, M. W. M. Functional voice disorders. *Orig. Art.*, 1145.
- Farag, M. Z. Vascular malformation of the parotid gland in Von Recklinghausen's disease. *Clin. Rec.*, 571.
- Feinmesser, R. and Gay, I. Pleomorphic adenoma of the hard palate: an invasive tumour? *Clin. Rec.*, 1169.
- Flint, E. F. Severe childhood deafness in Glasgow, 1965–1979. *Orig. Art.*, 421.
- Fradis, M., Gertner, R. and Podoshin, L. Osteogenic sarcoma of the temporal bone. *Clin. Rec.*, 627.
- Friedmann, I., Galey, F. R., House, W. F., Carberry, J. N. and Ward, P. P. A mixed carcinoid tumour of the middle ear. *Clin. Rec.*, 465.
- Furukawa, M., Umeda, R., Hatano, M., Takimoto, T. and Morishita, K. Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion. *Orig. Art.*, 719.
- Galey, F. R., House, W. F., Carberry, J. N., Ward, P. P. and Friedmann, I. A mixed carcinoid tumour of the middle ear. *Clin. Rec.*, 465.

- Gassner, S., Levy, M., Sadé, J. and Yaniv, E. Stapes-replacing prosthesis (S.R.P.). *Orig. Art.*, 677.
- Gay, I. and Feinmesser, R. Pleomorphic adenoma of the hard palate: an invasive tumour? *Clin. Rec.*, 1169.
- Gay, I., Elidan, J. and Chisin, R. Lingual thyroid, sensorineural hearing loss and mental retardation: a coincidental association? *Clin. Rec.*, 539.
- Gay, I., Elidan, J. and Gordon, R. Oronasal fistula—a possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma. *Clin. Rec.*, 651.
- Geddes, A. M., Davey, P. G., Jabeen, F. J., Harpur, E. S. and Shenoi, P. M. A controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity. *Orig. Art.*, 27.
- Gertner, R., Podoshin, L. and Fradis, M. Osteogenic sarcoma of the temporal bone. *Clin. Rec.*, 627.
- Ghosh, P., Chopra, P., Rai, G. and Bahadur, S. Rhinocerebral phycomycosis. *Clin. Rec.*, 267.
- Gibson, W. R., Lloyd, G. A. S., Phelps, P. D. and Emery, P. J. Polytomography of the vestibular aqueduct in patients with Menière's disease. *Orig. Art.*, 1007.
- Gill, J. K., Misra, U. C., Chauhan, R. S., Gill, R. S. and Lal, M. Traumatic oesophageal perforation treated with Mousseau Barbin tube. *Clin. Rec.*, 561.
- Gill, R. S., Lal, M., Gill, J. K., Misra, U. C. and Chauhan, R. S. Traumatic oesophageal perforation treated with Mousseau Barbin tube. *Clin. Rec.*, 561.
- Gimsing, S. and Bergholtz, L. M. Otoscopy compared with tympanometry. *Orig. Art.*, 587.
- Gohao, L., Hanji, D., Shujing, S. and Shuwei, H. The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method. *Orig. Art.*, 727.
- Goldin, J. H., Jawad, S. M. A. and Reid, A. P. Cutaneous nasal sarcoidosis—treatment by excision and split-skin grafting. *Clin. Rec.*, 1053.
- Goldsher, M., Eliachar, I., Joachims, Z. and Golz, A. Primary hydatid cyst of the maxillary sinus. *Clin. Rec.*, 869.
- Goldstein, J., Sidi, J. and Tovi, F. An unusual complication of maxillary sinusitis. *Clin. Rec.*, 275.
- Golz, A., Goldsher, M., Eliachar, I. and Joachims, Z. Primary hydatid cyst of the maxillary sinus. *Clin. Rec.*, 869.
- Gordon, R., Gay, I. and Elidan, J. Oronasal fistula—a possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma. *Clin. Rec.*, 651.
- Grace, A. R. H., Drake-Lee, A. B., Moffat, D. A. and Swanston, A. R. Anaerobic infection in acute mastoiditis. *Clin. Rec.*, 633.
- Graham, M. D. and Bailey, C. M. Intratemporal facial nerve neuroma. *Clin. Rec.*, 65.
- Gray, L. P. The relationship between the 'superior constrictor swallow', clicking of the ears and ear disease. *Orig. Art.*, 1121.
- Gray, L. P. The relationship of the 'inferior constrictor swallow' and 'globus hystericus' or the hypopharyngeal syndrome. *Orig. Art.*, 607.
- Gray, L. P. Unilateral tonsillectomy—indications and results. *Orig. Art.*, 1111.
- Greenstone, M., Holmes, P., Cole, P., Mackay, I. and Stanley, P. A nose clinic: initial results. *Orig. Art.*, 925.
- Grewal, D. S., Hiranandani, N. L. and Pusalkar, A. G. Traumatic perilymph fistulae of the round and oval windows. *Clin. Rec.*, 1149.
- Grigoletto, E., Canale, V. C., Volpe, R. and Carbone, A. Botryoid rhabdomyosarcoma of the nasopharynx. *Clin. Rec.*, 553.
- Gunied, A., Talaat, M., Elwany, S., Yacout, Y. M., Talaat, M. and El-Nahass, M. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- Gupta, A. K., Sharma, K. K., Sharma, S. D. and Hemani, D. D. Leiomyoma of the palate. *Clin. Rec.*, 471.
- Gupta, V. K., Wig, U. and Saini, A. S. E-rosette forming cells (E-RFC) in squamous cell carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 527.
- Gutierrez, C. and Stoksted, P. The nasal passage following rhinoplastic surgery. *Orig. Art.*, 49.
- Hady, M. R. A., Kodeira, K. Z. and Nasef, A. H. The effect of nasal packing on arterial blood gases and acid-base balance and its clinical importance. *Orig. Art.*, 599.
- Hady, M. R. A., Shehata, O. and Hassan, R. Nasal mucociliary function in different diseases of the nose. *Orig. Art.*, 497.
- Hall, S. and Smyth, G. D. L. Aetiology and treatment of persistent middle-ear effusion. *Orig. Art.*, 1085.
- Hanji, D., Shujing, S., Shuwei, H. and Gohao, L. The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method. *Orig. Art.*, 727.
- Hardcastle, P. F., Sadek, S. A. A. and Dixon, N. W. Metastatic carcinoma of the external auditory meatus secondary to carcinoma of the rectum. *Clin. Rec.*, 459.
- Harper, J. I., Duguid, K. P., Staughton, R. C. D. and Moffat, D. A. Oropharyngeal and laryngeal lesions in lipid proteinosis. *Clin. Rec.*, 877.
- Harpur, E. S., Shenoi, P. M., Geddes, A. M., Davey, P. G. and Jabeen, F. J. A controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity. *Orig. Art.*, 27.
- Hasegawa, M., Oku, T., Tanaka, H., Watanabe, I. and Suzuki, S. Evaluation of CT in the diagnosis of congenital choanal atresia. *Orig. Art.*, 1013.

- Hashash, M. and Yousef, A. Common features and surgical interference in a prevalent oral cancer in Saudi Arabia. *Orig. Art.*, 837.
- Hashash, M., Shaer, M., Shawaf, I. and Hawary, K. Local acriflavine in laryngoscleromatous subglottic stenosis. *Orig. Art.*, 745.
- Hassan, R., Hady, M. R. A. and Shehata, O. Nasal mucociliary function in different diseases of the nose. *Orig. Art.*, 497.
- Hastrup, N., Krogdahl, A. S. and Bretlau, P. Multiple tumours of the parotid gland. *Orig. Art.*, 1035.
- Hatano, M., Takimoto, T., Morishita, K., Furukawa, M. and Umeda, R. Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion. *Orig. Art.*, 719.
- Hawary, K., Hashash, M., Shaer, M. and Shawaf, I. Local acriflavine in laryngoscleromatous subglottic stenosis. *Orig. Art.*, 745.
- Hellström, S. and Stenfors, L.-E. The original description of Shrapnell's membrane reviewed in the light of recent experimental studies. *Orig. Art.*, 985.
- Helmy, A., Elwany, S., Talaat, M. and Talaat, M. Allergic nasal mucosa following topical treatment with seclomethasone dipropionate (Bdp) aerosol. *Orig. Art.*, 165.
- Hemani, D. D., Gupta, A. K., Sharma, K. K. and Sharma, S. D. Leiomyoma of the palate. *Clin. Rec.*, 471.
- Hibbard, A. A., Patterson, H. C. and Stearns, M. P. Kaposi's Sarcoma of the ear: a case study. *Clin. Rec.*, 641.
- Hiraide, F. and Inouye, T. The fine surface view of the human adult eustachian tube. *Orig. Art.*, 149.
- Hiranandani, N. L., Pusalkar, A. G. and Grewal, D. S. Traumatic perilymph fistulae of the round and oval windows. *Clin. Rec.*, 1149.
- Hogg, D. S., Chrystal, V., Cook, M. R. B. and McCormick, M. V. Melanotic neuro-ectodermal tumour of infancy. *Clin. Rec.*, 755.
- Holm, S. E., Bergholm, A.-M., Ekedahl, C. and Lundin, K. Distribution of lymecycline in interstitial fluid and paranasal sinus mucosa. *Orig. Art.*, 59.
- Holmes, P., Cole, P., Mackay, I., Stanley, P. and Greenstone, M. A nose clinic: initial results. *Orig. Art.*, 925.
- Hordijk, G. J. and de Jong, J. M. A. Synchronous and metachronous tumours in patients with head and neck cancer. *Orig. Art.*, 619.
- Hornibrook, J. and Robertson, M. S. Chondrosarcoma arising in the nasal septum. *Clin. Rec.*, 1163.
- House, W. F., Carberry, J. N., Ward, P. P., Friedmann, I. and Galey, F. R. A mixed carcinoid tumour of the middle ear. *Clin. Rec.*, 465.
- Howell, A. and Tranter, R. M. D. Cis-disamminedichloroplatinum (II) CDDP. *Orig. Art.*, 177.
- Hutton, C., Idikio, H. A., Vaze, P. and Aterman, K. Monomorphic adenoma of the nasal septum in a newborn. *Clin. Rec.*, 251.
- Ibekwe, A. O. Complications of the 'Treatment' of Tonsillar infection by traditional healers in Nigeria. *Orig. Art.*, 845.
- Idikio, H. A., Vaze, P., Aterman, K. and Hutton, C. Monomorphic adenoma of the nasal septum in a newborn. *Clin. Rec.*, 251.
- Inouye, T. and Hiraide, F. The fine surface view of the human adult eustachian tube. *Orig. Art.*, 149.
- Irving, J. D. Angiography in the investigation of tumours of the ear. *Orig. Art.*, 319.
- Irwin, B. C. Pyocoele of the middle turbinate. *Clin. Rec.*, 271.
- Jabeen, F. J., Harpur, E. S., Shenoi, P. M., Geddes, A. M. and Davey, P. G. A controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity. *Orig. Art.*, 27.
- Jacobs, J. B., Templeton, A. C. and Batsakis, J. G. Hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 361.
- Jawad, S. M. A., Reid, A. P. and Goldin, J. H. Cutaneous nasal sarcoidosis—treatment by excision and split-skin grafting. *Clin. Rec.*, 1053.
- Jeans, W. D., Cable, H. R. and Maw, A. R. Adenoidectomy. *Orig. Art.*, 511.
- Jepsen, F. L. and Pedersen, A. T. Lingual infarction in giant cell arteritis. *Clin. Rec.*, 479.
- Joachims, Z., Golz, A., Goldsher, M. and Eliachar, I. Primary hydatid cyst of the maxillary sinus. *Clin. Rec.*, 869.
- Johnson, A. P., Murray, J. A. M. and Maran, A. G. D. Errors in the assessment of nasopharyngeal airway by radiography. *Orig. Art.*, 1017.
- Johnston, A., McLay, K., Piris, J. and Duvall, E. Carcinoid tumour of the larynx. *Clin. Rec.*, 1073.
- Jones, A. S. and Eccles, R. The effect of menthol on nasal resistance to air flow. *Orig. Art.*, 705.
- Jung, T. T. K. and Paparella, M. M. Intact bridge tympanomastoidectomy (I.B.M.)—Combining essential features of open vs. closed procedures. *Orig. Art.*, 579.
- Kacker, S. K., D'souza, B., Chopra, P. and Bahadur, S. Paranasal sinus aspergillosis. *Clin. Rec.*, 863.
- Kalmanovitz, M., Laurian, N., Laurian, L., Sadov, R. and Strauss, M. New clinical applications of the stapedial reflex. *Orig. Art.*, 1099.
- Katzke, D., Pusalkar, A. and Steinbach, E. The effects of fibrin tissue adhesive on the middle ear. *Orig. Art.*, 141.
- Kerr, A. G. A symptomatic approach to vertigo. *Orig. Art.*, 813.

- Kerr, A. G., Smyth, G. D. L., Cinnamon, M. J. and Adams, D. A. Congenital syphilitic deafness—a further review. *Orig. Art.*, 399.
- Khan, I. Tuberculous granuloma of the epiglottis. *Clin. Rec.*, 969.
- Knowles, J. E. A. and Westmore, G. A. The use of a stapling instrument for post-laryngectomy pharyngeal repair. *Clin. Rec.*, 775.
- Kochilas, X., Dawes, J. D. K. and Pearman, K. Patent fissula ante fenestram. *Clin. Rec.*, 357.
- Kodeira, K. Z., Nasef, A. H. and Hady, M. R. A. The effect of nasal packing on arterial blood gases and acid-base balance and its clinical importance. *Orig. Art.*, 599.
- Konack, S., Ben-Ami, M., Ben-Ami, M., Rosen, G. and Shlezinger, T. Otitis media with effusion—complications after treatment. *Orig. Art.*, 1091.
- Krajina, Z. and Večerina, S. Phonatory function following unilateral laser cordectomy. *Orig. Art.*, 1139.
- Krogdahl, A. S., Bretlau, P. and Hastrup, N. Multiple tumours of the parotid gland. *Orig. Art.*, 1035.
- Kuruville, A. Cancer of the tonsil. *Orig. Art.*, 735.
- Kuylentierna, R. and Lundquist, P.-G. The clinical use of cryosurgery in tumour treatment. *Orig. Art.*, 431.
- Lahti, R., Palva, A., Sorri, M. and Ojala, K. Post-operative roentgenological findings and changes after mastoid obliteration. *Orig. Art.*, 393.
- Lal, M., Gill, J. K., Misra, U. C., Chauhan, R. S. and Gill, R. S. Traumatic oesophageal perforation treated with Mousseau Barbin tube. *Clin. Rec.*, 561.
- Lam, K. H., Wei, W. I., Wong, J. and Ong, G. B. Surgical salvage of radiation failures in cancer of the larynx. *Orig. Art.*, 351.
- Lamm, L. U., Elbrønd, O., Pedersen, U. and Madsen, M. HLA-A, -B, -C antigens in otosclerosis. *Orig. Art.*, 1095.
- Lancer, J. M., Moffat, D. A., Drake-Lee, A. B., Broughton, S. J. and Rampling, A. Necrotizing fasciitis. *Clin. Rec.*, 193.
- Lang, D. V. Macroscopic bony deficiency of the tegmen tympani in adult temporal bones. *Orig. Art.*, 685.
- Laurian, L., Sadov, R., Strauss, M., Kalmanovitz, M. and Laurian, N. New clinical applications of the stapedial reflex. *Orig. Art.*, 1099.
- Laurian, N. and Strauss, S. Benign and malignant pseudothyroiditis. *Clin. Rec.*, 375.
- Laurian, N., Laurian, L., Sadov, R., Strauss, M. and Kalmanovitz, M. New clinical applications of the stapedial reflex. *Orig. Art.*, 1099.
- Lee, R. J., Maguire, A. J., Mullaney, J. and Amen, A. Chondroma of the skull base. *Clin. Rec.*, 73.
- Lema, P. N., van Raalte, J. A., Westerbeek, G. F. and Manni, H. J. Schistosomiasis in otorhinolaryngology: review of the literature and case report. *Clin. Rec.*, 1177.
- Levene, A., Shaw, H. J. and Palmer, B. V. Synovial sarcoma of the pharynx and oesophagus. *Clin. Rec.*, 1173.
- Levy, M., Sadé, J., Yaniv, E. and Gassner, S. Stapes-replacing prosthesis (S.R.P.). *Orig. Art.*, 677.
- Lewis, J. S. Surgical management of tumors of the middle ear and mastoid. *Orig. Art.*, 299.
- Lidholdt, T., Clausen, J. and Cantekin, E. I. Ultrastructure of the tympanic membrane in the Rhesus monkey. *Orig. Art.*, 785.
- Lloyd, G. A. S. and Lund, V. J. Radiological changes associated with benign nasal polyps. *Orig. Art.*, 503.
- Lloyd, G. A. S., Phelps, P. D., Emery, P. J. and Gibson, W. R. Polytomography of the vestibular aqueduct in patients with Menière's disease. *Orig. Art.*, 1007.
- Lloyd, G. A. S., Poswillo, D. E. and Phelps, P. D. The ear deformities in Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 995.
- Lorentzen, M. and Vase, P. Histological findings following oestrogen treatment of hereditary haemorrhagic telangiectasia. *Orig. Art.*, 427.
- Løvgreen, N. A., Elbrønd, O. and Moesgaard Nielsen, V. Intrathoracic goitre. *Orig. Art.*, 1039.
- Luna, M. A., Byers, R. M., Sciubba, J. J., Tillery, G. W., Batsakis, J. G. and Pinkston, G. R. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Lund, V. J. and Lloyd, G. A. S. Radiological changes associated with benign nasal polyps. *Orig. Art.*, 503.
- Lundin, K., Holm, S. E., Bergholm, A.-M. and Ekedahl, C. Distribution of Lymecycline in interstitial fluid and paranasal sinus mucosa. *Orig. Art.*, 59.
- Lundquist, P.-G. and Kuylentierna, R. The clinical use of cryosurgery in tumour treatment. *Orig. Art.*, 431.
- Macadar, O., Suárez, H. and Pereda, A. The clinical value of phase relation in non-predictive eye tracking. *Orig. Art.*, 593.
- Mackay, I., Stanley, P., Greenstone, M., Holmes, P. and Cole, P. A nose clinic: initial results. *Orig. Art.*, 925.
- Mackay, I. S. and Bull, T. R. The fate of silastic in the management of saddle deformity in the nose. *Orig. Art.*, 43.
- Mackenzie, I. J. and Dale, B. A. B. The complications of sphenoid sinusitis. *Clin. Rec.*, 661.
- Madsen, M., Lamm, L. U., Elbrønd, O. and Pedersen, U. HLA-A, -B, -C antigens in otosclerosis. *Orig. Art.*, 1095.
- Maguire, A. J., Mullaney, J., Amen, A. and Lee, R. J. Chondroma of the skull base. *Clin. Rec.*, 73.
- Majumdar, B. Spontaneously regressing nodular fasciitis of the neck. *Clin. Rec.*, 973.
- Majumdar, B. and Crowther, J. Hearing loss in sarcoidosis. *Clin. Rec.*, 635.

- Malaty, R., Yakout, Y., Topozada, H., Mazloum, H. and El-Sawy, M. The complement fixation test in rhinoscleroma. *Orig. Art.*, 55.
- Manni, H. Laryngeal tuberculosis in Tanzania. *Clin. Rec.*, 565.
- Manni, H. J., Lema, P. N., van Raalte, J. A. and Westerbeek, G. F. Schistosomiasis in otorhinolaryngology: review of the literature and case report. *Clin. Rec.*, 1177.
- Manni, J. J. Ectopic meningioma of the maxillary sinus. *Clin. Rec.*, 657.
- Maran, A. G. D., Johnson, A. P. and Murray, J. A. M. Errors in the assessment of nasopharyngeal airway by radiography. *Orig. Art.*, 1017.
- Marks, N. J., Mills, R. P. and Shaheen, O. H. Cotrimoxazole in the treatment of serous otitis. *Orig. Art.*, 213.
- Marks, P. V. and Brookes, G. B. Malignant paraganglioma of the larynx. *Clin. Rec.*, 1183.
- Marshak, G., Aviel, A., Segal, M. and Ostfeld, E. Cholesterol granuloma in a thyroglossal duct cyst. *Clin. Rec.*, 379.
- Martin, L. F. A., Clark, G. M., Seligman, P. M. and Tong, Y. C. A lip-reading assessment for profoundly deaf patients. *Orig. Art.*, 343.
- Martinson, F. D., Adeloye, A., Aghadiuno, P. U., Thomas, S. M. and Ogan, O. Olfactory neuroblastoma. *Clin. Rec.*, 261.
- Maw, A. R., Jeans, W. D. and Cable, H. R. Adenoidectomy. *Orig. Art.*, 511.
- Mazloum, H., El-Sawy, M., Malaty, R., Yakout, Y. and Topozada, H. The complement fixation test in rhinoscleroma. *Orig. Art.*, 55.
- Michaels, L., Wells, M. D. and Phelps, P. D. Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 689.
- Miller, S. M. 'Still other seed fell on good soil. . .'. *Clin. Rec.*, 531.
- Mills, R. P., O'Connor, M. J. and Shun Shin, G. A. Mucous membrane pemphigoid—a preventable cause of laryngeal stenosis. *Clin. Rec.*, 761.
- Mills, R. P., Shaheen, O. H. and Marks, N. J. Cotrimoxazole in the treatment of serous otitis. *Orig. Art.*, 213.
- Misra, U. C., Chauhan, R. S., Gill, R. S., Lal, M. and Gill, J. K. Traumatic oesophageal perforation treated with Mousseau Barbin tube. *Clin. Rec.*, 561.
- Moesgaard Nielsen, V., Løvgreen, N. A. and Elbrønd, O. Intrathoracic goitre. *Orig. Art.*, 1039.
- Moffat, D. A., Drake-Lee, A. B., Broughton, S. J., Rampling, A. and Lancer, J. M. Necrotizing fasciitis. *Clin. Rec.*, 193.
- Moffat, D. A., Harper, J. I., Duguid, K. P. and Staughton, R. C. D. Oropharyngeal and laryngeal lesions in lipoid proteinosis. *Clin. Rec.*, 877.
- Moffat, D. A., Swanston, A. R., Grace, A. R. H. and Drake-Lee, A. B. Anaerobic infection in acute mastoiditis. *Clin. Rec.*, 633.
- Morishita, K., Furukawa, M., Umeda, R., Hatano, M. and Takimoto, T. Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion. *Orig. Art.*, 719.
- Morton, R. P. Pharyngeal pseudodiverticulum in an adult. *Clin. Rec.*, 79.
- Mullaney, J., Amen, A., Lee, R. J. and Maguire, A. J. Chondroma of the skull base. *Clin. Rec.*, 73.
- Murray, J. A. M., Maran, A. G. D. and Johnson, A. P. Errors in the assessment of nasopharyngeal airway by radiography. *Orig. Art.*, 1017.
- McCormick, M. V., Hogg, D. S., Chrystal, V. and Cook, M. R. B. Melanotic neuro-ectodermal tumour of infancy. *Clin. Rec.*, 755.
- McLay, A., Tanner, N. S. B. and Rennie, J. S. Post-irradiation sarcoma of the lower lip. *Clin. Rec.*, 871.
- McLay, K., Piris, J., Duvall, E. and Johnston, A. Carcinoid tumour of the larynx. *Clin. Rec.*, 1073.
- McNicoll, W. D. Otitis media with effusion in children and its association with deformity of the vomero-ethmoid suture. *Orig. Art.*, 203.
- Nasef, A. H., Hady, M. R. A. and Kodeira, K. Z. The effect of nasal packing on arterial blood gases and acid-base balance and its clinical importance. *Orig. Art.*, 599.
- Nofal, F. Spindle cell carcinoma of the nasopharynx. *Clin. Rec.*, 1057.
- O'Connor, M. J., Shun Shin, G. A. and Mills, R. P. Mucous membrane pemphigoid—a preventable cause of laryngeal stenosis. *Clin. Rec.*, 761.
- Ogan, O., Martinson, F. D., Adeloye, A., Aghadiuno, P. U. and Thomas, S. M. Olfactory neuroblastoma. *Clin. Rec.*, 261.
- Ojala, K. External, asymptomatic laryngocele without known predisposing factors in a middle-aged man. *Clin. Rec.*, 767.
- Ojala, K. and Sorri, M. Late post-operative hearing results correlated with the severity of tissue changes in ears with chronic otitis media. *Orig. Art.*, 131.
- Ojala, K., Lahti, R., Palva, A. and Sorri, M. Post-operative roentgenological findings and changes after mastoid obliteration. *Orig. Art.*, 393.
- Ojala, K., Sorri, M., Vainio-Mattila, J. and Sipilä, P. Late results of tympanoplasty using ossicle or cortical bone. *Orig. Art.*, 19.

- Okafor, B. C. Fracture of tracheostomy tubes. *Clin. Rec.*, 771.
- Oku, T., Tanaka, H., Watanabe, I., Suzuki, S. and Hasegawa, M. Evaluation of CT in the diagnosis of congenital choanal atresia. *Orig. Art.*, 1013.
- Omata, T. and Schätzle, W. Electron microscopical studies on the nerve endings of the outer hair cells in acoustically exposed rabbits. *Orig. Art.*, 891.
- Ong, G. B., Lam, K. H., Wei, W. I. and Wong, J. Surgical salvage of radiation failures in cancer of the larynx. *Orig. Art.*, 351.
- Ostfeld, E., Marshak, G., Aviel, A. and Segal, M. Cholesterol granuloma in a thyroglossal duct cyst. *Clin. Rec.*, 379.
- Palmer, B. V., Levene, A. and Shaw, H. J. Synovial sarcoma of the pharynx and oesophagus. *Clin. Rec.*, 1173.
- Palva, A., Sorri, M., Ojala, K. and Lahti, R. Post-operative roentgenological findings and changes after mastoid obliteration. *Orig. Art.*, 393.
- Paparella, M. M. and Jung, T. T. K. Intact bridge tympanomastoidectomy (I.B.M.)—combining essential features of open vs. closed procedures. *Orig. Art.*, 579.
- Patrick, J. F., Shepherd, R. K., Clark, G. M. and Black, R. C. The histopathological effects of chronic electrical stimulation of the cat cochlea. *Orig. Art.*, 333.
- Patterson, H. C., Stearns, M. P. and Hibbard, A. A. Kaposi's Sarcoma of the ear: a case study. *Clin. Rec.*, 641.
- Pearman, K., Kochilas, X. and Dawes, J. D. K. Patent fissula ante fenestram. *Clin. Rec.*, 357.
- Pedersen, A. T. and Jepsen, F. L. Lingual infarction in giant cell arteritis. *Clin. Rec.*, 479.
- Pedersen, U., Madsen, M., Lamm, L. U. and Elbrønd, O. HLA-A, -B, -C antigens in otosclerosis. *Orig. Art.*, 1095.
- Penrhyn Jones, G. and Bose, P. K. Choanal Atresia. *Orig. Art.*, 711.
- Pereda, A., Macadar, O. and Suárez, H. The clinical value of phase relation in non-predictive eye tracking. *Orig. Art.*, 593.
- Phelps, P. D., Emery, P. J., Gibson, W. R. and Lloyd, G. A. S. Polytomography of the vestibular aqueduct in patients with Menière's disease. *Orig. Art.*, 1007.
- Phelps, P. D., Lloyd, G. A. S. and Poswillo, D. E. The ear deformities in Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 995.
- Phelps, P. D., Michaels, L. and Wells, M. D. Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 689.
- Pinkston, G. R., Luna, M. A., Byers, R. M., Sciubba, J. J., Tillery, G. W. and Batsakis, J. G. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Piris, J., Duvall, E., Johnston, A. and McLay, K. Carcinoid tumour of the larynx. *Clin. Rec.*, 1073.
- Podoshin, L., Fradis, M. and Gertner, R. Osteogenic sarcoma of the temporal bone. *Clin. Rec.*, 627.
- Poswillo, D. E., Phelps, P. D. and Lloyd, G. A. S. The ear deformities in Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 995.
- Poulsen, G., Tos, M. and Bonding, P. Tympanosclerosis of the drum in secretory otitis after insertion of grommets. *Orig. Art.*, 489.
- Pracy, R. The infant larynx. *Orig. Art.*, 933.
- Prasad, I. B. and Sharan, R. Fibro-myxoma of the maxilla. *Clin. Rec.*, 549.
- Proops, D. W. The unilateral thick-walled antrum. *Clin. Rec.*, 369.
- Pusalkar, A. and Elies, W. Histological findings in arytenoid cartilages after long-lasting recurrent nerve paralysis. *Orig. Art.*, 949.
- Pusalkar, A., Steinbach, E. and Katzke, D. The effects of fibrin tissue adhesive on the middle ear. *Orig. Art.*, 141.
- Pusalkar, A. G., Grewal, D. S. and Hiranandani, N. L. Traumatic perilymph fistulae of the round and oval windows. *Clin. Rec.*, 1149.
- Rai, G., Bahadur, S., Ghosh, P. and Chopra, P. Rhinocerebral phycomycosis. *Clin. Rec.*, 267.
- Raine, C. H. and Singh, S. D. Tympanoplasty in children. *Orig. Art.*, 217.
- Ramplung, A., Lancer, J. M., Moffat, D. A., Drake-Lee, A. B. and Broughton, S. J. Necrotizing fasciitis. *Clin. Rec.*, 193.
- Reid, A. P., Goldin, J. H. and Jawad, S. M. A. Cutaneous nasal sarcoidosis—treatment by excision and split-skin grafting. *Clin. Rec.*, 1035.
- Rennie, J. S., McLay, A. and Tanner, N. S. B. Post-irradiation sarcoma of the lower lip. *Clin. Rec.*, 871.
- Robertson, M. S. and Hornibrook, J. Chondrosarcoma arising in the nasal septum. *Clin. Rec.*, 1163.
- Rock, W. P. and Brain, D. J. The influence of nasal trauma during childhood on growth of the facial skeleton. *Orig. Art.*, 917.
- Rose, P. E. and Brookes, G. B. Malignant fibrous histiocytoma of the ethmoid sinus. *Clin. Rec.*, 279.
- Rosen, G., Shlezinger, T., Konack, S., Ben-Ami, M. and Ben-Ami, M. Otitis media with effusion—complications after treatment. *Orig. Art.*, 1091.
- Sadé, J., Yaniv, E., Gassner, S. and Levy, M. Stapes-replacing prosthesis (S.R.P.). *Orig. Art.*, 677.
- Sadek, S. A. A., Dixon, N. W. and Hardcastle, P. F. Metastatic carcinoma of the external auditory meatus secondary to carcinoma of the rectum. *Clin. Rec.*, 459.

- Sadov, R., Strauss, M., Kalmanovitz, M., Laurian, N. and Laurian, L. New clinical applications of the stapedial reflex. *Orig. Art.*, 1099.
- Saini, A. S., Gupta, V. K. and Wig, U. E-rosette forming cells (E-RFC) in squamous cell carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 527.
- Schätzle, W. and Omata, T. Electron microscopical studies on the nerve endings of the outer hair cells in acoustically exposed rabbits. *Orig. Art.*, 891.
- Schønsted-Madsen, U. and Christensen, P.-H. Unilateral immediate tonsillectomy as the treatment of peritonsillar abscess. *Orig. Art.*, 1105.
- Sciubba, J. J., Tillery, G. W., Batsakis, J. G., Pinkston, G. R., Luna, M. A. and Byers, R. M. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Segal, M., Ostfeld, E., Marshak, G. and Aviel, A. Cholesterol granuloma in a thyroglossal duct cyst. *Clin. Rec.*, 379.
- Seligman, P. M., Tong, Y. C., Martin, L. F. A. and Clark, G. M. A lip-reading assessment for profoundly deaf patients. *Orig. Art.*, 343.
- Sellars, I. and Sellars, S. Cricoaerytenoid joint structure and function. *Orig. Art.*, 1027.
- Sellars, S. and Beighton, P. Childhood deafness in southern Africa. *Orig. Art.*, 885.
- Sellars, S. and Sellars, I. Cricoaerytenoid joint structure and function. *Orig. Art.*, 1027.
- Shaer, M., Shawaf, I., Hawary, K. and Hashash, M. Local acriflavine in laryngoscleromatous subglottic stenosis. *Orig. Art.*, 745.
- Shah, N. and Windle-Taylor, P. C. Oropharyngeal Kaposi's sarcoma. *Clin. Rec.*, 1065.
- Shaheen, O. H. The management of tumours of the middle ear. *Orig. Art.*, 313.
- Shaheen, O. H., Marks, N. J. and Mills, R. P. Cotrimoxazole in the treatment of serous otitis. *Orig. Art.*, 213.
- Shamboul, K. and Burns, H. Malignant external otitis in a young diabetic patient. *Clin. Rec.*, 247.
- Sharan, R. and Prasad, I. B. Fibro-myxoma of the maxilla. *Clin. Rec.*, 549.
- Sharma, K. K., Sharma, S. D., Hemani, D. D. and Gupta, A. K. Leiomyoma of the palate. *Clin. Rec.*, 471.
- Sharma, S. D., Hemani, D. D., Gupta, A. K. and Sharma, K. K. Leiomyoma of the palate. *Clin. Rec.*, 471.
- Shaw, H. J., Palmer, B. V. and Levene, A. Synovial sarcoma of the pharynx and oesophagus. *Clin. Rec.*, 1173.
- Shawaf, I., Hawary, K., Hashash, M. and Shaer, M. Local acriflavine in laryngoscleromatous subglottic stenosis. *Orig. Art.*, 745.
- Shehata, O., Hassan, R. and Hady, M. R. A. Nasal mucociliary function in different diseases of the nose. *Orig. Art.*, 497.
- Shenoi, P. M., Geddes, A. M., Davey, P. G., Jabeen, F. J. and Harpur, E. S. A controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity. *Orig. Art.*, 27.
- Shepherd, R. K., Clark, G. M., Black, R. C. and Patrick, J. F. The histopathological effects of chronic electrical stimulation of the cat cochlea. *Orig. Art.*, 333.
- Shlezinger, T., Konack, S., Ben-Ami, M., Ben-Ami, M. and Rosen, G. Otitis media with effusion—complications after treatment. *Orig. Art.*, 1091.
- Shujing, S., Shuwei, H., Gohao, L. and Hanji, D. The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method. *Orig. Art.*, 727.
- Shun Shin, G. A., Mills, R. P. and O'Connor, M. J. Mucous membrane pemphigoid—a preventable cause of laryngeal stenosis. *Clin. Rec.*, 761.
- Shuwei, H., Gohao, L., Hanji, D. and Shujing, S. The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method. *Orig. Art.*, 727.
- Sidi, J. and Tovi, F. Cyanoacrylate in the repair of cervical pleural injury. *Clin. Rec.*, 291.
- Sidi, J., Tovi, F. and Goldstein, J. An unusual complication of maxillary sinusitis. *Clin. Rec.*, 275.
- Singh, S. D. and Raine, C. H. Tympanoplasty in children. *Orig. Art.*, 217.
- Sipilä, P., Ojala, K., Sorri, M. and Vainio-Mattila, J. Late results of tympanoplasty using ossicle or cortical bone. *Orig. Art.*, 19.
- Smyth, G. D. L. TORPs—How have they fared after five years? *Orig. Art.*, 991.
- Smyth, G. D. L. and Hall, S. Aetiology and treatment of persistent middle-ear effusion. *Orig. Art.*, 1085.
- Smyth, G. D. L., Cinnamon, M. J., Adams, D. A. and Kerr, A. G. Congenital syphilitic deafness—a further review. *Orig. Art.*, 399.
- Snow, G. B. and Tiwari, R. Role of myocutaneous flaps in reconstruction of the head and neck. *Orig. Art.*, 441.
- Sorri, M. and Ojala, K. Late post-operative hearing results correlated with the severity of tissue changes in ears with chronic otitis media. *Orig. Art.*, 131.
- Sorri, M., Ojala, K., Lahti, R. and Palva, A. Post-operative roentgenological findings and changes after mastoid obliteration. *Orig. Art.*, 393.
- Sorri, M., Vainio-Mattila, J., Sipilä, P. and Ojala, K. Late results of tympanoplasty using ossicle or cortical bone. *Orig. Art.*, 19.
- Spencer, M. G., Elliott, R. I. K., Wadsworth, P. V. and Deutsch, G. P. Pseudosarcoma of the pharynx and larynx. *Clin. Rec.*, 85.
- Stanley, P., Greenstone, M., Holmes, P., Cole, P. and Mackay, I. A nose clinic: initial results. *Orig. Art.*, 925.

- Staughton, R. C. D., Moffat, D. A., Harper, J. I. and Duguid, K. P. Oropharyngeal and laryngeal lesions in lipoid proteinosis. *Clin. Rec.*, 877.
- Stearns, M. The relationship of adenoid weight to tonsillar weight. *Orig. Art.*, 519.
- Stearns, M. P., Hibbard, A. A. and Patterson, H. C. Kaposi's Sarcoma of the ear: a case study. *Clin. Rec.*, 641.
- Steinbach, E., Katzka, D. and Pusalkar, A. The effects of fibrin tissue adhesive on the middle ear. *Orig. Art.*, 141.
- Stell, P. M. Fixed, bilateral cervical nodes. *Orig. Art.*, 851.
- Stenfors, L.-E. and Hellström, S. The original description of Shrapnell's membrane reviewed in the light of recent experimental studies. *Orig. Art.*, 985.
- Stoksted, P. and Gutierrez, C. The nasal passage following rhinoplastic surgery. *Orig. Art.*, 49.
- Stoksted, P., Ulsø, C. and Vase, P. Long-term results of dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia. *Orig. Art.*, 223.
- Strauss, M., Kalmanovitz, M., Laurian, N., Laurian, L. and Sadov, R. New clinical applications of the stapedial reflex. *Orig. Art.*, 1099.
- Strauss, S. and Laurian, N. Benign and malignant pseudothyroiditis. *Clin. Rec.*, 375.
- Suárez, H., Pereda, A. and Macadar, O. The clinical value of phase relation in non-predictive eye tracking. *Orig. Art.*, 593.
- Suzuki, S., Hasegawa, M., Oku, T., Tanaka, H. and Watanabe, I. Evaluation of CT in the diagnosis of congenital choanal atresia. *Orig. Art.*, 1013.
- Swanston, A. R., Grace, A. R. H., Drake-Lee, A. B. and Moffat, D. A. Anaerobic infection in acute mastoiditis. *Clin. Rec.*, 633.
- Takimoto, T., Morishita, K., Furukawa, M., Umeda, R. and Hatano, M. Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion. *Orig. Art.*, 719.
- Talaat, M., El-Nahass, M., Gunied, A., Talaat, M., Elwany, S. and Yacout, Y. M. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- Talaat, M., Elwany, S., Yacout, Y. M., Talaat, M., El-Nahass, M. and Gunied, A. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- Talaat, M., Talaat, M., Helmy, A. and Elwany, S. Allergic nasal mucosa following topical treatment with beclomethasone dipropionate (Bdp) aerosol. *Orig. Art.*, 165.
- Tanaka, H., Watanabe, I., Suzuki, S., Hasegawa, M. and Oku, T. Evaluation of CT in the diagnosis of congenital choanal atresia. *Orig. Art.*, 1013.
- Tanner, N. S. B., Rennie, J. S. and McLay, A. Post-irradiation sarcoma of the lower lip. *Clin. Rec.*, 871.
- Templeton, A. C., Batsakis, J. G. and Jacobs, J. B. Hemangiopericytoma of the nasal cavity. *Clin. Rec.*, 361.
- Tewfik, S. Phonocephalography: a non-invasive diagnostic technique. *Orig. Art.*, 1129.
- Tewfik, S. Phonocephalography: a simple, low-cost non-invasive diagnostic technique. *Orig. Art.*, 1133.
- Tewfik, S. Phonocephalography and pulsatile tinnitus in a surface cerebral angioma. *Clin. Rec.*, 959.
- Thomas, S. M., Ogan, O., Martinson, F. D., Adeloje, A. and Aghadiuno, P. U. Olfactory neuroblastoma. *Clin. Rec.*, 261.
- Thomsen, J., Zilstorff, K. and Tos, M. Acoustic neuromas. *Orig. Art.*, 801.
- Tillery, G. W., Batsakis, J. G., Pinkston, G. R., Luna, M. A., Byers, R. M. and Sciubba, J. J. Adenocarcinomas of the oral cavity. *Orig. Art.*, 825.
- Tiwari, R. and Snow, G. B. Role of myocutaneous flaps in reconstruction of the head and neck. *Orig. Art.*, 441.
- Tong, Y. C., Martin, L. F. A., Clark, G. M. and Seligman, P. M. A lip-reading assessment for profoundly deaf patients. *Orig. Art.*, 343.
- Topozada, H., Mazloun, H., El-Sawy, M., Malaty, R. and Yakout, Y. The complement fixation test in rhinoscleroma. *Orig. Art.*, 55.
- Tos, M., Bonding, P. and Poulsen, G. Tympanosclerosis of the drum in secretory otitis after insertion of grommets. *Orig. Art.*, 489.
- Tos, M., Thomsen, J. and Zilstorff, K. Acoustic neuromas. *Orig. Art.*, 801.
- Tovi, F. and Sidi, J. Cyanoacrylate in the repair of cervical pleural injury. *Clin. Rec.*, 291.
- Tovi, F., Goldstein, J. and Sidi, J. An unusual complication of maxillary sinusitis. *Clin. Rec.*, 275.
- Towse, G., Wouters, L. and Amery, W. Flunarizine in the treatment of vertigo. *Orig. Art.*, 697.
- Tranter, R. M. D. and Howell, A. Cis-disamminedichloroplatinum (II) CDDP. *Orig. Art.*, 177.
- Ulsø, C., Vase, P. and Stoksted, P. Long-term results of dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia. *Orig. Art.*, 223.
- Umeda, R., Hatano, M., Takimoto, T., Morishita, K. and Furukawa, M. Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion. *Orig. Art.*, 719.
- Vainio-Mattila, J., Sipilä, P., Ojala, K. and Sorri, M. Late results of tympanoplasty using ossicle or cortical bone. *Orig. Art.*, 19.

- van Raalte, J. A., Westerbeek, G. F., Manni, H. J. and Lema, P. N. Schistosomiasis in otorhinolaryngology: review of the literature and case report. *Clin. Rec.*, 1177.
- Vanderstock, L., Vermeersch, H. and De Vel, E. Traumatic luxation of the stapes. *Clin. Rec.*, 533.
- Vase, P. and Lorentzen, M. Histological findings following oestrogen treatment of hereditary haemorrhagic telangiectasia. *Orig. Art.*, 427.
- Vase, P., Stoksted, P. and Ulsø, C. Long-term results of dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia. *Orig. Art.*, 223.
- Vaze, P., Aterman, K., Hutton, C. and Idikio, H. A. Monomorphic adenoma of the nasal septum in a newborn. *Clin. Rec.*, 251.
- Večerina, S. and Krajina, Z. Phonatory function following unilateral laser cordectomy. *Orig. Art.*, 1139.
- Vermeersch, H., De Vel, E. and Vanderstock, L. Traumatic luxation of the stapes. *Clin. Rec.*, 533.
- Virtanen, H. A slow release combined preparation (dexchlorpheniramine+pseudoephedrine) for symptomatic treatment of the common cold. *Orig. Art.*, 159.
- Virtanen, H. Objective tubal tinnitus: a report of two cases. *Clin. Rec.*, 857.
- Volpe, R., Carbone, A., Grigoletto, E. and Canale, V. C. Botryoid rhabdomyosarcoma of the nasopharynx. *Clin. Rec.*, 553.
- Vyranathan, S. Hoarseness in tuberculosis. *Orig. Art.*, 523.
- Wadsworth, P. V., Deutsch, G. P., Spencer, M. G. and Elliott, R. I. K. Pseudosarcoma of the pharynx and larynx. *Clin. Rec.*, 85.
- Ward, P. P., Friedmann, I., Galey, F. R., House, W. F. and Carberry, J. N. A mixed carcinoid tumour of the middle ear. *Clin. Rec.*, 465.
- Watanabe, I., Suzuki, S., Hasegawa, M., Oku, T. and Tanaka, H. Evaluation of CT in the diagnosis of congenital choanal atresia. *Orig. Art.*, 1013.
- Wei, W. I., Wong, J., Ong, G. B. and Lam, K. H. Surgical salvage of radiation failures in cancer of the larynx. *Orig. Art.*, 351.
- Weligodapola, G. S. Comparative study of tonsillectomy performed by guillotine and dissection methods. *Orig. Art.*, 605.
- Wells, M. D., Phelps, P. D. and Michaels, L. Oculo-auriculo-vertebral dysplasia. *Orig. Art.*, 689.
- Westerbeek, G. F., Manni, H. J., Lema, P. N. and van Raalte, J. A. Schistosomiasis in otorhinolaryngology: review of the literature and case report. *Clin. Rec.*, 1177.
- Westmore, G. A. The use of a stapling instrument in the surgery of hypopharyngeal diverticula. *Clin. Rec.*, 779.
- Westmore, G. A. and Knowles, J. E. A. The use of a stapling instrument for post-laryngectomy pharyngeal repair. *Clin. Rec.*, 775.
- Wig, U., Saini, A. S. and Gupta, V. K. E-rosette forming cells (E-RFC) in squamous cell carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 527.
- Windle-Taylor, P. C. and Shah, N. Oropharyngeal Kaposi's sarcoma. *Clin. Rec.*, 1065.
- Wong, J., Ong, G. B., Lam, K. H. and Wei, W. I. Surgical salvage of radiation failures in cancer of the larynx. *Orig. Art.*, 351.
- Worthington, P. Secondary malignant tumour of the temporal bone presenting as jaw joint dysfunction. *Clin. Rec.*, 1157.
- Wouters, L., Amery, W. and Towse, G. Flunarizine in the treatment of vertigo. *Orig. Art.*, 697.
- Yacout, Y. M., Talaat, M., El-Nahass, M., Gunied, A., Talaat, M. and Elwany, S. Surgical anatomy of the sphenoid sinus. *Orig. Art.*, 227.
- Yakout, Y., Topozada, H., Mazloun, H., El-Sawy, M. and Malaty, R. The complement fixation test in rhinoscleroma. *Orig. Art.*, 55.
- Yaniv, E., Gassner, S., Levy, M. and Sadé, J. Stapes-replacing prosthesis (S.R.P.). *Orig. Art.*, 677.
- Ylikoski, J. and Belal, A. Pathology as it relates to ear surgery. Part II. *Orig. Art.*, 1.
- Young, J. R. Laser surgery for T₁ glottic carcinoma—the argument against. *Orig. Art.*, 243.
- Yousef, A. and Hashash, M. Common features and surgical interference in a prevalent oral cancer in Saudi Arabia. *Orig. Art.*, 837.
- Yung, M. W. Myringoplasty: Hearing gain in relation to perforation site. *Orig. Art.*, 11.
- Zilstorff, K., Tos, M. and Thomsen, J. Acoustic neuromas. *Orig. Art.*, 801.

GENERAL

- Abscess, peritonsillar. Unilateral immediate tonsillectomy as the treatment of—P.-H. Christensen and U. Schönsted-Madsen. *Orig. Art.*, 1105.
- Acid-base balance and its clinical importance, The effect of nasal packing on arterial blood gases and—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.

- Acoustic neuromas—J. Thomsen, K. Zilstorff and M. Tos. *Orig. Art.*, 801.
- Acoustically exposed rabbits, Electron microscopical studies on the nerve endings of the outer hair cells in—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Acriflavine, Local, in laryngoscleromatous subglottic stenosis—M. Hashash, M. Shaer, I. Shawaf and K. Hawary. *Orig. Art.*, 745.
- Acute mastoiditis, Anaerobic infection in—A. R. Swanston, A. R. H. Grace, A. B. Drake-Lee and D. A. Moffat. *Clin. Rec.*, 633.
- Adenocarcinomas of the oral cavity—J. G. Batsakis, G. R. Pinkston, M. A. Luna, R. M. Byers, J. J. Sciubba and G. W. Tillery. *Orig. Art.*, 825.
- Adenoid weight to tonsillar weight, The relationship of—M. Stearns. *Orig. Art.*, 519.
- Adenoidectomy—A. R. Maw, W. D. Jeans and H. R. Cable. *Orig. Art.*, 511.
- Adenoma of the nasal septum in a newborn, Monomorphic—P. Vaze, K. Aterman, C. Hutton and H. A. Idikio. *Clin. Rec.*, 251.
- Adenoma, Pleomorphic, of the hard palate: an invasive tumour?—R. Feinmesser and I. Gay. *Clin. Rec.*, 1169.
- Adhesive, fibrin tissue, on the middle ear, The effects of—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Adult eustachian tube, The fine surface view of the human—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Adult, Pharyngeal pseudodiverticulum in an—R. P. Morton. *Clin. Rec.*, 79.
- Adult temporal bones, Macroscopic bony deficiency of the tegmen tympani in—D. V. Lang. *Orig. Art.*, 685.
- Aerosol, Allergic nasal mucosa following topical treatment with beclomethasone dipropionate (Bdp)—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Aesthetics, ethics and airway, Rhinoplasty:—T. R. Bull. *Orig. Art.*, 901.
- Aetiology and treatment of persistent middle-ear effusion—G. D. L. Smyth and S. Hall. *Orig. Art.*, 1085.
- Africa, Childhood deafness in southern—S. Sellars and P. Beighton. *Orig. Art.*, 885.
- Air flow, The effect of menthol on nasal resistance to—R. Eccles and A. S. Jones. *Orig. Art.*, 705.
- Airway, aesthetics, ethics and, Rhinoplasty:—T. R. Bull. *Orig. Art.*, 901.
- Airway, nasopharyngeal, by radiography, Errors in the assessment of—A. P. Johnson, J. A. M. Murray and A. G. D. Maran. *Orig. Art.*, 1017.
- Allergic nasal mucosa following topical treatment with beclomethasone dipropionate (Bdp) aerosol—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Anaerobic infection in acute mastoiditis—A. R. Swanston, A. R. H. Grace, A. B. Drake-Lee and D. A. Moffat. *Clin. Rec.*, 633.
- Anatomy, Surgical, of the sphenoid sinus—S. Elwany, Y. M. Yacout, M. Talaat, M. El-Nahass, A. Gunied and M. Talaat. *Orig. Art.*, 227.
- Angiofibroma, juvenile nasopharyngeal, a possible complication of pre-operative embolization in the management of, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Angiography in the investigation of tumours of the ear—J. D. Irving. *Orig. Art.*, 319.
- Angioma, cerebral, Phonocephalography and pulsatile tinnitus in a surface—S. Tewfik. *Clin. Rec.*, 959.
- Ante fenestram, Patent fissula—J. D. K. Dawes, K. Pearman and X. Kochilas. *Clin. Rec.*, 357.
- Antigens in otosclerosis, HLA-A, -B, -C—U. Pedersen, M. Madsen, L. U. Lamm and O. Elbrønd. *Orig. Art.*, 1095.
- Antrum, The unilateral thick-walled—D. W. Proops. *Clin. Rec.*, 369.
- Applications of the stapedial reflex, New clinical—N. Laurian, L. Laurian, R. Sadov, M. Strauss and M. Kalmanovitz. *Orig. Art.*, 1099.
- Approach to vertigo, A symptomatic—A. G. Kerr. *Orig. Art.*, 813.
- Aqueduct, vestibular, in patients with Menière's disease, Polytomography of the—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- Arterial blood gases and acid-base balance and its clinical importance, The effect of nasal packing on—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Arteritis, giant cell, Lingual infarction in—A. T. Pedersen and F. L. Jepsen. *Clin. Rec.*, 479.
- Argument against, the, Laser surgery for T₁ glottic carcinoma—J. R. Young. *Orig. Art.*, 243.
- Arytenoid cartilages after long-lasting recurrent nerve paralysis, Histological findings in—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Aspergillosis, Paranasal sinus—S. Bahadur, S. K. Kacker, B. D'souza and P. Chopra. *Clin. Rec.*, 863.
- Assessment, lip-reading, for profoundly deaf patients, A—L. F. A. Martin, G. M. Clark, P. M. Seligman and Y. C. Tong. *Orig. Art.*, 343.
- Assessment of nasopharyngeal airway by radiography, Errors in the—A. P. Johnson, J. A. M. Murray and A. G. D. Maran. *Orig. Art.*, 1017.
- Association?, a coincidental, Lingual thyroid, sensorineural hearing loss and mental retardation:—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Association with deformity of the vomero-ethmoid suture, Otitis media with effusion in children and its—W. D. McNicoll. *Orig. Art.*, 203.
- Asymptomatic laryngocele without known predisposing factors in a middle-aged man, External,—K. Ojala. *Clin. Rec.*, 767.

- Atopy and secretory otitis media—P. Borge. *Orig. Art.*, 117.
- Atresia, Choanal—P. K. Bose and G. Penrhyn Jones. *Orig. Art.*, 711.
- Atresia, choanal, Evaluation of CT in the diagnosis of congenital—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Audiometry, pure tone, for the detection of gentamicin auditory toxicity, A controlled study of the reliability of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoi and A. M. Geddes. *Orig. Art.*, 27.
- Auditory meatus, external, secondary to carcinoma of the rectum, Metastatic carcinoma of the—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- Auditory toxicity, gentamicin, A controlled study of the reliability of pure tone audiometry for the detection of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoi and A. M. Geddes. *Orig. Art.*, 27.
- Balance, acid-base, and its clinical importance, The effect of nasal packing on arterial blood gases and—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Base, skull, Chondroma of the—A. Amen, R. J. Lee, A. J. Maguire and J. Mullaney. *Clin. Rec.*, 73.
- Beclomethasone dipropionate (Bdp) aerosol, Allergic nasal mucosa following topical treatment with—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Benign and malignant pseudothyroiditis—S. Strauss and N. Laurian. *Clin. Rec.*, 375.
- Benign nasal polyps, Radiological changes associated with—V. J. Lund and G. A. S. Lloyd. *Orig. Art.*, 503.
- Bilateral cervical nodes, Fixed,—P. M. Stell. *Orig. Art.*, 851.
- Blood gases and acid-base balance and its clinical importance, The effect of nasal packing on arterial—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Bone, cortical, Late results of tympanoplasty using ossicle or—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Bone, temporal, Osteogenic sarcoma of the—R. Gertner, L. Podoshin and M. Fradis. *Clin. Rec.*, 627.
- Bone, temporal, presenting as jaw joint dysfunction, Secondary malignant tumour of the—P. Worthington. *Clin. Rec.*, 1157.
- Bones, Temporal, Macroscopic bony deficiency of the tegmen tympani in adult—D. V. Lang. *Orig. Art.*, 685.
- Bony deficiency of the tegmen tympani in adult temporal bones, Macroscopic—D. V. Lang. *Orig. Art.*, 685.
- Botryoid rhabdomyosarcoma of the nasopharynx—V. C. Canale, R. Volpe, A. Carbone and E. Grigoletto. *Clin. Rec.*, 553.
- Bridge tympanomastoidectomy, Intact (I.B.M.)—combining essential features of open vs. closed procedures—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Cancer, Head and Neck, Synchronous and metachronous tumours in patients with—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Cancer of the larynx, Surgical salvage of radiation failures in—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Cancer of the tonsil—A. Kuruvilla. *Orig. Art.*, 735.
- Cancer, oral, in Saudi Arabia, Common features and surgical interference in a prevalent—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Carcinoid tumour of the larynx—E. Duvall, A. Johnston, K. McLay and J. Piris. *Clin. Rec.*, 1073.
- Carcinoid tumour of the middle ear, A mixed—I. Friedmann, F. R. Galey, W. F. House, J. N. Carberry and P. P. Ward. *Clin. Rec.*, 465.
- Carcinoma, Laser surgery for T₁ glottic,—the argument against—J. R. Young. *Orig. Art.*, 243.
- Carcinoma, Metastatic, of the external auditory meatus secondary to carcinoma of the rectum—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- Carcinoma, nasopharyngeal, from exfoliated cells collected by suction method, The cytological diagnosis of—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Carcinoma of the minor salivary gland, Intraductal—K. T. K. Chen. *Clin. Rec.*, 189.
- Carcinoma of the nasopharynx, Spindle cell—F. Nofal. *Clin. Rec.*, 1057.
- Carcinoma, squamous cell, of the larynx and laryngopharynx, E-rosette forming cells (E-RFC) in—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Cartilages, arytenoid, after long-lasting recurrent nerve paralysis, Histological findings in—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Cat cochlea, The histopathological effects of chronic electrical stimulation of the—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Cause of cochlear deafness, a new, Vitamin D deficiency—G. B. Brookes. *Orig. Art.*, 405.
- Cavity, nasal, Hemangiopericytoma of the—J. G. Batsakis, J. B. Jacobs and A. C. Templeton. *Clin. Rec.*, 361.
- Cavity, nasal, Malignant hemangiopericytoma of the—E. de Campora, V. Calabrese, P. M. Bianchi, A. Camaioni and C. Corradini. *Clin. Rec.*, 963.
- Cavity, oral, Adenocarcinomas of the—J. G. Batsakis, G. R. Pinkston, M. A. Luna, R. M. Byers, J. J. Sciubba and G. W. Tillery. *Orig. Art.*, 825.

- Cavity, tympanic, Congenital pre-auricular fistula communicating with the—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- CDDP, Cis-diamminedichloroplatinum (II)—R. M. D. Tranter and A. Howell. *Orig. Art.*, 177.
- Cell fusion, Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Cell, Spindle, carcinoma of the nasopharynx—F. Nofal. *Clin. Rec.*, 1057.
- Cell, squamous, carcinoma of the larynx and laryngopharynx, E-rosette forming cells (E-RFC) in—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Cells, E-rosette forming, (E-RFC) in squamous cell carcinoma of the larynx and laryngopharynx—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Cells, epithelial, derived from the nasopharynx by cell fusion, Establishment of Epstein-Barr Virus (EBV) infection in—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Cells, exfoliated, collected by suction method, The cytological diagnosis of nasopharyngeal carcinoma from—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Cells, outer hair, in acoustically exposed rabbits, Electron microscopical studies on the nerve endings of the—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Cerebral angioma, Phonocephalography and pulsatile tinnitus in a surface—S. Tewfik. *Clin. Rec.*, 959.
- Cervical nodes, Fixed, bilateral—P. M. Stell. *Orig. Art.*, 851.
- Cervical pleural injury, Cyanoacrylate in the repair of—F. Tovi and J. Sidi. *Clin. Rec.*, 291.
- Changes after mastoid obliteration, Post-operative roentgenological findings and—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Changes, Radiological, associated with benign nasal polyps—V. J. Lund and G. A. S. Lloyd. *Orig. Art.*, 503.
- Childhood deafness in Glasgow, 1965–1979, Severe—E. F. Flint. *Orig. Art.*, 421.
- Childhood deafness in southern Africa—S. Sellars and P. Beighton. *Orig. Art.*, 885.
- Childhood, nasal trauma during, on growth of the facial skeleton, The influence of—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Children in Dammam, Hearing levels of school—A. Ashoor. *Orig. Art.*, 37.
- Children, Otitis media with effusion in, and its association with deformity of the vomero-ethmoid suture—W. D. McNicoll. *Orig. Art.*, 203.
- Children, Tympanoplasty in—C. H. Raine and S. D. Singh. *Orig. Art.*, 217.
- Choanal atresia—P. K. Bose and G. Penrhyn Jones. *Orig. Art.*, 711.
- Choanal atresia, Evaluation of CT in the diagnosis of congenital—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Cholesterol granuloma in a thyroglossal duct cyst—A. Aviel, M. Segal, E. Ostfeld and G. Marshak. *Clin. Rec.*, 379.
- Chondroma of the skull base—A. Amen, R. J. Lee, A. J. Maguire and J. Mullaney. *Clin. Rec.*, 73.
- Chondrosarcoma arising in the nasal septum—J. Hornibrook and M. S. Robertson. *Clin. Rec.*, 1163.
- Chondrosarcoma of the paranasal sinuses and nasal septum—A. M. S. El Ghazali. *Clin. Rec.*, 543.
- Chronic electrical stimulation of the cat cochlea, The histopathological effects of—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Chronic otitis media, Late post-operative hearing results correlated with the severity of tissue changes in ears with—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Cis-diamminedichloroplatinum (II) CDDP—R. M. D. Tranter and A. Howell. *Orig. Art.*, 177.
- Clicking of the ears and ear disease, The relationship between the 'superior constrictor swallow',—L. P. Gray. *Orig. Art.*, 1121.
- Clinic, A nose,; initial results—I. Mackay, P. Stanley, M. Greenstone, P. Holmes and P. Cole. *Orig. Art.*, 925.
- Clinical applications of the stapedial reflex, New—N. Laurian, L. Laurian, R. Sadov, M. Strauss and M. Kalmanovitz. *Orig. Art.*, 1099.
- Clinical importance, The effect of nasal packing on arterial blood gases and acid-base balance and its—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Clinical use of cryosurgery in tumour treatment, The—P.-G. Lundquist and R. Kuylenstierna. *Orig. Art.*, 431.
- Clinical value of phase relation in non predictive eye tracking, The—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Closed procedures, combining essential features of open vs., Intact bridge tympanomastoidectomy (I.B.M.)—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Cochlea, cat, The histopathological effects of chronic electrical stimulation of the—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Cochlea of guinea pigs, The effects of sodium salicylate on the—E. E. Douek, H. C. Dodson and L. H. Bannister. *Orig. Art.*, 793.
- Cochlear deafness, a new cause of, Vitamin D deficiency—G. B. Brookes. *Orig. Art.*, 405.
- Coincidental association?, a, Lingual thyroid, sensorineural hearing loss and mental retardation:—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Cold, common, A slow release combined preparation (dexchlorpheniramine + pseudoephedrine) for symptomatic treatment of the—H. Virtanen. *Orig. Art.*, 159.

- Combined preparation (dexchlorpheniramine + pseudoephedrine) for symptomatic treatment of the common cold, A slow release—H. Virtanen. *Orig. Art.*, 159.
- Common cold, A slow release combined preparation (dexchlorpheniramine + pseudoephedrine) for symptomatic treatment of the—H. Virtanen. *Orig. Art.*, 159.
- Common features and surgical interference in a prevalent oral cancer in Saudi Arabia—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Communicating with the tympanic cavity, Congenital pre-auricular fistula—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- Comparative study of tonsillectomy performed by guillotine and dissection methods—G. S. Weligodapola. *Orig. Art.*, 605.
- Complement fixation test in rhinoscleroma, The—H. Topozada, H. Mazloun, M. El-Sawy, R. Malaty and Y. Yakout. *Orig. Art.*, 55.
- Complication of maxillary sinusitis, An unusual—F. Tovi, J. Goldstein and J. Sidi. *Clin. Rec.*, 275.
- Complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma, a possible, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Complication of the use of the laser in ENT surgery, A—A. P. Brightwell. *Clin. Rec.*, 671.
- Complications after treatment, Otitis media with effusion—M. Ben-Ami, G. Rosen, T. Shlezinger, S. Konack and M. Ben-Ami. *Orig. Art.*, 1091.
- Complications of sphenoid sinusitis, The—B. A. B. Dale and I. J. Mackenzie. *Clin. Rec.*, 661.
- Complications of the 'Treatment' of Tonsillar infection by traditional healers in Nigeria—A. O. Ibekwe. *Orig. Art.*, 845.
- Congenital choanal atresia, Evaluation of CT in the diagnosis of—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Congenital pre-auricular fistula communicating with the tympanic cavity—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- Congenital syphilitic deafness—a further review—D. A. Adams, A. G. Kerr, G. D. L. Smyth and M. J. Cinnamond. *Orig. Art.*, 399.
- Controlled study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity, A—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoj and A. M. Geddes. *Orig. Art.*, 27.
- Cordectomy, unilateral laser, Phonatory function following—S. Večerina and Z. Krajina. *Orig. Art.*, 1139.
- Cortical bone, Late results of tympanoplasty using ossicle or—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Cotrimoxazole in the treatment of serous otitis—N. J. Marks, R. P. Mills and O. H. Shaheen. *Orig. Art.*, 213.
- Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia, The ear deformities in—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- Cricoarytenoid joint structure and function—I. Sellars and S. Sellars. *Orig. Art.*, 1027.
- Cryosurgery in tumour treatment, The clinical use of—P.-G. Lundquist and R. Kuylenstierna. *Orig. Art.*, 431.
- CT in the diagnosis of congenital choanal atresia, Evaluation of—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Cutaneous nasal sarcoidosis—treatment by excision and split-skin grafting—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Cyanoacrylate in the repair of cervical pleural injury—F. Tovi and J. Sidi. *Clin. Rec.*, 291.
- Cyst of the maxillary sinus, Primary hydatid—M. Goldsher, I. Eliachar, Z. Joachims and A. Golz. *Clin. Rec.*, 869.
- Cyst, thyroglossal duct, Cholesterol granuloma in a—A. Aviel, M. Segal, E. Ostfeld and G. Marshak. *Clin. Rec.*, 379.
- Cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method, The—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Dammam, Hearing levels of school children in—A. Ashoor. *Orig. Art.*, 37.
- Deaf patients, A lip-reading assessment for profoundly—L. F. A. Martin, G. M. Clark, P. M. Seligman and Y. C. Tong. *Orig. Art.*, 343.
- Deafness, a new cause of cochlear, Vitamin D deficiency—G. B. Brookes. *Orig. Art.*, 405.
- Deafness, Congenital syphilitic,—a further review—D. A. Adams, A. G. Kerr, G. D. L. Smyth and M. J. Cinnamond. *Orig. Art.*, 399.
- Deafness in Glasgow, 1965–1979, Severe childhood—E. F. Flint. *Orig. Art.*, 421.
- Deafness in southern Africa, Childhood—S. Sellars and P. Beighton. *Orig. Art.*, 885.
- Deficiency, bony, of the tegmen tympani in adult temporal bones, Macroscopic—D. V. Lang. *Orig. Art.*, 685.
- Deficiency, Vitamin D,—a new cause of cochlear deafness—G. B. Brookes. *Orig. Art.*, 405.
- Deformities, ear, in Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia, The—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- Deformity in head and neck resections, Trends in minimizing—J. Conley. *Orig. Art.*, 1047.
- Deformity in the nose, The fate of silastic in the management of saddle—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Deformity of the vomero-ethmoid suture, Otitis media with effusion in children and its association with—W. D. McNicoll. *Orig. Art.*, 203.

- Dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia, Long-term results of—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Description of Shrapnell's membrane reviewed in the light of recent experimental studies, The original—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Detection of gentamicin auditory toxicity, A controlled study of the reliability of pure tone audiometry for the—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoi and A. M. Geddes. *Orig. Art.*, 27.
- (Dexchlorpheniramine+pseudoephedrine) for symptomatic treatment of the common cold, A slow release combined preparation—H. Virtanen. *Orig. Art.*, 159.
- Diabetic patient, Malignant external otitis in a young—K. Shamboul and H. Burns. *Clin. Rec.*, 247.
- Diagnosis of congenital choanal atresia, Evaluation of CT in the—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method, The cytological—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Diagnostic technique, a non-invasive, Phonocephalography:—S. Tewfik. *Orig. Art.*, 1129.
- Diagnostic technique, a simple, low-cost non-invasive, Phonocephalography:—S. Tewfik. *Orig. Art.*, 1133.
- Different diseases of the nose, Nasal mucociliary function in—M. R. A. Hady, O. Shehata and R. Hassan. *Orig. Art.*, 497.
- Disease, Ear, in a group general practice—D. B. Berzon. *Orig. Art.*, 817.
- Disease, ear, The relationship between the 'superior constrictor swallow', clicking of the ears and—L. P. Gray. *Orig. Art.*, 1121.
- Disease, Menière's, Polytomography of the vestibular aqueduct in patients with—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- Disease, Von Recklinghausen's, Vascular malformation of the parotid gland in—M. Z. Farag. *Clin. Rec.*, 571.
- Diseases of the nose, Nasal mucociliary function in different—M. R. A. Hady, O. Shehata and R. Hassan. *Orig. Art.*, 497.
- Disorders, Functional voice—M. W. M. Bridger and R. Epstein. *Orig. Art.*, 1145.
- Dissection methods, Comparative study of tonsillectomy performed by guillotine and—G. S. Weligodapola. *Orig. Art.*, 605.
- Distribution of lymecycline in interstitial fluid and paranasal sinus mucosa—S. E. Holm, A.-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Diverticula, hypopharyngeal, The use of a stapling instrument in the surgery of—G. A. Westmore. *Clin. Rec.*, 779.
- Drum, Tympanosclerosis of the, in secretory otitis after insertion of grommets—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Duct cyst, thyroglossal, Cholesterol granuloma in a—A. Aviel, M. Segal, E. Ostfeld and G. Marshak. *Clin. Rec.*, 379.
- Dysfunction, jaw joint, Secondary malignant tumour of the temporal bone presenting as—P. Worthington. *Clin. Rec.*, 1157.
- Dysplasia, Oculo-auriculo-vertebral—M. D. Wells, P. D. Phelps and L. Michaels. *Orig. Art.*, 689.
- Dysplasia, Oculo-auriculo-vertebral, The ear deformities in Craniofacial Microsomia and—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- (E-RFC), E-rosette forming cells, in squamous cell carcinoma of the larynx and laryngopharynx—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- E-rosette forming cells (E-RFC) in squamous cell carcinoma of the larynx and laryngopharynx—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Ear, Angiography in the investigation of tumours of the—J. D. Irving. *Orig. Art.*, 319.
- Ear deformities in Craniofacial Microsomia and Oculo-auriculo-vertebral dysplasia, The—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- Ear disease in a group general practice—D. B. Berzon. *Orig. Art.*, 817.
- Ear disease, The relationship between the 'superior constrictor swallow', clicking of the ears and—L. P. Gray. *Orig. Art.*, 1121.
- Ear, Kaposi's Sarcoma of the—M. P. Stearns, A. A. Hibbard and H. C. Patterson. *Clin. Rec.*, 641.
- Ear, middle, A mixed carcinoid tumour of the—I. Friedmann, F. R. Gale, W. F. House, J. N. Carberry and P. P. Ward. *Clin. Rec.*, 465.
- Ear, middle, and mastoid, Surgical management of tumors of the—J. S. Lewis. *Orig. Art.*, 299.
- Ear, middle, The effects of fibrin tissue adhesive on the—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Ear, middle, The management of tumours of the—O. H. Shaheen. *Orig. Art.*, 313.
- Ear surgery, Pathology as it relates to—A. Belal. Part III. *Orig. Art.*, 101.
- Ear surgery, Pathology as it relates to—A. Belal and J. Ylikoski. Part II. *Orig. Art.*, 1.
- Ear, Wegener's Granulomatosis of the—P. J. Bradley. *Clin. Rec.*, 623.
- Ears with chronic otitis media, Late post-operative hearing results correlated with the severity of tissue changes in—K. Ojala and M. Sorri. *Orig. Art.*, 131.

- (EBV), Epstein-Barr Virus, infection in epithelial cells derived from the nasopharynx by cell fusion, Establishment of—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Ectopic meningioma of the maxillary sinus—J. J. Manni. *Clin. Rec.*, 657.
- Effect of menthol on nasal resistance to air flow, The—R. Eccles and A. S. Jones. *Orig. Art.*, 705.
- Effect of nasal packing on arterial blood gases and acid-base balance and its clinical importance, The—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Effects of chronic electrical stimulation of the cat cochlea, The histopathological—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Effects of fibrin tissue adhesive on the middle ear, The—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Effects of sodium salicylate on the cochlea of guinea pigs, The—E. E. Douek, H. C. Dodson and L. H. Bannister. *Orig. Art.*, 793.
- Effusion in children and its association with deformity of the vomero-ethmoid suture, Otitis media with—W. D. McNicoll. *Orig. Art.*, 203.
- Effusion, middle-ear, Aetiology and treatment of persistent—G. D. L. Smyth and S. Hall. *Orig. Art.*, 1085.
- Effusion, Otitis media with,—complications after treatment—M. Ben-Ami, G. Rosen, T. Shlezinger, S. Konack and M. Ben-Ami. *Orig. Art.*, 1091.
- Electrical stimulation of the cat cochlea, The histopathological effects of chronic—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Electron microscopical studies on the nerve endings of the outer hair cells in acoustically exposed rabbits—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Embolization in the management of juvenile nasopharyngeal angiofibroma, a possible complication of pre-operative, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Emphysema of the neck, Spontaneous—A. M. S. El-Ghazali. *Clin. Rec.*, 383.
- ENT surgery, A complication of the use of the laser in—A. P. Brightwell. *Clin. Rec.*, 671.
- Epiglottis, Tuberculous granuloma of the—I. Khan. *Clin. Rec.*, 969.
- Epithelial cells derived from the nasopharynx by cell fusion, Establishment of Epstein-Barr Virus (EBV) infection in—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion, Establishment of—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Errors in the assessment of nasopharyngeal airway by radiography—A. P. Johnson, J. A. M. Murray and A. G. D. Marran. *Orig. Art.*, 1017.
- Essential features of open vs. closed procedures, combining, Intact bridge tympanomastoidectomy (I.B.M.)—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Ethics and airway, aesthetics, Rhinoplasty:—T. R. Bull. *Orig. Art.*, 901.
- Ethmoid sinus, Malignant fibrous histiocytoma of the—G. B. Brookes and P. E. Rose. *Clin. Rec.*, 279.
- Eustachian tube, The fine surface view of the human adult—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Evaluation of CT in the diagnosis of congenital choanal atresia—M. Hasegawa, T. Oku, H. Tanaka, I. Watanabe and S. Suzuki. *Orig. Art.*, 1013.
- Excision and split-skin grafting, treatment by, Cutaneous nasal sarcoidosis—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Exfoliated cells collected by suction method, The cytological diagnosis of nasopharyngeal carcinoma from—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Experimental studies, The original description of Shrapnell's membrane reviewed in the light of recent—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Exposed rabbits, Electron microscopical studies on the nerve endings of the outer hair cells in acoustically—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- External, asymptomatic laryngocele without known predisposing factors in a middle-aged man—K. Ojala. *Clin. Rec.*, 767.
- External auditory meatus secondary to carcinoma of the rectum, Metastatic carcinoma of the—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- External otitis in a young diabetic patient, Malignant—K. Shamboul and H. Burns. *Clin. Rec.*, 247.
- Eye tracking, The clinical value of phase relation in non-predictive—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Facial nerve neuroma, Intratemporal—C. M. Bailey and M. D. Graham. *Clin. Rec.*, 65.
- Facial skeleton, The influence of nasal trauma during childhood on growth of the—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Factors, known predisposing, in a middle-aged man, External, asymptomatic laryngocele without—K. Ojala. *Clin. Rec.*, 767.

- Failures, radiation, in cancer of the larynx, Surgical salvage of—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Fared after five years?, How have they, TORPs—G. D. L. Smyth. *Orig. Art.*, 991.
- Fasciitis, Necrotizing—A. G. Drake-Lee, S. J. Broughton, A. Rampling, J. M. Lancer and D. A. Moffat. *Clin. Rec.*, 193.
- Fasciitis of the neck, Spontaneously regressing nodular—B. Majumdar. *Clin. Rec.*, 973.
- Fate of silastic in the management of saddle deformity in the nose, The—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Features and surgical interference in a prevalent oral cancer in Saudi Arabia, Common—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Features of open vs. closed procedures, combining essential, Intact bridge tympanomastoidectomy (I.B.M.)—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Fibrin tissue adhesive on the middle ear, The effects of—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Fibro-myoxoma of the maxilla—I. B. Prasad and R. Sharan. *Clin. Rec.*, 549.
- Fibrous histiocytoma of the ethmoid sinus, Malignant—G. B. Brookes and P. E. Rose. *Clin. Rec.*, 279.
- Findings and changes after mastoid obliteration, Post-operative roentgenological—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Findings, Histological, following oestrogen treatment of hereditary haemorrhagic telangiectasia—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Findings, Histological, in arytenoid cartilages after long-lasting recurrent nerve paralysis—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Fine surface view of the human adult eustachian tube, The—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Fissula ante fenestram, Patent—J. D. K. Dawes, K. Pearman and X. Kochilas. *Clin. Rec.*, 357.
- Fistula communicating with the tympanic cavity, Congenital pre-auricular—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- Fistula, Oronasal,—a possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Fistula, thyroid, Recurrent suppurative thyroiditis due to pyriform fossa—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Fistulae, Traumatic perilymph, of the round and oval windows—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Five years?, How have they fared after, TORPs—G. D. L. Smyth. *Orig. Art.*, 991.
- Fixation test in rhinoscleroma, The complement—H. Topozada, H. Mazloum, M. El-Sawy, R. Malaty and Y. Yakout. *Orig. Art.*, 55.
- Fixed, bilateral cervical nodes—P. M. Stell. *Orig. Art.*, 851.
- Flaps, myocutaneous, in reconstruction of the head and neck, Role of—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Fluid, interstitial, and paranasal sinus mucosa, Distribution of lymecycline in—S. E. Holm, A-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Flunarizine in the treatment of vertigo—L. Wouters, W. Amery and G. Towse. *Orig. Art.*, 697.
- Fossa, pyriform, Recurrent suppurative thyroiditis due to,—thyroid fistula—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Fracture of tracheostomy tubes—B. C. Okafor. *Clin. Rec.*, 771.
- Function, Cricoarytenoid joint structure and—I. Sellars and S. Sellars. *Orig. Art.*, 1027.
- Function, Phonatory, following unilateral laser cordectomy—S. Večerina and Z. Krajina. *Orig. Art.*, 1139.
- Functional voice disorders—M. W. M. Bridger and R. Epstein. *Orig. Art.*, 1145.
- Fusion, cell, Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the nasopharynx by—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Gases, arterial blood, and acid-base balance and its clinical importance, The effect of nasal packing on—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- General practice, Ear disease in a group—D. B. Berzon. *Orig. Art.*, 817.
- Gentamicin auditory toxicity, A controlled study of the reliability of pure tone audiometry for the detection of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoj and A. M. Geddes. *Orig. Art.*, 27.
- Giant cell arteritis, Lingual infarction in—A. T. Pedersen and F. L. Jepsen. *Clin. Rec.*, 479.
- Gland, minor salivary, Intraductal carcinoma of the—K. T. K. Chen. *Clin. Rec.*, 189.
- Gland, parotid, in Von Recklinghausen's disease, Vascular malformation of the—M. Z. Farag. *Clin. Rec.*, 571.
- Gland, parotid, Multiple tumours of the—A. S. Krogdahl, P. Bretlau and N. Hastrup. *Orig. Art.*, 1035.
- Glasgow, Severe childhood deafness in, 1965–1979—E. F. Flint. *Orig. Art.*, 421.
- 'Globus hystericus' or the hypopharyngeal syndrome, The relationship of the 'inferior constrictor swallow' and—L. P. Gray. *Orig. Art.*, 607.
- Glottic, T₁, carcinoma, Laser surgery for,—the argument against—J. R. Young. *Orig. Art.*, 243.
- Goitre, Intrathoracic—V. Moesgaard Nielsen, N. A. Løvgreen and O. Elbrønd. *Orig. Art.*, 1039.
- Grafting, treatment by excision and split-skin, Cutaneous nasal sarcoidosis—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.

- Granuloma, Cholesterol, in a thyroglossal duct cyst—A. Aviel, M. Segal, E. Ostfeld and G. Marshak. *Clin. Rec.*, 379.
- Granuloma of the epiglottis, Tuberculous—I. Khan. *Clin. Rec.*, 969.
- Granulomatosis, Wegener's, of the ear—P. J. Bradley. *Clin. Rec.*, 623.
- Grommets, Tympanosclerosis of the drum in secretory otitis after insertion of—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Group general practice, Ear disease in a—D. B. Berzon. *Orig. Art.*, 817.
- Growth of the facial skeleton, The influence of nasal trauma during childhood on—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Guillotine and dissection methods, Comparative study of tonsillectomy performed by—G. S. Weligodapola. *Orig. Art.*, 605.
- Guinea pigs, The effects of sodium salicylate on the cochlea of—E. E. Douek, H. C. Dodson and L. H. Bannister. *Orig. Art.*, 793.
- Haemorrhagic telangiectasia, hereditary, Histological findings following oestrogen treatment of—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Haemorrhagic telangiectasia, hereditary, Long-term results of dermatoplasty in the treatment of—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Hair cells in acoustically exposed rabbits, Electron microscopical studies on the nerve endings of the outer—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Hard palate, Pleomorphic adenoma of the; an invasive tumour?—R. Feinmesser and I. Gay. *Clin. Rec.*, 1169.
- Head and neck cancer, Synchronous and metachronous tumours in patients with—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Head and neck resections, Trends in minimizing deformity in—J. Conley. *Orig. Art.*, 1047.
- Head and neck, Role of myocutaneous flaps in reconstruction of the—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Healers, Traditional, in Nigeria, Complications of the 'Treatment' of Tonsillar infection by—A. O. Ibekwe. *Orig. Art.*, 845.
- Hearing gain in relation to perforation site, Myringoplasty:—M. W. Yung. *Orig. Art.*, 11.
- Hearing levels of school children in Dammam—A. Ashoor. *Orig. Art.*, 37.
- Hearing loss in sarcoidosis—B. Majumdar and J. Crowther. *Clin. Rec.*, 635.
- Hearing loss, sensorineural, and mental retardation, Lingual thyroid; a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Hearing results correlated with the severity of tissue changes in ears with chronic otitis media, Late post-operative—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Hemangiopericytoma of the nasal cavity—J. G. Batsakis, J. B. Jacobs and A. C. Templeton. *Clin. Rec.*, 361.
- Hemangiopericytoma of the nasal cavity, Malignant—E. de Campora, V. Calabrese, P. M. Bianchi, A. Camaioni and C. Corradini. *Clin. Rec.*, 963.
- Hereditary haemorrhagic telangiectasia, Histological findings following oestrogen treatment of—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Hereditary haemorrhagic telangiectasia, Long-term results of dermatoplasty in the treatment of—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Histiocytoma of the ethmoid sinus, Malignant fibrous—G. B. Brookes and P. E. Rose. *Clin. Rec.*, 279.
- Histological findings following oestrogen treatment of hereditary haemorrhagic telangiectasia—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Histological findings in arytenoid cartilages after long-lasting recurrent nerve paralysis—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Histopathological effects of chronic electrical stimulation of the cat cochlea, The—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- HLA-A, -B, -C antigens in otosclerosis—U. Pedersen, M. Madsen, L. U. Lamm and O. Elbrønd. *Orig. Art.*, 1095.
- Hoarseness in tuberculosis—S. Vyavanathan. *Orig. Art.*, 523.
- How have they fared after five years?, TORPs—G. D. L. Smyth. *Orig. Art.*, 991.
- Human adult eustachian tube, The fine surface view of the—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Hydatid cyst of the maxillary sinus, Primary—M. Goldsher, I. Eliachar, Z. Joachims and A. Golz. *Clin. Rec.*, 869.
- Hypopharyngeal diverticula, The use of a stapling instrument in the surgery of—G. A. Westmore. *Clin. Rec.*, 779.
- Hypopharyngeal syndrome, The relationship of the 'inferior constrictor swallow' and 'globus hystericus' or the—L. P. Gray. *Orig. Art.*, 607.
- (I.B.M.), Intact bridge tympanomastoidectomy,—combining essential features of open vs. closed procedures—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Immediate tonsillectomy as the treatment of peritonsillar abscess, Unilateral—P.-H. Christensen and U. Schönsted-Madsen. *Orig. Art.*, 1105.

- Importance, clinical, The effect of nasal packing on arterial blood gases and acid-base balance and its—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Infancy, Melanotic neuro-ectodermal tumour of—M. V. McCormick, D. S. Hogg, V. Chrystal and M. R. B. Cook. *Clin. Rec.*, 755.
- Infant larynx, The—R. Pracy. *Orig. Art.*, 933.
- Infarction in giant cell arteritis, Lingual—A. T. Pedersen and F. L. Jepsen. *Clin. Rec.*, 479.
- Infection in acute mastoiditis, Anaerobic—A. R. Swanston, A. R. H. Grace, A. B. Drake-Lee and D. A. Moffat. *Clin. Rec.*, 633.
- Infection in epithelial cells derived from the nasopharynx by cell fusion, Establishment of Epstein-Barr Virus (EBV)—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Infection Tonsillar, by traditional healers in Nigeria, Complications of the 'treatment' of—A. O. Ibekwe. *Orig. Art.*, 845.
- 'Inferior constrictor swallow' and 'globus hystericus' or the hypopharyngeal syndrome, The relationship of the—L. P. Gray. *Orig. Art.*, 607.
- Influence of nasal trauma during childhood on growth of the facial skeleton, The—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Initial results, A nose clinic:—I. Mackay, P. Stanley, M. Greenstone, P. Holmes and P. Cole. *Orig. Art.*, 925.
- Injury, pleural, Cyanoacrylate in the repair of cervical—F. Tovi and J. Sidi. *Clin. Rec.*, 291.
- Insertion of grommets, Tympanosclerosis of the drum in secretory otitis after—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Instrument, stapling, for post-laryngectomy pharyngeal repair, The use of a—G. A. Westmore and J. E. A. Knowles. *clin. Rec.*, 775.
- Instrument, stapling, in the surgery of Hypopharyngeal diverticula, The use of a—G. A. Westmore. *Clin. Rec.*, 779.
- Intact bridge tympanomastoidectomy (I.B.M.)—combining essential features of open vs. closed procedures—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Interference, surgical, in a prevalent oral cancer in Saudi Arabia, Common features and—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Interstitial fluid and paranasal sinus mucosa, distribution of lymecycline in—S. E. Holm, A-M. bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Intraductal carcinoma of the minor salivary gland—K. T. K. Chen. *Clin. Rec.*, 189.
- Intratemporal facial nerve neuroma—C. M. Bailey and M. D. Graham. *Clin. Rec.*, 65.
- Intrathoracic Goitre—V. Moesgaard Nielsen, N. A. Løvgreen and O. Elbrønd. *Orig. Art.*, 1039.
- Invasive tumour?, an, Pleomorphic adenoma of the hard palate:—R. Feinmesser and I. Gay. *clin. Rec.*, 1169.
- Investigation of tumours of the ear, Angiography in the—J. D. Irving. *Orig. Art.*, 319.
- Jaw joint dysfunction, Secondary malignant tumour of the temporal bone presenting as—P. Worthington. *Clin. Rec.*, 1157.
- Joint, Cricoarytenoid, structure and function—I. Sellars and S. Sellars. *Orig. Art.*, 1027.
- Joint dysfunction, jaw, Secondary malignant tumour of the temporal bone presenting as—P. Worthington. *Clin. Rec.*, 1157.
- Juvenile nasopharyngeal angiofibroma, a possible complication of pre-operative embolization in the management of, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Kaposi's Sarcoma of the ear—M. P. Stearns, A. A. Hibbard and H. C. Patterson. *Clin. Rec.*, 641.
- Kaposi's Sarcoma of the larynx—A. Coyas, E. Eliadellis and O. Anastassiades. *Clin. Rec.*, 647.
- Kaposi's Sarcoma, Oropharyngeal—P. C. Windle-Taylor and N. Shah. *Clin. Rec.*, 1065.
- Known predisposing factors in a middle-aged man, External, asymptomatic laryngocele without—K. Ojala. *Clin. Rec.*, 767.
- Laryngeal lesions in lipoid proteinosis, Oropharyngeal and—J. I. Harper, K. P. Duguid, R. C. D. Staughton and D. A. Moffat. *Clin. Rec.*, 877.
- Laryngeal paragangliomas (non-chromaffin), Pain-inducing—S. Ali, D. W. Aird and J. Bihari. *Clin. Rec.*, 181.
- Laryngeal stenosis, a preventable cause of, Mucous membrane pemphigoid—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Laryngeal tuberculosis in Tanzania—H. Manni. *Clin. Rec.*, 565.
- Laryngocele without known predisposing factors in a middle-aged man, External, asymptomatic—K. Ojala. *Clin. Rec.*, 767.
- Laryngopharynx, E-rosette forming cells (E-RFC) in squamous cell carcinoma of the larynx and—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Laryngoscleromatous subglottic stenosis, Local acriflavine in—M. Hashash, M. Shaer, I. Shawaf and K. Hawary. *Orig. Art.*, 745.

- Larynx and laryngopharynx, E-rosette forming cells (E-RFC) in squamous cell carcinoma of the—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- Larynx, Carcinoid tumour of the—E. Duvall, A. Johnston, K. McLay and J. Piris. *Clin. Rec.*, 1073.
- Larynx, Kaposi's Sarcoma of the—A. Coyas, E. Eliadellis and O. Anastassiades. *Clin. Rec.*, 647.
- Larynx, Malignant paraganglioma of the—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 1183.
- Larynx, Pseudosarcoma of the pharynx and—M. G. Spencer, R. I. K. Elliott, P. V. Wadsworth and G. P. Deutsch. *Clin. Rec.*, 85.
- Larynx, Surgical salvage of radiation failures in cancer of the—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Larynx, The infant—R. Pracy. *Orig. Art.*, 933.
- Laser cordectomy, Phonatory function following unilateral—S. Večerina and Z. Krajina. *Orig. Art.*, 1139.
- Laser in ENT surgery, A complication of the use of the—A. P. Brightwell. *Clin. Rec.*, 671.
- Laser surgery for T₁ glottic carcinoma—the argument against—J. R. Young. *Orig. Art.*, 243.
- Late post-operative hearing results correlated with the severity of tissue changes in ears with chronic otitis media—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Late results of tympanoplasty using ossicle or cortical bone—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Leiomyoma of the palate—D. D. Hemani, A. K. Gupta, K. K. Sharma and S. D. Sharma. *Clin. Rec.*, 471.
- Lesions, laryngeal, in lipoid proteinosis, Oropharyngeal and—J. I. Harper, K. P. Duguid, R. C. D. Staughton and D. A. Moffat. *Clin. Rec.*, 877.
- Lingual infarction in giant cell arteritis—A. T. Pedersen and F. L. Jepsen. *Clin. Rec.*, 479.
- Lingual thyroid, sensorineural hearing loss and mental retardation: a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Lip, Post-irradiation sarcoma of the lower—J. S. Rennie, A. McLay and N. S. B. Tanner. *Clin. Rec.*, 871.
- Lip-reading assessment for profoundly deaf patients, A—L. F. A. Martin, G. M. Clark, P. M. Seligman and Y. C. Tong. *Orig. Art.*, 343.
- Lipoid proteinosis, Oropharyngeal and Laryngeal lesions in—J. I. Harper, K. P. Duguid, R. C. D. Staughton and D. A. Moffat. *Clin. Rec.*, 877.
- Local acriflavine in laryngoscleromatous subglottic stenosis—M. Hashash, M. Shaer, I. Shawaf and K. Hawary. *Orig. Art.*, 745.
- Long-lasting recurrent nerve paralysis, Histological findings in arytenoid cartilages after—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Long-term results of dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Low-cost non-invasive diagnostic technique, a simple, Phonocephalography—S. Tewfik. *Orig. Art.*, 1133.
- Lower lip, Post-irradiation sarcoma of the—J. S. Rennie, A. McLay and N. S. B. Tanner. *Clin. Rec.*, 871.
- Luxation of the stapes, Traumatic—L. Vanderstock, H. Vermeersch and E. De Vel. *Clin. Rec.*, 533.
- Lymecycline in interstitial fluid and paranasal sinus mucosa, Distribution of—S. E. Holm, A-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Macroscopic bony deficiency of the tegmen tympani in adult temporal bones—D. V. Lang. *Orig. Art.*, 685.
- Malformation, Vascular, of the parotid gland in Von Recklinghausen's disease—M. Z. Farag. *Clin. Rec.*, 571.
- Malignant external otitis in a young diabetic patient—K. Shamboul and H. Burns. *Clin. Rec.*, 247.
- Malignant fibrous histiocytoma of the ethmoid sinus—G. B. Brookes and P. E. Rose. *Clin. Rec.*, 279.
- Malignant hemangiopericytoma of the nasal cavity—E. de Campora, V. Calabrese, P. M. Bianchi, A. Camaioni and C. Corradini. *Clin. Rec.*, 963.
- Malignant paraganglioma of the larynx—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 1183.
- Malignant pseudothyroiditis, Benign and—S. Strauss and N. Laurian. *Clin. Rec.*, 375.
- Malignant tumour of the temporal bone presenting as jaw joint dysfunction, Secondary—P. Worthington. *Clin. Rec.*, 1157.
- Man, middle-aged, External, asymptomatic laryngocele without known predisposing factors in a—K. Ojala. *Clin. Rec.*, 767.
- Management of juvenile nasopharyngeal angiofibroma, a possible complication of pre-operative embolization in the, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Management of saddle deformity in the nose, The fate of silastic in the—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Management of tumors of the middle ear and mastoid, Surgical—J. S. Lewis. *Orig. Art.*, 299.
- Management of tumours of the middle ear, The—O. H. Shaheen. *Orig. Art.*, 313.
- Mastoid obliteration, Post-operative roentgenological findings and changes after—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Mastoid, Surgical management of tumors of the middle ear and—J. S. Lewis. *Orig. Art.*, 299.
- Mastoiditis, Anaerobic infection in acute—A. R. Swanston, A. R. H. Grace, A. B. Drake-Lee and D. A. Moffat. *Clin. Rec.*, 633.

- Maxilla, Fibro-myxoma of the—I. B. Prasad and R. Sharan. *Clin. Rec.*, 549.
- Maxillary sinus, Ectopic meningioma of the—J. J. Manni. *Clin. Rec.*, 657.
- Maxillary sinus, Primary hydatid cyst of the—M. Goldsher, I. Eliachar, Z. Joachims and A. Golz. *Clin. Rec.*, 869.
- Maxillary sinusitis, An unusual complication of—F. Tovi, J. Goldstein and J. Sidi. *Clin. Rec.*, 275.
- Meatus, external auditory, secondary to carcinoma of the rectum, Metastatic carcinoma of the—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- Melanotic neuro-ectodermal tumour of infancy—M. V. McCormick, D. S. Hogg, V. Chrystal and M. R. B. Cook. *Clin. Rec.*, 755.
- Membrane, Mucous, pemphigoid—a preventable cause of laryngeal stenosis—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Membrane, Shrapnell's, reviewed in the light of recent experimental studies, The original description of—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Membrane, tympanic, in the Rhesus monkey, Ultrastructure of the—T. Lildholdt, J. Clausen and E. I. Cantekin. *Orig. Art.*, 785.
- Menière's disease, Polytomography of the vestibular aqueduct in patients with—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- Meningioma of the maxillary sinus, Ectopic—J. J. Manni. *Clin. Rec.*, 657.
- Mental retardation, Lingual thyroid, sensorineural hearing loss and; a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Menthol on nasal resistance to air flow, The effect of—R. Eccles and A. S. Jones. *Orig. Art.*, 705.
- Metachronous tumours in patients with head and neck cancer, Synchronous and—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Metastatic carcinoma of the external auditory meatus secondary to carcinoma of the rectum—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- Method, suction, The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cell. collected by—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Methods, dissection, Comparative study of tonsillectomy performed by Guillotine and G. S. Weligodapola. *Orig. Art.*, 605.
- Microscopical studies on the nerve endings of the outer hair cells in acoustically exposed rabbits, Electron—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Microsomia, Craniofacial, and Oculo-auriculo-vertebral dysplasia, The ear deformities in—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- Middle-aged man, External, asymptomatic laryngocele without known predisposing factors in a—K. Ojala. *Clin. Rec.*, 767.
- Middle ear, A mixed carcinoid tumour of the—I. Friedmann, F. R. Galey, W. F. House, J. N. Carberry and P. P. Ward. *Clin. Rec.*, 465.
- Middle ear and mastoid, Surgical management of tumours of the—J. S. Lewis. *Orig. Art.*, 299.
- Middle-ear effusion, Aetiology and treatment of persistent—G. D. L. Smyth and S. Hall. *Orig. Art.*, 1085.
- Middle ear, The effects of fibrin tissue adhesive on the—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Middle ear, The management of tumours of the—O. H. Shaheen. *Orig. Art.*, 313.
- Middle turbinate, Pyocoele of the—B. C. Irwin. *Clin. Rec.*, 271.
- Minimizing deformity in head and neck resections, Trends in—J. Conley. *Orig. Art.*, 1047.
- Minor salivary gland, Intraductal carcinoma of the—K. T. K. Chen. *Clin. Rec.*, 189.
- Mixed carcinoid tumour of the middle ear, A—I. Friedmann, F. R. Galey, W. F. House, J. N. Carberry and P. P. Ward. *Clin. Rec.*, 465.
- Monkey, Rhesus, Ultrastructure of the tympanic membrane in the—T. Lildholdt, J. Clausen and E. I. Cantekin. *Orig. Art.*, 785.
- Monomorphic adenoma of the nasal septum in a newborn—P. Vaze, K. Aterman, C. Hutton and H. A. Idikio. *Clin. Rec.*, 251.
- Mousseau Barbin tube, Traumatic oesophageal perforation treated with—U. C. Misra, R. S. Chauhan, R. S. Gill, M. Lal and J. K. Gill. *Clin. Rec.*, 561.
- Mucociliary, Nasal, function in different diseases of the nose—M. R. A. Hady, O. Shehata and R. Hassan. *Orig. Art.*, 497.
- Mucosa, Allergic nasal, following topical treatment with beclomethasone dipropionate (Bdp) aerosol—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Mucosa, paranasal sinus, Distribution of lymecycline in interstitial fluid and—S. E. Holm, A-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Mucous membrane pemphigoid—a preventable cause of laryngeal stenosis—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Multiple tumours of the parotid gland—A. S. Krogdahl, P. Bretlau and N. Hastrup. *Orig. Art.*, 1035.
- Myocutaneous flaps in reconstruction of the head and neck, Role of—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Myringoplasty: Hearing gain in relation to perforation site—M. W. Yung. *Orig. Art.*, 11.

- Nasal cavity, Hemangiopericytoma of the—J. G. Batsakis, J. B. Jacobs and A. C. Templeton. *Clin. Rec.*, 361.
- Nasal cavity, Malignant hemangiopericytoma of the—E. de Campora, V. Calabrese, P. M. Bianchi, A. Camaioni and C. Corradini. *Clin. Rec.*, 963.
- Nasal mucociliary function in different diseases of the nose—M. R. A. Hady, O. Shehata and R. Hassan. *Orig. Art.*, 497.
- Nasal mucosa following topical treatment with beclomethasone dipropionate (Bdp) Aerosol, Allergic—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Nasal packing on arterial blood gases and acid-base balance and its clinical importance, The effect of—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Nasal passage following rhinoplastic surgery, The—P. Stoksted and C. Gutierrez. *Orig. Art.*, 49.
- Nasal polyps, Radiological changes associated with benign—V. J. Lund and G. A. S. Lloyd. *Orig. Art.*, 503.
- Nasal resistance to air flow, The effect of menthol on—R. Eccles and A. S. Jones. *Orig. Art.*, 705.
- Nasal sarcoidosis, Cutaneous,—treatment by excision and split-skin grafting—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Nasal septum, Chondrosarcoma arising in the—J. Hornibrook and M. S. Robertson. *Clin. Rec.*, 1163.
- Nasal septum, Chondrosarcoma of the paranasal sinuses and—A. M. S. El Ghazali. *Clin. rec.*, 543.
- Nasal septum in a newborn, Monomorphic adenoma of the—P. Vaze, K. Aterman, C. Hutton and H. A. Idikio. *Clin. Rec.*, 251.
- Nasal trauma during childhood on growth of the facial skeleton, The influence of—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Nasopharyngeal airway by radiography, Errors in the assessment of—A. P. Johnson, J. A. M. Murray and A. G. D. Maran. *Orig. Art.*, 1017.
- Nasopharyngeal angiofibroma, Juvenile, Oronasal fistula—a possible complication of pre-operative embolization in the management of—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Nasopharyngeal carcinoma from exfoliated cells collected by suction method, The cytological diagnosis of—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- Nasopharynx, Botryoid rhabdomyosarcoma of the—V. C. Canale, R. Volpe, A. Carbone and E. Grigoletto. *Clin. Rec.*, 553.
- Nasopharynx by cell fusion, Establishment of Epstein-Barr Virus (EBV) infection in epithelial cells derived from the—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Nasopharynx, Spindle cell carcinoma of the—F. Nofal. *Clin. Rec.*, 1057.
- Neck cancer, Synchronous and metachronous tumours in patients with head and—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Neck resections, Trends in minimizing deformity in head and—J. Conley. *Orig. Art.*, 1047.
- Neck, Role of myocutaneous flaps in reconstruction of the head and—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Neck, Spontaneous emphysema of the—A. M. S. El-Ghazali. *Clin. Rec.*, 383.
- Neck, Spontaneously regressing nodular fasciitis of the—B. Majumdar. *Clin. Rec.*, 973.
- Necrotizing fasciitis—A. B. Drake-Lee, S. J. Broughton, A. Rampling, J. M. Lancer and D. A. Moffat. *Clin. Rec.*, 193.
- Nerve endings of the outer hair cells in acoustically exposed rabbits, Electron microscopical studies on the—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Nerve neuroma, Intratemporal facial—C. M. Bailey and M. D. Graham. *Clin. Rec.*, 65.
- Nerve paralysis, Histological findings in arytenoid cartilages after long-lasting recurrent—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Neuroblastoma, Olfactory—P. U. Aghadiuno, S. M. Thomas, O. Ogan, F. D. Martinson and A. Adeloje. *Clin. Rec.*, 261.
- Neuro-ectodermal tumour of infancy, Melanotic—M. V. McCormick, D. S. Hogg, V. Chrystal and M. R. B. Cook. *Clin. Rec.*, 755.
- Neurotoma, Intratemporal facial nerve—C. M. Bailey and M. D. Graham. *Clin. Rec.*, 65.
- Neuromas, Acoustic—J. Thomsen, K. Zilstorff and M. Tos. *Orig. Art.*, 801.
- New cause of cochlear deafness, a, Vitamin D deficiency—G. B. Brookes. *Orig. Art.*, 405.
- New clinical applications of the stapedial reflex—N. Laurian, L. Laurian, R. Sadov, M. Strauss and M. Kalmanovitz. *Orig. Art.*, 1099.
- Newborn, Monomorphic adenoma of the nasal septum in a—P. Vaze, K. Aterman, C. Hutton and H. A. Idikio. *Clin. Rec.*, 251.
- Nigeria, Complications of the 'Treatment' of Tonsillar infection by traditional healers in—A. O. Ibekwe. *Orig. Art.*, 845.
- Nodes, Fixed, bilateral cervical—P. M. Stell. *Orig. Art.*, 851.
- Nodular fasciitis of the neck, Spontaneously regressing—B. Majumdar. *Clin. Rec.*, 973.
- (Non-chromaffin), Pain-inducing laryngeal paragangliomas—S. Ali, D. W. Aird and J. Bihari. *Clin. Rec.*, 181.
- Non-invasive diagnostic technique, A, Phonocephalography—S. Tewfik. *Orig. Art.*, 1129.
- Non-invasive diagnostic technique, a simple, low-cost, Phonocephalography—S. Tewfik. *Orig. Art.*, 1133.

- Non-predictive eye tracking, The clinical value of phase relation in—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Nose clinic, A.; initial results—I. Mackay, P. Stanley, M. Greenstone, P. Holmes and P. Cole. *Orig. Art.*, 925.
- Nose, Nasal mucociliary function in different diseases of the—M. R. A. Hady, O. Shehata and R. Hassan. *Orig. Art.*, 497.
- Nose, The fate of silastic in the management of saddle deformity in the—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Objective tubal tinnitus: a report of two cases—H. Virtanen. *Clin. Rec.*, 857.
- Obliteration, mastoid, Post-operative roentgenological findings and changes after—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Oculo-auriculo-vertebral dysplasia—M. D. Wells, P. D. Phelps and L. Michaels. *Orig. Art.*, 689.
- Oculo-auriculo-vertebral dysplasia, The ear deformities in Craniofacial Microsomia and—P. D. Phelps, G. A. S. Lloyd and D. E. Poswillo. *Orig. Art.*, 995.
- Oesophageal perforation treated with Mousseau Barbin tube, Traumatic—U. C. Misra, R. S. Chauhan, R. S. Gill, M. Lal and J. K. Gill. *Clin. Rec.*, 561.
- Oesophagus, Synovial sarcoma of the pharynx and—B. V. Palmer, A. Levene and H. J. Shaw. *Clin. Rec.*, 1173.
- Oestrogen treatment of hereditary haemorrhagic telangiectasia, Histological findings following—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Olfactory neuroblastoma—P. U. Aghadiuno, S. M. Thomas, O. Ogan, F. D. Martinson and A. Adeyoye. *Clin. Rec.*, 261.
- Open vs. closed procedures, combining essential features of, Intact bridge tympanomastoidectomy (I.B.M.)—M. M. paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Oral cancer in Saudi Arabia, Common features and surgical interference in a prevalent—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Oral cavity, Adenocarcinomas of the—J. G. Batsakis, G. R. Pinkston, M. A. Luna, R. M. Byers, J. J. Sciubba and G. W. Tillery. *Orig. Art.*, 825.
- Original description of Shrapnell's membrane reviewed in the light of recent experimental studies, The—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Oronasal fistula—a possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Oropharyngeal and laryngeal lesions in lipoid proteinosis—J. I. Harper, K. P. Duguid, R. C. D. Staughton and D. A. Moffat. *Clin. Rec.*, 877.
- Oropharyngeal Kaposi's sarcoma—P. C. Windle-Taylor and N. Shah. *Clin. Rec.*, 1065.
- Ossicle or cortical bone, Late results of tympanoplasty using—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Osteogenic sarcoma of the temporal bone—R. Gertner, L. Podoshin and M. Fradis. *Clin. Rec.*, 627.
- Otitis, Malignant external, in a young diabetic patient—K. Shamboul and H. Burns. *Clin. Rec.*, 247.
- Otitis media, Atopy and secretory—P. Borge. *Orig. Art.*, 117.
- Otitis media, Late post-operative hearing results correlated with the severity of tissue changes in ears with chronic—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Otitis media with effusion—complications after treatment—M. Ben-Ami, G. Rosen, T. Shlezinger, S. Konack and M. Ben-Ami. *Orig. Art.*, 1091.
- Otitis media with effusion in children and its association with deformity of the vomero-ethmoid suture—W. D. McNicoll. *Orig. Art.*, 203.
- Otitis, secretory, after insertion of grommets, Tympanosclerosis of the drum in—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Otitis, Serous, Cotrimoxazole in the treatment of—N. J. Marks, R. P. Mills and O. H. Shaheen. *Orig. Art.*, 213.
- Otorhinolaryngology, Schistosomiasis in.; review of the literature and case report—H. J. Manni, P. N. Lema, J. A. van Raalte and G. F. Westerbeek. *Clin. Rec.*, 1177.
- Otosclerosis, HLA-A, -B, -C antigens in—U. Pedersen, M. Madsen, L. U. Lamm and O. Elbrønd. *Orig. Art.*, 1095.
- Otology compared with tympanometry—S. Gimsing and L. M. Bergholtz. *Orig. Art.*, 587.
- Outer hair cells in acoustically exposed rabbits, Electron microscopical studies on the nerve endings of the—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Oval windows, Traumatic perilymph fistulae of the round and—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Packing, nasal, on arterial blood gases and acid-base balance and its clinical importance, The effect of—M. R. A. Hady, K. Z. Kodeira and A. H. Nasef. *Orig. Art.*, 599.
- Pain-inducing laryngeal paragangliomas (non-chromaffin)—S. Ali, D. W. Aird and J. Bihari. *Clin. Rec.*, 181.
- Palate, hard, Pleomorphic adenoma of the.; an invasive tumour?—R. Feinmesser and I. Gay. *Clin. Rec.*, 1169.

- Palate, Leiomyoma of the—D. D. Hemani, A. K. Gupta, K. K. Sharma and S. D. Sharma. *Clin. Rec.*, 471.
- Paraganglioma of the larynx, Malignant—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 1183.
- Paragangliomas (non-chromaffin), Pain-inducing laryngeal—S. Ali, D. W. Aird and J. Bihari. *Clin. Rec.*, 181.
- Paralysis, nerve, Histological findings in arytenoid cartilages after long-lasting recurrent—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Paranasal sinus aspergillosis—S. Bahadur, S. K. Kacker, B. D'souza and P. Chopra. *Clin. Rec.*, 863.
- Paranasal sinus mucosa, Distribution of lymecycline in interstitial fluid and—S. E. Holm, A-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Paranasal sinuses and nasal septum, Chondrosarcoma of the—A. M. S. El Ghazali. *Clin. Rec.*, 543.
- Parotid gland in Von Recklinghausen's disease, Vascular malformation of the—M. Z. Farag. *Clin. Rec.*, 571.
- Parotid gland, Multiple tumours of the—A. S. Krogdahl, P. Bretlau and N. Hastrup. *Orig. Art.*, 1035.
- Patent fissula ante fenestram—J. D. K. Dawes, K. Pearman and X. Kochilas. *Clin. Rec.*, 357.
- Pathology as it relates to ear surgery—A. Belal. Part III. *Orig. Art.*, 101.
- Pathology as it relates to ear surgery—A. Belal and J. Ylikoski. Part II. *Orig. Art.*, 1.
- Patient, young diabetic, Malignant external otitis in a—K. Shamboul and H. Burns. *Clin. Rec.*, 247.
- Patients, profoundly deaf, A lip-reading assessment for—L. F. A. Martin, G. M. Clark, P. M. Seligman and Y. C. Tong. *Orig. Art.*, 343.
- Patients with head and neck cancer, Synchronous and metachronous tumours in—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Patients with Menière's disease, Polytomography of the vestibular aqueduct in—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- Pemphigoid, Mucous membrane,—a preventable cause of laryngeal stenosis—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Perforation, oesophageal, treated with Mousseau Barbin tube, Traumatic—U. C. Misra, R. S. Chauhan, R. S. Gill, M. Lal and J. K. Gill. *Clin. Rec.*, 561.
- Perforation site, Hearing gain in relation to, Myringoplasty:—M. W. Yung. *Orig. Art.*, 11.
- Perilymph fistulae of the round and oval windows, Traumatic—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Peritonsillar abscess, Unilateral immediate tonsillectomy as the treatment of—P.-H. Christensen and U. Schönsted-Madsen. *Orig. Art.*, 1105.
- Persistent middle-ear effusion, Aetiology and treatment of—G. D. L. Smyth and S. Hall. *Orig. Art.*, 1085.
- Pharyngeal pseudodiverticulum in an adult—R. P. Morton. *Clin. Rec.*, 79.
- Pharyngeal repair, The use of a stapling instrument for post-laryngectomy—G. A. Westmore and J. E. A. Knowles. *Clin. Rec.*, 775.
- Pharynx and larynx, Pseudosarcoma of the—M. G. Spencer, R. I. K. Elliott, P. V. Wadsworth and G. P. Deutsch. *Clin. Rec.*, 85.
- Pharynx and oesophagus, Synovial sarcoma of the—B. V. Palmer, A. Levene and H. J. Shaw. *Clin. Rec.*, 1173.
- Phase relation in non-predictive eye tracking, The clinical value of—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Phonatory function following unilateral laser cordectomy—S. Večerina and Z. Krajina. *Orig. Art.*, 1139.
- Phonocephalography: a non-invasive diagnostic technique—S. Tewfik. *Orig. Art.*, 1129.
- Phonocephalography: a simple, low-cost non-invasive diagnostic technique—S. Tewfik. *Orig. Art.*, 1133.
- Phonocephalography and pulsatile tinnitus in a surface cerebral angioma—S. Tewfik. *Clin. Rec.*, 959.
- Phycomycosis, Rhinocerebral—S. Bahadur, P. Ghosh, P. Chopra and G. Rai. *Clin. Rec.*, 267.
- Pleomorphic adenoma of the hard palate: an invasive tumour?—R. Feinmesser and I. Gay. *Clin. Rec.*, 1169.
- Pleural injury, Cyanoacrylate in the repair of cervical—F. Tovi and J. Sidi. *Clin. Rec.*, 291.
- Polyps, nasal, Radiological changes associated with benign—V. J. Lund and G. A. S. Lloyd. *Orig. Art.*, 503.
- Polytomography of the vestibular aqueduct in patients with Menière's disease—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- Possible complication of pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma, a, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.
- Post-irradiation sarcoma of the lower lip—J. S. Rennie, A. McLay and N. S. B. Tanner. *Clin. Rec.*, 871.
- Post-laryngectomy pharyngeal repair, The use of a stapling instrument for—G. A. Westmore and J. E. A. Knowles. *Clin. Rec.*, 775.
- Post-operative hearing results correlated with the severity of tissue changes in ears with chronic otitis media, Late—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Post-operative roentgenological findings and changes after mastoid obliteration—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Practice, group general, Ear disease in a—D. B. Berzon. *Orig. Art.*, 817.
- Pre-auricular fistula communicating with the tympanic cavity, Congenital—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- Pre-operative embolization in the management of juvenile nasopharyngeal angiofibroma, a possible complication of, Oronasal fistula—I. Gay, J. Elidan and R. Gordon. *Clin. Rec.*, 651.

- Predisposing factors in a middle-aged man, External, asymptomatic laryngocele without known—K. Ojala. *Clin. Rec.*, 767.
- Preparation, combined, (dexchlorpheniramine+pseudoephedrine) for symptomatic treatment of the common cold, A slow release—H. Virtanen. *Orig. Art.*, 159.
- Prevalent oral cancer in Saudi Arabia, common features and surgical interference in a—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Preventable cause of laryngeal stenosis, a, Mucous membrane pemphigoid—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Primary hydatid cyst of the maxillary sinus—M. Goldsher, I. Eliachar, Z. Joachims and A. Golz. *Clin. Rec.*, 869.
- Procedures, open vs. closed, combining essential features of, Intact bridge tympanomastoidectomy (I.B.M.)—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Profoundly deaf patients, A lip-reading assessment for—L. F. A. Martin, G. M. Clark, P. M. Seligman and Y. C. Tong. *Orig. Art.*, 343.
- Prosthesis, Stapes-replacing, (S.R.P.)—J. Sadé, E. Yaniv, S. Gassner and M. Levy. *Orig. Art.*, 677.
- Proteinosis, Lipoid, Oropharyngeal and laryngeal lesions in—J. I. Harper, K. P. Duguid, R. C. D. Staughton and D. A. Moffat. *Clin. Rec.*, 877.
- Pseudodiverticulum in an adult, Pharyngeal—R. P. Morton. *Clin. Rec.*, 79.
- Pseudoephedrine, (Dexchlorpheniramine+, for symptomatic treatment of the common cold, A slow release combined preparation—H. Virtanen. *Orig. Art.*, 159.
- Pseudosarcoma of the pharynx and larynx—M. G. Spencer, R. I. K. Elliott, P. V. Wadsworth and G. P. Deutsch. *Clin. Rec.*, 85.
- Pseudothyroiditis, Benign and malignant—S. Strauss and N. Laurian. *Clin. Rec.*, 375.
- Pulsatile tinnitus in a surface cerebral angioma, Phonocephalography and—S. Tewfik. *Clin. Rec.*, 959.
- Pure tone audiometry for the detection of gentamicin auditory toxicity, A controlled study of the reliability of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Sheno and A. M. Geddes. *Orig. Art.*, 27.
- Pyocoele of the middle turbinate—B. C. Irwin. *Clin. Rec.*, 271.
- Pyriform fossa, Recurrent suppurative thyroiditis due to,—thyroid fistula—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Rabbits, acoustically exposed, Electron microscopical studies on the nerve endings of the outer hair cells in—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Radiation failures in cancer of the larynx, Surgical salvage of—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Radiography, Errors in the assessment of nasopharyngeal airway by—A. P. Johnson, J. A. M. Murray and A. G. D. Maran. *Orig. Art.*, 1017.
- Radiological changes associated with benign nasal polyps—V. J. Lund and G. A. S. Lloyd. *Orig. Art.*, 503.
- Recent experimental studies, The original description of Shrapnell's membrane reviewed in the light of—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Reconstruction of the head and neck, Role of myocutaneous flaps in—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Rectum, Metastatic carcinoma of the external auditory meatus secondary to carcinoma of the—S. A. A. Sadek, N. W. Dixon and P. F. Hardcastle. *Clin. Rec.*, 459.
- Recurrent nerve paralysis, Histological findings in arytenoid cartilages after long-lasting—W. Elies and A. Pusalkar. *Orig. Art.*, 949.
- Recurrent suppurative thyroiditis due to pyriform fossa—thyroid fistula—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Reflex, stapedia, New clinical applications of the—N. Laurian, L. Laurian, R. Sadov, M. Strauss and M. Kalmanovitz. *Orig. Art.*, 1099.
- Relation, phase, in non-predictive eye tracking, The clinical value of—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Relationship between the 'superior constrictor swallow', clicking of the ears and ear disease, The—L. P. Gray. *Orig. Art.*, 1121.
- Relationship of adenoid weight to tonsillar weight, The—M. Stearns. *Orig. Art.*, 519.
- Relationship of the 'inferior constrictor swallow' and 'globus hystericus' or the hypopharyngeal syndrome, The—L. P. Gray. *Orig. Art.*, 607.
- Release, slow, combined preparation (dexchlorpheniramine+pseudoephedrine) for symptomatic treatment of the common cold, A—H. Virtanen. *Orig. Art.*, 159.
- Reliability of pure tone audiometry for the detection of gentamicin auditory toxicity, A controlled study of the—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Sheno and A. M. Geddes. *Orig. Art.*, 27.
- Repair of cervical pleural injury, Cyanoacrylate in the—F. Tovi and J. Sidi. *Clin. Rec.*, 291.
- Repair, pharyngeal, The use of a stapling instrument for post-laryngectomy—G. A. Westmore and J. E. A. Knowles. *Clin. Rec.*, 775.
- Report of two cases, a, Objective tubal tinnitus:—H. Virtanen. *Clin. Rec.*, 857.

- Resections, head and neck, Trends in minimizing deformity in—J. Conley. *Orig. Art.*, 1047.
- Resistance, nasal, to air flow, The effect of menthol on—R. Eccles and A. S. Jones. *Orig. Art.*, 705.
- Results, hearing, correlated with the severity of tissue changes in ears with chronic otitis media, Late post-operative—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Results, indications and, Unilateral tonsillectomy—L. P. Gray. *Orig. Art.*, 1111.
- Results, initial, A nose clinic—I. Mackay, P. Stanley, M. Greenstone, P. Holmes and P. Cole. *Orig. Art.*, 925.
- Results of dermatoplasty in the treatment of hereditary haemorrhagic telangiectasia, Long-term—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Results of tympanoplasty using ossicle or cortical bone, Late—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Retardation, mental, Lingual thyroid, sensorineural hearing loss and; a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Reviewed in the light of recent experimental studies, The original description of Shrapnell's membrane—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Rhabdomyosarcoma of the nasopharynx, Botryoid—V. C. Canale, R. Volpe, A. Carbone and E. Grigoletto. *Clin. Rec.*, 553.
- Rhesus monkey, Ultrastructure of the tympanic membrane in the—T. Lildholdt, J. Clausen and E. I. Cantekin. *Orig. Art.*, 785.
- Rhinocerebral phycomycosis—S. Bahadur, P. Ghosh, P. Chopra and G. Rai. *Clin. Rec.*, 267.
- Rhinoplastic surgery, The nasal passage following—P. Stocksted and C. Gutierrez. *Orig. Art.*, 49.
- Rhinoplasty: aesthetics, ethics and airway—T. R. Bull. *Orig. Art.*, 901.
- Rhinoscleroma, The complement fixation test in—H. Topozada, H. Mazloum, M. El-Sawy, R. Malaty and Y. Yakout. *Orig. Art.*, 55.
- Roentgenological findings and changes after mastoid obliteration, Post-operative—K. Ojala, R. Lahti, A. Palva and M. Sorri. *Orig. Art.*, 393.
- Role of myocutaneous flaps in reconstruction of the head and neck—R. Tiwari and G. B. Snow. *Orig. Art.*, 441.
- Round and oval windows, Traumatic perilymph fistulae of the—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Saddle deformity in the nose, The fate of silastic in the management of—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Salicylate, sodium, on the cochlea of guinea pigs, The effects of—E. E. Douek, H. C. Dodson and L. H. Bannister. *Orig. Art.*, 793.
- Salivary gland, Intraductal carcinoma of the minor—K. T. K. Chen. *Clin. Rec.*, 189.
- Salvage, Surgical, of radiation failures in cancer of the larynx—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Sarcoidosis, Cutaneous nasal,—treatment by excision and split-skin grafting—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Sarcoidosis, Hearing loss in—B. Majumdar and J. Crowther. *Clin. Rec.*, 635.
- Sarcoma, Kaposi's, of the ear—M. P. Stearns, A. A. Hibbard and H. C. Patterson. *Clin. Rec.*, 641.
- Sarcoma, Kaposi's, of the larynx—A. Coyas, E. Eliadellis and O. Anastassiades. *Clin. Rec.*, 647.
- Sarcoma of the lower lip, Post-irradiation—J. S. Rennie, A. McLay and N. S. B. Tanner. *Clin. Rec.*, 871.
- Sarcoma of the pharynx and oesophagus, Synovial—B. V. Palmer, A. Levene and H. J. Shaw. *Clin. Rec.*, 1173.
- Sarcoma of the temporal bone, Osteogenic—R. Gertner, L. Podoshin and M. Fradis. *Clin. Rec.*, 627.
- Sarcoma, Oropharyngeal Kaposi's—P. C. Windle-Taylor and N. Shah. *Clin. Rec.*, 1065.
- Saudi Arabia, Common features and surgical interference in a prevalent oral cancer in—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Schistosomiasis in otorhinolaryngology: review of the literature and case report—H. J. Manni, P. N. Lema, J. A. van Raalte and G. F. Westerbeek. *Clin. Rec.*, 1177.
- School children in Dammam, Hearing levels of—A. Ashoor. *Orig. Art.*, 37.
- Secondary malignant tumour of the temporal bone presenting as jaw joint dysfunction—P. Worthington. *Clin. Rec.*, 1157.
- Secretory otitis after insertion of grommets, Tympanosclerosis of the drum in—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Secretory otitis media, Atopy and—P. Borge. *Orig. Art.*, 117.
- Sensorineural hearing loss and mental retardation, Lingual thyroid; a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Septum, nasal, Chondrosarcoma arising in the—J. Hornibrook and M. S. Robertson. *Clin. Rec.*, 1163.
- Septum, nasal, Chondrosarcoma of the paranasal sinuses and—A. M. S. El Ghazali. *Clin. Rec.*, 543.
- Septum, nasal, in a newborn, Monomorphic adenoma of the—P. Vaze, K. Aterman, C. Hutton and H. A. Idikio. *Clin. Rec.*, 251.
- Serous otitis, Cotrimoxazole in the treatment of—N. J. Marks, R. P. Mills and O. H. Shaheen. *Orig. Art.*, 213.

- Severe childhood deafness in Glasgow, 1965–1979—E. F. Flint. *Orig. Art.*, 421.
- Severity of tissue changes in ears with chronic otitis media, Late post-operative hearing results correlated with the—K. Ojala and M. Sorri. *Orig. Art.*, 131.
- Shrapnell's membrane reviewed in the light of recent experimental studies, The original description of—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Silastic in the management of saddle deformity in the nose, The fate of—I. S. Mackay and T. R. Bull. *Orig. Art.*, 43.
- Simple, low-cost non-invasive diagnostic technique, A, Phonocephalography.—S. Tewfik. *Orig. Art.*, 1133.
- Sinus aspergillosis, Paranasal—S. Bahadur, S. K. Kacker, B. D'souza and P. Chopra. *Clin. Rec.*, 863.
- Sinus, ethmoid, Malignant fibrous histiocytoma of the—G. B. Brookes and P. E. Rose. *Clin. Rec.*, 279.
- Sinus, maxillary, Ectopic meningioma of the—J. J. Manni. *Clin. Rec.*, 657.
- Sinus, maxillary, Primary hydatid cyst of the—M. Goldsher, I. Eliachar, Z. Joachims and A. Golz. *Clin. Rec.*, 869.
- Sinus mucosa, Distribution of lymecycline in interstitial fluid and paranasal—S. E. Holm, A.-M. Bergholm, C. Ekedahl and K. Lundin. *Orig. Art.*, 59.
- Sinus, sphenoid, Surgical anatomy of the—S. Elwany, Y. M. Yacout, M. Talaat, M. El-Nahass, A. Gunied and M. Talaat. *Orig. Art.*, 227.
- Sinuses, paranasal, and nasal septum, Chondrosarcoma of the—A. M. S. El Ghazali. *Clin. Rec.*, 543.
- Sinusitis, maxillary, An unusual complication of—F. Tovi, J. Goldstein and J. Sidi. *Clin. Rec.*, 275.
- Sinusitis, sphenoid, The complications of—B. A. B. Dale and I. J. Mackenzie. *Clin. Rec.*, 661.
- Skeleton, facial, The influence of nasal trauma during childhood on growth of the—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Skull base, Chondroma of the—A. Amen, R. J. Lee, A. J. Maguire and J. Mullaney. *Clin. Rec.*, 73.
- Slow release combined preparation (dexchlorpheniramine+pseudoephedrine) for symptomatic treatment of the common cold, A—H. Virtanen. *Orig. Art.*, 159.
- Sodium salicylate on the cochlea of guinea pigs, The effects of—E. E. Douek, H. C. Dodson and L. H. Bannister. *Orig. Art.*, 793.
- Southern Africa, Childhood deafness in—S. Sellars and P. Beighton. *Orig. Art.*, 885.
- Sphenoid sinus, Surgical anatomy of the—S. Elwany, Y. M. Yacout, M. Talaat, M. El-Nahass, A. Gunied and M. Talaat. *Orig. Art.*, 227.
- Sphenoid sinusitis, The complications of—B. A. B. Dale and I. J. Mackenzie. *Clin. Rec.*, 661.
- Spindle cell carcinoma of the nasopharynx—F. Nofal. *Clin. Rec.*, 1057.
- Split-skin grafting, Treatment by excision and, Cutaneous nasal sarcoidosis—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Spontaneous emphysema of the neck—A. M. S. El-Ghazali. *Clin. Rec.*, 383.
- Spontaneously regressing nodular fasciitis of the neck—B. Majumdar. *Clin. Rec.*, 973.
- Squamous cell carcinoma of the larynx and laryngopharynx, E-rosette forming cells (E-RFC) in—U. Wig, A. S. Saini and V. K. Gupta. *Orig. Art.*, 527.
- (S.R.P.), Stapes-replacing prosthesis—J. Sadé, E. Yaniv, S. Gassner and M. Levy. *Orig. Art.*, 677.
- Stapedial reflex, New clinical applications of the—N. Laurian, L. Laurian, R. Sadov, M. Strauss and M. Kalmanovitz. *Orig. Art.*, 1099.
- Stapes-replacing prosthesis (S. R. P.)—J. Sadé, E. Yaniv, S. Gassner and M. Levy. *Orig. Art.*, 677.
- Stapes, Traumatic luxation of the—L. Vanderstock, H. Vermeersch and E. De Vel. *Clin. Rec.*, 533.
- Stapling instrument for post-laryngectomy pharyngeal repair, The use of a—G. A. Westmore and J. E. A. Knowles. *Clin. Rec.*, 775.
- Stapling instrument in the surgery of hypopharyngeal diverticula, The use of a—G. A. Westmore. *Clin. Rec.*, 779.
- Stenosis, laryngeal, A preventable cause of, Mucous membrane pemphigoid—R. P. Mills, M. J. O'Connor and G. A. Shun Shin. *Clin. Rec.*, 761.
- Stenosis, laryngoscleromatous subglottic, Local acriflavine in—M. Hashash, M. Shaer, I. Shawaf and K. Hawary. *Orig. Art.*, 745.
- 'Still other seed fell on good soil . . .'—S. M. Miller. *Clin. Rec.*, 531.
- Stimulation of the cat cochlea, The histopathological effects of chronic electrical—R. K. Shepherd, G. M. Clark, R. C. Black and J. F. Patrick. *Orig. Art.*, 333.
- Structure and function, Cricoarytenoid joint—I. Sellars and S. Sellars. *Orig. Art.*, 1027.
- Studies, Electron microscopical, on the nerve endings of the outer hair cells in acoustically exposed rabbits—T. Omata and W. Schätzle. *Orig. Art.*, 891.
- Studies, recent experimental, The original description of Shrapnell's membrane reviewed in the light of—S. Hellström and L.-E. Stenfors. *Orig. Art.*, 985.
- Study of the reliability of pure tone audiometry for the detection of gentamicin auditory toxicity, A controlled—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Shenoj and A. M. Geddes. *Orig. Art.*, 27.
- Study of tonsillectomy performed by guillotine and dissection methods, Comparative—G. S. Weligodapola. *Orig. Art.*, 605.
- Subglottic stenosis, Local acriflavine in laryngoscleromatous—M. Hashash, M. Shaer, I. Shawaf and K. Hawary. *Orig. Art.*, 745.

- Suction method, The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by—D. Hanji, S. Shujing, H. Shuwei and L. Gohao. *Orig. Art.*, 727.
- 'Superior constrictor swallow', clicking of the ears and ear disease, The relationship between the—L. P. Gray. *Orig. Art.*, 1121.
- Suppurative thyroiditis, Recurrent, due to pyriform fossa—thyroid fistula—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Surface cerebral angioma, Phonocephalography and pulsatile tinnitus in a—S. Tewfik. *Clin. Rec.*, 959.
- Surface view of the human adult eustachian tube, The fine—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Surgery, ear, Pathology as it relates to—A. Belal. Part III. *Orig. Art.*, 101.
- Surgery, ear, Pathology as it relates to—A. Belal and J. Ylikoski. Part II. *Orig. Art.*, 1.
- Surgery, ENT, A complication of the use of the laser in—A. P. Brightwell. *Clin. Rec.*, 671.
- Surgery, Laser, For T₁ glottic carcinoma—the argument against—J. R. Young. *Orig. Art.*, 243.
- Surgery of hypopharyngeal diverticula, The use of a stapling instrument in the—G. A. Westmore. *Clin. Rec.*, 779.
- Surgery, rhinoplastic, The nasal passage following—P. Stoksted and C. Gutierrez. *Orig. Art.*, 49.
- Surgical anatomy of the sphenoid sinus—S. Elwany, Y. M. Yacout, M. Talaat, M. El-Nahass, A. Gunied and M. Talaat. *Orig. Art.*, 227.
- Surgical interference in a prevalent oral cancer in Saudi Arabia, Common features and—A. Yousef and M. Hashash. *Orig. Art.*, 837.
- Surgical management of tumors of the middle ear and mastoid—J. S. Lewis. *Orig. Art.*, 299.
- Surgical salvage of radiation failures in cancer of the larynx—K. H. Lam, W. I. Wei, J. Wong and G. B. Ong. *Orig. Art.*, 351.
- Suture, vomero-ethmoid, Otitis media with effusion in children and its association with deformity of the—W. D. McNicoll. *Orig. Art.*, 203.
- Symptomatic approach to vertigo, A—A. G. Kerr. *Orig. Art.*, 813.
- Symptomatic treatment of the common cold, A slow release combined preparation (dexchlorpheniramine + pseudoephedrine) for—H. Virtanen. *Orig. Art.*, 159.
- Synchronous and metachronous tumours in patients with head and neck cancer—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Syndrome, hypopharyngeal, The relationship of the 'inferior constrictor swallow' and 'globus hystericus' or the—L. P. Gray. *Orig. Art.*, 607.
- Synovial sarcoma of the pharynx and oesophagus—B. V. Palmer, A. Levene and H. J. Shaw. *Clin. Rec.*, 1173.
- Syphilitic deafness, Congenital,—a further review—D. A. Adams, A. G. Kerr, G. D. L. Smyth and M. J. Cinnamond. *Orig. Art.*, 399.
- T₁ glottic carcinoma, Laser surgery for,—the argument against—J. R. Young. *Orig. Art.*, 243.
- Tanzania, Laryngeal tuberculosis in—H. Manni. *Clin. Rec.*, 565.
- Technique, a non-invasive diagnostic, Phonocephalography:—S. Tewfik. *Orig. Art.*, 1129.
- Technique, a simple, low-cost non-invasive diagnostic, Phonocephalography:—S. Tewfik. *Orig. Art.*, 1133.
- Tegmen tympani in adult temporal bones, Macroscopic bony deficiency of the—D. V. Lang. *Orig. Art.*, 685.
- Telangiectasia, hereditary haemorrhagic, Histological findings following oestrogen treatment of—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Telangiectasia, hereditary haemorrhagic, Long-term results of dermatoplasty in the treatment of—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Temporal bone, Osteogenic sarcoma of the—R. Gertner, L. Podoshin and M. Fradis. *Clin. Rec.*, 627.
- Temporal bone presenting as jaw joint dysfunction, Secondary malignant tumour of the—P. Worthington. *Clin. Rec.*, 1157.
- Temporal bones, Macroscopic bony deficiency of the tegmen tympani in adult—D. V. Lang. *Orig. Art.*, 685.
- Test, complement fixation, in rhinoscleroma, The—H. Topozada, H. Mazloun, M. El-Sawy, R. Malaty and Y. Yakout. *Orig. Art.*, 55.
- Thick-walled antrum, The unilateral—D. W. Proops. *Clin. Rec.*, 369.
- Thyroglossal duct cyst, Cholesterol granuloma in a—A. Aviel, M. Segal, E. Ostfeld and G. Marshak. *Clin. Rec.*, 379.
- Thyroid fistula, Recurrent suppurative thyroiditis due to pyriform fossa—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Thyroid, Lingual, sensorineural hearing loss and mental retardation: a coincidental association?—J. Elidan, R. Chisin and I. Gay. *Clin. Rec.*, 539.
- Thyroiditis, Recurrent suppurative, due to pyriform fossa—thyroid fistula—J. S. C. English and A. Al-Hussani. *Clin. Rec.*, 557.
- Tinnitus, Objective tubal; a report of two cases—H. Virtanen. *Clin. Rec.*, 857.
- Tinnitus, pulsatile, in a surface cerebral angioma, Phonocephalography and—S. Tewfik. *Clin. Rec.*, 959.
- Tissue changes in ears with chronic otitis media, Late post-operative hearing results correlated with the severity of—K. Ojala and M. Sorri. *Orig. Art.*, 131.

- Tissue, fibrin, adhesive on the middle ear, The effects of—D. Katzke, A. Pusalkar and E. Steinbach. *Orig. Art.*, 141.
- Tone, pure, audiometry for the detection of gentamicin auditory toxicity, A controlled study of the reliability of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Sheno and A. M. Geddes. *Orig. Art.*, 27.
- Tonsil, Cancer of the—A. Kuruvilla. *Orig. Art.*, 735.
- Tonsillar infection by traditional healers in Nigeria, Complications of the 'Treatment' of—A. O. Ibekwe. *Orig. Art.*, 845.
- Tonsillar weight, The relationship of adenoid weight to—M. Stearns. *Orig. Art.*, 519.
- Tonsillectomy as the treatment of peritonsillar abscess, Unilateral immediate—P.-H. Christensen and U. Schönsted-Madsen. *Orig. Art.*, 1105.
- Tonsillectomy performed by guillotine and dissection methods, Comparative study of—G. S. Weligodapola. *Orig. Art.*, 605.
- Tonsillectomy, Unilateral,—indications and results—L. P. Gray. *Orig. Art.*, 1111.
- Topical treatment with beclomethasone dipropionate (Bdp) aerosol, Allergic nasal mucosa following—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- TORPs—How have they fared after five years?—G. D. L. Smyth. *Orig. Art.*, 991.
- Toxicity, gentamicin auditory, A controlled study of the reliability of pure tone audiometry for the detection of—P. G. Davey, F. J. Jabeen, E. S. Harpur, P. M. Sheno and A. M. Geddes. *Orig. Art.*, 27.
- Tracheostomy tubes, Fracture of—B. C. Okafor. *Clin. Rec.*, 771.
- Tracking, eye, The clinical value of phase relation in non-predictive—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Traditional healers in Nigeria, Complications of the 'Treatment' of Tonsillar infection by—A. O. Ibekwe. *Orig. Art.*, 845.
- Trauma, nasal, during childhood on growth of the facial skeleton, The influence of—D. J. Brain and W. P. Rock. *Orig. Art.*, 917.
- Traumatic luxation of the stapes—L. Vanderstock, H. Vermeersch and E. De Vel. *Clin. Rec.*, 533.
- Traumatic oesophageal perforation treated with Mousseau Barbin tube—U. C. Misra, R. S. Chauhan, R. S. Gill, M. Lal and J. K. Gill. *Clin. Rec.*, 561.
- Traumatic perilymph fistulae of the round and oval windows—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Treatment by excision and split-skin grafting, Cutaneous nasal sarcoidosis—J. H. Goldin, S. M. A. Jawad and A. P. Reid. *Clin. Rec.*, 1053.
- Treatment, complications after, Otitis media with effusion—M. Ben-Ami, G. Rosen, T. Shlezinger, S. Konack and M. Ben-Ami. *Orig. Art.*, 1091.
- Treatment, oestrogen, of hereditary haemorrhagic telangiectasia, Histological findings following—P. Vase and M. Lorentzen. *Orig. Art.*, 427.
- Treatment of hereditary haemorrhagic telangiectasia, Long-term results of dermatoplasty in the—C. Ulsø, P. Vase and P. Stoksted. *Orig. Art.*, 223.
- Treatment of peritonsillar abscess, Unilateral immediate tonsillectomy as the—P.-H. Christensen and U. Schönsted-Madsen. *Orig. Art.*, 1105.
- Treatment of persistent middle-ear effusion, Aetiology and—G. D. L. Smyth and S. Hall. *Orig. Art.*, 1085.
- Treatment of serous otitis, Cotrimoxazole in the—N. J. Marks, R. P. Mills and O. H. Shaheen. *Orig. Art.*, 213.
- Treatment of the common cold, A slow release combined preparation (dexchlorpheniramine + pseudoephedrine) for symptomatic—H. Virtanen. *Orig. Art.*, 159.
- 'Treatment' of Tonsillar infection by traditional healers in Nigeria, Complications of the—A. O. Ibekwe. *Orig. Art.*, 845.
- Treatment of vertigo, Flunarizine in the—L. Wouters, W. Amery and G. Towse. *Orig. Art.*, 697.
- Treatment, tumour, The clinical use of cryosurgery in—P.-G. Lundquist and R. Kuylenstierna. *Orig. Art.*, 431.
- Treatment with beclomethasone dipropionate (Bdp) aerosol, Allergic nasal mucosa following topical—S. Elwany, M. Talaat, M. Talaat and A. Helmy. *Orig. Art.*, 165.
- Trends in minimizing deformity in head and neck resections—J. Conley. *Orig. Art.*, 1047.
- Tubal tinnitus, Objective; a report of two cases—H. Virtanen. *Clin. Rec.*, 857.
- Tube, eustachian, The fine surface view of the human adult—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Tube, Mousseau Barbin, Traumatic oesophageal perforation treated with—U. C. Misra, R. S. Chauhan, R. S. Gill, M. Lal and J. K. Gill. *Clin. Rec.*, 561.
- Tuberculosis, Hoarseness in—S. Vyravanathan. *Orig. Art.*, 523.
- Tuberculosis in Tanzania, Laryngeal—H. Manni. *Clin. Rec.*, 565.
- Tuberculous granuloma of the epiglottis—I. Khan. *Clin. Rec.*, 969.
- Tubes, Fracture of tracheostomy—B. C. Okafor. *Clin. Rec.*, 771.
- Tumors of the middle ear and mastoid, Surgical management of—J. S. Lewis. *Orig. Art.*, 299.
- Tumour?, an invasive, Pleomorphic adenoma of the hard palate—R. Feinmesser and I. Gay. *Clin. Rec.*, 1169.
- Tumour, mixed carcinoid, of the middle ear, A—I. Friedmann, F. R. Galey, W. F. House, J. N. Carberry and P. P. Ward. *Clin. Rec.*, 465.

- Tumour of infancy, Melanotic neuro-ectodermal—M. V. McCormick, D. S. Hogg, V. Chrystal and M. R. B. Cook. *Clin. Rec.*, 755.
- Tumour of the larynx, Carcinoid—E. Duvall, A. Johnston, K. McLay and J. Piris. *Clin. Rec.*, 1073.
- Tumour of the temporal bone presenting as jaw joint dysfunction, Secondary malignant—P. Worthington. *Clin. Rec.*, 1157.
- Tumour treatment, The clinical use of cryosurgery in—P.-G. Lundquist and R. Kuylentierna. *Orig. Art.*, 431.
- Tumours in patients with head and neck cancer, Synchronous and metachronous—G. J. Hordijk and J. M. A. de Jong. *Orig. Art.*, 619.
- Tumours of the ear, Angiography in the investigation of—J. D. Irving. *Orig. Art.*, 319.
- Tumours of the middle ear, The management of—O. H. Shaheen. *Orig. Art.*, 313.
- Tumours of the parotid gland, Multiple—A. S. Krogh, P. Bretlau and N. Hastrup. *Orig. Art.*, 1035.
- Turbinate, Pyocoele of the middle—B. C. Irwin. *Clin. Rec.*, 271.
- Tympani, tegmen, in adult temporal bones, Macroscopic bony deficiency of the—D. V. Lang. *Orig. Art.*, 685.
- Tympanic cavity, Congenital pre-auricular fistula communicating with the—C. W. R. J. Cremers. *Clin. Rec.*, 749.
- Tympanic membrane in the Rhesus monkey, Ultrastructure of the—T. Lildholdt, J. Clausen and E. I. Cantekin. *Orig. Art.*, 785.
- Tympanomastoidectomy, Intact bridge (I.B.M.)—combining essential features of open vs. closed procedures—M. M. Paparella and T. T. K. Jung. *Orig. Art.*, 579.
- Tympanometry, Otoscopy compared with—S. Gimsing and L. M. Bergholtz. *Orig. Art.*, 587.
- Tympanoplasty in children—C. H. Raine and S. D. Singh. *Orig. Art.*, 217.
- Tympanoplasty using ossicle or cortical bone, Late results of—K. Ojala, M. Sorri, J. Vainio-Mattila and P. Sipilä. *Orig. Art.*, 19.
- Tympanosclerosis of the drum in secretory otitis after insertion of grommets—M. Tos, P. Bonding and G. Poulsen. *Orig. Art.*, 489.
- Ultrastructure of the tympanic membrane in the Rhesus monkey—T. Lildholdt, J. Clausen and E. I. Cantekin. *Orig. Art.*, 785.
- Unilateral immediate tonsillectomy as the treatment of peritonsillar abscess—P.-H. Christensen and U. Schønsted-Madsen. *Orig. Art.*, 1105.
- Unilateral laser cordectomy, Phonatory function following—S. Večerina and Z. Krajina. *Orig. Art.*, 1139.
- Unilateral thick-walled antrum, The—D. W. Proops. *Clin. Rec.*, 369.
- Unilateral tonsillectomy—indications and results—L. P. Gray. *Orig. Art.*, 1111.
- Unusual complication of maxillary sinusitis, An—F. Tovi, J. Goldstein and J. Sidi. *Clin. Rec.*, 275.
- Use of a stapling instrument for post-laryngectomy pharyngeal repair, The—G. A. Westmore and J. E. A. Knowles. *Clin. Rec.*, 775.
- Use of a stapling instrument in the surgery of hypopharyngeal diverticula, The—G. A. Westmore. *Clin. Rec.*, 779.
- Use of cryosurgery in tumour treatment, The clinical—P.-G. Lundquist and R. Kuylentierna. *Orig. Art.*, 431.
- Use of the laser in ENT surgery, A complication of the—A. P. Brightwell. *Clin. Rec.*, 671.
- Value of phase relation in non-predictive eye tracking, The clinical—H. Suárez, A. Pereda and O. Macadar. *Orig. Art.*, 593.
- Vascular malformation of the parotid gland in Von Recklinghausen's disease—M. Z. Farag. *Clin. Rec.*, 571.
- Vertigo, A symptomatic approach to—A. G. Kerr. *Orig. Art.*, 813.
- Vertigo, Flunarizine in the treatment of—L. Wouters, W. Amery and G. Towse. *Orig. Art.*, 697.
- Vestibular aqueduct in patients with Menière's disease, Polytomography of the—P. J. Emery, W. R. Gibson, G. A. S. Lloyd and P. D. Phelps. *Orig. Art.*, 1007.
- View of the human adult eustachian tube, The fine surface—F. Hiraide and T. Inouye. *Orig. Art.*, 149.
- Virus, Epstein-Barr, (EBV) infection in epithelial cells derived from the nasopharynx by cell fusion, Establishment of—T. Takimoto, K. Morishita, M. Furukawa, R. Umeda and M. Hatano. *Orig. Art.*, 719.
- Vitamin D deficiency—a new cause of cochlear deafness—G. B. Brookes. *Orig. Art.*, 405.
- Voice disorders, Functional—M. W. M. Bridger and R. Epstein. *Orig. Art.*, 1145.
- Vomero-ethmoid suture, Otitis media with effusion in children and its association with deformity of the—W. D. McNicoll. *Orig. Art.*, 203.
- Von Recklinghausen's disease, Vascular malformation of the parotid gland in—M. Z. Farag. *Clin. Rec.*, 571.
- Wegener's Granulomatosis of the ear—P. J. Bradley. *Clin. Rec.*, 623.
- Weight, adenoid, to tonsillar weight, The relationship of—M. Stearns. *Orig. Art.*, 519.
- Windows, round and oval, Traumatic perilymph fistulae of the—D. S. Grewal, N. L. Hiranandani and A. G. Pusalkar. *Clin. Rec.*, 1149.
- Young diabetic patient, Malignant external otitis in a—K. Shamboul and H. Burns. *Clin. Rec.*, 247.

