

Information for Contributors

1. Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favourable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Associate Editor or the Editor.
2. The typescript should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, position and affiliations.
3. The title and section headings should highlight the significant points. A short abstract should precede the main text.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables.
7. References and footnotes should be cited according to the Harvard (Author/date system), also known as the "British form". In the text, author and year are cited in brackets e.g. "... was found by McCarthy (1980; 1980a) . . ." or "(Emmett *et al.* 1972)". Full references are listed in alphabetic order at the end of the paper. References are not numbered. An example of a reference list is:
DEUTSCH, C. & KLARFELD, S. 1973 *Phys. Rev.* **A7**, 2081.
NICHOLSON, D. R. 1983 *Plasma Theory*, (John Wiley, New York).
OOMURA, H. *et al.* 1982 *Res. Rep ILE*, ILE-8207p.
OOMURA, H. *et al.* 1982a *Trans. ANS*, **43**, 617.
Note that the year of publication appears after the author's name. If possible, all authors names should be listed in preference to "*et al.*" If one author or team is referred to more than once in any year, the letters a, b, etc should be added after the year to distinguish the individual references.
8. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

Continued from outside back cover

Keishiro Niu (Tokyo Inst. of Tech., Yokohama, Japan): Implosion motion and fuel compression in direct or indirect driven target 505

G. Kasotakis, L. Cicchitelli, H. Hora and R. J. Stening (UNSW, Kensington-Sydney, Australia): Volume compression and volume ignition of laser driven fusion pellets 511

S. Witkowski (MPQ, Garching, Germany-West): Physics of dense plasma research at MPQ 521

J. Yamada (Aichi Inst. of Tech., Toyoda, Japan) and T. Okuda (Daido Inst. of Tech., Nagoya, Japan): Laser-produced dense plasma in extremely high pressure gas and its application to a plasma-bridged gap switch 531

Susumu Namba (Osaka U., Osaka, Japan): Nanolithography for VLSI and ULSI 539

John T. Bahns (Pacific-Sierra Res. Corp., Los Angeles, CA, USA), Mark Koch (LTV Missiles and Electronic Group, Dallas, TX, USA), and William C. Stwalley (U. of Iowa, Iowa City, IA): Laser-induced plasmas in metal vapors 545

Francis F. Chen (U. CA – Los Angeles, CA, USA): RF production of high density plasmas for accelerators 551

Yasushi Nishida (Utsunomiya U., Tochigi, Japan): Electron linear accelerator based on cross field acceleration principle 561

Y. Furutani, H. Totsuji (Okayama U., Okayama, Japan), K. Mima and H. Takabe (ILE, Osaka, Japan): Internal structure of a partially ionized heavy ion – isolated ion model 581

Regular Papers

M. Vaselli, V. Palleschi and D. P. Singh (Inst. di Fisica, Pisa, Italy): Hydrodynamics of supercritical region in laser ablated plasmas 589

R. Giles (AT & T, Holmdel, NJ, USA) and A. A. Offenberger (U. of Alberta, Canada): Ion heating as a limiting process in CO₂ laser induced Brillouin scattering 597

E. A. Chauchard, C. C. Kung, Chi H. Lee, and M. J. Rhee (U. of Maryland, College Park, MD, USA): Repetitive semiconductor opening switch and application to short pulse generation 615

J. A. Nicolás, J. Sanz, J. R. Sanmartín, and J. Hilario (U. Politecnica, Madrid, Spain): Non-uniform target illumination in deflagration regime. Refractive smoothing 627

T. Tajima and W. Horton (U. Texas, Austin, TX, USA), S. Nishikawa (U. Tsukuba, Tokyo, Japan) and T. Nishikawa (Nat'l. Lab. for High Energy Physics, Ibaraki, Japan): Ionospheric Accelerator 637

Book Review by B. Yaakobi 645

Cambridge University Press, The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

LASER AND PARTICLE BEAMS

Pulse Power and High Energy Densities

Vol. 7, Part 3, August 1989

Preface 355

C. B. Collins, J.A. Anderson, F. Davanloo, C. D. Eberhard, J. J. Carroll, J. J. Coogan, and M. J. Byrd (U. Texas – Dallas, Richardson, TX, USA): The gamma-ray laser – status and issues in 1988 357

A. Zigler (SOREQ, Yavne, Israel), R. W. Lee and S. Mrowka (LLNL, Livermore, CA): Creation of X-ray laser media by high power laser heating of capillary discharge 369

Ken-ichi Ueda (U. Electro-Communications, Tokyo, Japan): Present status and prospect of KrF laser physics and technology – large volume excitation and UV optics 375

Y. Owadano, I. Okuda, Y. Matsumoto, M. Tanimoto, T. Tomie, K. Koyama, and M. Yano (Electrotech. Lab., Tsukuba, Ibaraki, Japan): Development of a High-Power KrF Laser System, ASHURA 383

A. A. Offenberger and R. Fedosejevs (U. Alberta, Alberta, Canada): KrF laser produced plasmas 393

Reed J. Jensen (LANL, Los Alamos, NM, USA): A traveling wave approach to plasma pumping for X-ray sources 405

G. H. Miley (U. of Illinois, Urbana, IL, USA): A nuclear pumped laser for the laboratory microfusion facility 411

K. Toyoda and Y. Kawamura (Inst. of Phys. and Chem. Res., Saitama, Japan): Experimental study of free electron laser using cold relativistic electron beams 421

Arthur H. Guenther (AFWL, Kirtland AFB, NM, USA) and John K. McIver (U. New Mexico, Albuquerque, NM, USA): The pulsed laser damage sensitivity of optical thin films, thermal conductivity 433

D. S. Pappas (LANL, Los Alamos, NM, USA): Physics of fusion pumped lasers 443

M. A. Prelas and E. J. Charlson (U. of Missouri, Columbia, MO, USA): Synergism in inertial confinement fusion: a total direct energy conversion package 449

S. Nakai (ILE, Osaka, Japan): Laser fusion experiment 467

C. Yamanaka (ILE, Osaka, Japan): Present and future of laser fusion 477

J. Fujita, S. Morita and M. Sakurai (Nagoya U.): X-ray diagnostics for fusion plasmas 483

K. Mima, H. Takabe, A. Nishiguchi, Y. Kihara, and S. Nakai (Osaka U., Osaka, Japan): Theoretical studies on electron and radiation preheatings 487

K. A. Tanaka, Y. Kato, S. Nakai, H. Shiraga (ILE, Osaka, Japan), T. Yabe (Gunma U., Gunma, Japan), T. Yamanaka, T. Endo, and R. Kodama (ILE, Osaka, Japan) and C. Yamanaka (ILT, Osaka, Japan): Energy transport experiments at Institute of Laser Engineering, Osaka University 495

© Cambridge University Press 1989

Printed in Northern Ireland by The Universities Press (Belfast) Ltd, Belfast BT6 9HF