

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London:

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACOCARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

Original Articles:—	PAGE
1. The Local Treatment of Tubercle of the Larynx, and its Indications. By Dr. THEODOR HERVING.	471
2. The Nature of so-called Follicular Tonsillitis, and its Relation to Infectious Disorders. By Dr. NORRIS WOLFENDEN.	475
3. A New Tonsil Punch. By Dr. A. B. KELLY.	488

Congress Meetings:—

The British Laryngological Association—

Dr. E. LAW—A Doubtful Case of Chronic Laryngeal Disease in a Diabetic Subject.	490
Mr. MAYO COLLIER—Case of Polypi of the Frontal Sinus.	493
Dr. DUNDAS GRANT—Fibroma of the Vocal Cord.	494
Disease of the Frontal Sinus.	496
Disease of the Sphenoidal Sinus.	497
Case of Paralysis of the Left Vocal Cord, etc., associated with Hemiplegia.	499
Mr. WYATT WINGRAVE—Probable Malignant Laryngeal Growth. Probable Tuberculosis of the Larynx.	500
Dr. SANDFORD—Death from Convulsions after Scraping Adenoids. Removal of a Button from the Nares.	501
Case of Intra-Cranial Abscess.	501
Dr. MILLIGAN—Primary Lupus of the Nasal Septum.	502
Acute Suppuration of Anterior Ethmoidal Cells.	502
Mr. F. MARSH—Multiple Adenomatous Growths of the Larynx removed by Thyrotomy.	504
Dr. NORRIS WOLFENDEN—The Nature of Follicular Tonsillitis.	505

International Medical Congress.

SECTION OF LARYNGOLOGY—	
Dr. GOUGUENHEIM—Surgical Treatment of Laryngeal Phthisis.	500
Dr. DANCAC—Examination of a Tubercular Cicatrix.	516
Dr. CASADESUS—Reflexes from the Nose, Pharynx, and Larynx.	516
DISCUSSION ON TUBERCULOSIS.	
Dr. TRIFILETTI—Phenol Sulphoricinate in Phthisis.	525
Dr. GAREL—Diagnosis and Treatment of Suppurations of the Maxillary Sinus.	528
Dr. ROUSEL—Perforation of the Crico-Thyroid Membrane for Treatment by Sprays, etc.	535
Dr. SOKOLOWSKI—Pathology and Therapeutics of Laryngitis Hypertrophica.	535
SECTION OF OTOLOGY—	
Dr. LEVY—A new Acoumeter.	536
Dr. COZZOLINO—Demonstration on the Nasal Sinuses.	537
Dr. POLI—Syphilis of the Internal Ear.	538
Prof. DE ROSSI—Concluding Address.	539

Congress of American Physicians and Surgeons.

Reviews:—

STURMANN—Pachydermia of the Larynx.
SCHNITZLER—Atlas of Laryngology.

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	xi.
Burroughs, Wellcome & Co.	vi., viii.
Central London Throat Hospital	xiii.
Godfrey & Cooke	x.
Houdé	xii.
Ingram & Royle ..	ix.
Lambert Pharmaceutical Co.	ii.
Rebman	x., xi.

“The Kepler Solution is an Ideal Form for the Administration of Fat.”

British Medical Journal.

COD LIVER OIL IN HOT WEATHER.

IN cold weather fats are usually more acceptable than in hot weather, but in the KEPLER SOLUTION, COD LIVER OIL—the most assimilable of all fats—is presented in a form which is agreeable to most patients, and seldom objected to by any.

This is because only the finest and freshest oil is used. It is thoroughly mixed with the KEPLER EXTRACT OF MALT, which exercises a solvent action upon it, and which almost, if not entirely, covers the taste of the oil.

As the digestibility of fats depends upon the fineness of their sub-division, a fat in solution in another food must be the most digestible of all fats. The KEPLER SOLUTION is as clear as the EXTRACT OF MALT by itself, but when water is mixed with it, a creamy emulsion is formed, the oil globules of which, when examined under the microscope, are smaller than in milk, and very much smaller than in the ordinary emulsions of cod liver oil, which are largely composed of sugar gum, and water, and which in consequence merely dilute the oil.

In the KEPLER SOLUTION the oil is mixed with a superior EXTRACT OF MALT which medical men regard and use as an admirable substitute for Cod Liver Oil some even preferring it. It is highly nutritious, being composed of dextrine, malt sugar, and a goodly proportion of soluble phosphates.

Diastase is a powerful digestive of starchy foods, which it converts into assimilable sugar, thus contributing to the formation of fat. While other sugars are liable to acetous fermentation in the stomach, malt sugar is not, and is therefore the best for use in acid dyspepsia. Children are specially fond of the KEPLER SOLUTION, and even infants thrive remarkably upon it.

When added to cow's milk the latter is made to more nearly approximate mother's milk, as it makes up for the deficiency of fat and sugar, and by its solvent power upon casein prevents the heavy clot which it is so difficult for the infant stomach to deal with.

An excellent food for infants and invalids may be made by mixing a table-spoonful of the KEPLER SOLUTION or KEPLER EXTRACT OF MALT with half a pint or more of warm milk.

KEPLER EXTRACT OF MALT and KEPLER EXTRACT OF MALT WITH COD LIVER OIL (KEPLER SOLUTION), supplied to the Medical Profession by all Chemists in $\frac{3}{4}$ -lb. and 1 $\frac{1}{2}$ -lb. bottles, at 1s. 8d. and 3s. each.

Specimen Bottles sent to Medical Men free on request.

BURROUGHS, WELLCOME & Co., Manufacturing Chemists,

SNOW HILL BUILDINGS, LONDON.

Cable and Telegraphic Address: “BURCOME, LONDON.”