

INDIAN JOURNAL OF DAIRY SCIENCE

Vol. XXXII, No. 2

June 1979

Contents

- Distribution and interrelationship of zinc in soil-plant-animal system: A review by P. C. GUPTA, PRAHLAD SINGH and K. PRADHAN.
- Effect of feeding urea supplemented ration on growth and nutrient utilization by buffalo heifers by R. S. GILL and S. S. GILL.
- Utility of spent coffee in the ration of growing buffalo calves by U. KRISHNA MURTHY, S. R. SAMPATH and T. K. DAS.
- Fluctuation of serum proteins during gestation in *Bubalus bubalis* by V. N. SESHAGIRI, S. R. PATTABIRAMAN and V. VENKATASWAMI.
- Postpartum ovarian activity and fertility in buffaloes by NARINDER SINGH, F. S. CHAUHAN and MEHAR SINGH.
- Seasonal variation in rumen activity of Browsing goats. I. TVFA, cellulolytic activity and buffering capacity of rumen fluid by G. S. RAI and M. D. PANDEY.
- Ultrastructural changes in the bovine myocardium during hypertrophy by RAMLAL P. GUPTA, ROBERT L. HAMLIN and GEORGE R. WILSON.
- Inbreeding in close herds of Haryana and Sahiwal cattle: Relationship between coefficient of inbreeding and production traits by A. S. KHANNA, A. S. KANAUJIA and D. S. BALAINE.
- Lactation curve in Indian buffaloes by RAJENDRA KUMAR and P. N. BHAT.
- Effect of phospholipids and method of manufacture of flavour and keeping quality of ghee by S. SINGH, B. P. RAM and S. K. MITTAL.
- A technique for the production of Bhapa dahi by D. C. BHATTACHARYA, B. D. TEWARI, DES RAJ and M. R. SRINIVASAN.
- Changes in surface tension, viscosity and curd tension of buffalo and cow milk during cheddar cheese manufacture by R. V. TAMBAT and M. R. SRINIVASAN.
- Studies on buffalo milk protease by M. P. MATHUR and R. K. SHARMA.
- In vitro* growth of rumen bacterial strains in rumen fluid and feed extracts by P. S. WAGHMARE and V. K. N. NAMBU DRIPAD.
- Short Communications*
- An active beta galactosidase preparation from *Streptococcus thermophilus* by M. V. RAMANA RAO and S. M. DUTTA.
- Free sugars of ghee residue by I. N. SHANTA and K. M. NARAYANAN.
- Unusual chromosome constitution of a bovine freemartin by C. R. BALAKRISHNAN, B. R. YADAV, A. A. BHATTI and K. G. S. NAIR.
- Milk production and calving interval of crossbred cows by PREM NARAIN and L. K. GARG.
- Efficiency of milk production in Mehsana and Surti buffaloes by N. K. BARHAT and M. S. CHOWDHARY.
- Some mineral elements in blood of buffaloes under different physiological conditions by OMKAR PARSHAD, J. S. ARNEJA and P. N. VARMAN.
- Inheritance of body measurements and body weight in Gir cows by M. I. QURESHI, C. M. TAYLOR and B. N. SINGH.
- Influence of wheat straw as a source of fibre on composition of rumen volatile fatty acids and milk fat by HARISH CHANDER and R. S. LUDRI.
- Dry matter and total digestible nutrient requirements of growing Karan Swiss calves by S. P. ARORA, KUM. HARJIT KAUR and R. S. DASS.
- Chemical composition and IVDMD for some forage crops of temperate zone by NAWAB SINGH and V. D. MUGDAL.

Subscription: Rs. 40/- (inland) £4.00 or \$10.00 (overseas).

Indian Dairy Association, IDA House, Sector IV
R. K. Puram, New Delhi 110022

DIRECTIONS TO CONTRIBUTORS

GENERAL

Two copies of manuscripts should be sent to Dr M. E. Sharpe (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (each author supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number and size of tables should be kept to an absolute minimum.

ILLUSTRATIONS

Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number; (c) the figures and lettering,

which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm × 150 mm all lines, axes and curves should be 0.4 mm thick, thus ———. Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

SHORT COMMUNICATIONS

Short communications or notes of not more than 2500 words or the equivalent space in print and without a summary will also be published.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *Journal of Dairy Research* 18, 158–165. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references.

UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972. *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH₂PO₄. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

OFFPRINTS

Order forms giving quotations for offprints are sent to authors with their proofs.

CONTENTS

ORIGINAL ARTICLES

- Effect of deflector shields fitted in the milking machine teatcup liner on bovine udder disease
T. K. GRIFFIN, G. A. MEIN, D. R. WESTGARTH, F. K. NEAVE,
W. H. THOMPSON and P. D. MAGUIRE pages 1-9
- Susceptibility of the bovine udder to bacterial infection in the dry period
C. L. COUSINS, T. M. HIGGS, E. R. JACKSON, F. K. NEAVE and
F. H. DODD 11-18
- Post milking iodine teat skin disinfectants. 1. Bactericidal efficacy
R. F. SHELDRAKE, R. J. T. HOARE and J. E. HUTCHINSON 19-26
- Post milking iodine teat skin disinfectants. 2. New intramammary
infection rates
R. F. SHELDRAKE and R. J. T. HOARE 27-31
- Post milking iodine teat skin disinfectants. 3. Residues
R. F. SHELDRAKE, R. J. T. HOARE, S. C. CHEN and J. McPHILLIPS 33-38
- Identification, properties, and differential counts of cell populations using
electron microscopy of dry cow secretions, colostrum and milk from
normal cows
C. S. LEE, F. B. P. WOODING and P. KEMP 39-50
- The effect of chloroform introduced into the rumen of the lactating goat
on the yield and composition of the milk
S. BASMAEIL and J. L. CLAPPERTON 51-60
- Activation of milk lipase by serum proteins: possible role in the occurrence
of lipolysis in raw bovine milk
R. A. CLEGG 61-70
- Casein compositional studies. I. The composition of casein from Friesian
herd milks
J. G. BARRY and W. J. DONNELLY 71-82
- The content and composition of protein in creamery milks in south-west
Scotland
D. T. DAVIES and A. J. R. LAW 83-90
- Levels and location of adenosine 5'-triphosphate in bovine milk
T. RICHARDSON, T. C. A. MCGANN and R. D. KEARNEY 91-96
- Isolation and characterization of the principal caseins in rat milk
J.-P. PELISSIER, A. YAHIA, J.-M. CHOBERT and B. RIBADEAU DUMAS 97-102
- Influence of milk protein concentration on the gelling activity of chymosin
and bovine pepsin
P. GARNOT and C. CORRE 103-111
- Binding of calcium ions to bovine α_{s1} -casein and precipitability of the
protein-calcium ion complexes
D. G. DALGLEISH and T. G. PARKER 113-122
- Hydrophobic surface areas and net charges of α_{s1} -, κ -casein and
 α_{s1} -casein : κ -casein complex
S. DOSAKO, S. KAMINOGAWA, S. TANEYA and K. YAMAUCHI 123-129
- Resistance of 17 mesophilic lactic *Streptococcus* bacteriophages to
pasteurization and spray drying
M. C. CHOPIN 131-139
- Properties of single-strain cheese starter bacteria grown in diffusion culture
R. J. W. OSBORNE and J. V. BROWN 141-150
- SHORT COMMUNICATIONS
- Enrichment of zabadi with soy extract
S. A. ABOU-DONIA, M. A. EL-SODA and R. MASHALY 151-153
- Prevalence of different species of coagulase-negative staphylococci on teats
and in milk samples from dairy cows
L. A. DEVRIESE and H. DE KEYSER 155-158

© Proprietors of *The Journal of Dairy Research* 1980

Printed in Great Britain at the University Press, Cambridge